



GARY E. JOHNSON  
GOVERNOR

HAFB  
00

State of New Mexico  
**ENVIRONMENT DEPARTMENT**  
Hazardous & Radioactive Materials Bureau  
2044 Galisteo Street  
P.O. Box 26110  
Santa Fe, New Mexico 87502  
(505) 827-1557  
Fax (505) 827-1544



PETER MAGGIORE  
SECRETARY  
PAUL R. RITZMA  
DEPUTY SECRETARY

RECEIVED  
ENVIRONMENTAL  
DEPARTMENT  
2-10-00

**CERTIFIED MAIL  
RETURN RECEIPT REQUESTED**



February 9, 2000  
Howard E. Moffitt  
Deputy Base Civil Engineer  
49 CES/CEV; 550 Tabosa Avenue  
Holloman Air Force Base, NM 88330-8458

**SUBJECT: APPROVAL OF PETITION FOR CLASS III PERMIT MODIFICATION AND  
NO FURTHER ACTION AT 70 SOLID WASTE MANAGEMENT UNITS  
EPA ID No. NM6572124422  
INVOICE NUMBER: HRMB-HAFB-00-001**

Dear Mr. Moffitt:

The Hazardous and Radioactive Materials Bureau (HRMB) of the New Mexico Environment Department (NMED) has reviewed Holloman Air Force Base's (HAFB) July 12, 1999 Petition for No Further Action (NFA) for one hundred four (104) solid waste management units (SWMUs) and areas of concern (AOCs). Following review of the proposal and related documents, HRMB has determined that only seventy (70) of the 104 proposed SWMUs and AOCs are appropriate for NFA. The remaining sites do not meet NFA criteria since they are either undergoing long term monitoring or subsequent phases of investigation. The attached list identifies the SWMUs and AOCs that HRMB deems appropriate for NFA through Class III Permit Modification, and subsequent removal from the list of Corrective Action sites in the HAFB/Facility operating Permit.

The New Mexico Hazardous Waste Management Fee Regulations 20 NMAC 4.2. require the assessment of fees when reviews of Petition for NFA are completed. Payment is due within sixty (60) days from the date you receive this letter. Should the Return Receipt be sent back to us without a date of receipt the fees are due sixty (60) days from the date of this letter. Should you need to request an extension of the sixty (60) day period the request must be received by the New Mexico Environment Department a minimum of fourteen (14) calendar days prior to the end of the sixty (60) day period.

The invoice for the Class III Permit Modification for NFA for the attached list of SWMUs and AOCs will be sent to HAFB under separate cover.


Mr. Moffitt, HAFB  
Page 2 of 2  
February 9, 2000

Should you disagree with the fee assessed you may file an Administrative Appeal under the provisions of 20 NMAC 4.2.302.1.

Upon receipt of the fees, NMED will subject the approved list of SWMUs and AOCs with the Statement of Basis to a forty-five (45) day public comment period to provide opportunity for the public to be informed of and participate in decisions that affect them and their communities by submitting written comments to HRMB.

If you have any questions please contact Cornelius Amindyas at the above address or by telephone at (505) 827-1561 ext. 1030.

Sincerely,



John E. Kieling, Acting Manager  
RCRA Permits Management Program  
Hazardous and Radioactive Materials Bureau

Attachment

cc: James P. Bearzi, Chief, HRMB  
Robert S. Dinwiddie, RCRA Adviser, HRMB  
Cindy Abeyta, Management Analyst 3, HRMB  
Cornelius Amindyas, Environmental Specialist, HRMB  
David Neleigh, Chief, EPA Region VI (6PD-N)  
Allen Chang, EPA Region VI (6PD-N)

File: Red,HAFB,00 & HSWA 00  
Track: HAFB,02/9/00,HRMB/CA, RE

**HOLLOMAN AIR FORCE BASE SWMUs DEEMED APPROPRIATE FOR NFA  
February 9, 2000**

| <b>SERIAL #:</b> | <b>SWMU #</b> | <b>IRP SITE</b> | <b>UNIT NAME</b> |
|------------------|---------------|-----------------|------------------|
| 1                | 1             | N/A             | Bldg. 55 O/WS    |
| 2                | 2             | N/A             | Bldg. 121 O/WS   |
| 3                | 3             | N/A             | Bldg. 130 O/WS   |
| 4                | 5             | N/A             | Bldg. 137 O/WS   |
| 5                | 6             | N/A             | Bldg. 193 O/WS   |
| 6                | 7             | N/A             | Bldg. 198 O/WS   |
| 7                | 8             | N/A             | Bldg. 231 O/WS   |
| 8                | 9             | N/A             | Bldg. 282 O/WS   |
| 9                | 10            | N/A             | Bldg. 283 O/WS   |
| 10               | 11            | N/A             | Bldg. 300 O/WS   |
| 11               | 12            | N/A             | Bldg. 304O/WS    |
| 12               | 13            | N/A             | Bldg. 304A O/WS  |
| 13               | 14            | N/A             | Bldg. 306 O/WS   |
| 14               | 15            | N/A             | Bldg. 309 O/WS   |
| 15               | 16            | N/A             | Bldg. 315 O/WS   |
| 16               | 17            | N/A             | Bldg. 316 O/WS   |
| 17               | 18            | N/A             | Bldg. 500 O/WS   |
| 18               | 21            | N/A             | Bldg. 702 O/WS   |
| 19               | 22            | N/A             | Bldg. 704 O/WS   |
| 20               | 23            | N/A             | Bldg. 800 O/WS   |
| 21               | 24            | N/A             | Bldg. 801 O/WS   |
| 22               | 25            | N/A             | Bldg. 805 O/WS   |
| 23               | 26            | N/A             | Bldg. 809 O/WS   |
| 24               | 27            | N/A             | Bldg. 810 O/WS   |
| 25               | 28            | N/A             | Bldg. 822 O/WS   |
| 26               | 29            | N/A             | Bldg. 827 O/WS   |
| 27               | 30            | N/A             | Bldg. 830 O/WS   |
| 28               | 31            | N/A             | Bldg. 855 O/WS   |
| 29               | 32            | N/A             | Bldg. 868 O/WS   |
| 30               | 33            | N/A             | Bldg. 869 O/WS   |
| 31               | 34            | N/A             | Bldg. 902 O/WS   |
| 32               | 35            | N/A             | Bldg. 903 O/WS   |
| 33               | 36            | N/A             | Bldg. 1000 O/WS  |
| 34               | 37            | N/A             | Bldg. 1080 O/WS  |
| 35               | 38            | N/A             | Bldg. 1080A O/WS |
| 36               | 40            | N/A             | Bldg. 1166 O/WS  |
| 37               | 41            | N/A             | Bldg. 1266 OW/S  |
| 38               | 42            | SS-09           | Bldg.1 WAA       |
| 39               | 54            | N/A             | Bldg. 702 WAA    |
| 40               | 55            | N/A             | Bldg. 702A WAA   |
| 41               | 56            | N/A             | Bldg. 807 WAA    |

|    |        |       |  |
|----|--------|-------|--|
| 42 | 63     | N/A   | Bldg. 867 WAA                          |
| 43 | 71     | N/A   | Bldg. 1778A WAA                        |
| 44 | 78     | N/A   | Trim Pad 3 WAA                         |
| 45 | 91     | N/A   | Bldg. 816 Wash Rack                    |
| 46 | 102    | OT-04 | Acid Trailer Burial Site               |
| 47 | 107*   | OT-11 | Main Base Substation PCB Disposal Area |
| 48 | 119    | N/A   | Bldg. 121 Waste Oil Tank               |
| 49 | 120    | N/A   | Bldg. 309 Waste Oil Tank               |
| 50 | 121    | N/A   | Bldg. 316 Waste Oil Tank               |
| 51 | 123    | N/A   | Bldg. 704 Waste Oil Tank               |
| 52 | 124    | N/A   | Bldg. 752 Waste Oil Tank               |
| 53 | 125    | N/A   | Bldg. 868 Fire Water Tank              |
| 54 | 126    | N/A   | Bldg. 1000 Waste Oil Tank              |
| 55 | 128    | N/A   | Bldg. 1166 Waste Oil Tank              |
| 56 | 129    | SS-36 | Bldg. 1191 Spill Tank                  |
| 57 | 134    | OT-24 | Bldgs. 902-924 Drainage Ditch          |
| 58 | 138    | N/A   | Bldg. 1166 Oil/Water Sep Drainage Pit  |
| 59 | 155    | N/A   | Sludge Drying Beds                     |
| 60 | 156    | N/A   | Imhoff Tanks (5)                       |
| 61 | 164    | N/A   | Bldg. 1080 Pond                        |
| 62 | 165    | SS-39 | Bldg. 1176 Pond                        |
| 63 | 171    | FT-31 | Fire Department training Area 2        |
| 64 | 178    | SS-36 | Bldg. 1191 Fuel Runoff Pits            |
| 65 | 192*   | OT-41 | Coco Block House Disposal Well         |
| 66 | 212*   | SD-28 | Former north Area Wash Rack            |
| 67 | 231    | LF-58 | Incinerator/Landfill                   |
| 68 | AOC-D* | SD-26 | Bldg. 882 Spills                       |
| 69 | AOC-G* | DP-43 | Atlas Substation PCB Spill             |
| 70 | AOC-L* | OT-37 | Early Missile Test Site                |

\* SWMUs deemed appropriate for NFA and subjected to 45 days Public Notice by the EPA in 1993.