



GARY E. JOHNSON  
GOVERNOR

State of New Mexico  
**ENVIRONMENT DEPARTMENT**  
Hazardous Waste Bureau  
2044 A Galisteo, P.O. Box 26110  
Santa Fe, New Mexico 87502-6110  
Telephone (505) 827-1567  
Fax (505) 827-1544



PETER MAGGIORE  
SECRETARY

PAUL R. RITZMA  
DEPUTY SECRETARY

Reading  
5/27/01  
G

**CERTIFIED MAIL  
RETURN RECEIPT REQUESTED**

February 28, 2001

Brigadier General William J. Lake  
Commander  
490 First Street, Suite 1700  
Holloman Air Force Base, New Mexico 88330-8277

**RE: Draft Annual Unit Audit for the Holloman Air Force Base Facility, calendar year 2000**

Dear Brigadier General Lake:

The Hazardous Waste Bureau has completed the Draft Annual Unit Audit for calendar year 2000 concerning the Holloman Air Force Base Facility. Tables developed as a result of the Draft Annual Unit Audit are enclosed. A thirty-day comment period is being provided by the Hazardous Waste Bureau for your facility to identify any discrepancies in the tables. Any comments identifying discrepancies in the tables is due by the close of business thirty days from your receipt of this Draft AUA. Should the Return Receipt Requested card be returned without a date of receipt the comments are due by the close of business thirty days from the date of this letter. At this time we ask only for your input on the accuracy of the enclosed tables.

Under the provisions of 20.4.2.201 NMAC the AUA is also used to determine the Annual Hazardous Waste Management Business Fee (AHWMBF) for your facility. **Do not calculate and submit the AHWMBF based on these tables.** An invoice will be mailed with the Final Annual Unit Audit on June 29, 2001. Your facility will have thirty days from receipt of that document to file an appeal of the Final AUA. Your facility will have sixty days from receipt of the invoice and the Final AUA to submit the AHWMBF fee.

If you have questions concerning this Draft Annual Unit Audit you may call me at (505) 827-1561.

Sincerely

Robert S. (Stu) Dinwiddie, Ph. D.  
RCRA Advisor  
Hazardous Waste Bureau

Cc: Cornelius Amindyas, HWB Project Leader  
AUA File  
Reading File

DRAFT AUA  
SUMMARY  
YEAR 2000

FACILITY:

Melrose Bombing Range

No. Units	Unit Type/Description	Comments	Fee
0	Disposal		\$0.00
0	Post Closure Care		\$0.00
9	Treatment		\$13,500.00
1	Storage		\$1,000.00
107	Corrective Action		\$26,750.00
		Total	\$41,250.00

DRAFT AUA  
OPERATING UNITS  
YEAR 2000

FACILITY:  
Holloman Air Force Base

Unit ID No.	Unit Type/Description	Comments	Fee
T-1	20,000 Pound Open Detonation Unit	Permitted Unit	\$1,500.00
T-2	300 Pound Open Burn Unit	Closure Certification Verified After 12-31-99	\$1,500.00
T-2	Sewage Lagoon A	Closure Certification Verified After 12-31-99	\$1,500.00
T-3	Sewage Lagoon B	Closure Certification Verified After 12-31-99	\$1,500.00
T-4	Sewage Lagoon C	Closure Certification Verified After 12-31-99	\$1,500.00
T-5	Sewage Lagoon D	Closure Certification Verified After 12-31-99	\$1,500.00
T-6	Sewage Lagoon E	Closure Certification Verified After 12-31-99	\$1,500.00
T-7	Sewage Lagoon F	Closure Certification Verified After 12-31-99	\$1,500.00
T-8	Sewage Lagoon G	Closure Certification Verified After 12-31-99	\$1,500.00
S-1	Container Storage Unit	Permitted Unit	\$1,000.00
			\$14,500.00

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.1 Billable SWMUs

FACILITY:  
Holoman Air Force Base

Unit ID No.	Unit Type/Description	Comments	Fee
1	Building 55 Oil Water Separator		\$250.00
2	Building 121 Oil Water Separator		\$250.00
3	Building 130 Oil Water Separator		\$250.00
4	Building 131 Oil Water Separator		\$250.00
5	Building 137 Oil Water Separator		\$250.00
6	Building 193 Oil Water Separator		\$250.00
7	Building 198 Oil Water Separator		\$250.00
8	Building 231 Oil Water Separator		\$250.00
9	Building 282 Oil Water Separator		\$250.00
10	Building 283 Oil Water Separator		\$250.00
11	Building 300 Oil Water Separator		\$250.00
12	Building 304 Oil Water Separator		\$250.00
13	Building 304A Oil Water Separator		\$250.00
14	Building 306 Oil Water Separator		\$250.00
15	Building 309 Oil Water Separator		\$250.00
16	Building 315 Oil Water Separator		\$250.00
17	Building 55316 Oil Water Separator		\$250.00
18	Building 500 Oil Water Separator		\$250.00
19	Building 638 Oil Water Separator		\$250.00
20	Building 639 Oil Water Separator		\$250.00
21	Building 702 Oil Water Separator		\$250.00
22	Building 704 Oil Water Separator		\$250.00
23	Building 800 Oil Water Separator		\$250.00
24	Building 801 Oil Water Separator		\$250.00
25	Building 805 Oil Water Separator		\$250.00
26	Building 809 Oil Water Separator		\$250.00
27	Building 810 Oil Water Separator		\$250.00
28	Building 822 Oil Water Separator		\$250.00
29	Building 827 Oil Water Separator		\$250.00
30	Building 830 Oil Water Separator		\$250.00
31	Building 855 Oil Water Separator		\$250.00
32	Building 868 Oil Water Separator		\$250.00
33	Building 869 Oil Water Separator		\$250.00
34	Building 902 Oil Water Separator		\$250.00
35	Building 903 Oil Water Separator		\$250.00
36	Building 1000 Oil Water Separator		\$250.00
37	Building 1080 Oil Water Separator		\$250.00
38	Building 1080A Oil Water Separator		\$250.00
39	Building 1092 Oil Water Separator		\$250.00
40	Building 1166 Oil Water Separator		\$250.00
41	Building 1266 Oil Water Separator		\$250.00

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.1 Billable SWMUs

FACILITY:

Holoman Air Force Base

Unit ID No.	Unit Type/Description	Comments	Fee
42	Building 1 Waste Accumulation Area		\$250.00
54	Building 702 Waste Accumulation Area		\$250.00
55	Building 702A Waste Accumulation Area		\$250.00
56	Building 807 Waste Accumulation Area		\$250.00
63	Building 867 Waste Accumulation Area		\$250.00
71	Building 1778A Waste Accumulation Area		\$250.00
78	Trim Pad 3 Waste Accumulation Area		\$250.00
82	Building 131 Washrack		\$250.00
91	Building 816 Washrack		\$250.00
101	Building 121 Landfill		\$250.00
102	Acid Trailer Burial Site		\$250.00
104	Former Army Landfill		\$250.00
105	Golf Course Landfill		\$250.00
106	Main Base Landfill		\$250.00
107	Main Base Substation PCB Disposal Area		\$250.00
108	MOBSS Landfill Disposal Trench		\$250.00
109	Old Main Base Landfill		\$250.00
111	Radioactive Waste Disposal Area		\$250.00
113A	Sludge Disposal Trenches Near Lagoons		\$250.00
113B	Sludge Disposal Trencher Fire Training Area		\$250.00
114	TEL Disposal Site		\$250.00
115	Waste Area Landfill #1 PCB Disposal Site		\$250.00
116	West Area Landfill #2		\$250.00

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.1 Billable SWMUs

FACILITY:

Holoman Air Force Base

Unit ID No.	Unit Type/Description	Comments	Fee
118	Building 21 Pesticides Holding Tank		\$250.00
119	Building 121 Waste Oil Tank		\$250.00
120	Building 309 Waste Oil Tank		\$250.00
121	Building 316 Waste Oil Tank		\$250.00
122	Building 702 Waste Oil Tank		\$250.00
123	Building 704 Waste Oil Tank		\$250.00
124	Building 752 Waste Oil Tank		\$250.00
125	Building 868 Fire Water Tank		\$250.00
126	Building 1000 Waste Oil Tank		\$250.00
127	Building 1092 Waste Oil Tank		\$250.00
128	Building 1166 Waste Oil Tank		\$250.00
129	Building 1191 Spill Tank		\$250.00
130	Taxiway 4 Tank 28		\$250.00
132	Building 21 Entomology Leachfield		\$250.00
133	Building 703 Washrack		\$250.00
134	Building 920-924 Drainage Ditch		\$250.00
135	Building 1092 Oil Water Separator Drainage Pit		\$250.00
136	Building 1119 Washrack Drainage Area		\$250.00
137	Building 1166 Test Track Drain Field		\$250.00
138	Building 1166 Oil Water Separator Drainage Pit		\$250.00
139	Lake Holloman		\$250.00
140	Lake Stinky		\$250.00
141	Pad 9 Drainage Pit		\$250.00
155	Sludge Drying Beds		\$250.00
156	Imhoff Tanks (5)		\$250.00
164	Building 1080 Pond		\$250.00
165	Building 1176 Pond		\$250.00
166	MOBSS Drainage Lagoon		\$250.00
170	Fire Department Training Area 1		\$250.00

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.1 Billable SWMUs

FACILITY:

Holoman Air Force Base

Unit ID No.	Unit Type/Description	Comments	Fee
171	Fire Department Training Area 2		\$250.00
172	Munitions Explosion Trenches (Current OD Unit)		\$250.00
177	Building 1176 Sumps		\$250.00
178	Building 1191 Fuel Runoff Pits		\$250.00
179	Discharge Box		\$250.00
181	Building 1176 Drainage Trough		\$250.00
183	Air Base Sewer System		\$250.00
184	Wastewater Recirculating Line		\$250.00
192	Coco Blockhouse Disposal Well		\$250.00
197	Former Entomology Shop		\$250.00
212	Building 824 Waste Accumulation Area		\$250.00
229	T-38 Test Cell Fuel Spill Site		\$250.00
230	Building 828 Fuel Spill Site		\$250.00
231	Incinerator Landfill		\$250.00
			\$26,750.00

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.1 Non-Billable AOCs

FACILITY:

Holloman Air Force Base

Unit ID No.	Unit Type/Description	Comments	Fee
AOC-A	Building Pesticide Rinsewater Spill Area		\$0.00
AOC-B	Building 807 Test Cell Surface Spill Area	Required further investigation in RFA But not in HSWA Moduel of Permit.*	\$0.00
AOC-C	Building 835 Spills	*	\$0.00
AOC-D	Building 882 Spills		\$0.00
AOC-E	Building 903-909 Sand Plast Residues	*	\$0.00
AOC-F	Asphalt Tank Spill Area	*	\$0.00
AOC-G	Atlas Substation PCB Spill		\$0.00
AOC-H	Chromic Acid Spill Area	*	\$0.00
AOC-I	Fighter Wing Flight Line Spill	*	\$0.00
AOC-J	Herbicide Spill Area	*	\$0.00
AOC-K	Northeast Base Spill Area	*	\$0.00
AOC-L	Early Missile Test Site		\$0.00
AOC-M	Building 18	*	\$0.00
AOC-N	Building 137 Military Gas Tank Leak	*	\$0.00
AOC-P	Building 301 Fuel Tank Leak		\$0.00
AOC-Q	BX Gas Station Fuel Line Leaks	*	\$0.00
AOC-R	JP-4 Fuel Line Break	*	\$0.00
AOC-S	Leaking Underground Storage Tank	*	\$0.00
AOC-T	POL Storage Tank Leaks		\$0.00
AOC-U	Lost River Basin		\$0.00
AOC-V	Officer's Club		\$0.00
PRI-2	PRI Building 1264 Solvent Burn Area	RFI Required by RFA	\$0.00
PRI-5	PRI Building 1264 Solvent Burn Area	RFI Required by RFA	\$0.00
		Total	\$0.00

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.2 Non-Billable SWMUs

FACILITY:  
Holloman Air Force Base

Unit ID No.	Unit Type/Description	Comments
		* Identified in RFA as SWMU but not requiring investigation or remediation in 1988.
43	Building 55 Waste Accumulation Area	
44	Building 121 Waste Accumulation Area	*
45	Building 195 Waste Accumulation Area	*
46	Building 198 Waste Accumulation Area	*
47	Building 280 Waste Accumulation Area	*
48	Building 282 Waste Accumulation Area	*
49	Building 300 Waste Accumulation Area	*
50	Building 301 Waste Accumulation Area	*
51	Building 308 Waste Accumulation Area	*
52	Building 500 Waste Accumulation Area	*
53	Building 638 Waste Accumulation Area	*
57	Building 809 Waste Accumulation Area	*
58	Building 822 Waste Accumulation Area	*
59	Building 837 Waste Accumulation Area	*
60	Building 844 Waste Accumulation Area	*
61	Building 55851 Waste Accumulation Area	*
62	Building 855 Waste Accumulation Area	*
64	Building 869 Waste Accumulation Area	*
65	Building 901 Waste Accumulation Area	*
66	Building 901 Waste Accumulation Area	*
67	Building 909 Waste Accumulation Area	*
68	Building 910 Waste Accumulation Area	*
69	Building 1080 Waste Accumulation Area	*
70	Building 1119 Waste Accumulation Area	*
72	Building 1178A Waste Accumulation Area	*
73	Building 1266 Waste Accumulation Area	*
74	Building 7005 Waste Accumulation Area	*
76	DRMO Non-Hazardous Waste Drain	*
77	RATSCAT Waste Accumulation Area	*
79	Building 21 Washrack	*
80	Building 55 Washrack	*
81	Building 121 Washrack	*

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.2 Non-Billable SWMUs

FACILITY:  
Holloman Air Force Base

SWMU	Unit Type/Description	Comments
83	Building 134 Washrack	*
84	Building 137 Washrack	*
85	Building 283 Washrack	*
86	Building 304A Washrack	*
87	Building 306 Washrack	*
88	Building 309 Washrack	*
89	Building 703 Washrack	*
90	Building 801 Washrack	*
92	Building 822 Washrack	*
93	Building 827 Washrack	*
94	Building 830 Washrack	*
95	Building 902 Washrack	*
96	Building 1080 Washrack	*
97	Building 1119 Washrack	*
98	Building 1166 Washrack	*
99	Building 1266 Washrack	*
100	Pad 9 Washrack	*
103	Causeway Rubble Disposal Area	*
110	POL Rubble Disposal Area	*
112	RATSCAT Disposal Area	*
117	Wire Spool Disposal Area	*
131	Waste Oil Bowers	*
142	Wastewater Influent Chamber	*
143	Bar Screen	*
144	Comminutor	*
145	Grit Chamber	*
146	Parshall Flume and Wet Well	*
147	Splitter Box	*
157	ABLE 51 PCB Storage Area	*
158	PCB Storage Bunker	*
159	Building 500 Lead Battery Storage Shelves	*
160	Building NiCad Battery Storage Area	*
161	Building 844 Battery Storage Area	*
162	DRMO Scrap Metal Storage Area	*
163	DRMO Wood Pile	*

DRAFT AUA  
CORRECTIVE ACTION UNITS  
YEAR 2000  
TABLE A.2 Non-Billable SWMUs

FACILITY:  
Holloman Air Force Base

SWMU	Unit Type/Description	Comments
167	Test Shed Launch Area Collection Basin	*
169	Burn Kettle	*
173	Building 198 Sand Trap	*
174	Building 231 Hobby Shop Silver Recovery Unit	*
175	Building 300 Cleaning Tank Sump	*
176	Building 844 Sand Trap	*
180	Building 301 Outdoor Drainage Flume	*
182	Building Floor Drains	*
185	Building 332 Silver Recovery Unit	*
186	Hospital Silver Recovery Unit	*
187	West Area Silver Recovery Unit	*
188	Building 161 Acid Neutralization Unit	*
189	Building 282 Recycling Area	*
190	Building 500 Battery Neutralization Unit	*
191	Building 855 Concrete Pad	*
193	Trash Dumpster	*
194	SWMU no longer exists/could not be located	*
195	SWMU no longer exists/could not be located	*
196	SWMU no longer exists/could not be located	*
197	SWMU no longer exists/could not be located	*
198	SWMU no longer exists/could not be located	*
199	SWMU no longer exists/could not be located	*
200	SWMU no longer exists/could not be located	*
201	SWMU no longer exists/could not be located	*
202	SWMU no longer exists/could not be located	*
203	SWMU no longer exists/could not be located	*
204	SWMU no longer exists/could not be located	*
205	SWMU no longer exists/could not be located	*
206	SWMU no longer exists/could not be located	*
207	SWMU no longer exists/could not be located	*
208	SWMU no longer exists/could not be located	*
209	SWMU no longer exists/could not be located	*
210	SWMU no longer exists/could not be located	*
211	SWMU no longer exists/could not be located	*
212	SWMU no longer exists/could not be located	*