



DEPARTMENT OF THE AIR FORCE HEADQUARTERS 49TH FIGHTER WING (ACC) HOLLOMAN AIR FORCE BASE, NEW MEXICO

2 5 MAY 2001

MEMORANDUM FOR NEW MEXICO ENVIRONMENT DEPARTMENT

Hazardous Waste Bureau Permits Management Attn: Mr. John E. Kieling, Program Manager PO Box 26110 Santa Fe, NM 87502

FROM: 49 CES/CEV 550 Tabosa Ave Holloman AFB, NM 88330-8458

SUBJECT: RCRA Part B Permit Modification for New Conforming Storage Facility Permit No. NM6572124422

1. We are submitting subject permit modification in advance of constructing a new conforming storage facility designed to replace our existing indoor/outdoor hazardous waste storage facility. The sections requiring modification are being submitted at this time; the other sections remain unchanged from those previously submitted in the application and subsequent response to the notice of deficiency determined to be technically complete and adequate by your letter dated 4 Oct 00.

2. Modified sections are designated with an "i." Sections that were modified are Bi, Ci, Di, Ei, Gi, Hi, Ii, Ki, Mi, and Ni. Also, a revised Part A application, reflecting an up-to-date signature, is enclosed.

3. We will be contacting you soon to schedule a meeting concerning this modification and establishing a construction schedule. Feel free to contact Ms. Deborah Hartell or Mr. Rod Villegas at (505) 572-3931 should you have any questions.

HOWARD E. MOFFI

Deputy Base Civil Engineer

Attachment:

One three-ring binder containing RCRA Parts A and B--Sections Bi, Ci, Di, Ei, Gi, Hi, Ii, Ki, Mi, and Ni Applications

Global Power for America





Headquarters, Air Combat Command Langley Air Force Base, Virginia

Final Report

RCRA Permit Modification for the Conforming Storage Facility EPA No. NM 6572124422-1

December 2000



49 CES/CEV Holloman Air Force Base, New Mexico

Final

RCRA Permit Modification for the Conforming Storage Facility

EPA No. NM 6572124422-1

Prepared for: 49 CES/CEV Holloman Air Force Base New Mexico

> Prepared by: URS Radian P.O. Box 201088 Austin, Texas 78720-1088

> > December 2000

Table of Contents

Section	Page
Α	Part A of the Permit Application
Bi	Conforming Storage Facility Description and Specifications
	Bi-1 General Description
	Bi-2 CSF Location InformationBi-5
	Bi-3 Topographic MapBi-5
	Bi-4 Traffic Information
	Attachment Bi-1 Wind Roses (1992-1996)
Ci	Waste Analysis PlanCi-1
	Ci-1 IntroductionCi-1
	Ci-2 Waste Analysis ApproachCi-1
	Ci-2.1 Process KnowledgeCi-1
	Ci-2.2 Identification/EPA Classification of the
	Hazardous Waste Managed Ci-3
	Ci-2.3 Hazardous Waste Tracking Procedures Ci-4
	Ci-3 Selecting Waste Analysis Parameters Ci-13
	Ci-3.1 Criteria and Rationale for Parameter Selection Ci-13
	Ci-3.1.1 Paint-Related Material Waste Ci-14
	Ci-3.1.2 Oil/Water Separator Sludge Ci-14
	Ci-3.1.3 Aircraft, Vehicle, and Equipment Maintenance Waste Ci-14
	Ci-3.1.4 Photographic Operations Ci-15
	Ci-3.1.5 Photocopying Operations Ci-15
	Ci-3.1.6 Facility Maintenance Ci-15
	Ci-3.1.7 Miscellaneous Ci-15
	Ci-3.1.8 Other Analyses
	Ci-3.2 Special Parameter Selection and Procedural Requirements Ci-16
	Ci-3.2.1 Ignitable, Reactive, and Incompatible Wastes Ci-16
	Ci-3.2.2 Land Disposal Restrictions Ci-17
	Ci-4 Sampling and Analysis Plan Ci-18
	Ci-4.1 Objectives
	C1-4.2 Sampling Procedures and Methodology
	C1-4.3 Health and Safety Procedures
	C1-4.4 Sampling QA/QC Procedures
	Ci-4.4.1 Documentation of Activities
	Ci-4.4.2 Contamination Control Procedures
	C-4.4.3 Sample Handling and Chain of Custody Ci-21
	Ci-4.5 Sample Container and Preservation Requirements Ci-22
	C-4.6 Laboratory Analysis Ci-22
	Ci-5 Acceptance Procedures for Off-Site Wastes Ci-23
	Ci-5.1 Verification-Testing Program for Off-Base Wastes Ci-24
	Ci-5.2 Verification Sampling Procedures Ci-24
	Ci-5.3 Quality Control, Quality Assurance, and Chain of Custody Ci-25

Table of Contents (Continued)

Section		Page
	Ci-5.4 Additional Requirements for Ignitable, Reactive,	
	Or Incompatible Waste	Ci-25
Di	Conforming Storage Facility Design and Operations	Di-1
	Di-1 Detailed Design Description of CSF	Di-1
	Di-2 Operating Hours	Di-3
	Di-3 Operating Procedures	Di-3
	Di-4 Container Compatibility	Di-5
	Di-5 Ignitable, Reactive, and Incompatible Waste Management	Di-7
	Di-6 Container Use and Management	Di-8
	Di-7 Air Emissions Management	Di-9
	Di-8 Protection of Groundwater	Di-10
	Di-9 Standards for Management of Specific Wastes	Di-10
	Di-10 Final Disposition of Wastes	Di-11
Ei	Security Procedures and Equipment	Ei-1
	Ei-1 Security Plan	Ei-1
F	Inspection Requirements	F-1
	F-1 General Inspection Requirements	F-1
	F-2 Unit-Specific Inspection Requirements	F-1
	F-3 Written Inspection Schedule	F-1
	F-4 Inspection Frequency	F-4
	F-5 Remedial Action for Inspection Deficiencies	F-4
	F-6 Inspection Log	F-4
Gi	Preparedness and Prevention Requirements	Gi-1
	Gi-1 Required Equipment	Gi-1
	Gi-2 Testing and Maintenance of Equipment	Gi-2
	Gi-3 Access to Communications or Alarm Systems	Gi-2
	Gi-4 Required Aisle Space	Gi-3
	Gi-5 Arrangements with Local Authorities	Gi-3
	Gi-6 Management of Ignitable, Reactive, and Incompatible Wastes.	Gi-4
	Gi-7 Hazard Prevention Procedures, Structures, and Equipment	Gi-5
Hi	Contingency Plan	Hi-1
	Hi-1 Purpose and Implementation of the Contingency Plan	Hi-1
	Hi-2 Content of the Contingency Plan	Hi-1
	Hi-3 Copies of the Contingency Plan	Hi-2
	Hi-4 Amendment of the Contingency Plan	Hi-2
	Hi-5 Emergency Coordinator	Hi-3
	Hi-6 Emergency Procedures	Hi-6

Table of Contents (Continued)

Section

Ii	Manifesting, Recordkeeping, and ReportingIi-1
	Ii-1 ManifestingIi-1
	Ii-2 Recordkeeping
	Ii-3 ReportingIi-3
J	Personnel TrainingJ-1
	J-1 OverviewJ-1
	J-2 Job Titles and Duties for Which Training is RequiredJ-1
	J-3 Training Content and FrequencyJ-3
	J-4 Personnel TrainingJ-4
	J-5 Implementation of Training ProgramJ-4
	J-6 Retention of RecordsJ-5
Ki	Closure, Post-Closure, and Financial Assurance Requirements
	Ki-1 Closure PlanKi-1
	Ki-2 ApplicabilityKi-1
	Ki-3 Closure Performance StandardKi-2
	Ki-4 Partial and Final ClosureKi-2
	Ki-5 Maximum Waste InventoryKi-2
	Ki-6 Description of Decontamination and Removal ProceduresKi-2
	Ki-7 Decontamination of Soil, Equipment, and StructuresKi-3
	Ki-8 Closure Plan AmendmentsKi-7
	Ki-9 Closure Notification Requirements
	Ki-10 Closure Schedule
	Ki-11 Certification of Closure
	Ki-12 Post-closure Plan
_	Ki-13 Financial AssuranceKi-8
L	Corrective Action for Solid Waste Management UnitsL-1
Mi	Letter of Delegation for Signature AuthorityMi-1
Ni	Signature Page and Certification StatementNi-1

iv

Page

List of Figures

Part A-1	A Layout of Holloman Air Force
A-2	Topographic Map Conforming Storage Facility
A-3	Aerial Photo of Conforming Storage Facility Area
A-4	Land Use Surrounding the Conforming Storage Facility
A-5	Layout of Conforming Storage Facility
Part	B
Bi-1	General Location of Holloman Air Force BaseBi-2
Bi-2	Layout of Holloman Air Force Base Bi-4
Bi-3	Topographic Map Conforming Storage Facility Bi-6
Bi-4	Land Use Surrounding the Conforming Storage FacilityBi-8
Bi-5	Aerial Photo of Conforming Storage Facility AreaBi-9
Bi-6	Layout of Conforming Storage Facility Bi-10
Ci-1	Waste Tracking Flow Diagram
Ci-2	Example Tracking Documents Ci-10
Di-1	Typical Segregation Pattern of Wastes in Conforming Storage Facility Di-6
Hi-1	Fire Evacuation Diagram – DRMO Holloman, Bldg. 119

v

List of Tables

	Page
Ci-1	Major Waste Categories and Parameters of Concern Ci-5
Di-1	Hazardous Materials Guide – Segregation Table for Hazardous Materials Di-12
F-1	Inspection ScheduleF-2
Hi-1	Emergency Response Equipment Inventory Hi-4
Ii-1	Records Retention TimesIi-5
Ki-1	Schedule for Closure of the Defense Reutilization Marketing Office CSF Ki-9
L-1	Table 1L-9
L - 2	Table 2L-11
L-3	Table 3L-13

.