ENTERED

QUARTERLY MONITORING AND ACTIVITY REPORT
QUARTER 4 (May 10 to August 17, 2004)
DP-1446
PETROLEUM HYDROCARBON LANDFARM
OLD FIRE TRAINING AREA (SITE FT-31)
HOLLOMAN AFB, NM

ENVIRONMENTAL FLIGHT
ENVIRONMENTAL RESTORATION PROGRAM
49 CES/CEV
550 TABOSA AVENUE
HOLLOMAN AFB, NM

September, 2004

CONTENTS

1.0 INTRODUCTION....1
2.0 GROUNDWATER MONITORING....1
3.0 NATIVE SOIL SAMPLING AND ANALYTICAL RESULTS....2
4.0 SUMMARY OF ACTIVITY AND TREATMENT SAMPLE ANALYTICAL RESULTS....2
5.0 REFERENCES....4

FIGURES

Figure 1 Site Map of Landfarm and Groundwater Contour Map.

Figure 2 Map of the Landfarm with Soil Sampling Grids.

TABLES

Table 1 Summary of Monitoring Well Construction and Groundwater Elevations.

Table 2 Summary of Groundwater Monitoring Analytical Results.

Table 3 Initial Soil Treatment Analytical Results From Lift #1 From Site 02/05 (June 29, 2004).

Table 4 7 Day Soil Treatment Analytical Results From Lift #1 From Site 02/05 (July 6, 2004).

Table 5 14-Day Soil Treatment Analytical Results From Lift #1 From Site 02/05 (July 13, 2004).

Table 6 Initial Soil Treatment Analytical Results From Lift #2 From Site 02/05 (August 9, 2004).

Table 7 7 Day Soil Treatment Analytical Results From Lift #2 From Site 02/05 (August 16, 2004).

Table 8 14 Day Soil Treatment Analytical Results From Lift #2 From Site 02/05 (August 23, 2004).

APPENDICES

APPENDIX A	Groundwater Laboratory Analytical Reports
APPENDIX B	Tracking Sheets for Trucks (Manifests) delivering Soil to the Landfarm from Site 02/05
APPENDIX C	Laboratory Analytical Reports for Soil Treatment Samples

1.0 INTRODUCTION

On August 25, 2003 Holloman Air Force Base (New Mexico) was granted temporary permission to operate a petroleum hydrocarbon landfarm at the closed Fire Training Area Site (FT-31) by the New Mexico Environment Department (NMED). On June 14, 2004, NMED issued a permanent operating permit (DP 1446) for the landfarm. The permanent operating permit requires that monitoring of subsurface conditions at the site (both soil and groundwater) be conducted in accordance with the approved discharge application and permit approval conditions listed in the Jun 14, 2004 authorization letter to the Base Commander, Holloman AFB, NM. This quarterly report, covering operations at the landfarm during the fourth quarter from May 10, 2004 to August 17, 2004 has been prepared in accordance with the discharge application and approval letter.

Section 2.0 presents a summary of the groundwater monitoring network and the analytical results from groundwater samples collected and submitted to the laboratory for analysis. Section 3.0 presents the analytical results from soil samples collected from the native material beneath the landfarm after one quarter of operation. Section 4.0 contains a summary of the landfarm treatment sample analytical results and the volume of soil treated at the landfarm during the quarter. References are contained in Section 5.0.

2.0 GROUNDWATER MONITORING RESULTS

The groundwater monitoring network at the landfarm is comprised of 4 wells. Four (4) monitoring wells labeled LF-01, LF-02, LF-03, and LF-04 were installed as described in Section 4.2 of the Discharge Application for Landfarming at FT-31 (Bhate, 2003). A summary of well construction, depths to water and groundwater elevations for each well are presented in Table 1. The wells were gauged and sampled on August 17, 2004. Figure 1 is a groundwater table contour map prepared with the elevation data presented in Table 1. Based upon the August 17, 2004 gauging data, a very weak (0.0016) southeasterly groundwater flow direction is indicated for the immediate area of the landfarm. However, the flow direction across the base is southwesterly.

Four (4) groundwater samples were collected from monitoring wells LF-01 through LF-04 on August 17, 2004. All wells were purged of three standing well volumes prior to sample collection. The samples were collected with disposable Teflon bailers and monofilament line as indicated in the Discharge Application for Landfarming at FT-31. Groundwater samples collected from each well were placed on ice, cooled to 4 degrees centigrade and submitted under strict chain-of-custody to Associated Laboratories, Inc. in Orange, California. The groundwater samples were analyzed for total dissolved solids

(TDS) by Method 160.1and volatile organic compounds (VOCs) by Method 8260B and Table 2 summarizes the groundwater analytical results. Laboratory Analytical reports for the groundwater samples are presented in Appendix A.

TDS was identified in groundwater samples in concentrations ranging between 20,300 mg/L to 24,800 mg/L. No VOC constituents were identified in the groundwater samples.

3.0 NATIVE SOIL SAMPLING AND ANALYTICAL RESULTS

In accordance with the draft and anticipated final permit to operate the landfarm, native soil sampling will be performed annually. The next scheduled native soil sampling event will be performed in Quarter 5 (November 2004).

4.0 SUMMARY OF ACTIVITY AND TREATMENT SAMPLE ANALYTICAL RESULTS

Two lifts of petroleum contaminated soil (PCS) was placed and treated in the landfarm during quarter 4 (May 10, 2004 to May 17, 2004). No supplemental nitrogen was used during treatment. Lift #1 was placed in the landfill on July 6, 2004 and removed after July 23, 2004. Lift #2 was placed in the landfill on August 6, 2004 and removed after August 23, 2004.

Soil paced in the landfarm was from the Environmental Restoration Program (ERP) Site 02/05 located at the Base's Petroleum Oil and Lubricants (POL) Storage Yard. The PCS at Site 02/05 is the results of a jet fuel spill which occurred in the early 1990s and was being remediated by an ineffective soil vapor extraction system. Soil from the Site 02/05 excavation was transported to the landfarm in dedicated trucks operated by the Base environmental contractor (Bhate Environmental). Each truck load was transported and logged into the landfarm under the trucking manifest tracking log presented in Appendix B.

Soil samples were collected on a grid pattern from the landfarm and submitted for laboratory analysis every 7 days. Soil sample results were used to document the treatment of soil in the landfarm. Each lift was placed and initial samples to document the starting concentrations of hydrocarbon constituents were collected and submitted for laboratory analysis. All samples were collected in accordance with the discharge permit (one sample per 370 cubic yards). A grid was placed over the landfarm and soil samples were collected from the center of each grid. A total of eight (8) soil samples were collected from each lift every 7 days during the treatment process. The soil samples were analyzed for total petroleum hydrocarbons (TPH) by Modified Method 8015 and VOCs by Method 8260B.

Soil analytical results from each lift and each round of sampling were tabulated to evaluate treatment progress. If the analytical results from a grid were below the treatment standards, no additional soil samples were collected from that grid

during the treatment of the lift. However, if the results for a particular grid or even for one grid were above the treatment standards, then treatment continued in ALL GRIDS for another seven days. The soil was plowed and disked every 7 days during treatment. No additional moisture was added to the soil during treatment. After the additional seven days of treatment, soil samples were collected only from the grid(s) that exceeded treatment standards in the prior sampling and analysis. This process was repeated with all soil undergoing treatment until soil sample results in ALL grids were below the treatment standards.

A summary of activities for each lift are presented below. Treatment soil sample analytical results are summarized in Tables 3 through 8. Laboratory analytical reports are presented in Appendix C.

LIFT #1 Volume Treated: 2960 cubic yards

- Date the lift was placed in the Landfarm and initial sampling: June 29, 2004 (Table 3)
- Date of Initial soil plowing and disking: July 2, 2004
- Date of 7-day sampling and analysis: July 6, 2004 (Table 4)
- Date of second soil plowing and disking: July 9, 2004
- Date of 14 day sampling and analysis: July 13, 2004 (Table 5)
- Date of lift removal: After July 16, 2004

The soil is currently being staged at Site 02/05 for backfill when the project is completed (late September 2004). No nitrogen or biosolids were added to the soil during treatment. No water was needed or added to the soil in the treatment cell.

LIFT #2 Volume Treated: 2960 cubic yards

- Date the lift was placed in the Landfarm and initial sampling: August 9, 2004 (Table 6)
- Date of Initial soil plowing and disking: August 13, 2004
- Date of 7-day sampling and analysis: August 16, 2004 (Table 7)
- Date of second soil plowing and disking: August 20, 2004
- Date of 14 day sampling and analysis: August 23, 2004 (Table 8)
- Date of lift removal: After August 24, 2004

The treated soil is currently being staged at Site 02/05 for backfill when the project is completed (late September 2004). No nitrogen or biosolids were added to the soil during treatment. No water was needed or added to the soil in the treatment cell.

5.0 REFERENCES

Bhate, 2003 Supplemental Information, Discharge Application for Landfarming Petroleum Hydrocarbon Contaminated Soil at the Former Fire Training Area FT-31, Holloman AFB, NM.

NMED, 2003 August 22, 2003, NMED Letter Approving Temporary Discharge/ Operation of the Landfarm.

NMED, 2004 February, NMED Letter Draft Permit to operate Landfarm at FT31.

NMED, 2004 June 14, 2004, NMED Letter Approving Discharge Permit 1446/ Operation of the Landfarm.

FIGURES



HOLLOMAN AFB NEW MEXICO	FT-31 LANDFARM GROUNDWATER MONITORING WELL LOCATIONS	FIGURE 1



HOLLOMAN AFB NEW MEXICO	FT-31 LANDFARM SOIL SAMPLING GRID	FIGURE 2

TABLE 1
SUMMARY OF
LANDFARM MONITORING WELL CONSTRUCTION AND GROUNDWATER ELEVATIONS QUARTER 4 AUG 2004
FT-31 LANDFARM
HOLLOMAN AFB, NM

Well No.	Well[1] Depth	Measuring Point Elevation[1] (Ft) NGVD	Date Surveyed	Elevation of Well Screen Interval (Ft) NGVD	Depth To[1] Water (Ft)	Date Measured	Groundwater Elevation (Ft) NGVD
LM-01	35.86	4102.57	2/20/2004	44069.61 to 4079.61	23.58	8/17/2004	4078.99
LM-02	37.5	4102.4	2/20/2004	4070.06 to 4080.06	23.36	8/17/2004	4079.04
LM-03	36.19	4102.15	2/20/2004	4069.70 to 4079.70	22.89	8/17/2004	4079.26
LM-04	35.86	4103.33	2/20/2004	4068.86 to 4078.86	24.13	8/17/2004	4079.20

Notes: 1. Measured from top of casing.

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL RESULTS
QUARTER 4
AUGUST 2004
FT-31 LANDFARM
HOLLOMAN AFB, NM

WELL NO. / Laboratory Order #	LM-01	LM-02	LM-03	LM-04	LM-01A
Date Sampled	8/17/2004	8/17/2004	8/17/2004	8/17/2004	8/17/2004
Total Dissolved Solids Method 160.1 mg/L	**24800**	**23700**	**20300**	**23200**	**24100**
Volatile Organic Compounds Method 8260B µg/L All Constituents	ND	ND	ND	ND	ND
Semi-volatile Organic Compounds Method 8270C µg/L All Constituents	ND	ND	ND	ND	ND

Notes:

1. ND= not detected. Value was not quantified in excess of reporting limit.
2. All constituents refers to the list of analytes in either the 8260B and 8270C methodology
3. LM-1A is a duplicate sample of LM01

TABLE 3
INITIAL SOIL TREATMENT ANALYTICAL RESULTS
LIFT #1 Site 02/05 (June 29, 2004)

Soil Concentrations for FT31 Soil Samples, LR #131771b
Date Sampled: June 29, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples and Grid Locations								SSL (µg/kg)	
	FT31LF-25-A1	FT31LF-25-A2	FT31LF-25-A3	FT31LF-25-A4	FT31LF-25-B1	FT31LF-25-B2	FT31LF-25-B3	FT31LF-25-B4	Residential	Commercial
Carbon Chain (µg/kg)										
C06 - C10	276,828	708,492	60,996	2,991,150	165,393	402,339	131,376	188,853	NA	NA
C10 - C22	431,664	1,219,920	105,570	1,994,100	331,959	622,863	197,064	938,400		
C22 - C36	<3,600	<3,600	<3,600	<3,600	130,203	<3,600	<3,600	<3,600		
Total (C10 - C36)	433,775	**1,222,031**	107,681	**1,996,211**	462,162	624,974	199,175	**940,511**	893,333	2,233,333
VOCs (µg/kg)										
1,2,4-Trimethylbenzene	212J	777	13,020	11,965	2,850	4,223	1,384	1,030	5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	338J	2,416	4,645	3,613	1,267	2,029	1,208	931	2.23E+04	6.89E+04
Ethylbenzene	<0.41	<0.41	6,428	2,416	341J	<0.41	<0.41	<0.41	1.06E+07	2.54E+07
Isopropylbenzene**	<0.38	<0.38	2,369	1,290	326J	279J	<0.38	<0.38	2.42E+05	3.89E+05*
n-Butylbenzene	<0.38	2,229	<0.38	1,830	755	1,208	<0.38	1,053	6.20E+04*	6.20E+04*
n-Propylbenzene	<0.32	204J	2,792	1,314	309J	816	283J	<0.32	5.32E+04*	5.32E+04*
Naphthalene	<20(<0.6)	1,185(<0.6)	<20(2,358)	3,906(2,639)	<20(<0.6)	735(1,002)	<20(<0.6)	<20(<0.6)	7.19E+04	9.83E+04*
p-Isopropyltoluene**	221J	1,642	2,757	2,428	847	1,478	863	781	6.29E+04*	6.29E+04*
sec-Butylbenzene	<0.31	<0.37	1,724	1,267	363J	591	301J	<0.31	6.05E+04*	6.05E+04*
Toluene	<0.42	<0.42	2,111	148J	<0.42	<0.42	<0.42	<0.42	2.48E+05*	2.48E+05*
Xylenes, total	<0.8	278J	20,879	9,759	2,170	1,900	958	368J	1.32E+05*	1.32E+05*
2-Methylnaphthalene**	1,267	3,261	988	9,666	964	2,369	1,267	1,584	1.71E+05*	1.71E+05*
Diethylphthalate	<20	<20	2,053	<20	<20	<20	<20	<20	4.80E+07	1.00E+08

Notes:

SSLs for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSLs for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

$$C_d = C_w\left(1+\frac{\theta_w}{\rho_b}\right)$$

where,

C_d = concentrations on dry-wt. basis
C_w = concentrations on wet-wt. basis
θ_w = water content (0.26 g/cm^3-soil)
ρ_b = bulk density of soil (1.5 g/cm^3)

TABLE 4
7 DAY SOIL TREATMENT ANALYTICAL RESULTS
LIFT #1 Site 02/05 (July 6, 2004)

Soil Concentrations for FT31 Soil Samples, LR #132072draft
Date Sampled: July 6, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples								SSL (µg/kg)	
	FT31LF-25-A1	FT31LF-25-A2	FT31LF-25-A3	FT31LF-25-A4	FT31LF-25-B1	FT31LF-25-B2	FT31LF-25-B3	FT31LF-25-B4	Residential	Commercial
Carbon Chain (µg/kg)										
C06 - C10	<900	<900	<900	554,829	<900	<900	<900	<900	NA	NA
C10 - C22	106,743	202,929	363,630	1,175,346	388,263	351,900	42,228	258,060		
C22 - C32	<3,600	<3,600	<3,600	<3,600	175,950	<3,600	<3,600	<3,600		
Total (C10 - C32)	108,854	205,040	365,741	**1,177,457**	564,213	354,011	44,339	260,171	893,333	2,233,333
VOCs (µg/kg)										
1,2,4-Trimethylbenzene	<0.6	<0.6	<0.6	3,801	<0.6	<0.6	<0.6	<0.6	5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	<0.55	118	348	1,396	438	238	14J	52J	2.23E+04	6.89E+04
Ethylbenzene	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	<0.41	1.06E+07	2.54E+07
Isopropylbenzene**	<0.38	<0.38	<0.38	164	<0.38	<0.38	<0.38	<0.38	2.42E+05	3.89E+05*
m/p-Xylene***	<0.67	<0.67	<0.67	2,018	<0.67	<0.67	<0.67	<0.67	8.00E+04*	8.00E+04*
n-Butylbenzene	<0.38	177	197	1,077	354	273	<0.38	106	6.20E+04*	6.20E+04*
n-Propylbenzene	<0.32	<0.32	<0.32	949	<0.32	<0.32	<0.32	<0.32	5.32E+04*	5.32E+04*
Naphthalene	<20(<0.6)	<20(<0.6)	<20(<0.6)	2,170(1,396)	<20(<0.6)	<20(<0.6)	<20(<0.6)	<20(<0.6)	7.19E+04	9.83E+04*
o-Xylene	<0.35	<0.35	76	174	<0.35	<0.35	<0.35	<0.35	9.86E+04*	9.86E+04*
p-Isopropyltoluene**	<0.32	114	230	760	299	208	<0.32	67	6.29E+04*	6.29E+04*
sec-Butylbenzene	<0.31	<0.31	<0.31	286	<0.31	<0.31	<0.31	<0.31	6.05E+04*	6.05E+04*
Toluene	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	<0.42	2.48E+05*	2.48E+05*
Xylenes, total	<0.8	<0.8	76	2,194	<0.8	<0.8	<0.8	<0.8	1.32E+05*	1.32E+05*
2-Methylnaphthalene**	<20	<20	500	4,129	340J	<20	<20	<20	1.71E+05*	1.71E+05*
Diethylphthalate	<20	<20	<20	<20	<20	<20	<20	<20	4.80E+07	1.00E+08

Notes:

SSLs for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSLs for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

*** SSL for m/p- Xylene is the SSL for m-Xylene, the lower of the two values listed in the NMED Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

$$C_d = C_w\left(1+\frac{\theta_w}{\rho_b}\right)$$

where,

C_d = concentrations on dry-wt. basis
C_w = concentrations on wet-wt. basis
θ_w = water content (0.26 g/cm^3-soil)
ρ_b =bulk density of soil (1.5 g/cm^3)

TABLE 5
14 DAY SOIL TREATMENT ANALYTICAL RESULTS
LIFT #1 Site 02/05 (July 13, 2004)

Soil Concentrations for FT31 Soil Samples, LR #132517
Date Sampled: July 13, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples	SSL (µg/kg)	
	FT31LF-25-A4	Residential	Commercial
Carbon Chain (µg/kg)			
C06 - C10	<900	NA	NA
C10 - C22	651,118		
C22 - C32	<3,600		
Total (C10 - C32)	651,118	893,333	2,233,333
VOCs (µg/kg)			
1,2,4-Trimethylbenzene	2,135	5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	1,040	2.23E+04	6.89E+04
Ethylbenzene	<0.41	1.06E+07	2.54E+07
Isopropylbenzene**	164	2.42E+05	3.89E+05*
m/p-Xylene***	2,018	8.00E+04*	8.00E+04*
n-Butylbenzene	856	6.20E+04*	6.20E+04*
n-Propylbenzene	278	5.32E+04*	5.32E+04*
Naphthalene	842	7.19E+04	9.83E+04*
o-Xylene	174	9.86E+04*	9.86E+04*
p-Isopropyltoluene**	703	6.29E+04*	6.29E+04*
sec-Butylbenzene	<200	6.05E+04*	6.05E+04*
Toluene	<0.42	2.48E+05*	2.48E+05*
Xylenes, total	539	1.32E+05*	1.32E+05*
2-Methylnaphthalene**	3,531	1.71E+05*	1.71E+05*
Diethylphthalate	<20	4.80E+07	1.00E+08

Notes:

SSLs for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSLs for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

*** SSL for m/p- Xylene is the SSL for m-Xylene, the lower of the two values listed in the NMED Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

where,

C_d = concentrations on dry-wt. basis

C_w = concentrations on wet-wt. basis

θ_w = water content (0.26 g/cm^3-soil)

ρ_b = bulk density of soil (1.5 g/cm^3)

$$C_d = C_w\left(1 + \frac{\theta_w}{\rho_b}\right)$$

TABLE 6
INITIAL SOIL TREATMENT ANALYTICAL RESULTS
LIFT #2 Site 02/05 (August 9, 2004)

Soil Analytical Data for LR #134165
Date Sampled: August 9, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples					SSL (µg/kg)	
	FL0205-L2A1P-1.0	FL0205-L2A2P-1.0	FL0205-L2A3P-1.0	FL0205-L2A4P-1.0	FL0205-L2B1P-1.0	Residential	Commercial
Carbon Chain (µg/kg)							
C06 - C10	<3,000	218,400	247,229	3,123,492	73,594	NA	NA
C10 - C22	<3,000	866,628	268,624	1,584,380	125,339		
C22 - C36	<5,000	<100,000	<100,000	<250,000	<25,000		
Total (C10 - C36)	4,714	**924,713**	328,054	**1,725,843**	139,713	893,333	2,233,333
VOCs (µg/kg)							
1,2,4-Trimethylbenzene	2.4 J	209 J	1,795	1,992	<5	5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	<5	682	874	710	13	2.23E+04	6.89E+04
Ethylbenzene	<5	<500	179 J	<500	<5	1.06E+07	2.54E+07
Isopropylbenzene**	<5	<500	<500	129 J	<5	2.42E+05	3.89E+05*
n-Butylbenzene	<5	834	498 J	<500	9.5	6.20E+04*	6.20E+04*
n-Hexane	<20	<500	<500	<500	<5	3.8E+04*	3.8E+04*
n-Propylbenzene	<5	<500	218 J	341 J	<5	5.32E+04*	5.32E+04*
Naphthalene	<333(<5)	366 J (<500)	2,223(653)	2,682(<500)	<333(<5)	7.19E+04	9.83E+04*
p-Isopropyltoluene**	<5	594	637	334 J	<5	6.29E+04*	6.29E+04*
sec-Butylbenzene	<5	<500	377 J	259 J	7.8	6.05E+04*	6.05E+04*
Toluene	<5	<500	<500	<500	<5	2.48E+05*	2.48E+05*
Xylenes, total	<5	<500	842	1,132	1.8 J	1.32E+05*	1.32E+05*
2-Methylnaphthalene**	<333	1,475	4,861	5,828	<333	1.71E+05*	1.71E+05*
Diethylphthalate	<333	<333	<333	<333	<333	4.80E+07	1.00E+08

Notes:

SSL for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSL for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

$$C_d = C_w\left(1+\frac{\theta_w}{\rho_b}\right)$$

where,

C_d = concentrations on dry-wt. basis
C_w = concentrations on wet-wt. basis
θ_w = water content (g/cm^3-soil)
ρ_b =bulk density of soil (1.5 g/cm^3)

TABLE 6
INITIAL SOIL TREATMENT ANALYTICAL RESULTS
LIFT #2 Site 02/05 (August 9, 2004)

Soil Analytical Data for LR #134165
Date Sampled: August 9, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples					SSL (µg/kg)	
	FL0205-L2B2P-1.0	FL0205-L2B3P-1.0	FL0205-L2B4P-1.0	FL0205-L2B4P-1.0-a		Residential	Commercial
Carbon Chain (µg/kg)							
C06 - C10	25,896	42,376	30,498	15,189		NA	NA
C10 - C22	38,844	69,449	76,245	46,736			
C22 - C36	<5,000	<5,000	<25,000	<5,000			
Total (C10 - C36)	41,787	72,392	90,908	49,657		893,333	2,233,333
VOCs (µg/kg)							
1,2,4-Trimethylbenzene	<5	345 J	<5	<50		5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	<5	630	16	<50		2.23E+04	6.89E+04
Ethylbenzene	<5	<500	<5	<50		1.06E+07	2.54E+07
Isopropylbenzene**	<5	<500	<5	<50		2.42E+05	3.89E+05*
n-Butylbenzene	<5	<500	15.2	<50		6.20E+04*	6.20E+04*
n-Hexane	<5	<500	<5	<50		3.8E+04*	3.8E+04*
n-Propylbenzene	<5	<500	<5	<50		5.32E+04*	5.32E+04*
Naphthalene	<333(<5)	<333(<500)	<333(<5)	<333(<50)		7.19E+04	9.83E+04*
p-Isopropyltoluene**	<5	419 J	14	<50		6.29E+04*	6.29E+04*
sec-Butylbenzene	<5	173 J	<5	<50		6.05E+04*	6.05E+04*
Toluene	<5	<500	<5	<50		2.48E+05*	2.48E+05*
Xylenes, total	<5	549 J	<5	<50		1.32E+05*	1.32E+05*
2-Methylnaphthalene**	<333	<333	<333	<333		1.71E+05*	1.71E+05*
Diethylphthalate	<333	852	<333	<333		4.80E+07	1.00E+08

Notes:

SSL for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSL for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

$$C_d = C_w\left(1+\frac{\theta_w}{\rho_b}\right)$$

where,

C_d = concentrations on dry-wt. basis
C_w = concentrations on wet-wt. basis
θ_w = water content (g/cm^3-soil)
ρ_b =bulk density of soil (1.5 g/cm^3)

TABLE 7
7 DAY SOIL TREATMENT ANALYTICAL RESULTS
LIFT #2 Site 02/05 (August 16, 2004)

Soil Analytical Data for LR #134607
Date Sampled: August 16, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples	SSL (µg/kg)	
	FL0205_L2A4D7-1.0	Residential	Commercial
Carbon Chain (µg/kg)			
C06 - C10	<3,000	NA	NA
C10 - C22	3,992		
C22 - C36	<5000		
Total (C10 - C36)	6,927	893,333	2,233,333
Organics (µg/kg)			
1,2,4-Trimethylbenzene	<5	5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	<5	2.23E+04	6.89E+04
Ethylbenzene	<5	1.06E+07	2.54E+07
Isopropylbenzene**	<5	2.42E+05	3.89E+05*
n-Butylbenzene	<5	6.20E+04*	6.20E+04*
n-Hexane	<5	3.8E+04*	3.8E+04*
n-Propylbenzene	<5	5.32E+04*	5.32E+04*
Naphthalene	<333(<5)	7.19E+04	9.83E+04*
p-Isopropyltoluene**	<5	6.29E+04*	6.29E+04*
sec-Butylbenzene	<5	6.05E+04*	6.05E+04*
Toluene	<5	2.48E+05*	2.48E+05*
Xylenes, total	<5	1.32E+05*	1.32E+05*
2-Methylnaphthalene**	<333	1.71E+05*	1.71E+05*
Butylbenzylphthalate**	136 J	6.05E+04*	6.05E+04*
Diethylphthalate	<333	4.80E+07	1.00E+08

Notes:

SSL for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSL for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

$$C_d = C_w\left(1+\frac{\theta_w}{\rho_b}\right)$$

where,

C_d = concentrations on dry-wt. basis

C_w = concentrations on wet-wt. basis

θ_w = water content (g/cm^3-soil)

ρ_b =bulk density of soil (1.5 g/cm^3)

TABLE 8
14 DAY SOIL TREATMENT ANALYTICAL RESULTS
LIFT #2 Site 02/05 (August 23, 2004)

Soil Analytical Data for LR #135043
Date Sampled: August 23, 2004
(Note: Concentrations are on Dry-Wt. Basis)

Chemical	Samples	SSL (µg/kg)	
	FL0205_L2A4P14-1.0	Residential	Commercial
Carbon Chain (µg/kg)			
C06 - C10	4,241	NA	NA
C10 - C22	493,582		
C22 - C36	<5000		
Total (C10 - C36)	496,527	893,333	2,233,333
Organics (µg/kg)			
1,2,4-Trimethylbenzene	<5	5.22E+04	1.91E+05
1,3,5-Trimethylbenzene	<5	2.23E+04	6.89E+04
Ethylbenzene	<5	1.06E+07	2.54E+07
Isopropylbenzene**	<5	2.42E+05	3.89E+05*
n-Butylbenzene	<5	6.20E+04*	6.20E+04*
n-Hexane	<5	3.8E+04*	3.8E+04*
n-Propylbenzene	<5	5.32E+04*	5.32E+04*
Naphthalene	<333(<5)	7.19E+04	9.83E+04*
p-Isopropyltoluene**	<5	6.29E+04*	6.29E+04*
sec-Butylbenzene	<5	6.05E+04*	6.05E+04*
Toluene	<5	2.48E+05*	2.48E+05*
Xylenes, total	<5	1.32E+05*	1.32E+05*
2-Methylnaphthalene**	<333	1.71E+05*	1.71E+05*
Butylbenzylphthalate**	<333	6.05E+04*	6.05E+04*
Diethylphthalate	<333	4.80E+07	1.00E+08

Notes:

SSL for C10 - C32 are averaged TPH values of Diesel#2/crankcase oil, #3 and #6 fuel oil, and Kerosene and jet fuel in the NMED TPH Screening Guidelines.

SSL for VOCs are from the NMED, Technical Background Document for Development of Soil Screening Levels, Revision 2.0, February 2004.

For napthalene the first value was derived from Method 8270 and the second value from Method 8260.

J denotes value between MDL and Detection Limit for Reporting (DLR).

* Saturated concentration was used.

** SSL values were calculated using equatons provided in NMED, Technical Background Document for Development of Soil Screening Levels.

Values in bold exceeded SSL.

The lab concentrations were on wet-wt.basis. The detected concentrations were converted to dry-wt. bases using the following relationship.

$$C_d = C_w\left(1 + \frac{\theta_w}{\rho_b}\right)$$

where,

C_d = concentrations on dry-wt. basis

C_w = concentrations on wet-wt. basis

θ_w = water content (g/cm^3-soil)

ρ_b =bulk density of soil (1.5 g/cm^3)

APPENDICES

APPENDIX A

Groundwater Laboratory Analytical Reports

Order #: 546988 **Client Sample ID:** LM-01

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	92				%	33 - 141
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546988 **Client Sample ID:** LM-01

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/20/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/20/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	74	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	54	%	43 - 116
8270C	2-Fluorophenol (sur)	44	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	52	%	34 - 114
8270C	Phenol-d5 (sur)	38	%	10 - 110

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546988 **Client Sample ID:** LM-01

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
160.1	Filterable Residue (TDS)	24800	1	6.0	5.0	mg/L	08/18/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/20/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 ***FAX 714/538-1209***

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
480
Alamorgordo, NM 88310

LAB REQUEST 134733
REPORTED 08/23/2004
RECEIVED 08/18/2004

PROJECT FT-31 Landfarm

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
546988	LM-01
546989	LM-02
546990	LM-03
546991	LM-04
546992	Trip Blank
546993	LM-01-a
546994	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 546989 **Client Sample ID** LM-02

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/20/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/20/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	73	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	52	%	43 - 116
8270C	2-Fluorophenol (sur)	55	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	55	%	34 - 114
8270C	Phenol-d5 (sur)	42	%	10 - 110

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546989 **Client Sample ID** LM-02

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
160.1	Filterable Residue (TDS)	23700	1	6.0	5.0	mg/L	08/18/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/20/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546988 **Client Sample ID** LM-01

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	95	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	106	%	70 - 135
8260B	Surr3 - Toluene-d8	101	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	101	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546988 **Client Sample ID** LM-01

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546990 **Client Sample ID:** LM-03

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 12:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
160.1	Filterable Residue (TDS)	20300	1	6.0	5.0	mg/L	08/18/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/20/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546989 **Client Sample ID** LM-02

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	101				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	111				%	70 - 135
8260B	Surr3 - Toluene-d8	95				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	98				%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546989 **Client Sample ID** LM-02

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546989 **Client Sample ID** LM-02

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	89				%	33 - 141
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546990 **Client Sample ID:** LM-03

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 12:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	99				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	104				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	96				%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546990 **Client Sample ID:** LM-03

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 12:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546990 **Client Sample ID:** LM-03

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 12:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	95				%	33 - 141
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546990 **Client Sample ID:** LM-03

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 12:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/20/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Naphthalene	ND	1	10	0.45	ug/L	08/20/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	62				%	10 - 123
8270C	2-Fluorobiphenyl (sur)	45				%	43 - 116
8270C	2-Fluorophenol (sur)	46				%	21 - 110
8270C	Nitrobenzene-d5 (sur)	45				%	34 - 114
8270C	Phenol-d5 (sur)	33				%	10 - 110

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546991 **Client Sample ID** LM-04

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546991 **Client Sample ID** LM-04

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	79				%	33 - 141
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546991 **Client Sample ID** LM-04

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/21/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/21/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	68	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	50	%	43 - 116
8270C	2-Fluorophenol (sur)	43	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	52	%	34 - 114
8270C	Phenol-d5 (sur)	30	%	10 - 110

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546991 **Client Sample ID** LM-04

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
160.1	Filterable Residue (TDS)	23200	1	6.0	5.0	mg/L	08/18/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/21/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/21/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546992 **Client Sample ID** Trip Blank

Matrix: WATER

Date Sampled: 08/17/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	96				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	101				%	70 - 135
8260B	Surr3 - Toluene-d8	101				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102				%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546992 **Client Sample ID** Trip Blank

Matrix: WATER

Date Sampled: 08/17/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.33	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546992 **Client Sample ID:** Trip Blank

Matrix: WATER

Date Sampled: 08/17/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl-2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546991 **Client Sample ID** LM-04

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 11:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	93				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	105				%	70 - 135
8260B	Surr3 - Toluene-d8	100				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	101				%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546993 **Client Sample ID:** LM-01-a

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546993 **Client Sample ID:** LM-01-a

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	80				%	33 - 141
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546993 **Client Sample ID:** LM-01-a

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/21/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/21/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	57	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	50	%	43 - 116
8270C	2-Fluorophenol (sur)	43	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	54	%	34 - 114
8270C	Phenol-d5 (sur)	27	%	10 - 110

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546993 **Client Sample ID:** LM-01-a

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
160.1	Filterable Residue (TDS)	24100	1	6.0	5.0	mg/L	08/18/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/21/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/21/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/21/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/21/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546994 **Client Sample ID:** Laboratory Method Blank

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	88				%	33 - 141
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/19/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/19/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/19/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/19/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/19/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546994 **Client Sample ID:** Laboratory Method Blank

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/20/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/20/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	66	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	49	%	43 - 116
8270C	2-Fluorophenol (sur)	45	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	56	%	34 - 114
8270C	Phenol-d5 (sur)	32	%	10 - 110

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546994 **Client Sample ID:** Laboratory Method Blank

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
160.1	Filtorable Residue (TDS)	ND	1	6.0	5.0	mg/L	08/18/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/20/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/20/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/20/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/20/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546993 **Client Sample ID:** LM-01-a

Matrix: WATER

Date Sampled: 08/17/2004
Time Sampled: 10:34

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	99	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	108	%	70 - 135
8260B	Surr3 - Toluene-d8	98	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	96	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Water Samples 134652-501

Analysis Date: Aug 20-04 8:15 AM

Applies to: LR 134733, 134623, 134624, 134625, 134681, 134682, 134683, 134685, 134686, 134799, LR 134662, 134690, 134684

ng Units = ug/L

Matrix Spike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	25	23.79	23.97	95	96	1	22	59-172
MTBE	ND	25	22.84	22.83	91	91	0	24	62-137
Benzene	ND	25	25.79	25.61	103	102	1	24	62-137
Trichloroethene	ND	25	24.68	24.75	99	99	0	21	66-142
Toluene	ND	25	24.84	25.59	99	102	3	21	59-139
Chlorobenzene	ND	25	24.93	25.08	100	100	1	21	60-133

QC Sample: LCS 1:27 PM
Analysis Date: Aug 19-04

LCS RECOVERY / METHOD BLANK

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC Limits %REC
1,1-Dichloroethene	ND	50	49.06	98	59-172
MTBE	ND	50	49.74	99	62-137
Benzene	ND	50	51.39	103	62-137
Trichloroethene	ND	50	49.65	99	66-142
Toluene	ND	50	50.19	100	59-139
Chlorobenzene	ND	50	50.13	100	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 1	MB 2	MS	MSD	LCS
DBFM	94	95	97	99	101
1,2-DCA	102	98	88	88	95
Tol-d8	100	98	99	100	98
p-BFB	100	96	100	98	98

8/23/2004 *8260 MSD-LCS 0820 W*

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LR 134640

Matrix: WATER

Prep. Date: Aug 18-04

Analysis Date: Aug 18-04

ID#'s in Batch: LR 134640, 134733, 134624, 134681, 134682, 134683

SAMPLE RESULT / SAMPLE DUPLICATE

Reporting Units = mg/L

Test	Method	Sample Result	Sample Duplicate	RPD
TDS	160-1 / 2540C	670	662	1.2

RPD = Relative Percent Difference of Sample Result and Sample Duplicate *RPD LIMITS = 5 %*

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

PREP BLANK	LCS				
Value	Result	TRUE	% Rec	L. Limit	H. Limit
ND	298	293	102	90%	110%

Value = Preparation Blank Value; ND = Not-Detected
LCS Result = Lab Control Sample Result
True = True Value of LCS
L Limit / H Limit = LCS Control Limits

8/23/2004 160.1 TDS 0818 W

Order #: 546994 **Client Sample ID** Laboratory Method Blank
Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/19/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	94				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	102				%	70 - 135
8260B	Surr3 - Toluene-d8	100				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	100				%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546994 **Client Sample ID:** Laboratory Method Blank
Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/19/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/19/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/19/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/19/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/19/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

BHATE

Chain of Custody and Analytical Request

134777

Environmental Engineers and Scientists

Facility/Base I.D.: HOLMAN

Project Name / Site Name: FT31 Landfarm

Client Name: BHATE

Collected by: Garrison, Kevin

Sample Number (Do Not Use Commas or Dashes)	FT31 LCCD (Do Not Use Commas or Dashes)	Date Collected (dd-mmm-yyyy)	Time Collected (hhmm)	Sample Depth	Composite Grab	Matrix	Number of containers					Matrix Description	Trip Blank Lot Number	Cooler ID
							VOC 8260	SVOC 8270	TDS					
134401	FT-31	17MB2004	1034	0 - 0	N	AQ	3	2	1			FT31 Quarterly Wells		1
134402	FT-31	17MB2004	1100	0 - 0	N	AQ	3	2	1					1
134403	FT-31	17MB2004	1230	0 - 0	N	AQ	3	2	1					1
134404	FT-31	17MB2004	1130	0 - 0	N	AQ	3	2	1					1
7Trip Blank					TB								817B004	
134404dup	FT-31	17MB2004	1034	0 - 0	RD	AQ	3	2	1					1

Relinquished by/Date: 8/18/04 Time: 1600 Received by: Date: Time:

Relinquished by/Date: Time: Received by: Date: 8-18-04 Time: 1400

Relinquished by/Date: Time: Received by: Date: Time:

Relinquished by/Date: Time: Received for Laboratory by: Date: Time:

Cooler Temp: 2.6°C

Sample Receipt Condition: Intact / Broken / Leaking

Custody Seals: Intact / Broken / None

Preservation: Iced / Cool / None

Sample Receipt Notes:

Sample Disposal: Return to Client / Dispose of / Archive for months

Disposal Date: Disposal Method:

Disposal Location:

Sample Disposal Notes:

Page 1 of 1

ASSOCIATED LABORATORIES

806 North Batavia - Orange, California 92868-1225 - 714/771-6900 FAX 714/538-1209

Cooler Receipt Form

Client: Bhate Project: FT - 31

Date Cooler Received: 8 - 18 Date Cooler Opened: 8 - 18

Was cooler scanned for presence of radioactivity ? Yes/No

If yes was radioactivity results above 25 cpm ? Yes/No

Was a shipper's packing slip attached to the cooler ? Yes/No

If the cooler had custody seal(s), were thy signed and intact ? Yes/No/Na

Was the cooler packed with: Ice ✓ Ice Packs ____ Bubble wrap ____ Styrofoam ____ Paper ____ None ____ Other ____

Cooler Temperature: 2.6°C *

*cooler needs to be received @ 4°C with an acceptable range of 2°- 6 °C

If samples were hand delivered do they meet the temp. criteria, which should be @ 4°C with an acceptable range of 2°- 6 °C ? Yes/No

If no explain: ____

Were all samples sealed in plastic bags ? Yes/No

Did all samples arrive intact ? If no, indicate below. Yes/No

Were all samples labeled correctly ? (ID's Dates, Times) If no, indicate below. Yes/No

Can the tests required be ran with the provided containers, If no indicate below. Yes/No

Was sufficient sample volume sent for all containers ? Yes/No

Were any VOA vials received with head space ? Yes/No/Na

Was the correct preservatives used ? Yes/No/Na
If no, see the pH log for a list of samples containers regarding pH

Any other important information: ____

Receiving Department: ____ Date: 8-18

Narrative: LR 134733

ASSOCIATED LABORATORIES

NARRATIVE

Date: August 23, 2004

Narrative for Lab Request LR: 134733

Client Project Identification:
Client Name: BHATE
Project: Holman – FT31 Landfarm
This narrative includes all samples as shown on the attached Lab Request final report.

Analyses Requested:

- EPA 160.1 – Filterable Residue (TDS).
- EPA 8260B – Volatile Organic Compounds.
- EPA 8270C – Acid & Base/Neutral Extractables.

Data Validation:

Holding Times
All EPA designated holding times were met.

Calibration
Initial calibration criteria were met for all analytes. Initial and Continuing Calibration Check samples were run at the required frequency. All results were within required limits.

Quality Control Samples
All QC results were within control limits.

Other Anomalies or Comments
The reporting limit (DLR) is adjusted if dilution of the sample is necessary. For 8270, the QC limits on the raw data are not correct. The correct limits are on the QC summary sheet.

ASSOCIATED LABORATORIES
LCS REPORT FORM

Method : EPA 8270/625

Prep. Method : 3510

QC Sample: LCS/LCSD

Matrix: WATER

Date Extracted : Aug 19-04

Date Analyzed : Aug 20-04

Applies to: LR 134733, 134802

REPORTING UNITS = ug/L

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spike Dup	%Rec LCS	%Rec LCS-D	RPD	QC LIMITS RPD	QC LIMITS %REC
Phenol	0.1	50	20	19	40	38	5	47	0-75
2-Chorophenol	0.1	50	37	33	74	66	11	36	28-100
1,4-Dichlorobenzene	ND	50	27	22	54	44	20	58	30-89
n-Nitroso-di-n-propylamine	0.2	50	40	35	80	70	13	55	8-151
1,2,4-Trichlorobenzene	ND	50	25	21	50	42	17	43	32-88
4-Chloro-3-methylphenol	ND	50	34	32	68	64	6	42	32-103
Acenaphthene	ND	50	31	28	62	56	10	60	42-107
4-Nitrophenol	ND	50	17	15	34	30	13	57	0-103
2,4-Dinitrotoluene	ND	50	45	38	90	76	17	50	57-129
Pentachlorophenol	ND	50	42	38	84	76	10	42	6-148
Pyrene	ND	50	54	49	108	98	10	49	52-108

Method Blank = All ND

APPENDIX B

Tracking Sheets for Trucks (Manifests) Delivering Soil to the Landfarm from Site 02/05

Recor. . By:D.Tucker;S.Chesters E. Gamboa

FT-31 Landfarm
SS02/05 Soils

Date	Time	Volume	Unit	Cumulative	Truck number	Driver's name	Description of Contamination	Initial Sample	Final Sample	Cell Placement	Analytical #
06/14/04	10:27	12	CY	12	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	10:30	12	CY	24	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	10:41	12	CY	36	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	10:45	12	CY	48	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:00	12	CY	60	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:05	12	CY	72	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:20	12	CY	84	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:24	12	CY	96	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:37	12	CY	108	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:40	12	CY	120	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:52	12	CY	132	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	11:55	12	CY	144	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	13:15	12	CY	156	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	13:28	12	CY	168	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	13:35	12	CY	180	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	13:55	12	CY	192	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/14/04	14:05	12	CY	204	0219	D. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/17/04	7:40	12	CY	216	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/17/04	8:40	12	CY	228	0853	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/17/04	9:20	12	CY	240	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A1	
06/17/04	9:30	12	CY	252	0853	E. Gamboa	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	8:00	12	CY	264	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	9:05	12	CY	276	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	9:24	12	CY	288	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	9:45	12	CY	300	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	9:50	12	CY	312	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	10:05	12	CY	324	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	10:18	12	CY	336	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	10:22	12	CY	348	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	10:48	12	CY	360	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	10:55	12	CY	372	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	12:20	12	CY	384	0853	E. Gamboa	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	12:30	12	CY	396	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	12:38	12	CY	408	0853	E. Gamboa	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	12:45	12	CY	420	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A1	
06/18/04	12:56	12	CY	432	0853	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	13:04	12	CY	444	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	13:27	12	CY	456	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	13:47	12	CY	468	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	14:00	12	CY	480	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	14:20	12	CY	492	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	14:25	12	CY	504	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	14:35	12	CY	516	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	14:45	12	CY	528	0853	S. Chesters	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	14:50	12	CY	540	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/18/04	15:07	12	CY	552	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	

Recor. . By:D.Tucker;S.Chesters E. Gamboa

FT-31 Landfarm
SS02/05 Soils

06/21/04	7:30	12	CY	564	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	8:10	12	CY	576	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	8:18	12	CY	588	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	8:32	12	CY	600	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	8:37	12	CY	612	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	9:28	12	CY	624	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	9:33	12	CY	636	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	9:48	12	CY	648	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	9:52	12	CY	660	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	10:05	12	CY	672	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	10:10	12	CY	684	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	10:26	12	CY	696	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	10:28	12	CY	708	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	10:42	12	CY	720	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	10:47	12	CY	732	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			A2	
06/21/04	12:45	15	CY	747	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	13:06	15	CY	762	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	13:23	15	CY	777	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	13:26	12	CY	789	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	13:43	15	CY	804	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	13:46	12	CY	816	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:02	15	CY	831	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:04	12	CY	843	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:20	15	CY	858	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:23	12	CY	870	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:40	15	CY	885	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:44	12	CY	897	0835	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	14:57	15	CY	912	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	15:15	15	CY	927	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/21/04	15:30	15	CY	942	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	7:30	15	CY	957	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	7:55	15	CY	972	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	8:03	12	CY	984	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	8:13	15	CY	999	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	8:20	12	CY	1011	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	8:43	12	CY	1023	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	8:47	15	CY	1038	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	9:00	12	CY	1050	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	9:06	15	CY	1065	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	9:18	12	CY	1077	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A3	
06/22/04	9:24	15	CY	1092	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	9:37	12	CY	1104	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	9:41	15	CY	1119	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	9:53	12	CY	1131	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	9:57	15	CY	1146	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	10:17	15	CY	1161	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	10:23	12	CY	1173	0219	R. Jones	Petroleum Contaminated Soil (JP4)			A4	

Recor. . By:D.Tucker;S.Chesters E. Gamboa

FT-31 Landfarm
SS02/05 Soils

06/22/04	10:32	15	CY	1188	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	10:39	12	CY	1200	0219	R. Jones	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	10:50	15	CY	1215	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	10:53	12	CY	1227	0219	R. Jones	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	12:15	15	CY	1242	1176	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	12:20	12	CY	1254	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	12:32	15	CY	1269	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	12:42	12	CY	1281	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	12:49	15	CY	1296	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	12:59	12	CY	1308	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:09	15	CY	1323	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:17	12	CY	1335	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:24	15	CY	1350	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:36	12	CY	1362	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:40	15	CY	1377	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:54	15	CY	1392	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	13:57	12	CY	1404	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	14:09	15	CY	1419	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	14:13	12	CY	1431	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	14:23	15	CY	1446	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	14:28	12	CY	1458	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			A4	
06/22/04	14:39	15	CY	1473	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	14:42	12	CY	1485	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	14:54	15	CY	1500	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	14:56	12	CY	1512	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	15:06	15	CY	1527	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	15:12	12	CY	1539	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	15:22	15	CY	1554	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/22/04	15:28	12	CY	1566	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:10	12	CY	1578	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:20	15	CY	1593	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:25	12	CY	1605	0219	T. Lucero	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:35	15	CY	1620	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:42	12	CY	1632	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:41	15	CY	1647	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	8:58	12	CY	1659	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:02	15	CY	1674	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:13	12	CY	1686	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:16	15	CY	1701	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:26	12	CY	1713	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:29	15	CY	1728	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:39	12	CY	1740	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:42	15	CY	1755	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	9:55	15	CY	1770	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	10:10	15	CY	1785	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	10:22	15	CY	1800	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	10:32	12	CY	1812	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	

Recor... By:D.Tucker;S.Chesters E. Gamboa

FT-31 Landfarm
SS02/05 Soils

06/23/04	10:40	15	CY	1827	1176	S. Chesters	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	10:45	12	CY	1839	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	10:50	15	CY	1854	1176	S. Chesters	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	11:00	12	CY	1866	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	12:25	15	CY	1881	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	12:28	12	CY	1893	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	12:45	15	CY	1908	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	12:47	12	CY	1920	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	13:11	15	CY	1935	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B1	
06/23/04	13:32	15	CY	1950	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	13:43	12	CY	1962	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	13:56	15	CY	1977	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:01	12	CY	1989	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:09	15	CY	2004	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:19	15	CY	2019	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:22	12	CY	2031	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:32	15	CY	2046	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:35	15	CY	2061	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:50	15	CY	2076	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	14:55	12	CY	2088	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	15:03	15	CY	2103	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	15:10	12	CY	2115	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	15:14	15	CY	2130	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	15:34	12	CY	2142	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/23/04	15:37	15	CY	2157	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	7:38	15	CY	2172	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	7:51	15	CY	2187	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:04	15	CY	2202	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:10	12	CY	2214	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:16	15	CY	2229	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:26	12	CY	2241	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:29	15	CY	2256	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:39	12	CY	2268	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:43	15	CY	2283	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	8:53	12	CY	2295	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	9:02	15	CY	2310	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	9:14	12	CY	2322	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B2	
06/24/04	9:17	15	CY	2337	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	9:27	12	CY	2349	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	9:30	15	CY	2364	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	9:40	12	CY	2376	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	9:43	15	CY	2391	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	9:57	15	CY	2406	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	10:04	12	CY	2418	0219	E. Gamboa	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	10:21	12	CY	2430	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	10:34	12	CY	2442	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	10:44	12	CY	2454	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	

Recor. .1 By:D.Tucker;S.Chesters E. Gamboa

FT-31 Landfarm
SS02/05 Soils

06/24/04	10:58	12	CY	2466	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	12:50	12	CY	2478	0219	S. Chesters	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	12:57	12	CY	2490	0219	S. Chesters	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	13:06	12	CY	2502	0219	S. Chesters	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	13:17	12	CY	2514	0219	S. Chesters	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	13:40	12	CY	2526	0219	S. Chesters	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	14:10	12	CY	2538	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	14:23	12	CY	2550	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	14:44	15	CY	2565	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	14:50	12	CY	2577	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	14:57	15	CY	2592	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:05	12	CY	2604	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:15	15	CY	2619	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/24/04	15:20	12	CY	2631	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:27	15	CY	2646	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:31	12	CY	2658	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:34	15	CY	2673	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:40	12	CY	2685	0219	R. Jones	Petroleum Contaminated Soil (JP4)			B3	
06/24/04	15:48	15	CY	2700	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B3	
06/25/04	12:24	12	CY	2712	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	12:43	12	CY	2724	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	12:54	12	CY	2736	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	13:05	12	CY	2748	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	13:16	12	CY	2760	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	13:27	12	CY	2772	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	13:38	12	CY	2784	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	13:50	12	CY	2796	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:00	12	CY	2808	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:12	12	CY	2820	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:19	15	CY	2835	1176	E. Gamboa	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:24	12	CY	2847	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:30	15	CY	2862	1176	E. Gamboa	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:34	12	CY	2874	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:43	15	CY	2889	1176	E. Gamboa	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:45	12	CY	2901	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:54	15	CY	2916	1176	E. Gamboa	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	14:58	12	CY	2928	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	15:08	15	CY	2943	1176	E. Gamboa	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	15:10	12	CY	2955	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	15:17	15	CY	2970	1176	E. Gamboa	Petroleum Contaminated Soil (JP4)			B4	
06/25/04	15:19	12	CY	2982	0219	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	
06/28/04	7:27	15	CY	2997	1176	J. Tucker	Petroleum Contaminated Soil (JP4)			B4	

Record. g: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal.-8	Site Lab - 8	Fixed lab	Cumulative
07/22/04	13:52	1176	R. Jones	15	CY	A-1		PCS (JP4)				15
07/22/04	13:33	1176	R. Jones	15	CY	A-1		PCS (JP4)				30
07/22/04	14:45	1176	R. Jones	15	CY	A-1		PCS (JP4)				45
07/22/04	14:58	1176	R. Jones	15	CY	A-1		PCS (JP4)				60
07/22/04	14:59	853	J. Tucker	15	CY	A-1		PCS (JP4)				75
07/22/04	15:08	1176	R. Jones	15	CY	A-1		PCS (JP4)				90
07/22/04	15:10	853	J. Tucker	15	CY	A-1		PCS (JP4)				105
07/22/04	15:22	1176	R. Jones	15	CY	A-1		PCS (JP4)				120
07/22/04	15:25	853	J. Tucker	15	CY	A-1		PCS (JP4)				135
07/26/04	7:34	1176	R. Jones	15	CY	A-1		PCS (JP4)				150
07/26/04	7:47	853	J. Tucker	15	CY	A-1		PCS (JP4)				165
07/26/04	7:54	1176	R. Jones	15	CY	A-1		PCS (JP4)				180
07/26/04	8:02	853	J. Tucker	15	CY		X	PCS (JP4)				195
07/26/04	8:04	1176	R. Jones	15	CY		X	PCS (JP4)				210
07/26/04	8:07	853	J. Tucker	15	CY	A-1		PCS (JP4)				225
07/26/04	8:09	1176	R. Jones	15	CY	A-1		PCS (JP4)				240
07/26/04	8:20	853	J. Tucker	15	CY	A-1		PCS (JP4)				255
07/26/04	8:23	1176	R. Jones	15	CY	A-1		PCS (JP4)				270
07/26/04	8:34	853	J. Tucker	15	CY	A-1		PCS (JP4)				285
07/26/04	8:38	1176	R. Jones	15	CY	A-1		PCS (JP4)				300
07/26/04	8:46	853	J. Tucker	15	CY		X	PCS (JP4)				315
07/26/04	8:51	1176	R. Jones	15	CY		X	PCS (JP4)				330
07/26/04	8:54	853	J. Tucker	15	CY		X	PCS (JP4)				345
07/26/04	8:57	1176	R. Jones	15	CY		X	PCS (JP4)				360
07/26/04	9:00	853	J. Tucker	15	CY		X	PCS (JP4)				375
07/26/04	9:03	1176	R. Jones	15	CY		X	PCS (JP4)				390
07/26/04	9:06	853	J. Tucker	15	CY	A-1		PCS (JP4)				405
07/26/04	9:09	1176	R. Jones	15	CY	A-1		PCS (JP4)				420
07/26/04	9:19	853	J. Tucker	15	CY	A-1		PCS (JP4)				435
07/26/04	9:23	1176	R. Jones	15	CY	A-1		PCS (JP4)				450
07/26/04	9:34	853	J. Tucker	15	CY		X	PCS (JP4)				465
07/26/04	9:36	1176	R. Jones	15	CY		X	PCS (JP4)				480
07/26/04	9:39	853	J. Tucker	15	CY		X	PCS (JP4)				495
07/26/04	9:42	1176	R. Jones	15	CY		X	PCS (JP4)				510
07/26/04	9:44	853	J. Tucker	15	CY		X	PCS (JP4)				525
07/26/04	9:47	1176	R. Jones	15	CY		X	PCS (JP4)				540
07/26/04	9:50	853	J. Tucker	15	CY		X	PCS (JP4)				555
07/26/04	9:52	1176	R. Jones	15	CY	A-1		PCS (JP4)				570
07/26/04	9:55	853	J. Tucker	15	CY	A-1		PCS (JP4)				585
07/26/04	10:08	853	J. Tucker	15	CY	A-1		PCS (JP4)				600
07/26/04	10:25	853	J. Tucker	15	CY	A-1		PCS (JP4)				615
07/26/04	10:29	1176	R. Jones	15	CY	A-1		PCS (JP4)				630
07/26/04	10:39	1176	R. Jones	15	CY	A-1		PCS (JP4)				645
07/26/04	10:43	853	J. Tucker	15	CY	A-1		PCS (JP4)				660
07/26/04	10:46	1176	R. Jones	15	CY	A-2		PCS (JP4)				675
07/26/04	12:08	1176	R. Jones	15	CY		X	PCS (JP4)				690

Recorded by: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cummulative
07/26/04	12:10	853	J. Tucker	15	CY		X	PCS (JP4)				705
07/26/04	12:14	1176	R. Jones	15	CY		X	PCS (JP4)				720
07/26/04	12:16	853	J. Tucker	15	CY		X	PCS (JP4)				735
07/26/04	12:19	1176	R. Jones	15	CY		X	PCS (JP4)				750
07/26/04	12:22	853	J. Tucker	15	CY		X	PCS (JP4)				765
07/26/04	12:25	1176	R. Jones	15	CY		X	PCS (JP4)				780
07/26/04	12:28	853	J. Tucker	15	CY		X	PCS (JP4)				795
07/26/04	12:30	1176	R. Jones	15	CY		X	PCS (JP4)				810
07/26/04	12:48	853	J. Tucker	15	CY	A-2		PCS (JP4)				825
07/26/04	13:07	1176	R. Jones	15	CY	A-2		PCS (JP4)				840
07/26/04	13:10	853	J. Tucker	15	CY	A-2		PCS (JP4)				855
07/26/04	13:21	853	J. Tucker	15	CY	A-2		PCS (JP4)				870
07/26/04	13:27	1176	R. Jones	15	CY	A-2		PCS (JP4)				885
07/26/04	13:33	853	J. Tucker	15	CY	A-2		PCS (JP4)				900
07/26/04	13:42	1176	R. Jones	15	CY	A-2		PCS (JP4)				915
07/26/04	13:46	853	J. Tucker	15	CY		X	PCS (JP4)				930
07/26/04	13:52	853	J. Tucker	15	CY	A-2		PCS (JP4)				945
07/26/04	13:55	1176	R. Jones	15	CY	A-2		PCS (JP4)				960
07/26/04	14:06	853	J. Tucker	15	CY	A-2		PCS (JP4)				975
07/26/04	14:24	853	J. Tucker	15	CY	A-2		PCS (JP4)				990
07/26/04	14:40	1176	R. Jones	15	CY	A-2		PCS (JP4)				1005
07/26/04	14:43	853	J. Tucker	15	CY	A-2		PCS (JP4)				1020
07/26/04	14:53	1176	R. Jones	15	CY	A-2		PCS (JP4)				1035
07/26/04	14:56	853	J. Tucker	15	CY	A-2		PCS (JP4)				1050
07/26/04	15:06	1176	R. Jones	15	CY	A-2		PCS (JP4)				1065
07/26/04	15:13	853	J. Tucker	15	CY	A-2		PCS (JP4)				1080
07/26/04	15:20	1176	R. Jones	15	CY	A-2		PCS (JP4)				1095
07/27/04	7:34	853	J. Tucker	15	CY	A-2		PCS (JP4)				1110
07/27/04	7:41	1176	R. Jones	15	CY	A-2		PCS (JP4)				1125
07/27/04	7:59	853	J. Tucker	15	CY	A-2		PCS (JP4)				1140
07/27/04	8:02	1176	R. Jones	15	CY	A-2		PCS (JP4)				1155
07/27/04	8:13	853	J. Tucker	15	CY	A-2		PCS (JP4)				1170
07/27/04	8:15	1176	R. Jones	15	CY	A-2		PCS (JP4)				1185
07/27/04	8:31	853	J. Tucker	15	CY	A-2		PCS (JP4)				1200
07/27/04	8:35	1176	R. Jones	15	CY	A-2		PCS (JP4)				1215
07/27/04	8:43	853	J. Tucker	15	CY	A-2		PCS (JP4)				1230
07/27/04	8:53	1176	R. Jones	15	CY	A-3		PCS (JP4)				1245
07/27/04	9:00	853	J. Tucker	15	CY	A-3		PCS (JP4)				1260
07/27/04	9:08	1176	R. Jones	15	CY	A-3		PCS (JP4)				1275
07/27/04	9:13	853	J. Tucker	15	CY	A-3		PCS (JP4)				1290
07/27/04	9:19	1176	R. Jones	15	CY	A-3		PCS (JP4)				1305
07/27/04	9:28	853	J. Tucker	15	CY	A-3		PCS (JP4)				1320
07/27/04	9:30	1176	R. Jones	15	CY	A-3		PCS (JP4)				1335
07/27/04	9:38	853	J. Tucker	15	CY	A-3		PCS (JP4)				1350
07/27/04	9:41	1176	R. Jones	15	CY	A-3		PCS (JP4)				1365
07/27/04	9:52	853	J. Tucker	15	CY	A-3		PCS (JP4)				1380

Recorde y: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cumulative
07/27/04	10:01	1176	R. Jones	15	CY	A-3		PCS (JP4)				1395
07/27/04	10:07	853	J. Tucker	15	CY	A-3		PCS (JP4)				1410
07/27/04	10:16	1176	R. Jones	15	CY	A-3		PCS (JP4)				1425
07/27/04	10:19	853	J. Tucker	15	CY		X	PCS (JP4)				1440
07/27/04	10:24	853	J. Tucker	15	CY	A-3		PCS (JP4)				1455
07/27/04	10:26	1176	R. Jones	15	CY	A-3		PCS (JP4)				1470
07/27/04	10:36	853	J. Tucker	15	CY	A-3		PCS (JP4)				1485
07/27/04	10:41	1176	R. Jones	15	CY	A-3		PCS (JP4)				1500
07/27/04	10:49	853	J. Tucker	15	CY	A-3		PCS (JP4)				1515
07/27/04	12:19	1176	R. Jones	15	CY	A-3		PCS (JP4)				1530
07/27/04	12:19	853	J. Tucker	15	CY	A-3		PCS (JP4)				1545
07/27/04	12:38	1176	R. Jones	15	CY	A-3		PCS (JP4)				1560
07/27/04	12:41	853	J. Tucker	15	CY	A-3		PCS (JP4)				1575
07/27/04	12:48	853	J. Tucker	15	CY	A-3		PCS (JP4)				1590
07/27/04	12:53	1176	R. Jones	15	CY		X	PCS (JP4)				1605
07/27/04	12:58	1176	R. Jones	15	CY	A-3		PCS (JP4)				1620
07/27/04	13:00	853	J. Tucker	15	CY	A-3		PCS (JP4)				1635
07/27/04	13:10	1176	R. Jones	15	CY	A-3		PCS (JP4)				1650
07/27/04	13:12	853	J. Tucker	15	CY	A-3		PCS (JP4)				1665
07/27/04	13:21	1176	R. Jones	15	CY	A-3		PCS (JP4)				1680
07/27/04	13:23	853	J. Tucker	15	CY	A-4		PCS (JP4)				1695
07/27/04	13:32	1176	R. Jones	15	CY	A-4		PCS (JP4)				1710
07/27/04	13:34	853	J. Tucker	15	CY	A-4		PCS (JP4)				1725
07/27/04	13:54	1176	R. Jones	15	CY		X	PCS (JP4)				1740
07/27/04	13:57	853	J. Tucker	15	CY		X	PCS (JP4)				1755
07/27/04	13:59	1176	R. Jones	15	CY		X	PCS (JP4)				1770
07/27/04	14:08	853	J. Tucker	15	CY		X	PCS (JP4)				1785
07/27/04	14:12	853	J. Tucker	15	CY		X	PCS (JP4)				1800
07/27/04	14:16	853	J. Tucker	15	CY		X	PCS (JP4)				1815
07/27/04	14:20	853	J. Tucker	15	CY		X	PCS (JP4)				1830
07/27/04	14:24	853	J. Tucker	15	CY		X	PCS (JP4)				1845
07/27/04	14:33	853	J. Tucker	15	CY		X	PCS (JP4)				1860
07/27/04	14:36	1176	R. Jones	15	CY	A-4		PCS (JP4)				1875
07/27/04	14:39	853	J. Tucker	15	CY	A-4		PCS (JP4)				1890
07/28/04	7:38	1176	R. Jones	15	CY	A-4		PCS (JP4)				1905
07/28/04	7:40	853	J. Tucker	15	CY	A-4		PCS (JP4)				1920
07/28/04	7:55	853	J. Tucker	15	CY	A-4		PCS (JP4)				1935
07/28/04	8:11	853	J. Tucker	15	CY	A-4		PCS (JP4)				1950
07/28/04	8:20	853	J. Tucker	15	CY	A-4		PCS (JP4)				1965
07/28/04	9:08	1176	R. Jones	15	CY		X	PCS (JP4)				1980
07/28/04	9:40	853	J. Tucker	15	CY		X	PCS (JP4)				1995
07/28/04	9:45	853	J. Tucker	15	CY		X	PCS (JP4)				2010
07/28/04	9:53	853	J. Tucker	15	CY		X	PCS (JP4)				2025
07/28/04	10:01	853	J. Tucker	15	CY	A-4		PCS (JP4)				2040
07/28/04	10:18	853	J. Tucker	15	CY	A-4		PCS (JP4)				2055
07/28/04	10:38	853	J. Tucker	15	CY	A-4		PCS (JP4)				2070

Record. g: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Overburden	Desc. of Cont.	Headspace Anal. - 8	Site Lab - 8	Fixed Lab	Cumulative
07/28/04	12:12	853	J. Tucker	15	CY		X	PCS (JP4)				2085
07/29/04	7:40	853	J. Tucker	15	CY		X	PCS (JP4)				2100
07/29/04	7:47	853	J. Tucker	15	CY		X	PCS (JP4)				2115
07/29/04	8:03	853	J. Tucker	15	CY		X	PCS (JP4)				2130
07/29/04	8:09	853	J. Tucker	15	CY		X	PCS (JP4)				2145
07/29/04	8:13	853	J. Tucker	15	CY	A-4		PCS (JP4)				2160
07/29/04	8:28	853	J. Tucker	15	CY	A-4		PCS (JP4)				2175
07/29/04	8:31	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2190
07/29/04	8:42	853	J. Tucker	15	CY	A-4		PCS (JP4)				2205
07/29/04	8:48	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2220
07/29/04	8:54	853	J. Tucker	15	CY		X	PCS (JP4)				2235
07/29/04	9:01	1176	E. Gamboa	15	CY		X	PCS (JP4)				2250
07/29/04	9:07	1176	E. Gamboa	15	CY		X	PCS (JP4)				2265
07/29/04	9:09	853	J. Tucker	15	CY		X	PCS (JP4)				2280
07/29/04	9:12	1176	E. Gamboa	15	CY		X	PCS (JP4)				2295
07/29/04	9:15	853	J. Tucker	15	CY		X	PCS (JP4)				2310
07/29/04	9:19	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2325
07/29/04	9:22	853	J. Tucker	15	CY	A-4		PCS (JP4)				2340
07/29/04	9:35	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2355
07/29/04	9:37	853	J. Tucker	15	CY		X	PCS (JP4)				2370
07/29/04	9:41	853	J. Tucker	15	CY		X	PCS (JP4)				2385
07/29/04	9:46	853	J. Tucker	15	CY		X	PCS (JP4)				2400
07/29/04	9:51	853	J. Tucker	15	CY		X	PCS (JP4)				2415
07/29/04	9:55	853	J. Tucker	15	CY		X	PCS (JP4)				2430
07/29/04	10:00	853	J. Tucker	15	CY		X	PCS (JP4)				2445
07/29/04	10:04	853	J. Tucker	15	CY		X	PCS (JP4)				2460
07/29/04	10:08	853	J. Tucker	15	CY	A-4		PCS (JP4)				2475
07/29/04	10:21	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2490
07/29/04	10:24	853	J. Tucker	15	CY	A-4		PCS (JP4)				2505
07/29/04	10:36	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2520
07/29/04	10:39	853	J. Tucker	15	CY		X	PCS (JP4)				2535
07/29/04	10:44	853	J. Tucker	15	CY		X	PCS (JP4)				2550
07/29/04	10:48	853	J. Tucker	15	CY		X	PCS (JP4)				2565
07/29/04	10:51	1176	E. Gamboa	15	CY		X	PCS (JP4)				2580
07/29/04	12:27	853	J. Tucker	15	CY		X	PCS (JP4)				2595
07/29/04	12:31	1176	E. Gamboa	15	CY		X	PCS (JP4)				2610
07/29/04	12:33	853	J. Tucker	15	CY		X	PCS (JP4)				2625
07/29/04	12:36	1176	E. Gamboa	15	CY	A-4		PCS (JP4)				2640
07/29/04	12:39	853	R. Jones	15	CY	A-4		PCS (JP4)				2655
07/29/04	12:53	853	R. Jones	15	CY	A-4		PCS (JP4)				2670
07/29/04	13:06	853	R. Jones	15	CY	B-1		PCS (JP4)				2685
07/29/04	13:18	853	R. Jones	15	CY	B-1		PCS (JP4)				2700
07/29/04	13:24	1176	E. Gamboa	15	CY		X	PCS (JP4)				2715
07/29/04	13:31	1176	E. Gamboa	15	CY		X	PCS (JP4)				2730
07/29/04	13:41	853	R. Jones	15	CY		X	PCS (JP4)				2745
07/29/04	13:43	1176	E. Gamboa	15	CY		X	PCS (JP4)				2760

Recorde.. .y: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cumulative
07/29/04	13:46	853	R. Jones	15	CY		X	PCS (JP4)				2775
07/29/04	13:48	1176	E. Gamboa	15	CY		X	PCS (JP4)				2790
07/29/04	13:51	853	R. Jones	15	CY		X	PCS (JP4)				2805
07/29/04	13:55	1176	E. Gamboa	15	CY		X	PCS (JP4)				2820
07/29/04	13:57	853	R. Jones	15	CY		X	PCS (JP4)				2835
07/29/04	14:00	1176	E. Gamboa	15	CY		X	PCS (JP4)				2850
07/29/04	14:02	853	R. Jones	15	CY	B-1		PCS (JP4)				2865
07/29/04	14:05	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				2880
07/29/04	14:15	853	R. Jones	15	CY		X	PCS (JP4)				2895
07/29/04	14:28	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				2910
07/29/04	14:35	853	R. Jones	15	CY		X	PCS (JP4)				2925
07/29/04	14:41	853	R. Jones	15	CY		X	PCS (JP4)				2940
07/29/04	14:44	1176	E. Gamboa	15	CY		X	PCS (JP4)				2955
07/29/04	14:46	853	R. Jones	15	CY		X	PCS (JP4)				2970
07/29/04	14:49	1176	E. Gamboa	15	CY		X	PCS (JP4)				2985
07/29/04	14:51	853	R. Jones	15	CY		X	PCS (JP4)				3000
07/29/04	14:55	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				3015
07/29/04	14:58	853	R. Jones	15	CY	B-1		PCS (JP4)				3030
07/29/04	15:08	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				3045
07/29/04	15:11	853	R. Jones	15	CY		X	PCS (JP4)				3060
07/29/04	15:16	853	R. Jones	15	CY		X	PCS (JP4)				3075
07/29/04	15:22	853	R. Jones	15	CY		X	PCS (JP4)				3090
07/29/04	15:25	1176	E. Gamboa	15	CY		X	PCS (JP4)				3105
07/29/04	15:27	853	R. Jones	15	CY		X	PCS (JP4)				3120
08/02/04	7:41	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				3135
08/02/04	7:49	853	J. Tucker	15	CY	B-1		PCS (JP4)				3150
08/02/04	8:10	1176	E. Gamboa	15	CY		X	PCS (JP4)				3165
08/02/04	8:12	853	J. Tucker	15	CY		X	PCS (JP4)				3180
08/02/04	8:16	1176	J. Tucker	15	CY	B-1		PCS (JP4)				3195
08/02/04	8:18	853	E. Gamboa	15	CY		X	PCS (JP4)				3210
08/02/04	8:22	853	E. Gamboa	15	CY		X	PCS (JP4)				3225
08/02/04	8:27	853	E. Gamboa	15	CY		X	PCS (JP4)				3240
08/02/04	8:30	1176	J. Tucker	15	CY		X	PCS (JP4)				3255
08/02/04	8:32	853	E. Gamboa	15	CY	B-1		PCS (JP4)				3270
08/02/04	8:36	1176	J. Tucker	15	CY	B-1		PCS (JP4)				3285
08/02/04	8:46	853	E. Gamboa	15	CY		X	PCS (JP4)				3300
08/02/04	8:48	1176	J. Tucker	15	CY		X	PCS (JP4)				3315
08/02/04	9:00	853	E. Gamboa	15	CY		X	PCS (JP4)				3330
08/02/04	9:05	1176	S. Chesters	15	CY		X	PCS (JP4)				3345
08/02/04	9:08	853	E. Gamboa	15	CY		X	PCS (JP4)				3360
08/02/04	9:10	1176	S. Chesters	15	CY		X	PCS (JP4)				3375
08/02/04	9:15	853	E. Gamboa	15	CY		X	PCS (JP4)				3390
08/02/04	9:20	1176	S. Chesters	15	CY	B-1		PCS (JP4)				3405
08/02/04	9:25	853	E. Gamboa	15	CY	B-1		PCS (JP4)				3420
08/02/04	9:45	853	J. Tucker	15	CY	B-1		PCS (JP4)				3435
08/02/04	10:03	853	J. Tucker	15	CY	B-1		PCS (JP4)				3450

Record. y: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cumulative
08/02/04	10:17	853	J. Tucker	15	CY	B-1		PCS (JP4)				3465
08/02/04	10:37	853	J. Tucker	15	CY		X	PCS (JP4)				3480
08/02/04	10:45	853	S. Chesters	15	CY		X	PCS (JP4)				3495
08/02/04	10:50	853	S. Chesters	15	CY		X	PCS (JP4)				3510
08/02/04	12:08	1176	E. Gamboa	15	CY		X	PCS (JP4)				3525
08/02/04	12:14	1176	E. Gamboa	15	CY		X	PCS (JP4)				3540
08/02/04	12:28	853	R. Jones	15	CY		X	PCS (JP4)				3555
08/02/04	12:34	853	R. Jones	15	CY	B-1		PCS (JP4)				3570
08/02/04	12:48	853	R. Jones	15	CY	B-1		PCS (JP4)				3585
08/02/04	13:04	853	R. Jones	15	CY	B-1		PCS (JP4)				3600
08/02/04	13:18	853	R. Jones	15	CY	B-1		PCS (JP4)				3615
08/02/04	13:30	853	R. Jones	15	CY		X	PCS (JP4)				3630
08/02/04	13:37	853	R. Jones	15	CY		X	PCS (JP4)				3645
08/02/04	13:41	853	R. Jones	15	CY	B-1		PCS (JP4)				3660
08/02/04	13:54	853	R. Jones	15	CY	B-1		PCS (JP4)				3675
08/02/04	13:56	1176	E. Gamboa	15	CY		X	PCS (JP4)				3690
08/02/04	13:59	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				3705
08/02/04	14:08	853	R. Jones	15	CY	B-1		PCS (JP4)				3720
08/02/04	14:12	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				3735
08/02/04	14:22	853	R. Jones	15	CY	B-1		PCS (JP4)				3750
08/02/04	14:30	1176	E. Gamboa	15	CY		X	PCS (JP4)				3765
08/02/04	14:35	1176	E. Gamboa	15	CY		X	PCS (JP4)				3780
08/02/04	14:41	1176	E. Gamboa	15	CY		X	PCS (JP4)				3795
08/03/04	8:07	1176	E. Gamboa	15	CY		X	PCS (JP4)				3810
08/03/04	8:09	853	J. Tucker	15	CY		X	PCS (JP4)				3825
08/03/04	8:13	1176	E. Gamboa	15	CY		X	PCS (JP4)				3840
08/03/04	8:15	853	J. Tucker	15	CY		X	PCS (JP4)				3855
08/03/04	8:18	1176	E. Gamboa	15	CY		X	PCS (JP4)				3870
08/03/04	8:20	853	J. Tucker	15	CY		X	PCS (JP4)				3885
08/03/04	8:23	1176	E. Gamboa	15	CY		X	PCS (JP4)				3900
08/03/04	8:25	853	J. Tucker	15	CY		X	PCS (JP4)				3915
08/03/04	8:29	1176	E. Gamboa	15	CY		X	PCS (JP4)				3930
08/03/04	8:31	853	J. Tucker	15	CY		X	PCS (JP4)				3945
08/03/04	8:34	1176	E. Gamboa	15	CY		X	PCS (JP4)				3960
08/03/04	8:37	853	J. Tucker	15	CY		X	PCS (JP4)				3975
08/03/04	8:41	1176	E. Gamboa	15	CY	B-1		PCS (JP4)				3990
08/03/04	8:43	853	J. Tucker	15	CY	B-2		PCS (JP4)				4005
08/03/04	8:56	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4020
08/03/04	8:58	853	J. Tucker	15	CY	B-2		PCS (JP4)				4035
08/03/04	9:10	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4050
08/03/04	9:12	853	J. Tucker	15	CY	B-2		PCS (JP4)				4065
08/03/04	9:25	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4080
08/03/04	9:27	853	J. Tucker	15	CY	B-2		PCS (JP4)				4095
08/03/04	9:38	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4110
08/03/04	9:41	853	J. Tucker	15	CY	B-2		PCS (JP4)				4125
08/03/04	9:55	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4140

Record. .y: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cumulative
08/03/04	9:57	853	J. Tucker	15	CY	B-2		PCS (JP4)				4155
08/03/04	10:08	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4170
08/03/04	10:10	853	J. Tucker	15	CY	B-2		PCS (JP4)				4185
08/03/04	10:21	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4200
08/03/04	10:23	853	J. Tucker	15	CY	B-2		PCS (JP4)				4215
08/03/04	10:37	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4230
08/03/04	10:38	853	J. Tucker	15	CY	B-2		PCS (JP4)				4245
08/03/04	10:50	1176	E. Gamboa	15	CY		X	PCS (JP4)				4260
08/03/04	10:53	853	J. Tucker	15	CY		X	PCS (JP4)				4275
08/03/04	10:56	1176	E. Gamboa	15	CY		X	PCS (JP4)				4290
08/03/04	12:23	853	J. Tucker	15	CY		X	PCS (JP4)				4305
08/03/04	12:26	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4320
08/03/04	12:37	853	J. Tucker	15	CY	B-2		PCS (JP4)				4335
08/03/04	12:48	853	J. Tucker	15	CY	B-2		PCS (JP4)				4350
08/03/04	12:50	1176	S. Chesters	15	CY	B-2		PCS (JP4)				4365
08/03/04	13:06	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4380
08/03/04	13:21	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4395
08/03/04	13:36	1176	E. Gamboa	15	CY	B-2		PCS (JP4)				4410
08/03/04	13:52	1176	E. Gamboa	15	CY		X	PCS (JP4)				4425
08/03/04	13:58	1176	E. Gamboa	15	CY		X	PCS (JP4)				4440
08/03/04	14:03	1176	E. Gamboa	15	CY		X	PCS (JP4)				4455
08/03/04	14:07	1176	E. Gamboa	15	CY		X	PCS (JP4)				4470
08/03/04	14:17	853	E. Gamboa	15	CY		X	PCS (JP4)				4485
08/03/04	14:23	853	J. Tucker	15	CY		X	PCS (JP4)				4500
08/03/04	14:24	853	J. Tucker	15	CY	B-2		PCS (JP4)				4515
08/03/04	14:29	853	J. Tucker	15	CY	B-2		PCS (JP4)				4530
08/03/04	14:55	853	J. Tucker	15	CY	B-2		PCS (JP4)				4545
08/03/04	15:08	853	J. Tucker	15	CY	B-3		PCS (JP4)				4560
08/03/04	15:22	853	J. Tucker	15	CY	B-3		PCS (JP4)				4575
08/04/04	7:53	1176	E. Gamboa	15	CY		X	PCS (JP4)				4590
08/04/04	7:57	853	R. Jones	15	CY		X	PCS (JP4)				4605
08/04/04	7:59	1176	E. Gamboa	15	CY		X	PCS (JP4)				4620
08/04/04	8:17	853	R. Jones	15	CY		X	PCS (JP4)				4635
08/04/04	8:20	1176	E. Gamboa	15	CY		X	PCS (JP4)				4650
08/04/04	8:24	853	R. Jones	15	CY		X	PCS (JP4)				4665
08/04/04	8:27	1176	E. Gamboa	15	CY		X	PCS (JP4)				4680
08/04/04	8:31	853	R. Jones	15	CY		X	PCS (JP4)				4695
08/04/04	8:34	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				4710
08/04/04	8:37	853	R. Jones	15	CY	B-3		PCS (JP4)				4725
08/04/04	8:50	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				4740
08/04/04	8:53	853	R. Jones	15	CY	B-3		PCS (JP4)				4755
08/04/04	9:04	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				4770
08/04/04	9:06	853	R. Jones	15	CY	B-3		PCS (JP4)				4785
08/04/04	9:18	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				4800
08/04/04	9:20	853	R. Jones	15	CY	B-3		PCS (JP4)				4815
08/04/04	9:31	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				4830

Recorde... by: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cumulative
08/04/04	9:33	853	R. Jones	15	CY	B-3		PCS (JP4)				4845
08/04/04	9:45	1176	E. Gamboa	15	CY		X	PCS (JP4)				4860
08/04/04	9:47	853	R. Jones	15	CY		X	PCS (JP4)				4875
08/04/04	9:51	1176	E. Gamboa	15	CY		X	PCS (JP4)				4890
08/04/04	9:55	853	R. Jones	15	CY		X	PCS (JP4)				4905
08/04/04	9:57	1176	E. Gamboa	15	CY		X	PCS (JP4)				4920
08/04/04	10:00	853	R. Jones	15	CY		X	PCS (JP4)				4935
08/04/04	10:03	1176	E. Gamboa	15	CY		X	PCS (JP4)				4950
08/04/04	10:07	853	R. Jones	15	CY	B-3		PCS (JP4)				4965
08/04/04	10:09	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				4980
08/04/04	10:24	853	R. Jones	15	CY	B-3		PCS (JP4)				4995
08/04/04	10:26	1176	E. Gamboa	15	CY	B-3		PCS (JP4)				5010
08/04/04	10:35	853	R. Jones	15	CY		X	PCS (JP4)				5025
08/04/04	10:37	1176	E. Gamboa	15	CY		X	PCS (JP4)				5040
08/04/04	10:42	853	R. Jones	15	CY		X	PCS (JP4)				5055
08/04/04	10:44	1176	E. Gamboa	15	CY		X	PCS (JP4)				5070
08/04/04	10:49	853	R. Jones	15	CY		X	PCS (JP4)				5085
08/04/04	10:53	1176	E. Gamboa	15	CY		X	PCS (JP4)				5100
08/04/04	12:07	853	R. Jones	15	CY		X	PCS (JP4)				5115
08/04/04	12:27	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5130
08/04/04	12:42	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5145
08/04/04	12:55	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5160
08/04/04	13:09	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5175
08/04/04	13:23	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5190
08/04/04	13:37	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5205
08/04/04	13:55	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5220
08/04/04	13:59	1176	R. Jones	15	CY	B-3		PCS (JP4)				5235
08/04/04	14:10	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5250
08/04/04	14:13	1176	R. Jones	15	CY		X	PCS (JP4)				5265
08/04/04	14:19	1176	R. Jones	15	CY		X	PCS (JP4)				5280
08/04/04	14:23	853	E. Gamboa	15	CY		X	PCS (JP4)				5295
08/04/04	14:25	1176	R. Jones	15	CY		X	PCS (JP4)				5310
08/04/04	14:28	853	E. Gamboa	15	CY		X	PCS (JP4)				5325
08/04/04	14:30	1176	R. Jones	15	CY		X	PCS (JP4)				5340
08/04/04	14:33	853	E. Gamboa	15	CY		X	PCS (JP4)				5355
08/04/04	14:36	1176	R. Jones	15	CY		X	PCS (JP4)				5370
08/04/04	14:39	853	E. Gamboa	15	CY	B-3		PCS (JP4)				5385
08/04/04	14:43	1176	R. Jones	15	CY	B-3		PCS (JP4)				5400
08/04/04	14:59	1176	R. Jones	15	CY	B-3		PCS (JP4)				5415
08/04/04	14:22	1176	R. Jones	15	CY	B-4		PCS (JP4)				5430
08/04/04	14:37	1176	R. Jones	15	CY	B-4		PCS (JP4)				5445
08/05/04	7:49	853	J. Tucker	15	CY		X	PCS (JP4)				5460
08/05/04	7:52	1176	E. Gamboa	15	CY		X	PCS (JP4)				5475
08/05/04	7:55	853	J. Tucker	15	CY		X	PCS (JP4)				5490
08/05/04	7:57	1176	E. Gamboa	15	CY		X	PCS (JP4)				5505
08/05/04	8:01	853	J. Tucker	15	CY	B-4		PCS (JP4)				5520

Recorde.. .y: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. - S	Site Lab - S	Fixed Lab	Cumulative
08/05/04	8:03	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5535
08/05/04	8:16	853	J. Tucker	15	CY	B-4		PCS (JP4)				5550
08/05/04	8:20	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5565
08/05/04	8:28	853	J. Tucker	15	CY		X	PCS (JP4)				5580
08/05/04	8:37	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5595
08/05/04	8:40	853	J. Tucker	15	CY	B-4		PCS (JP4)				5610
08/05/04	8:51	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5625
08/05/04	8:54	853	J. Tucker	15	CY	B-4		PCS (JP4)				5640
08/05/04	9:04	1176	E. Gamboa	15	CY		X	PCS (JP4)				5655
08/05/04	9:06	853	J. Tucker	15	CY		X	PCS (JP4)				5670
08/05/04	9:10	1176	E. Gamboa	15	CY		X	PCS (JP4)				5685
08/05/04	9:13	853	J. Tucker	15	CY		X	PCS (JP4)				5700
08/05/04	9:17	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5715
08/05/04	9:21	853	J. Tucker	15	CY	B-4		PCS (JP4)				5730
08/05/04	9:32	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5745
08/05/04	9:36	853	J. Tucker	15	CY		X	PCS (JP4)				5760
08/05/04	9:40	853	J. Tucker	15	CY		X	PCS (JP4)				5775
08/05/04	9:45	853	J. Tucker	15	CY		X	PCS (JP4)				5790
08/05/04	9:47	1176	E. Gamboa	15	CY		X	PCS (JP4)				5805
08/05/04	9:49	853	J. Tucker	15	CY		X	PCS (JP4)				5820
08/05/04	9:51	1176	E. Gamboa	15	CY		X	PCS (JP4)				5835
08/05/04	9:54	853	J. Tucker	15	CY	B-4		PCS (JP4)				5850
08/05/04	9:57	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5865
08/05/04	10:06	853	J. Tucker	15	CY	B-4		PCS (JP4)				5880
08/05/04	10:10	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				5895
08/05/04	10:18	853	J. Tucker	15	CY		X	PCS (JP4)				5910
08/05/04	10:22	853	J. Tucker	15	CY		X	PCS (JP4)				5925
08/05/04	10:24	1176	E. Gamboa	15	CY		X	PCS (JP4)				5940
08/05/04	10:26	853	J. Tucker	15	CY		X	PCS (JP4)				5955
08/05/04	10:28	1176	E. Gamboa	15	CY		X	PCS (JP4)				5970
08/05/04	10:31	853	R. Jones	15	CY		X	PCS (JP4)				5985
08/05/04	10:33	1176	E. Gamboa	15	CY		X	PCS (JP4)				6000
08/05/04	10:36	853	J. Tucker	15	CY	B-4		PCS (JP4)				6015
08/05/04	10:39	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				6030
08/05/04	10:50	853	J. Tucker	15	CY	B-4		PCS (JP4)				6045
08/05/04	10:52	1176	E. Gamboa	15	CY	B-4		PCS (JP4)				6060
08/05/04	12:01	1176	R. Jones	15	CY		X	PCS (JP4)				6075
08/05/04	12:03	853	J. Tucker	15	CY		X	PCS (JP4)				6090
08/05/04	12:07	1176	R. Jones	15	CY		X	PCS (JP4)				6105
08/05/04	12:09	853	J. Tucker	15	CY		X	PCS (JP4)				6120
08/05/04	12:10	1176	R. Jones	15	CY		X	PCS (JP4)				6135
08/05/04	12:12	853	J. Tucker	15	CY		X	PCS (JP4)				6150
08/05/04	12:16	1176	R. Jones	15	CY		X	PCS (JP4)				6165
08/05/04	12:21	1176	R. Jones	15	CY	B-4		PCS (JP4)				6180
08/05/04	12:25	853	J. Tucker	15	CY	B-4		PCS (JP4)				6195
08/05/04	12:31	1176	R. Jones	15	CY	B-4		PCS (JP4)				6210

Recor.. By: Sean Chesters

FT-31 Landfarm
SS-02/05 Soils

Date	Time	Truck number	Driver's name	Volume	Unit	Cell Placement	Over Burden	Desc. of Cont.	Headspace Anal. S	Site Lab - S	Fixed Lab	Cummulative
08/05/04	12:35	853	J. Tucker	15	CY	B-4		PCS (JP4)				6225
08/05/04	12:40	1176	R. Jones	15	CY	B-4		PCS (JP4)				6240

APPENDIX C

Laboratory Analytical Reports for Soil Treatment Samples

TABLE 3

Order #: 532931 **Client Sample ID** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	10.18	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/05/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/05/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/05/04 DP
8270C	2-Methylnaphthalene	1080	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/05/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/05/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 *FAX 714/538-1209*

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
480
Alamorgordo, NM 88310

LAB REQUEST 131771
REPORTED 07/07/2004
RECEIVED 06/30/2004

PROJECT Holmn - SS25-LF

SUBMITTER Client

COMMENTS Added Moisture to all solid samples on 7-15-04.

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
532931	FT31LF-25-A1
532932	FT31LF-25-A2
532933	FT31LF-25-A3
532934	FT31LF-25-A4
532935	FT31LF-25-B1
532936	FT31LF-25-B2
532937	FT31LF-25-B3
532938	FT31LF-25-B4
532939	Trip Blank
532940	Laboratory Method Blank-S
532941	Laboratory Method Blank-W

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 532931 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	88				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	112				%	70 - 135
8260B	Surr3 - Toluene-d8	95				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99				%	70 - 135
8015	C06 - C10	236	5	15.0	0.90	mg/Kg	07/01/04 AF
8015	C10 - C22	363	5	15.0	0.65	mg/Kg	07/01/04 AF
8015	C22 - C36	ND	5	25.0	3.60	mg/Kg	07/01/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532931 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	ND	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	189 J	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	ND	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532931 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	79				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	181 J	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	289 J	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532931 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/05/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/05/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/05/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/05/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	85				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	67				%	30 - 115
8270C	2-Fluorophenol (sur)	76				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	76				%	23 - 120
8270C	Phenol-d5 (sur)	83				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532932 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	1900	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	174 J	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	1400	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	ND	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532932 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	79				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	662	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	2060	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532932 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/05/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/05/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/05/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Naphthalene	1010	1	333	20	ug/Kg	07/05/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/05/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/05/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	77	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	74	%	30 - 115
8270C	2-Fluorophenol (sur)	77	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	109	%	23 - 120
8270C	Phenol-d5 (sur)	84	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532932 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	12.14	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/05/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/05/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/05/04 DP
8270C	2-Methylnaphthalene	2780	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/05/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/05/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532933 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:05

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	76				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	11100	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	3960	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532933 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:05

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/05/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/05/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Diethylphthalate	1750	1	333	20	ug/Kg	07/05/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/05/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/05/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	78				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	60				%	30 - 115
8270C	2-Fluorophenol (sur)	66				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	61				%	23 - 120
8270C	Phenol-d5 (sur)	72				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532933 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:05

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	18.11	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/05/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/05/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/05/04 DP
8270C	2-Methylnaphthalene	842	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/05/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/05/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532932 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	237 J	100	500.0	0.8	ug/Kg	07/01/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	89				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	111				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	101				%	70 - 135
8015	C06 - C10	604	50	150.0	0.90	mg/Kg	06/30/04 AF
8015	C10 - C22	1040	50	150.0	0.65	mg/Kg	06/30/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	06/30/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532934 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 06:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/06/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/06/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/06/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Naphthalene	3330	1	333	20	ug/Kg	07/06/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/06/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/06/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	71	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	76	%	30 - 115
8270C	2-Fluorophenol (sur)	84	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	96	%	23 - 120
8270C	Phenol-d5 (sur)	88	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532934 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 06:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	16.62	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/06/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/06/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/06/04 DP
8270C	2-Methylnaphthalene	8240	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/06/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/06/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532933 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:05

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	17800	100	500.0	0.8	ug/Kg	07/01/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	89	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	107	%	70 - 135
8260B	Surr3 - Toluene-d8	97	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	0 S	%	70 - 135
8015	C06 - C10	52 5	15.0	0.90 mg/Kg 07/01/04 AF
8015	C10 - C22	90 5	15.0	0.65 mg/Kg 07/01/04 AF
8015	C22 - C36	ND 5	25.0	3.60 mg/Kg 07/01/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532933 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:05

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	5840	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	2020	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	2380	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	2010	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	2350	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	1470	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	1800	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532935 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	12.62	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/06/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/06/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/06/04 DP
8270C	2-Methylnaphthalene	822	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/06/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/06/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532934 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 06:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	8320	100	500.0	0.8	ug/Kg	07/01/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	88				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	107				%	70 - 135
8260B	Surr3 - Toluene-d8	95				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	109				%	70 - 135
8015	C06 - C10	2550	50	150.0	0.90	mg/Kg	06/30/04 AF
8015	C10 - C22	1700	50	150.0	0.65	mg/Kg	06/30/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	06/30/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532934 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 05:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	2060	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	1100	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	1560	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	1120	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	2250	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	2070	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	1080	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	127 J	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532934 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 06:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	78				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	10200	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	3080	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532935 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	1850	100	500.0	0.8	ug/Kg	07/01/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	88				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	109				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	104				%	70 - 135
8015	C06 - C10	141	5	15.0	0.90	mg/Kg	07/01/04 AF
8015	C10 - C22	283	5	15.0	0.65	mg/Kg	07/01/04 AF
8015	C22 - C36	111	5	25.0	3.60	mg/Kg	07/01/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532935 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	291 J	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	278 J	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	644	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	264 J	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	772	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	310 J	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532935 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	80				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	2430	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	1080	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorobexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532935 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 07:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/06/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/06/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/06/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/06/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	86				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	60				%	30 - 115
8270C	2-Fluorophenol (sur)	62				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	59				%	23 - 120
8270C	Phenol-d5 (sur)	70				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532936 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	238 J	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	1030	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	696	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	854	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	1260	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	504	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532936 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	79				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	3600	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	1730	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532936 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/05/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/05/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/05/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Naphthalene	627	1	333	20	ug/Kg	07/05/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/05/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	89				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	66				%	30 - 115
8270C	2-Fluorophenol (sur)	67				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	71				%	23 - 120
8270C	Phenol-d5 (sur)	72				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532936 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	12.90	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/05/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/05/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/05/04 DP
8270C	2-Methylnaphthalene	2020	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/05/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/05/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532937 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	76				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	1180	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	1030	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532937 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/06/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/06/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/06/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/06/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/06/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	77	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	64	%	30 - 115
8270C	2-Fluorophenol (sur)	67	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	71	%	23 - 120
8270C	Phenol-d5 (sur)	75	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532937 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	15.01	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/06/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/06/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/06/04 DP
8270C	2-Methylnaphthalene	1080	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/06/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/06/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532936 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	1620	100	500.0	0.8	ug/Kg	07/01/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	88	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110	%	70 - 135
8260B	Surr3 - Toluene-d8	99	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	107	%	70 - 135

8015	C06 - C10	343	50	150.0	0.90	mg/Kg	07/01/04 AF
8015	C10 - C22	531	50	150.0	0.65	mg/Kg	07/01/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	07/01/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532938 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:26

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/06/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/06/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/06/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/06/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/06/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	81	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	64	%	30 - 115
8270C	2-Fluorophenol (sur)	64	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	65	%	23 - 120
8270C	Phenol-d5 (sur)	74	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532938 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:26

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	13.74	1			%	07/16/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/06/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/06/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/06/04 DP
8270C	2-Methylnaphthalene	1350	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/06/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/06/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/06/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/06/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/06/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532937 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	817	100	500.0	0.8	ug/Kg	07/01/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	91	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	112	%	70 - 135
8260B	Surr3 - Toluene-d8	98	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	103	%	70 - 135

8015	C06 - C10	112	5	15.0	0.90	mg/Kg	07/01/04 AF
8015	C10 - C22	168	5	15.0	0.65	mg/Kg	07/01/04 AF
8015	C22 - C36	ND	5	25.0	3.60	mg/Kg	07/01/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532937 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	242 J	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	736	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	257 J	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532939 **Client Sample ID:** Trip Blank

Matrix: WATER

Date Sampled: 06/29/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	06/30/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	06/30/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	06/30/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	06/30/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	06/30/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	06/30/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	06/30/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	06/30/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	06/30/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	06/30/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	06/30/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	06/30/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	06/30/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	06/30/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	06/30/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	06/30/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	06/30/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	10	0.20	ug/L	06/30/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	06/30/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	06/30/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	06/30/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	06/30/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	06/30/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	06/30/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	06/30/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	06/30/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	06/30/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532938 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:26

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	314 J	100	500.0	0.8	ug/Kg	07/01/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	89	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110	%	70 - 135
8260B	Surr3 - Toluene-d8	99	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	106	%	70 - 135

8015	C06 - C10	161	50	150.0	0.90	mg/Kg	07/01/04 AF
8015	C10 - C22	800	50	150.0	0.65	mg/Kg	07/01/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	07/01/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532938 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:26

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	898	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	100	2000.0	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	ND	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	666	100	500.0	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	ND	100	500.0	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	07/01/04 AM
260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	07/01/04 AM
,260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532938 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 06/29/2004
Time Sampled: 08:26

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	76				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	878	100	500.0	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	794	100	500.0	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	100	500.0	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532940 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/05/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/05/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/05/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/05/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/05/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	56	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	48	%	30 - 115
8270C	2-Fluorophenol (sur)	56	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	48	%	23 - 120
8270C	Phenol-d5 (sur)	64	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532940 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	N/A	1			%	
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/05/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/05/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/05/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/05/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/05/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/05/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/05/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/05/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532939 **Client Sample ID:** Trip Blank

Matrix: WATER

Date Sampled: 06/29/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Trichloroethene	ND	1	5	0.23	ug/L	06/30/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	06/30/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	06/30/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	06/30/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	83	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532939 **Client Sample ID:** Trip Blank

Matrix: WATER

Date Sampled: 06/29/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	06/30/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	06/30/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	06/30/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	06/30/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	06/30/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	06/30/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	06/30/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	06/30/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	06/30/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	06/30/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	06/30/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	06/30/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	06/30/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	06/30/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	06/30/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	06/30/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	06/30/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	06/30/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	06/30/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	06/30/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	n-Hexane	ND	1	20	20	ug/L	06/30/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	06/30/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	06/30/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	06/30/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	06/30/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	06/30/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	06/30/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	06/30/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	06/30/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	06/30/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	06/30/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532941 **Client Sample ID:** Laboratory Method Blank-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	06/30/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	06/30/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	06/30/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	06/30/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	06/30/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	06/30/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	06/30/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	06/30/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	06/30/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	06/30/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	06/30/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	06/30/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	06/30/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	06/30/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	06/30/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	06/30/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	06/30/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	06/30/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	06/30/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	06/30/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	06/30/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	06/30/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	06/30/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	06/30/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	06/30/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	06/30/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	06/30/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	06/30/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532940 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	1	5	0.42	ug/Kg	07/01/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	07/01/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	07/01/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	07/01/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	07/01/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	07/01/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	07/01/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	07/01/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	07/01/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	90				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110				%	70 - 135
8260B	Surr3 - Toluene-d8	98				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	103				%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	06/30/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	06/30/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	06/30/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532940 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	07/01/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	07/01/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	07/01/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	07/01/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	07/01/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	07/01/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	07/01/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	07/01/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	07/01/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	07/01/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	07/01/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	07/01/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	07/01/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	07/01/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	07/01/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	07/01/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	07/01/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	07/01/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	07/01/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	07/01/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	07/01/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	07/01/04 AM
8260B	m and p-Xylene	ND	1	5	0.67	ug/Kg	07/01/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	07/01/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	07/01/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	07/01/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	07/01/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	07/01/04 AM
8260B	n-Hexane	ND	1	20	20	ug/Kg	07/01/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	07/01/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	07/01/04 AM
8260B	o-Xylene	ND	1	5	0.35	ug/Kg	07/01/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	07/01/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	07/01/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	07/01/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	07/01/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	07/01/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	07/01/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 532940 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	66				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	07/01/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	07/01/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	07/01/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	07/01/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	07/01/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/01/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	07/01/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/01/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	07/01/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	07/01/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	07/01/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	07/01/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	07/01/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	07/01/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	07/01/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	07/01/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	07/01/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	07/01/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	07/01/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	07/01/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	07/01/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	07/01/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	07/01/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	07/01/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	07/01/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	07/01/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	07/01/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	07/01/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	07/01/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	07/01/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	07/01/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	07/01/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	07/01/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Environmental Engineers and Scientists

Chain of Custody and Analytical Request

131771

Facility/Base ID: Holmes
Project Name / Site Name: SS25-LP
Client Name: USACE
Collected by: PETERS / GARRETT

COMMENTS: FOR QC# 841 OF 8274-90 PLEASE TO HOLLOWAY PLEASE FAX RESULTS 505-673-2149

RUSH

Field Sample ID (10 Characters Max)	Sample Location (10 Characters Max)	Date Collected (yyyy-mm-dd)	Time Collected (military) (hhmm)	Sample Type (Composite = comp)	Sample Matrix (S=Soil, W=Water, A=Air)	Number of containers	VOC + HEXANE 8260	SVOC 8270	TPH 8015 CARBON CHAIN
PT31LF-25-A1	SS25	29-06-2004	0740	N	S	1	50	4	1
PT31LF-25-A2			0730	N	S	1	50	4	1
PT31LF-25-A3			0705	N	S	1	50	4	1
PT31LF-25-A4			0650	N	S	1	50	4	1
PT31LF-25-B1			0710	N	S	1	50	4	1
PT31LF-25-B2			0810	N	S	1	50	4	1
PT31LF-15-B3			0820	N	S	1	50	4	1
PT31LF-15-B4			0830	N	S	1	50	4	1
TRIP BLANK1	SS25	29-06-2004	0830	N	TB	1	50	4	2

Relinquished by (Signature): GARRETT PETERS Date: 6-29-2004 Time: 1400
Received by (Signature): Date: 6-30-04 Time: 10:5
Shipped Via: FED EX
Shipped No.: AIR/Truck
Delivery Date: Delivery Date

Order #: 532941 Client Sample ID: Laboratory Method Blank-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	06/30/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	06/30/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	06/30/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	06/30/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	06/30/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	06/30/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	91	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	113	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: 131771-532931

Matrix: SOLID

Prep. Date: July 16, 2004

Analysis Date: July 16, 2004

ID#'s in Batch: LR 131771

SAMPLE RESULT / SAMPLE DUPLICATE

Reporting Units = %

Test	Method	Sample Result	Sample Duplicate	RPD
MOISTURE	ALCH 518	10.18	10.35	1.66

ND = "U" - Not Detected
RPD = Relative Percent Difference of Sample Result and Sample Duplicate

RPD LIMITS - 5%

7/20/2004 moisture_alch 518_0716s1

Order #: 532941 Client Sample ID: Laboratory Method Blank-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	06/30/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	06/30/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	06/30/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	06/30/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	06/30/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	06/30/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	06/30/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	06/30/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	06/30/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	06/30/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	06/30/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	06/30/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	06/30/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	06/30/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	06/30/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	06/30/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	06/30/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	06/30/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	06/30/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	06/30/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	06/30/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	06/30/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	n-Hexane	ND	1	20	20	ug/L	06/30/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	06/30/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	06/30/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	06/30/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	06/30/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	06/30/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	06/30/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	06/30/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	06/30/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	06/30/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	06/30/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	06/30/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

TABLE 4

Order #: 534531 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst	
ALCH518	Moisture	12.21	1			%	07/08/04	MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04	DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04	DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04	DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04	DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04	DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04	DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04	DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04	DP

BQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 *FAX 714/538-1209*

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
480
Alamorgordo, NM 88310

LAB REQUEST 132072
REPORTED 07/09/2004
RECEIVED 07/07/2004

PROJECT SS25-LF

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
534531	FT31LF-25-A1
534532	FT31LF-25-A2
534533	FT31LF-25-A3
534534	FT31LF-25-A4
534535	FT31LF-25-B1
534536	FT31LF-25-B2
534537	FT31LF-25-B3
534538	FT31LF-25-B4
534539	Trip Blanks
534540	Laboratory Method Blanks-S
534541	Laboratory Method Blanks-W

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward B. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 534531 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	88				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	113				%	70 - 135
8260B	Surr3 - Toluene-d8	101				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	103				%	70 - 135
8015	C06 - C10	ND	20	60.0	0.90	mg/Kg	07/08/04 AF
8015	C10 - C22	91	20	60.0	0.65	mg/Kg	07/08/04 AF
8015	C22 - C36	ND	20	100.0	3.60	mg/Kg	07/08/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534531 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AM
8260B	Methyl tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	10	50.0	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534531 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	83				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	ND	10	50.0	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534531 **Client Sample ID:** FT31LF-25-A1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	89				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	50				%	30 - 115
8270C	2-Fluorophenol (sur)	54				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	42				%	23 - 120
8270C	Phenol-d5 (sur)	65				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534532 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	151	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	10	50.0	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	97	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534532 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	76				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	101	10	50.0	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534532 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	92	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	64	%	30 - 115
8270C	2-Fluorophenol (sur)	73	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	61	%	23 - 120
8270C	Phenol-d5 (sur)	81	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534532 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	11.29	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534533 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	74				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AF
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AF
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AF
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AF
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AF
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AF
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AF
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AF
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AF
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AF
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AF
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AF
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AF
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AF
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AF
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AF
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AF
8260B	1,3,5-Trimethylbenzene	297	10	50.0	0.55	ug/Kg	07/08/04 AF
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AF
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AF
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AF
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AF
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AF
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AF
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AF
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AF
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AF
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AF
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AF
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AF
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AF
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AF
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AF
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AF
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AF
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534533 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	87	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	68	%	30 - 115
8270C	2-Fluorophenol (sur)	71	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	60	%	23 - 120
8270C	Phenol-d5 (sur)	79	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534533 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	13.91	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	426	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534532 **Client Sample ID:** FT31LF-25-A2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:30

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	07/08/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	89	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	111	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	107	%	70 - 135
8015	C06 - C10	ND	50	150.0	0.90	mg/Kg	07/08/04 AF
8015	C10 - C22	173	50	150.0	0.65	mg/Kg	07/08/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	07/08/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534534 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	1850	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	100	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	75	%	30 - 115
8270C	2-Fluorophenol (sur)	90	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	9?	%	23 - 120
8270C	Phenol-d5 (sur)	96	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534534 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	18.13	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	3520	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534533 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AF
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AF
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AF
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AF
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AF
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AF
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AF
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AF
8260B	Xylenes, total	65	10	50.0	0.8	ug/Kg	07/08/04 AF

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	88	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	109	%	70 - 135
8260B	Surr3 - Toluene-d8	97	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	105	%	70 - 135
8015	C06 - C10	ND	50 150.0 0.90 mg/Kg	07/08/04 AF
8015	C10 - C22	310	50 150.0 0.65 mg/Kg	07/08/04 AF
8015	C22 - C36	ND	50 250.0 3.60 mg/Kg	07/08/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534533 **Client Sample ID:** FT31LF-25-A3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:40

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AF
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AF
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AF
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AF
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AF
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AF
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AF
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AF
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AF
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AF
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AF
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AF
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AF
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AF
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AF
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AF
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AF
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AF
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AF
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AF
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AF
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AF
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AF
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AF
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AF
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AF
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AF
8260B	n-Butylbenzene	168	10	50.0	0.38	ug/Kg	07/08/04 AF
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AF
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AF
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AF
8260B	o-Xylene	65	10	50.0	0.35	ug/Kg	07/08/04 AF
8260B	p-Isopropyltoluene	196	10	50.0	0.32	ug/Kg	07/08/04 AF
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AF
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AF
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AF
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AF
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AF
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534535 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	14.91	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	290 J	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534534 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	1	5	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	1870	1	5	0.8	ug/Kg	07/08/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	90				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	112				%	70 - 135
8260B	Surr3 - Toluene-d8	100				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	0 S				%	70 - 135
8015	C06 - C10	473	20	60.0	0.90	mg/Kg	07/09/04 AF
8015	C10 - C22	1002	20	60.0	0.65	mg/Kg	07/09/04 AF
8015	C22 - C36	ND	20	100.0	3.60	mg/Kg	07/09/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534534 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	140	1	5	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	1720	1	5	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	918	1	5	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	1	20	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	809	1	5	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	1190	1	5	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	148	1	5	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	648	1	5	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	244	1	5	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534534 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 08:50

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	81				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	3240	1	5	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	1190	1	5	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorobexane	ND	1	5	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534535 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	89				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	112				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102				%	70 - 135
8015	C06 - C10	ND	20	60.0	0.90	mg/Kg	07/09/04 AF
8015	C10 - C22	331	20	60.0	0.65	mg/Kg	07/09/04 AF
8015	C22 - C36	150	20	100.0	3.60	mg/Kg	07/09/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534535 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	302	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	10	50.0	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	255	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534535 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	90				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	373	10	50.0	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534535 **Client Sample ID:** FT31LF-25-B1

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	100				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	74				%	30 - 115
8270C	2-Fluorophenol (sur)	75				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	62				%	23 - 120
8270C	Phenol-d5 (sur)	84				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534536 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	233	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	10	50.0	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	177	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534536 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	72				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	203	10	50.0	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534536 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	89	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	59	%	30 - 115
8270C	2-Fluorophenol (sur)	65	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	51	%	23 - 120
8270C	Phenol-d5 (sur)	71	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534536 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	14.3	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534537 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	76				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	12 J	10	50.0	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534537 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	91	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	53	%	30 - 115
8270C	2-Fluorophenol (sur)	68	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	49	%	23 - 120
8270C	Phenol-d5 (sur)	75	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534537 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	14.36	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534536 **Client Sample ID:** FT31LF-25-B2

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	07/08/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	87	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110	%	70 - 135
8260B	Surr3 - Toluene-d8	99	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	104	%	70 - 135
8015	C06 - C10	ND	20	60.0	0.90	mg/Kg	07/09/04 AF
8015	C10 - C22	300	20	60.0	0.65	mg/Kg	07/09/04 AF
8015	C22 - C36	ND	20	100.0	3.60	mg/Kg	07/09/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534538 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:25

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/08/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/08/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/08/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/08/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/08/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	107	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	79	%	30 - 115
8270C	2-Fluorophenol (sur)	88	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	74	%	23 - 120
8270C	Phenol-d5 (sur)	100	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534538 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:25

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	13.08	1			%	07/08/04 MSZ
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/08/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/08/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/08/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/08/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/08/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/08/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/08/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/08/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534537 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	07/08/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	88	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	109	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102	%	70 - 135

8015	C06 - C10	ND	1	3	0.90	mg/Kg	07/09/04 AF
8015	C10 - C22	36	1	3	0.65	mg/Kg	07/09/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	07/09/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534537 **Client Sample ID:** FT31LF-25-B3

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:20

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	10	50.0	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534538 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:25

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	89				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	112				%	70 - 135
8260B	Surr3 - Toluene-d8	96				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	101				%	70 - 135
8015	C06 - C10	ND	20	60.0	0.90	mg/Kg	07/09/04 AF
8015	C10 - C22	220	20	60.0	0.65	mg/Kg	07/09/04 AF
8015	C22 - C36	ND	20	100.0	3.60	mg/Kg	07/09/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534539 **Client Sample ID:** Trip Blanks

Matrix: WATER

Date Sampled: 07/06/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	07/09/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	07/09/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	07/09/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	07/09/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	07/09/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	07/09/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	07/09/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	07/09/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	07/09/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	07/09/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	07/09/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	07/09/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	07/09/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	07/09/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	07/09/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	07/09/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	07/09/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	07/09/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	07/09/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	07/09/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	07/09/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	07/09/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	07/09/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	07/09/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	07/09/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	07/09/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	07/09/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534538 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:25

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	10	50.0	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	90	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	10	200.0	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	10	50.0	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	57	10	50.0	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	07/08/04 AM
260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534538 **Client Sample ID:** FT31LF-25-B4

Matrix: SOLID

Date Sampled: 07/06/2004
Time Sampled: 09:25

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	77				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	45 J	10	50.0	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 534540 **Client Sample ID:** Laboratory Method Blanks-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/07/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/07/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/07/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/07/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/07/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	51	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	41	%	30 - 115
8270C	2-Fluorophenol (sur)	55	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	40	%	23 - 120
8270C	Phenol-d5 (sur)	62	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534540 **Client Sample ID:** Laboratory Method Blanks-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	N/A	1			%	
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/07/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/07/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/07/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/07/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/07/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/07/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/07/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/07/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534539 **Client Sample ID:** Trip Blanks

Matrix: WATER

Date Sampled: 07/06/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	07/09/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	07/09/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	07/09/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	07/09/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	07/09/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	07/09/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	85	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110	%	70 - 135
8260B	Surr3 - Toluene-d8	97	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534539 **Client Sample ID:** Trip Blanks

Matrix: WATER

Date Sampled: 07/06/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	07/09/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	07/09/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	07/09/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	07/09/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	07/09/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	07/09/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	07/09/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	07/09/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	07/09/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	07/09/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	07/09/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	07/09/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	07/09/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	07/09/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	07/09/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	07/09/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	07/09/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	07/09/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	07/09/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	07/09/04 AM
8260B	Methylene chloride	168	1	5	0.64	ug/L	07/09/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	n-Hexane	ND	1	20	20	ug/L	07/09/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	07/09/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	07/09/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	07/09/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	07/09/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	07/09/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.33	ug/L	07/09/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	07/09/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	07/09/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	07/09/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534541 **Client Sample ID:** Laboratory Method Blanks-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	07/09/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	07/09/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	07/09/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	07/09/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	07/09/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	07/09/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	07/09/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	07/09/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	07/09/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	07/09/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	07/09/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	07/09/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	07/09/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	07/09/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	07/09/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	07/09/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	07/09/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	07/09/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	07/09/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	07/09/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	07/09/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	07/09/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	07/09/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	07/09/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	07/09/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	07/09/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	07/09/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	07/09/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534540 **Client Sample ID:** Laboratory Method Blanks-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	1	5	0.42	ug/Kg	07/08/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	07/08/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	07/08/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	07/08/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	07/08/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	07/08/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	07/08/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	07/08/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	07/08/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	87				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	111				%	70 - 135
8260B	Surr3 - Toluene-d8	95				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	103				%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	07/08/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	07/08/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	07/08/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534540 **Client Sample ID:** Laboratory Method Blanks-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	07/08/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	07/08/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	07/08/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	07/08/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	07/08/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	07/08/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	07/08/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	07/08/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	07/08/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	07/08/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	07/08/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	07/08/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	07/08/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	07/08/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	07/08/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	07/08/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	07/08/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	07/08/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	07/08/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	07/08/04 AM
8260B	m and p-Xylene	ND	1	5	0.67	ug/Kg	07/08/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	07/08/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	07/08/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	07/08/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	07/08/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	07/08/04 AM
8260B	n-Hexane	ND	1	20	20	ug/Kg	07/08/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	07/08/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	07/08/04 AM
8260B	o-Xylene	ND	1	5	0.35	ug/Kg	07/08/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	07/08/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	07/08/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	07/08/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	07/08/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	07/08/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	07/08/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534540 **Client Sample ID:** Laboratory Method Blanks-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (surr)	70				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	07/08/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	07/08/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	07/08/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	07/08/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	07/08/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/08/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	07/08/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/08/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	07/08/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	07/08/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	07/08/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	07/08/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	07/08/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	07/08/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	07/08/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	07/08/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	07/08/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	07/08/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	07/08/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	07/08/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	07/08/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	07/08/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	07/08/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	07/08/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	07/08/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	07/08/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	07/08/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	07/08/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	07/08/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	07/08/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	07/08/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	07/08/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LR 132072

Matrix: SOLID

Extraction Method: 3545

Date: July 8, 2004

Analysis Date: July 8, 2004

ID#'s in Batch: LR 132072

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Reporting Units = mg/Kg

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD
DIESEL *	8015D	ND	25	61.0	58.4	244	234	4

*MS/MSD out of control, due to matrix interference.

ND = Not Detected
RPD = Relative Percent Difference of Matrix Spike and Matrix Spike Duplicate
%REC MS & MSD = Percent Recovery of Matrix Spike & Matrix Spike Duplicate

%REC LIMITS = 70 - 130
RPD LIMITS = 30

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

	PREP BLK Value	Result	True	%Rec	L.Limit	H.Limit
LCS	ND	27	25	109	70%	130%
LCSD	ND	25	25	100	70%	130%

LCS Result = Lab Control Sample Result
True = True Value of LCS
L.Limit / H.Limit = LCS Control Limits

SURROGATE RECOVERY

Sample No. / QC Limit	O-Terphenyl 55-200
Method Blank	130
LCS	145
LCSD	141

7/20/2004 *8015d_tph 0706s*

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: 132072-534531

Matrix: SOLID

Prep. Date: July 7, 2004

Analysis Date: July 8, 2004

ID#'s in Batch: LR 132072

SAMPLE RESULT / SAMPLE DUPLICATE

Reporting Units = %

Test	Method	Sample Result	Sample Duplicate	RPD
MOISTURE	ALCH 518	12.21	12.15	0.49

ND = "U" - Not Detected
RPD = Relative Percent Difference of Sample Result and Sample Duplicate

RPD LIMITS = 5%

7/20/2004 *moisture_alch 518_0707s*

Order #: 534541 **Client Sample ID:** Laboratory Method Blanks-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	07/09/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	07/09/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	07/09/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	07/09/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	07/09/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	07/09/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	88	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	111	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	105	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 534541 **Client Sample ID:** Laboratory Method Blanks-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	07/09/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	07/09/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	07/09/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	07/09/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	07/09/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	07/09/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	07/09/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	07/09/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	07/09/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	07/09/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	07/09/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	07/09/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	07/09/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	07/09/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	07/09/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	07/09/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	07/09/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	07/09/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	07/09/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	07/09/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	07/09/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	07/09/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	n-Hexane	ND	1	20	20	ug/L	07/09/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	07/09/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	07/09/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	07/09/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	07/09/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	07/09/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	07/09/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	07/09/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	07/09/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	07/09/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	07/09/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	07/09/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits



ASSOCIATED LABORATORIES
QA REPORT FORM

Method : EPA 8270/625

Prep. Method : 3545

QC Sample: MS/MSD 132072-536

Matrix: SOLID

Date Extracted : July 7, 2004

Date Analyzed : July 7, 2004

Applies to: LR 132072

REPORTING UNITS = ug/Kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup.	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
Phenol	ND	50	31	27	62	54	14	42	6-117
2-Chorophenol	ND	50	29	25	58	50	15	35	28-100
1,4-Dichlorobenzene	ND	50	28	23	56	46	20	36	39-92
n-Nitroso-di-n-propylamine	ND	50	41	40	82	80	2	42	5-149
1,2,4-Trichlorobenzene	ND	50	30	26	60	52	14	41	41-97
4-Chloro-3-methylphenol	ND	50	39	37	78	74	5	37	26-117
Acenaphthene	ND	50	39	38	78	76	3	41	46-113
4-Nitrophenol	ND	50	43	39	86	78	10	73	53-143
2,4-Dinitrotoluene	ND	50	45	42	90	84	7	43	82-125
Pentachlorophenol	ND	50	32	31	64	62	3	52	25-187
Pyrene	ND	50	42	41	84	82	2	36	47-136

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC LIMIT %REC
Phenol	ND	50	27	54	17-99
2-Chorophenol	ND	50	27	54	28-88
1,4-Dichlorobenzene	ND	50	26	52	33-89
n-Nitroso-di-n-propylamine	ND	50	46	92	9-130
1,2,4-Trichlorobenzene	ND	50	26	52	25-92
4-Cloro-3-methylphenol	ND	50	32	64	27-96
Acenaphthene	ND	50	30	60	31-101
4-Nitrophenol	ND	50	32	64	8-123
2,4-Dinitrotoluene	ND	50	38	76	27-139
Pentachlorophenol	ND	50	23	46	0-151
Pyrene	ND	50	37	74	34-127

Method Blank = All ND

7/20/2004 8270_msd-lcs_07074

ASSOCIATED LABORATORIES
QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Soil Samples 131932-744

Analysis Date: July 9, 2004 3:23 AM

Applies to: LR 131932, 132072, 131965

Reporting Units = ug/Kg

Matrix Spike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	41.29	42.65	83	85	3	22	59-172
MTBE	ND	50	36.52	34.84	73	70	5	24	62-137
Benzene	ND	50	43.11	41.87	86	84	3	24	62-137
Trichloroethene	ND	50	42.03	42.52	84	85	1	21	66-142
Toluene	ND	50	41.49	42.57	83	85	3	21	59-139
Chlorobenzene	ND	50	39.62	39.06	79	78	1	21	60-133

QC Sample: LCS/LCSD
Analysis Date: July 8, 2004 7:03 AM

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spk. Dup	%Rec LCS	%Rec LCS D	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	46.82	47.74	94	95	2	22	59-172
MTBE	ND	50	48.18	49.50	96	99	3	24	62-137
Benzene	ND	50	51.79	52.82	104	106	2	24	62-137
Trichloroethene	ND	50	48.03	49.87	96	100	4	21	66-142
Toluene	ND	50	48.09	50.58	96	101	5	21	59-139
Chlorobenzene	ND	50	49.62	51.22	99	102	3	21	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 1	MB 2	LCS	LCSD	MS	MSD
DBFM	87	87	91	90	88	88
1,2-DCA	111	109	103	103	106	107
Tol-d8	95	99	96	98	96	100
p-BFB	103	104	98	101	99	102

7/20/2004 8260_msd-lcsd_0709z

ASSOCIATED LABORATORIES
LCS REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: LCS/LCSD - Water Samples

Analysis Date: July 9, 2004 4:57 AM

Applies to: LR 132072, 132050

Reporting Units = ug/L

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spk. Dup	%Rec LCS	%Rec LCS D	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	47.08	46.95	94	94	0	22	59-172
MTBE	ND	50	47.94	50.04	96	100	4	24	62-137
Benzene	ND	50	51.61	52.02	103	104	1	24	62-137
Trichloroethene	ND	50	47.19	48.49	94	97	3	21	66-142
Toluene	ND	50	49.84	50.63	100	101	2	21	59-139
Chlorobenzene	ND	50	50.95	51.64	102	103	1	21	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 5	LCS	LCSD
DBFM	88	86	89
1,2-DCA	111	101	101
Tol-d8	100	98	98
p-BFB	105	103	100

7/20/2004 8260_lcsd_0709w

TABLE 5

Order #: 536570 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/13/2004
Time Sampled: 13:55

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	89				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	200	1000.0	2.19	ug/Kg	07/14/04 AM
8260B	1,1,1-Trichloroethane	ND	200	1000.0	0.47	ug/Kg	07/14/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	200	1000.0	0.50	ug/Kg	07/14/04 AM
8260B	1,1,2-Trichloroethane	ND	200	1000.0	0.57	ug/Kg	07/14/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	200	1000.0	0.10	ug/Kg	07/14/04 AM
8260B	1,1-Dichloroethane	ND	200	1000.0	0.74	ug/Kg	07/14/04 AM
8260B	1,1-Dichloroethene	ND	200	1000.0	0.43	ug/Kg	07/14/04 AM
8260B	1,1-Dichloropropene	ND	200	1000.0	1.30	ug/Kg	07/14/04 AM
8260B	1,2,3-Trichlorobenzene	ND	200	1000.0	0.54	ug/Kg	07/14/04 AM
8260B	1,2,3-Trichloropropane	ND	200	1000.0	0.65	ug/Kg	07/14/04 AM
8260B	1,2,4-Trichlorobenzene	ND	200	1000.0	0.54	ug/Kg	07/14/04 AM
8260B	1,2,4-Trimethylbenzene	1820	200	1000.0	0.60	ug/Kg	07/14/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	200	1000.0	1.92	ug/Kg	07/14/04 AM
8260B	1,2-Dibromoethane	ND	200	1000.0	0.43	ug/Kg	07/14/04 AM
8260B	1,2-Dichlorobenzene	ND	200	1000.0	0.45	ug/Kg	07/14/04 AM
8260B	1,2-Dichloroethane	ND	200	1000.0	0.59	ug/Kg	07/14/04 AM
8260B	1,2-Dichloropropane	ND	200	1000.0	0.58	ug/Kg	07/14/04 AM
8260B	1,3,5-Trimethylbenzene	887 J	200	1000.0	0.55	ug/Kg	07/14/04 AM
8260B	1,3-Dichlorobenzene	ND	200	1000.0	0.44	ug/Kg	07/14/04 AM
8260B	1,3-Dichloropropane	ND	200	1000.0	0.51	ug/Kg	07/14/04 AM
8260B	1,4-Dichlorobenzene	ND	200	1000.0	0.46	ug/Kg	07/14/04 AM
8260B	1-Chlorohexane	ND	200	1000.0	0.38	ug/Kg	07/14/04 AM
8260B	2,2-Dichloropropane	ND	200	1000.0	0.47	ug/Kg	07/14/04 AM
8260B	2-Butanone (MEK)	ND	200	20000.0	0.98	ug/Kg	07/14/04 AM
8260B	2-Chloroethyl vinyl ether	ND	200	1000.0	0.46	ug/Kg	07/14/04 AM
8260B	2-Chlorotoluene	ND	200	1000.0	0.92	ug/Kg	07/14/04 AM
8260B	2-Hexanone	ND	200	1000.0	4.7	ug/Kg	07/14/04 AM
8260B	4-Chlorotoluene	ND	200	1000.0	0.52	ug/Kg	07/14/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	200	1000.0	0.49	ug/Kg	07/14/04 AM
8260B	Acetone	ND	200	10000.0	3.81	ug/Kg	07/14/04 AM
8260B	Acetonitrile	ND	200	1000.0	0.7	ug/Kg	07/14/04 AM
8260B	Acrolein	ND	200	40000.0	172	ug/Kg	07/14/04 AM
8260B	Acrylonitrile	ND	200	1000.0	1.3	ug/Kg	07/14/04 AM
8260B	Allyl chloride	ND	200	1000.0	0.4	ug/Kg	07/14/04 AM
8260B	Benzene	ND	200	1000.0	0.39	ug/Kg	07/14/04 AM
8260B	Benzyl chloride	ND	200	1000.0	0.38	ug/Kg	07/14/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536570 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/13/2004
Time Sampled: 13:55

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/15/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/15/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/15/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Naphthalene	718	1	333	20	ug/Kg	07/15/04 DP
8270C	Nitrobenzene	ND	1	333	52.8	ug/Kg	07/15/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/15/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	88	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	73	%	30 - 115
8270C	2-Fluorophenol (sur)	87	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	93	%	23 - 120
8270C	Phenol-d5 (sur)	90	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536570 **Client Sample ID:** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/13/2004
Time Sampled: 13:55

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	14.54	1			%	07/15/04 MS
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/15/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/15/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/15/04 DP
8270C	2-Methylnaphthalene	3010	1	333	20	ug/Kg	07/15/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/15/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/15/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/15/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 ***FAX 714/538-1209***

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
#480
Alamorgordo, NM 88310

LAB REQUEST 132517
REPORTED 07/16/2004
RECEIVED 07/14/2004

PROJECT Holmn - SS 2-5-LF

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
536570	FT31LF-25-A4
536571	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward B. Henare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 536571 **Client Sample ID** Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	07/15/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	07/15/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	07/15/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	07/15/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	07/15/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	55	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	47	%	30 - 115
8270C	2-Fluorophenol (sur)	64	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	47	%	23 - 120
8270C	Phenol-d5 (sur)	68	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536571 **Client Sample ID** Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	N/A	1			%	
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	07/15/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	07/15/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	07/15/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	07/15/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	07/15/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	07/15/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	07/15/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	07/15/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536570 **Client Sample ID** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/13/2004
Time Sampled: 13:55

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	200	1000.0	0.44	ug/Kg	07/14/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	200	1000.0	2.35	ug/Kg	07/14/04 AM
8260B	Trichloroethene	ND	200	1000.0	0.43	ug/Kg	07/14/04 AM
8260B	Trichlorofluoromethane	ND	200	1000.0	0.40	ug/Kg	07/14/04 AM
8260B	Vinyl acetate	ND	200	10000.0	10.2	ug/Kg	07/14/04 AM
8260B	Vinyl chloride	ND	200	1000.0	0.47	ug/Kg	07/14/04 AM
8260B	Xylenes, total	460 J	200	1000.0	0.8	ug/Kg	07/14/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	86	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	109	%	70 - 135
8260B	Surr3 - Toluene-d8	96	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99	%	70 - 135

8015	C06 - C10	ND	50	150.0	0.90	mg/Kg	07/14/04 AF
8015	C10 - C22	555	50	150.0	0.65	mg/Kg	07/14/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	07/14/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536570 **Client Sample ID** FT31LF-25-A4

Matrix: SOLID

Date Sampled: 07/13/2004
Time Sampled: 13:55

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	200	1000.0	0.65	ug/Kg	07/14/04 AM
8260B	Bromochloromethane	ND	200	1000.0	0.36	ug/Kg	07/14/04 AM
8260B	Bromodichloromethane	ND	200	1000.0	0.48	ug/Kg	07/14/04 AM
8260B	Bromoform	ND	200	1000.0	0.53	ug/Kg	07/14/04 AM
8260B	Bromomethane	ND	200	1000.0	2.07	ug/Kg	07/14/04 AM
8260B	Carbon Disulfide	ND	200	1000.0	0.8	ug/Kg	07/14/04 AM
8260B	Carbon tetrachloride	ND	200	1000.0	0.40	ug/Kg	07/14/04 AM
8260B	Chlorobenzene	ND	200	1000.0	0.42	ug/Kg	07/14/04 AM
8260B	Chloroethane	ND	200	1000.0	1.1	ug/Kg	07/14/04 AM
8260B	Chloroform	ND	200	1000.0	0.46	ug/Kg	07/14/04 AM
8260B	Chloromethane	ND	200	1000.0	0.25	ug/Kg	07/14/04 AM
8260B	cis-1,2-Dichloroethene	ND	200	1000.0	0.79	ug/Kg	07/14/04 AM
8260B	cis-1,3-Dichloropropene	ND	200	1000.0	0.38	ug/Kg	07/14/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	200	1000.0	0.59	ug/Kg	07/14/04 AM
8260B	Dibromochloromethane	ND	200	1000.0	0.44	ug/Kg	07/14/04 AM
8260B	Dibromomethane	ND	200	1000.0	0.46	ug/Kg	07/14/04 AM
8260B	Dichlorodifluoromethane	ND	200	1000.0	0.16	ug/Kg	07/14/04 AM
8260B	Ethyl benzene	ND	200	1000.0	0.41	ug/Kg	07/14/04 AM
8260B	Ethyl methacrylate	ND	200	1000.0	1.8	ug/Kg	07/14/04 AM
8260B	Hexachlorobutadiene	ND	200	1000.0	0.29	ug/Kg	07/14/04 AM
8260B	Iodomethane	ND	200	1000.0	0.6	ug/Kg	07/14/04 AM
8260B	Isopropylbenzene (Cumene)	ND	200	1000.0	0.38	ug/Kg	07/14/04 AM
8260B	Methacrylonitrile	ND	200	1000.0	2.70	ug/Kg	07/14/04 AM
8260B	Methyl methacrylate	ND	200	1000.0	0.21	ug/Kg	07/14/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	200	1000.0	0.51	ug/Kg	07/14/04 AM
8260B	Methylene chloride	ND	200	1000.0	0.91	ug/Kg	07/14/04 AM
8260B	n-Butylbenzene	730 J	200	1000.0	0.38	ug/Kg	07/14/04 AM
8260B	n-Hexane	ND	200	4000.0	20	ug/Kg	07/14/04 AM
8260B	n-Propylbenzene	237 J	200	1000.0	0.32	ug/Kg	07/14/04 AM
8260B	Naphthalene	872 J	200	1000.0	0.60	ug/Kg	07/14/04 AM
8260B	p-Isopropyltoluene	600 J	200	1000.0	0.32	ug/Kg	07/14/04 AM
8260B	Pentachloroethane	ND	200	1000.0	0.6	ug/Kg	07/14/04 AM
8260B	Propionitrile	ND	200	1000.0	5	ug/Kg	07/14/04 AM
8260B	sec-Butylbenzene	ND	200	1000.0	0.31	ug/Kg	07/14/04 AM
8260B	Styrene	ND	200	1000.0	0.37	ug/Kg	07/14/04 AM
8260B	tert-Butylbenzene	ND	200	1000.0	0.41	ug/Kg	07/14/04 AM
8260B	Tetrachloroethene	ND	200	1000.0	0.49	ug/Kg	07/14/04 AM
8260B	Toluene	ND	200	1000.0	0.42	ug/Kg	07/14/04 AM
8260B	trans-1,2-Dichloroethene	ND	200	1000.0	0.48	ug/Kg	07/14/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits



Order #: 536571 **Client Sample ID**: Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	07/14/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	07/14/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	07/14/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	07/14/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	07/14/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	07/14/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	07/14/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	84				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	109				%	70 - 135
8260B	Surr3 - Toluene-d8	98				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	103				%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	07/15/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	07/15/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	07/15/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536571 **Client Sample ID**: Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	07/14/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	07/14/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	07/14/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	07/14/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	07/14/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	07/14/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	07/14/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	07/14/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	07/14/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	07/14/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	07/14/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	07/14/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	07/14/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	07/14/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	07/14/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	07/14/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	07/14/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	07/14/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	07/14/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	07/14/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	07/14/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	07/14/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	07/14/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	07/14/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	07/14/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	07/14/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	07/14/04 AM
8260B	n-Hexane	ND	1	20	20	ug/Kg	07/14/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	07/14/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	07/14/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	07/14/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	07/14/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	07/14/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	07/14/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	07/14/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	07/14/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	07/14/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	07/14/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	07/14/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 536571 **Client Sample ID**: Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	77				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	07/14/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	07/14/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	07/14/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	07/14/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	07/14/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	07/14/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	07/14/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	07/14/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/14/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	07/14/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	07/14/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	07/14/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	07/14/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	07/14/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	07/14/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	07/14/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	07/14/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	07/14/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	07/14/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	07/14/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	07/14/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	07/14/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	07/14/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	07/14/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	07/14/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	07/14/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	07/14/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	07/14/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	07/14/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	07/14/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	07/14/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	07/14/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	07/14/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	07/14/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	07/14/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	07/14/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

TABLE 6

Order #: 544384 **Client Sample ID:** FL0205-L2A1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:31

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	94				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	2.0 J	1	5	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544384 **Client Sample ID:** FL0205-L2A1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:31

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	58	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	50	%	30 - 115
8270C	2-Fluorophenol (sur)	58	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	49	%	23 - 120
8270C	Phenol-d5 (sur)	65	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544384 **Client Sample ID:** FL0205-L2A1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:31

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	17.86	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 *FAX 714/538-1209*

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
480
Alamorgordo, NM 88310

LAB REQUEST 134165
REPORTED 08/13/2004
RECEIVED 08/10/2004

PROJECT Holmn - FT31 Landfarm

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
544384	FL0205-L2A1P-1.0
544385	FL0205-L2A2P-1.0
544386	FL0205-L2A3P-1.0
544387	FL0205-L2A4P-1.0
544388	FL0205-L2-d
544389	FL0205-L2-c
544390	FL0205-L2B1P-1.0
544391	FL0205-L2B2P-1.0
544392	FL0205-L2B3P-1.0
544393	FL0205-L2B4P-1.0
544394	FL0205-L2D4P-1.0-a
544395	FL0205-L2-c
544396	Laboratory Method Blank(Solid)
544406	Laboratory Method Blank(Water)

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Richard S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 544385 **Client Sample ID:** FL0205-L2A2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:24

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	315 J	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	84	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	67	%	30 - 115
8270C	2-Fluorophenol (sur)	73	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	86	%	23 - 120
8270C	Phenol-d5 (sur)	83	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544385 **Client Sample ID:** FL0205-L2A2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:24

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	16.17	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	1270	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544384 **Client Sample ID:** FL0205-L2A1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:31

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/11/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	100	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	109	%	70 - 135
8260B	Surr3 - Toluene-d8	96	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	97	%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544384 **Client Sample ID:** FL0205-L2A1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:31

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.31	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544386 **Client Sample ID** FL0205-L2A3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:18

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
M.CH518	Moisture	18.86	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	4090	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544385 **Client Sample ID:** FL0205-L2A2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:24

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	ND	100	500.0	0.8	ug/Kg	08/11/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	93				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	102				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	100				%	70 - 135
8015	C06 - C10	188	20	60.0	0.90	mg/Kg	08/11/04 AF
8015	C10 - C22	746	20	60.0	0.65	mg/Kg	08/11/04 AF
8015	C22 - C36	ND	20	100.0	3.60	mg/Kg	08/11/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544385 **Client Sample ID:** FL0205-L2A2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:24

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloroethane	ND	100	500.0	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	718	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	100	500.0	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	100	500.0	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	511	100	500.0	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	ND	100	500.0	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544385 **Client Sample ID:** FL0205-L2A2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:24

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	82				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	180 J	100	500.0	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	587	100	500.0	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	100	500.0	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544386 **Client Sample ID** FL0205-L2A3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:18

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	08/12/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	08/12/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	08/12/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	08/12/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	08/12/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	08/12/04 AM
8260B	Xylenes, total	708	100	500.0	0.8	ug/Kg	08/12/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	93				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	106				%	70 - 135
8260B	Surr3 - Toluene-d8	96				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102				%	70 - 135
8015	C06 - C10	208	20	60.0	0.90	mg/Kg	08/11/04 AF
8015	C10 - C22	226	20	60.0	0.65	mg/Kg	08/11/04 AF
8015	C22 - C36	ND	20	100.0	3.60	mg/Kg	08/11/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544386 **Client Sample ID** FL0205-L2A3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:18

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	08/12/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	08/12/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	08/12/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	08/12/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	08/12/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	08/12/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	08/12/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	08/12/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	08/12/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	08/12/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	08/12/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	08/12/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	08/12/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	08/12/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	08/12/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	08/12/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	08/12/04 AM
8260B	Ethyl benzene	151 J	100	500.0	0.41	ug/Kg	08/12/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	08/12/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	08/12/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	08/12/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	08/12/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	08/12/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	08/12/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	08/12/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	08/12/04 AM
8260B	n-Butylbenzene	419 J	100	500.0	0.38	ug/Kg	08/12/04 AM
8260B	n-Hexane	ND	100	500.0	5	ug/Kg	08/12/04 AM
8260B	n-Propylbenzene	183 J	100	500.0	0.32	ug/Kg	08/12/04 AM
8260B	Naphthalene	549	100	500.0	0.60	ug/Kg	08/12/04 AM
8260B	p-Isopropyltoluene	536	100	500.0	0.32	ug/Kg	08/12/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	08/12/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	08/12/04 AM
8260B	sec-Butylbenzene	317 J	100	500.0	0.31	ug/Kg	08/12/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	08/12/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	08/12/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	08/12/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	08/12/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544386 **Client Sample ID** FL0205-L2A3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:18

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	83				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	08/12/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	08/12/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	08/12/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	08/12/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	08/12/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	08/12/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	08/12/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	08/12/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	08/12/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	08/12/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	08/12/04 AM
8260B	1,2,4-Trimethylbenzene	1510	100	500.0	0.60	ug/Kg	08/12/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	08/12/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	08/12/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	08/12/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	08/12/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	08/12/04 AM
8260B	1,3,5-Trimethylbenzene	735	100	500.0	0.55	ug/Kg	08/12/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	08/12/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	08/12/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	08/12/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	08/12/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	08/12/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	08/12/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	08/12/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	08/12/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	08/12/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	08/12/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	08/12/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	08/12/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	08/12/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	08/12/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	08/12/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	08/12/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	08/12/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544386 **Client Sample ID** FL0205-L2A3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:18

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	1870	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	84				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	77				%	30 - 115
8270C	2-Fluorophenol (sur)	97				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	97				%	23 - 120
8270C	Phenol-d5 (sur)	98				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544387 **Client Sample ID:** FL0205-L2A4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:02

Method	Analyte	Result		DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND		100	500.0	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND		100	500.0	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND		100	500.0	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND		100	500.0	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND		100	500.0	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND		100	500.0	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND		100	500.0	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND		100	500.0	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND		100	500.0	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND		100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND		100	500.0	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND		100	500.0	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND		100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND		100	500.0	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND		100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND		100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND		100	500.0	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND		100	500.0	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND		100	500.0	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND		100	500.0	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND		100	500.0	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	114	J	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND		100	500.0	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND		100	500.0	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND		100	500.0	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND		100	500.0	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	ND		100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND		100	500.0	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	301	J	100	500.0	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND		100	500.0	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	295	J	100	500.0	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND		100	500.0	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND		100	500.0	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	229	J	100	500.0	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND		100	500.0	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND		100	500.0	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND		100	500.0	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND		100	500.0	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND		100	500.0	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544387 **Client Sample ID:** FL0205-L2A4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:02

Method	Analyte	Result		DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	86					%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND		100	500.0	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND		100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND		100	500.0	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND		100	500.0	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND		100	500.0	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND		100	500.0	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND		100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND		100	500.0	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND		100	500.0	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND		100	500.0	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND		100	500.0	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	1760		100	500.0	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND		100	500.0	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND		100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND		100	500.0	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloromethane	ND		100	500.0	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND		100	500.0	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	627		100	500.0	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND		100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND		100	500.0	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND		100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorobexane	ND		100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND		100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND		100	10000.0	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND		100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND		100	500.0	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND		100	500.0	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND		100	500.0	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND		100	500.0	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND		100	5000.0	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND		100	500.0	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND		100	20000.0	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND		100	500.0	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND		100	500.0	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND		100	500.0	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND		100	500.0	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544387 **Client Sample ID:** FL0205-L2A4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:02

Method	Analyte	Result		DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND		1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND		1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND		1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	2370		1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND		1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND		1	333	20	ug/Kg	08/12/04 DP
Surrogates							**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	86					%	17 - 122
8270C	2-Fluorobiphenyl (sur)	78					%	30 - 115
8270C	2-Fluorophenol (sur)	93					%	25 - 121
8270C	Nitrobenzene-d5 (sur)	98					%	23 - 120
8270C	Phenol-d5 (sur)	94					%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544387 **Client Sample ID:** FL0205-L2A4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:02

Method	Analyte	Result		DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	13.17		1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND		1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND		1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND		1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	3150		1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND		1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND		1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND		1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND		1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND		1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544388 **Client Sample ID:** FL0205-L2-d

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:15

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/12/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/12/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/12/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/12/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/12/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/12/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/12/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/12/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/12/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/12/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/12/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/12/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/12/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/12/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/12/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	4-Methyl-2-Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/12/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/12/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/12/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/12/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/12/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/12/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/12/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/12/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/12/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544388 **Client Sample ID:** FL0205-L2-d

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:15

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/11/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/11/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	82	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	67	%	43 - 116
8270C	2-Fluorophenol (sur)	54	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	61	%	34 - 114
8270C	Phenol-d5 (sur)	35	%	10 - 110
8270C	Terphenyl-d14 (sur)	73	%	33 - 141

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544388 **Client Sample ID:** FL0205-L2-d

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:15

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/11/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/11/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/11/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/11/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544387 **Client Sample ID:** FL0205-L2A4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:02

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	1000	100	500.0	0.8	ug/Kg	08/11/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	95	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	98	%	70 - 135
8260B	Surr3 - Toluene-d8	97	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	98	%	70 - 135

8015	C06 - C10	2760	50	150.0	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	1400	50	150.0	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	50	250.0	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544389 **Client Sample ID:** FL0205-L2-c

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: :

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/12/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/12/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/12/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/12/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/12/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/12/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/12/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/12/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/12/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/12/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/12/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/12/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/12/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/12/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/12/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/12/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/12/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	n-Hexane	ND	1	5	5	ug/L	08/12/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/12/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/12/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/12/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/12/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/12/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/12/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/12/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/12/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/12/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544389 **Client Sample ID:** FL0205-L2-c

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: :

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/12/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/12/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/12/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/12/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/12/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/12/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/12/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/12/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/12/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/12/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/12/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/12/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/17/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/12/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/12/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/12/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	10	0.20	ug/L	08/12/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/12/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/12/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/12/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/12/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/12/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/12/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/12/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/12/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544388 **Client Sample ID:** FL0205-L2-d

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:15

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/12/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/12/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/12/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	100				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	105				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	100				%	70 - 135
8015	C06 - C10	ND	1	0.2	0.10	mg/L	08/12/04 AF
8015	C10 - C22	ND	1	0.2	0.06	mg/L	08/12/04 AF
8015	C22 - C36	ND	1	0.3	0.07	mg/L	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544388 **Client Sample ID:** FL0205-L2-d

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:15

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromoform	ND	1	5	0.17	ug/L	08/12/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/12/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/12/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/12/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/12/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/12/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/12/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/12/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/12/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/12/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/12/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/12/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/12/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/12/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/12/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/12/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/12/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	n-Hexane	ND	1	5	5	ug/L	08/12/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/12/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/12/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/12/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/12/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/12/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/12/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/12/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/12/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/12/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/12/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544390 **Client Sample ID** FL0205-L2B1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	89				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	11	1	5	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544390 **Client Sample ID** FL0205-L2B1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	72	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	54	%	30 - 115
8270C	2-Fluorophenol (sur)	39	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	59	%	23 - 120
8270C	Phenol-d5 (sur)	65	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544390 **Client Sample ID** FL0205-L2B1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	14.99	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544389 **Client Sample ID** FL0205-L2-c

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: :

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/12/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/12/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/12/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/12/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	98	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	104	%	70 - 135
8260B	Surr3 - Toluene-d8	97	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	98	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544391 **Client Sample ID:** FL0205-L2B2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	58	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	50	%	30 - 115
8270C	2-Fluorophenol (sur)	59	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	50	%	23 - 120
8270C	Phenol-d5 (sur)	61	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544391 **Client Sample ID:** FL0205-L2B2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	17.71	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544390 **Client Sample ID:** FL0205-L2B1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	1.6 J	1	5	0.8	ug/Kg	08/11/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Sur1 - Dibromofluoromethane	105				%	70 - 135
8260B	Sur2 - 1,2-Dichloroethane-d4	108				%	70 - 135
8260B	Sur3 - Toluene-d8	93				%	70 - 135
8260B	Sur4 - p-Bromofluorobenzene	105				%	70 - 135
8015	C06 - C10	64	5	15.0	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	109	5	15.0	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	5	25.0	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544390 **Client Sample ID:** FL0205-L2B1P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:10

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	8.3	1	5	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	6.8	1	5	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544392 **Client Sample ID:** FL0205-L2B3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:53

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH51R	Moisture	17.87	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544391 **Client Sample ID:** FL0205-L2B2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/11/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	101				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	104				%	70 - 135
8260B	Surr3 - Toluene-d8	95				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102				%	70 - 135
8015	C06 - C10	22	1	3	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	33	1	3	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544391 **Client Sample ID:** FL0205-L2B2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544391 **Client Sample ID:** FL0205-L2B2P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 13:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	84				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544392 **Client Sample ID:** FL0205-L2B3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:53

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	100	500.0	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	100	500.0	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	100	5000.0	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	466 J	100	500.0	0.8	ug/Kg	08/11/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	98				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	104				%	70 - 135
8260B	Surr3 - Toluene-d8	98				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	101				%	70 - 135
8015	C06 - C10	36	1	3	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	59	1	3	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544392 **Client Sample ID:** FL0205-L2B3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:53

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	100	500.0	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND	100	500.0	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	100	500.0	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	100	500.0	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	100	500.0	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	100	500.0	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	100	500.0	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	100	500.0	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	100	500.0	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	100	500.0	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	100	500.0	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	100	500.0	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	100	500.0	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	100	500.0	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	100	500.0	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	100	500.0	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	100	500.0	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	100	500.0	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	100	500.0	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	100	500.0	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	100	500.0	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	100	500.0	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	100	500.0	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	100	500.0	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	356 J	100	500.0	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	100	500.0	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	100	500.0	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	147 J	100	500.0	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	100	500.0	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	100	500.0	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	100	500.0	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	100	500.0	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	100	500.0	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544392 **Client Sample ID:** FL0205-L2B3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:53

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	84				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	100	500.0	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	100	500.0	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	100	500.0	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	100	500.0	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	100	500.0	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	100	500.0	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	100	500.0	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	100	500.0	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	293 J	100	500.0	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	100	500.0	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	100	500.0	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	100	500.0	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	100	500.0	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	100	500.0	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	535	100	500.0	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	100	500.0	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	100	500.0	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	100	500.0	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	100	500.0	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	100	10000.0	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	100	500.0	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	100	500.0	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	100	500.0	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	100	500.0	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	100	500.0	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	100	5000.0	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	100	500.0	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	100	20000.0	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	100	500.0	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	100	500.0	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	100	500.0	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	100	500.0	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544392 **Client Sample ID:** FL0205-L2B3P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:53

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	724	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	65				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	56				%	30 - 115
8270C	2-Fluorophenol (sur)	65				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	57				%	23 - 120
8270C	Phenol-d5 (sur)	59				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544393 **Client Sample ID:** FL0205-L2B4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	13	1	5	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	12	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544393 **Client Sample ID:** FL0205-L2B4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	80				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	14	1	5	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl -2- Pentanone (MIBK	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544393 **Client Sample ID:** FL0205-L2B4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	58	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	55	%	30 - 115
8270C	2-Fluorophenol (sur)	64	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	55	%	23 - 120
8270C	Phenol-d5 (sur)	65	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544393 **Client Sample ID:** FL0205-L2B4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	17.30	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544394 **Client Sample ID:** FL0205-L2B4P-1.0-a

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	87				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	10	50.0	2.19	ug/Kg	08/12/04 AM
8260B	1,1,1-Trichloroethane	ND	10	50.0	0.47	ug/Kg	08/12/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	10	50.0	0.50	ug/Kg	08/12/04 AM
8260B	1,1,2-Trichloroethane	ND	10	50.0	0.57	ug/Kg	08/12/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	10	50.0	0.10	ug/Kg	08/12/04 AM
8260B	1,1-Dichloroethane	ND	10	50.0	0.74	ug/Kg	08/12/04 AM
8260B	1,1-Dichloroethene	ND	10	50.0	0.43	ug/Kg	08/12/04 AM
8260B	1,1-Dichloropropene	ND	10	50.0	1.30	ug/Kg	08/12/04 AM
8260B	1,2,3-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	08/12/04 AM
8260B	1,2,3-Trichloropropane	ND	10	50.0	0.65	ug/Kg	08/12/04 AM
8260B	1,2,4-Trichlorobenzene	ND	10	50.0	0.54	ug/Kg	08/12/04 AM
8260B	1,2,4-Trimethylbenzene	ND	10	50.0	0.60	ug/Kg	08/12/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	10	50.0	1.92	ug/Kg	08/12/04 AM
8260B	1,2-Dibromoethane	ND	10	50.0	0.43	ug/Kg	08/12/04 AM
8260B	1,2-Dichlorobenzene	ND	10	50.0	0.45	ug/Kg	08/12/04 AM
8260B	1,2-Dichloroethane	ND	10	50.0	0.59	ug/Kg	08/12/04 AM
8260B	1,2-Dichloropropane	ND	10	50.0	0.58	ug/Kg	08/12/04 AM
8260B	1,3,5-Trimethylbenzene	ND	10	50.0	0.55	ug/Kg	08/12/04 AM
8260B	1,3-Dichlorobenzene	ND	10	50.0	0.44	ug/Kg	08/12/04 AM
8260B	1,3-Dichloropropane	ND	10	50.0	0.51	ug/Kg	08/12/04 AM
8260B	1,4-Dichlorobenzene	ND	10	50.0	0.46	ug/Kg	08/12/04 AM
8260B	1-Chlorohexane	ND	10	50.0	0.38	ug/Kg	08/12/04 AM
8260B	2,2-Dichloropropane	ND	10	50.0	0.47	ug/Kg	08/12/04 AM
8260B	2-Butanone (MEK)	ND	10	1000.0	0.98	ug/Kg	08/12/04 AM
8260B	2-Chloroethyl vinyl ether	ND	10	50.0	0.46	ug/Kg	08/12/04 AM
8260B	2-Chlorotoluene	ND	10	50.0	0.92	ug/Kg	08/12/04 AM
8260B	2-Hexanone	ND	10	50.0	4.7	ug/Kg	08/12/04 AM
8260B	4-Chlorotoluene	ND	10	50.0	0.52	ug/Kg	08/12/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	10	50.0	0.49	ug/Kg	08/12/04 AM
8260B	Acetone	ND	10	500.0	3.81	ug/Kg	08/12/04 AM
8260B	Acetonitrile	ND	10	50.0	0.7	ug/Kg	08/12/04 AM
8260B	Acrolein	ND	10	2000.0	172	ug/Kg	08/12/04 AM
8260B	Acrylonitrile	ND	10	50.0	1.3	ug/Kg	08/12/04 AM
8260B	Allyl chloride	ND	10	50.0	0.4	ug/Kg	08/12/04 AM
8260B	Benzene	ND	10	50.0	0.39	ug/Kg	08/12/04 AM
8260B	Benzyl chloride	ND	10	50.0	0.38	ug/Kg	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 544394 **Client Sample ID:** FL0205-L2B4P-1.0-a

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	66	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	59	%	30 - 115
8270C	2-Fluorophenol (sur)	67	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	60	%	23 - 120
8270C	Phenol-d5 (sur)	72	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 544394 **Client Sample ID:** FL0205-L2B4P-1.0-a

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	16.84	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 544393 **Client Sample ID:** FL0205-L2B4P-1.0

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/11/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	106	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	110	%	70 - 135
8260B	Surr3 - Toluene-d8	93	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	108	%	70 - 135
8015	C06 - C10	26	5	15.0	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	65	5	15.0	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	5	25.0	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 544395 **Client Sample ID:** FL0205-L2-c

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/12/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/12/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/12/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/12/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/12/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/12/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/12/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/12/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/12/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/12/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/12/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/12/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/12/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/12/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/12/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/12/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/12/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	n-Hexane	ND	1	5	5	ug/L	08/12/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/12/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/12/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/12/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/12/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/12/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/12/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/12/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/12/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/12/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544395 **Client Sample ID:** FL0205-L2-c

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/12/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/12/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/12/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/12/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/12/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/12/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/12/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/12/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/12/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/12/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/12/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/12/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/12/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/12/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/12/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/12/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/12/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/12/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/12/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/12/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/12/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/12/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/12/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/12/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/12/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/12/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/12/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/12/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/12/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/12/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544394 **Client Sample ID:** FL0205-L2B4P-1.0-a

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	10	50.0	0.44	ug/Kg	08/12/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	10	50.0	2.35	ug/Kg	08/12/04 AM
8260B	Trichloroethene	ND	10	50.0	0.43	ug/Kg	08/12/04 AM
8260B	Trichlorofluoromethane	ND	10	50.0	0.40	ug/Kg	08/12/04 AM
8260B	Vinyl acetate	ND	10	500.0	10.2	ug/Kg	08/12/04 AM
8260B	Vinyl chloride	ND	10	50.0	0.47	ug/Kg	08/12/04 AM
8260B	Xylenes, total	ND	10	50.0	0.8	ug/Kg	08/12/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	97				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	103				%	70 - 135
8260B	Surr3 - Toluene-d8	102				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99				%	70 - 135
8015	C06 - C10	13	1	3	0.90	mg/Kg	08/12/04 AF
8015	C10 - C22	40	1	3	0.65	mg/Kg	08/12/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544394 **Client Sample ID:** FL0205-L2B4P-1.0-a

Matrix: SOLID **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004
Time Sampled: 12:47

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	10	50.0	0.65	ug/Kg	08/12/04 AM
8260B	Bromochloromethane	ND	10	50.0	0.36	ug/Kg	08/12/04 AM
8260B	Bromodichloromethane	ND	10	50.0	0.48	ug/Kg	08/12/04 AM
8260B	Bromoform	ND	10	50.0	0.53	ug/Kg	08/12/04 AM
8260B	Bromomethane	ND	10	50.0	2.07	ug/Kg	08/12/04 AM
8260B	Carbon Disulfide	ND	10	50.0	0.8	ug/Kg	08/12/04 AM
8260B	Carbon tetrachloride	ND	10	50.0	0.40	ug/Kg	08/12/04 AM
8260B	Chlorobenzene	ND	10	50.0	0.42	ug/Kg	08/12/04 AM
8260B	Chloroethane	ND	10	50.0	1.1	ug/Kg	08/12/04 AM
8260B	Chloroform	ND	10	50.0	0.46	ug/Kg	08/12/04 AM
8260B	Chloromethane	ND	10	50.0	0.25	ug/Kg	08/12/04 AM
8260B	cis-1,2-Dichloroethene	ND	10	50.0	0.79	ug/Kg	08/12/04 AM
8260B	cis-1,3-Dichloropropene	ND	10	50.0	0.38	ug/Kg	08/12/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	10	50.0	0.59	ug/Kg	08/12/04 AM
8260B	Dibromochloromethane	ND	10	50.0	0.44	ug/Kg	08/12/04 AM
8260B	Dibromomethane	ND	10	50.0	0.46	ug/Kg	08/12/04 AM
8260B	Dichlorodifluoromethane	ND	10	50.0	0.16	ug/Kg	08/12/04 AM
8260B	Ethyl benzene	ND	10	50.0	0.41	ug/Kg	08/12/04 AM
8260B	Ethyl methacrylate	ND	10	50.0	1.8	ug/Kg	08/12/04 AM
8260B	Hexachlorobutadiene	ND	10	50.0	0.29	ug/Kg	08/12/04 AM
8260B	Iodomethane	ND	10	50.0	0.6	ug/Kg	08/12/04 AM
8260B	Isopropylbenzene (Cumene)	ND	10	50.0	0.38	ug/Kg	08/12/04 AM
8260B	Methacrylonitrile	ND	10	50.0	2.70	ug/Kg	08/12/04 AM
8260B	Methyl methacrylate	ND	10	50.0	0.21	ug/Kg	08/12/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	10	50.0	0.51	ug/Kg	08/12/04 AM
8260B	Methylene chloride	ND	10	50.0	0.91	ug/Kg	08/12/04 AM
8260B	n-Butylbenzene	ND	10	50.0	0.38	ug/Kg	08/12/04 AM
8260B	n-Hexane	ND	10	50.0	5	ug/Kg	08/12/04 AM
8260B	n-Propylbenzene	ND	10	50.0	0.32	ug/Kg	08/12/04 AM
8260B	Naphthalene	ND	10	50.0	0.60	ug/Kg	08/12/04 AM
8260B	p-Isopropyltoluene	ND	10	50.0	0.32	ug/Kg	08/12/04 AM
8260B	Pentachloroethane	ND	10	50.0	0.6	ug/Kg	08/12/04 AM
8260B	Propionitrile	ND	10	50.0	5	ug/Kg	08/12/04 AM
8260B	sec-Butylbenzene	ND	10	50.0	0.31	ug/Kg	08/12/04 AM
8260B	Styrene	ND	10	50.0	0.37	ug/Kg	08/12/04 AM
8260B	tert-Butylbenzene	ND	10	50.0	0.41	ug/Kg	08/12/04 AM
8260B	Tetrachloroethene	ND	10	50.0	0.49	ug/Kg	08/12/04 AM
8260B	Toluene	ND	10	50.0	0.42	ug/Kg	08/12/04 AM
8260B	trans-1,2-Dichloroethene	ND	10	50.0	0.48	ug/Kg	08/12/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544396 **Client Sample ID**: Laboratory Method Blank(So

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	71				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/11/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/11/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/11/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/11/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/11/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/11/04 AM
8260B	4-Methyl-2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/11/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/11/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/11/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/11/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/11/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/11/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544396 **Client Sample ID**: Laboratory Method Blank(So

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/12/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/12/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/12/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/12/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/12/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	88	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	65	%	30 - 115
8270C	2-Fluorophenol (sur)	61	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	65	%	23 - 120
8270C	Phenol-d5 (sur)	40	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544396 **Client Sample ID**: Laboratory Method Blank(So

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	ND	1			%	08/10/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/12/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/12/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/12/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/12/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/12/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/12/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/12/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/12/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544395 **Client Sample ID**: FL0205-L2-c

Matrix: WATER **Sample Description:** FT31Landfarm

Date Sampled: 08/09/2004

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/12/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/12/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/12/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/12/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/12/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	100	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	105	%	70 - 135
8260B	Surr3 - Toluene-d8	96	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544406 **Client Sample ID**: Laboratory Method Blank(Wa

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzyl alcohol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Butylbenzylphthalate	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Chrysene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Di-n-butylphthalate	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Di-n-octylphthalate	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Dibenzofuran	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Diethylphthalate	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Dimethylphthalate	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Fluoranthene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Fluorene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Hexachlorobenzene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Hexachlorobutadiene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Hexachloroethane	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Isophorone	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	10	0.50	ug/L	08/10/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Naphthalene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Nitrobenzene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Pentachlorophenol	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	Phenanthrene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Phenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Pyrene	ND	1	10	0.40	ug/L	08/10/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	71	%	10 - 123
8270C	2-Fluorobiphenyl (sur)	48	%	43 - 116
8270C	2-Fluorophenol (sur)	37	%	21 - 110
8270C	Nitrobenzene-d5 (sur)	57	%	34 - 114
8270C	Phenol-d5 (sur)	27	%	10 - 110
8270C	Terphenyl-d14 (sur)	81	%	33 - 141

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544406 **Client Sample ID**: Laboratory Method Blank(Wa

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	1,2,4-Trichlorobenzene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	1,2-Dichlorobenzene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	1,3-Dichlorobenzene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	1,4-Dichlorobenzene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	2,4-Dichlorophenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2,4-Dimethylphenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2,4-Dinitrophenol	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	2,4-Dinitrotoluene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2,6-Dinitrotoluene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2-Chloronaphthalene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2-Chlorophenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2-Methylnaphthalene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2-Methylphenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	2-Nitroaniline	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	2-Nitrophenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	3-Methylphenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	3-Nitroaniline	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	4-Chloroaniline	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	4-Methylphenol	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	4-Nitroaniline	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	4-Nitrophenol	ND	1	50	0.40	ug/L	08/10/04 DP
8270C	Acenaphthene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Acenaphthylene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Anthracene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Benzidine	ND	1	50	0.30	ug/L	08/10/04 DP
8270C	Benzo(a)anthracene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Benzo(a)pyrene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Benzo(b)fluoranthene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Benzo(g,h,i)perylene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Benzo(k)fluoranthene	ND	1	10	0.40	ug/L	08/10/04 DP
8270C	Benzoic Acid	ND	1	10	0.40	ug/L	08/10/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544396 **Client Sample ID**: Laboratory Method Blank(So

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/11/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/11/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/11/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/11/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/11/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	93	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	101	%	70 - 135
8260B	Surr3 - Toluene-d8	101	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	102	%	70 - 135

8015	C06 - C10	ND	1	3	0.90	mg/Kg	08/11/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	08/11/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/11/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 544396 **Client Sample ID**: Laboratory Method Blank(So

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/11/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/11/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/11/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/11/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/11/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/11/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/11/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/11/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/11/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/11/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/11/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/11/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/11/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/11/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/11/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/11/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/11/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/11/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/11/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/11/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/11/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/11/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/11/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/11/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/11/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES

QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Soil Samples 134165-390

Analysis Date: Aug 12-04 2:58 AM

Applies to: LR 134165, 134128

R... ...ng Units = ug/Kg

...pike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	43.22	44.43	86	89	3	22	59-172
MTBE	ND	50	41.27	41.64	83	83	1	24	62-137
Benzene	ND	50	40.40	35.62	81	71	13	24	62-137
Trichloroethene	ND	50	44.41	44.48	89	89	0	21	66-142
Toluene *	ND	50	34.36	27.28	69	55	23	21	59-139
Chlorobenzene *	ND	50	31.20	22.93	62	46	31	21	60-133

QC Sample: LCS/LCSD
Analysis Date: Aug 11-04 12:49 PM

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spk. Dup	%Rec LCS	%Rec LCS D	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	51.07	48.77	102	98	5	22	59-172
MTBE	ND	50	49.98	48.19	100	96	4	24	62-137
Benzene	ND	50	51.47	50.15	103	100	3	24	62-137
Trichloroethene	ND	50	50.39	51.38	101	103	2	21	66-142
Toluene	ND	50	50.29	49.55	101	99	1	21	59-139
Chlorobenzene	ND	50	50.48	51.30	101	103	2	21	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 1	LCS	LCSD	MS	MSD
DBFM	95	101	101	100	102
1,2-DCA	101	92	90	98	100
Tol-d8	101	96	93	100	95
p-BFB	102	98	93	103	105

8/13/2004 *8260 MSD-LCSD 0812.5*

Order #: 544406 **Client Sample ID**: Laboratory Method Blank(Wa

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromoform	ND	1	5	0.17	ug/L	08/11/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/11/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/11/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/11/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/11/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/11/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/11/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/11/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/11/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/11/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/11/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/11/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/11/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/11/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/11/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/11/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/11/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/11/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/11/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/11/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/11/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/11/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/11/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/11/04 AM
8260B	n-Hexane	ND	1	5	5	ug/L	08/11/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/11/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/11/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/11/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/11/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/11/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/11/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/11/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/11/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/11/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/11/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/11/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/11/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/11/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 544406 **Client Sample ID**: Laboratory Method Blank(Wa

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/11/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/11/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/11/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/11/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	94				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	101				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99				%	70 - 135
8015	C06 - C10	ND	1	0.2	0.10	mg/L	08/12/04 AF
8015	C10 - C22	ND	1	0.2	0.06	mg/L	08/12/04 AF
8015	C22 - C36	ND	1	0.3	0.07	mg/L	08/12/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 544406 **Client Sample ID**: Laboratory Method Blank(Wa

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/11/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/11/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/11/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/11/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/11/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/11/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/11/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/11/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/11/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/11/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/11/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/11/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/11/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/11/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/11/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/11/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/11/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/11/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/11/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/11/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/11/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/11/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/11/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/11/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/11/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/11/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/11/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/11/04 AM
8260B	4-Methyl-2-Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/11/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/11/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/11/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/11/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/11/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/11/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/11/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/11/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/11/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/11/04 AM
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/11/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LCS

Matrix: SOLID

Extraction Method : 3545

Date: Aug 11-04

Analysis Date: Aug 11-04

ID#'s in Batch: LR 134165

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Reporting Units = mg/Kg

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD
DIESEL *	8015D	ND	25	108	100	432	400	8

*MS/MSD out of control, due to matrix interference.

ND – Not Detected
RPD = Relative Percent Difference of Matrix Spike and Matrix Spike Duplicate
%REC-MS & MSD = Percent Recovery of Matrix Spike & Matrix Spike Duplicate

%REC LIMITS = 70 - 130
RPD LIMITS = 30

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

	PREP BLK Value	Result	True	%Rec	L.Limit	H.Limit
LCS	ND	23	25	92	70%	130%
LCSD	ND	20	25	80	70%	130%

LCS Result = Lab Control Sample Result
True = True Value of LCS
L.Limit / H.Limit = LCS Control Limits

SURROGATE RECOVERY

Sample No. / QC Limit	O-Terphenyl 55-200
Method Blank	102
LCS	115
LCSD	119

8/13/2004 *8015d TPH 0811 S*

ASSOCIATED LABORATORIES
QA REPORT FORM

Method : EPA 8270/625

Prep. Method : 3545

QC Sample: MS/MSD 134165-390

Matrix: SOLID

Date Extracted : Aug 10-04

Date Analyzed : Aug 12-04

Applies to: LR 134165, 134129, 133942, 133944

REPORTING UNITS = ug/Kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup.	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
Phenol	ND	50	35	33	70	66	6	42	6-117
2-Chorophenol	ND	50	33	31	66	62	6	35	28-100
1,4-Dichlorobenzene	ND	50	32	30	64	60	7	36	39-92
n-Nitroso-di-n-propylamine	ND	50	35	35	70	70	0	42	5-149
1,2,4-Trichlorobenzene	ND	50	31	31	62	62	0	41	41-97
4-Chloro-3-methylphenol	ND	50	30	29	60	58	3	37	26-117
Acenaphthene	ND	50	32	32	64	64	0	41	46-113
4-Nitrophenol	ND	50	44	38	88	76	15	73	53-143
2,4-Dinitrotoluene	ND	50	44	41	88	82	7	43	82-125
Pentachlorophenol	ND	50	46	35	92	70	27	52	25-187
Pyrene	ND	50	46	43	92	86	7	36	47-136

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC LIMIT %REC
Phenol	ND	50	35	70	17-99
2-Chorophenol	ND	50	33	66	28-89
1,4-Dichlorobenzene	ND	50	32	64	33-89
n-Nitroso-di-n-propylamine	ND	50	32	64	9-130
1,2,4-Trichlorobenzene	ND	50	32	64	25-92
4-Chloro-3-methylphenol	ND	50	28	56	27-96
Acenaphthene	ND	50	32	64	31-101
4-Nitrophenol	ND	50	33	66	8-123
2,4-Dinitrotoluene	ND	50	42	84	27-139
Pentachlorophenol	ND	50	35	70	0-151
Pyrene	ND	50	47	94	34-127

Method Blank = All ND

8/13/2004 8270 MSD-LCS 0810 S

ASSOCIATED LABORATORIES
LCS REPORT FORM

Method : EPA 8270/625

Prep. Method : 3510

QC Sample: LCS/LCSD

Matrix: WATER

Date Extracted : Aug 10-04

Date Analyzed : Aug 10-04

Applies to: LR 134165, 133993, 134121, 134196

REPORTING UNITS = ug/L

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spike Dup	%Rec LCS	%Rec LCS-D	RPD	QC LIMITS RPD	QC LIMITS %REC
Phenol	ND	50	17	17	34	34	0	47	0-75
2-Chorophenol	ND	50	34	38	68	76	11	36	28-100
1,4-Dichlorobenzene	ND	50	19	18	38	36	5	58	30-89
n-Nitroso-di-n-propylamine	ND	50	34	29	68	58	16	55	8-151
1,2,4-Trichlorobenzene	ND	50	22	19	44	38	15	43	32-88
4-Chloro-3-methylphenol	ND	50	27	24	54	48	12	42	32-103
Acenaphthene	ND	50	29	24	58	48	19	60	42-107
4-Nitrophenol	ND	50	12	11	24	22	9	57	0-103
2,4-Dinitrotoluene	ND	50	38	37	76	74	3	50	57-129
Pentachlorophenol	ND	50	22	24	44	48	9	42	6-148
Pyrene	ND	50	36	35	72	70	3	49	52-108

Method Blank = All ND

8/13/2004 8270 LCSD 0810 W

ASSOCIATED LABORATORIES
QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Water Samples 134165-388

Analysis Date: Aug 12-04 8:29 AM

Applies to: LR 134165

Reporting Units = ug/L

Matrix Spike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	48.49	48.76	97	98	1	22	59-172
MTBE	ND	50	50.11	49.30	100	99	2	24	62-137
Benzene	ND	50	51.31	50.31	103	101	2	24	62-137
Trichloroethene	ND	50	49.36	49.47	99	99	0	21	66-142
Toluene	ND	50	50.16	48.00	100	96	4	21	59-139
Chlorobenzene	ND	50	49.87	49.48	100	99	1	21	60-133

QC Sample: LCS 4:33 AM
Analysis Date: Aug 12-04

LCS RECOVERY / METHOD BLANK

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC Limits %REC
1,1-Dichloroethene	ND	50	50.17	100	59-172
MTBE	ND	50	50.30	101	62-137
Benzene	ND	50	51.03	102	62-137
Trichloroethene	ND	50	50.26	101	66-142
Toluene	ND	50	50.42	101	59-139
Chlorobenzene	ND	50	50.13	100	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 2	MS	MSD	LCS
DBFM	94	98	98	101
1,2-DCA	101	94	93	95
Tol-d8	97	97	95	99
p-BFB	99	98	95	98

8/13/2004 *8260 MSD-LCS 0812 W*





ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LR 134165-544392

Matrix: SOLID

Prep. Date: August 10, 2004

Analysis Date: August 10, 2004

ID#'s in Batch: LR 134165

SAMPLE RESULT / SAMPLE DUPLICATE

Reporting Units = %

Test	Method	Sample Result	Sample Duplicate	RPD
MOISTURE	ALCH 518	17.87	17.87	0.00

ND = "U" - Not Detected
RPD = Relative Percent Difference of Sample Result and Sample Duplicate

RPD LIMITS =	5%

ASSOCIATED LABORATORIES
LCS REPORT FORM

QC Sample: LCS/LCSD

Matrix: SOLID

Extraction Method : 3545

Prep. Date: Aug 11-04

Analysis Date: Aug 12-04

ID#'s in Batch: LR 134165

Reporting Units = mg/Kg

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

			PREP BLK					
			Value	Result	True	%Rec	L.Limit	H.Limit
Test	Method	LCS	ND	0.82	1	82	70%	130%
DIESEL	8015D	LCSD	ND	0.83	1	83	70%	130%

LCS Result = Lab Control Sample Result
True = True Value of LCS
L.Limit / H.Limit = LCS Control Limits

SURROGATE RECOVERY

Sample No.	O-Terphenyl
QC Limit	55-200
Method Blank	96
LCS	137
LCSD	134

TABLE 8

Order #: 548368 **Client Sample ID:** FL0205-L2A2P14-1.0

Matrix: SOLID **Sample Description:** FT-31 Landfarm

Date Sampled: 08/23/2004
Time Sampled: 10:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	17.80	1			%	08/24/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/26/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/26/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/26/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/26/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/26/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/26/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 *FAX 714/538-1209*

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
480
Alamogordo, NM 88310

LAB REQUEST 135043
REPORTED 08/27/2004
RECEIVED 08/24/2004

PROJECT FT31 Landfarm

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
548368	FL0205-L2A2P14-1.0
548369	Laboratory Method Blank

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Bellaire, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 548368 **Client Sample ID:** FL0205-L2A2P14-1.0

Matrix: SOLID **Sample Description:** FT-31 Landfarm

Date Sampled: 08/23/2004
Time Sampled: 10:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/27/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/27/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/27/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/27/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/27/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/27/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/27/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/27/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/27/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	89				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	98				%	70 - 135
8260B	Surr3 - Toluene-d8	94				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	98				%	70 - 135
8015	C06 - C10	3.6	1	3	0.90	mg/Kg	08/25/04 AF
8015	C10 - C22	419	20	60.0	0.65	mg/Kg	08/25/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/25/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548368 **Client Sample ID:** FL0205-L2A2P14-1.0

Matrix: SOLID **Sample Description:** FT-31 Landfarm

Date Sampled: 08/23/2004
Time Sampled: 10:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/27/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/27/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/27/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/27/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/27/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/27/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/27/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/27/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/27/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/27/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/27/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/27/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/27/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/27/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/27/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/27/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/27/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/27/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	m and p-Xylene	ND	1	5	0.67	ug/Kg	08/27/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/27/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/27/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/27/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/27/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/27/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/27/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/27/04 AM
8260B	o-Xylene	ND	1	5	0.35	ug/Kg	08/27/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/27/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/27/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/27/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/27/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/27/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/27/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/27/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548368 **Client Sample ID:** FL0205-L2A2P14-1.0

Matrix: SOLID **Sample Description:** FT-31 Landfarm

Date Sampled: 08/23/2004
Time Sampled: 10:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	96				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/27/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/27/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/27/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/27/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/27/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/27/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/27/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/27/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/27/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/27/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/27/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/27/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/27/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/27/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/27/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/27/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/27/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/27/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/27/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/27/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/27/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/27/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/27/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/27/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/27/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	08/27/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/27/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/27/04 AM
260B	Acrolein	ND	1	200	172	ug/Kg	08/27/04 AM
260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/27/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/27/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/27/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/27/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548368 **Client Sample ID:** FL0205-L2A2P14-1.0

Matrix: SOLID **Sample Description:** FT-31 Landfarm

Date Sampled: 08/23/2004
Time Sampled: 10:00

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/26/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/26/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/26/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/26/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/26/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	72				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	62				%	30 - 115
8270C	2-Fluorophenol (sur)	70				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	61				%	23 - 120
8270C	Phenol-d5 (sur)	73				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548369 **Client Sample ID**: Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/27/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/27/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/27/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/27/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/27/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/27/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/27/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/27/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/27/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/27/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/27/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/27/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/27/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/27/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/27/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/27/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/27/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/27/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	m and p-Xylene	ND	1	5	0.67	ug/Kg	08/27/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/27/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/27/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/27/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/27/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/27/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/27/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/27/04 AM
8260B	o-Xylene	ND	1	5	0.35	ug/Kg	08/27/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/27/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/27/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/27/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/27/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/27/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/27/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/27/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548369 **Client Sample ID**: Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	88				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/27/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/27/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/27/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/27/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/27/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/27/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/27/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/27/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/27/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/27/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/27/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/27/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/27/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/27/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/27/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/27/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/27/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/27/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/27/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/27/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/27/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/27/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/27/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/27/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/27/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/27/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/27/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	08/27/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/27/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/27/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/27/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/27/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/27/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/27/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/27/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548369 **Client Sample ID**: Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/26/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/26/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/26/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/26/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/26/04 DP

Surrogates			Units	Control Limits
8270C	2,4,6-Tribromophenol (sur)	50	%	17 - 122
8270C	2-Fluorobiphenyl (sur)	43	%	30 - 115
8270C	2-Fluorophenol (sur)	57	%	25 - 121
8270C	Nitrobenzene-d5 (sur)	43	%	23 - 120
8270C	Phenol-d5 (sur)	57	%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 548369 **Client Sample ID** Laboratory Method Blank

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCI1518	Moisture	ND	1			%	08/24/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/26/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/26/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/26/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/26/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/26/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/26/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/26/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/26/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

ASSOCIATED LABORATORIES
LCS REPORT FORM

QC Sample: LCS/LCSD

Matrix: SOLID

ction Method : 3545

Prep. Date: Aug 24-04

Analysis Date: Aug 24-04

ID#'s in Batch: LR 135043, 135002

Reporting Units = mg/Kg

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

			PREP BLK					
			Value	Result	True	%Rec	L.Limit	H.Limit
Test	Method	LCS	ND	32.2	25	129	70%	130%
DIESEL	8015D	LCSD	ND	32.5	25	130	70%	130%

LCS Result = Lab Control Sample Result
True = True Value of LCS
L Limit / H.Limit = LCS Control Limits

SURROGATE RECOVERY

Sample No.	O-Terphenyl
QC Limit	55-200
Method Blank	118
LCS	136
LCSD	136

8/27/2004 *8015d LCSD 0824 S*

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: LR 135043

Matrix: SOLID

Prep. Date: 08/24/04

Analysis Date: 08/24/04

ID#'s in Batch: LR 135043, 132664

SAMPLE RESULT / SAMPLE DUPLICATE

Reporting Units = %

Test	Method	Sample Result	Sample Duplicate	RPD
MOISTURE	ALCH 518	17.78	17.83	0.28

ND = "U" - Not Detected
RPD = Relative Percent Difference of Sample Result and Sample Duplicate

RPD LIMITS = 5%

8/27/2004 *MOISTURE 082455*

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868-1225 - 714/771-6900 FAX 714/538-1209

Cooler Receipt Form

Client: Bhate Project: /

Date Cooler Received: 8/24 Date Cooler Opened: 8/24

Was cooler scanned for presence of radioactivity ? Yes/No
If yes was radioactivity results above 25 cpm ? Yes/No

Was a shipper's packing slip attached to the cooler ? Yes/No

If the cooler had custody seal(s), were thy signed and intact ? Yes/No/Na

Was the cooler packed with: Ice ✓ Ice Packs ____ Bubble wrap ____
Styrofoam ____ Paper ____ None ____ Other ____

Cooler Temperature: 2.8°C *
*cooler needs to be received @ 4°C with an acceptable range of 2°- 6 °C

If samples were hand delivered do they meet the temp. criteria, which should be @ 4°C with an acceptable range of 2°- 6 °C ? Yes/No

If no explain: ____

Were all samples sealed in plastic bags ? Yes/No

Did all samples arrive intact ? If no, indicate below. Yes/No

Were all samples labeled correctly ? (ID's Dates, Times) If no, indicate below. Yes/No

Can the tests required be run with the provided containers, If no indicate below. Yes/No

Was sufficient sample volume sent for all containers ? Yes/No

Were any VOA vials received with head space ? No. TB Yes/No/Na

Was the correct preservatives used ?* Yes/No/Na
If no, see the pH log for a list of samples containers regarding pH

Any other important information: ____

Receiving Department: IN Date: 8/24

Order #: 548369 Client Sample ID: Laboratory Method Blank
Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/27/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/27/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/27/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/27/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/27/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/27/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/27/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/27/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/27/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	97				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	105				%	70 - 135
8260B	Surr3 - Toluene-d8	97				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	101				%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	08/24/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	08/24/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/24/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report



Narrative: LR 135043

ASSOCIATED LABORATORIES

NARRATIVE

Date: August 30, 2004

Narrative for Lab Request LR: 135043

Client Project Identification:
Client Name: BHATE
Project: FT31 Landfarm
This narrative includes all samples as shown on the attached Lab Request final report.

Analyses Requested:

- ALCH 518 – Moisture, Oven Method.
- EPA 8015 – Carbon Chain.
- EPA 8260B – Volatile Organic Compounds.
- EPA 8270C – Acid & Base/Neutral Extractables.

Data Validation:

Holding Times
All EPA designated holding times were met.

Calibration
Initial calibration criteria were met for all analytes. Initial and Continuing Calibration Check samples were run at the required frequency. All results were within required limits.

Quality Control Samples
Following is a summary of the QC data, along with an explanation of any samples that were outside QC limits and corrective actions that were taken:

- **EPA 8270B:** The MS/MSD recovery for 2,4-Dinitrotoluene was out of control, due to matrix interference. Corrective action: The LCS was within limits. Furthermore, surrogate recoveries for the LCS and blank conformed. The QC batch was acceptable, and no corrective action was needed.
- **EPA 8015, 8260B & ALCH518:** All QC results were within control.

Other Anomalies or Comments
The reporting limit (DLR) is adjusted if dilution of the sample is necessary. For 8270, the QC limits on the raw data are not correct. The correct limits are on the QC summary sheet.

ASSOCIATED LABORATORIES
QA REPORT FORM

Method : EPA 8270/625
Prep. Method : 3545
QC Sample: 135043-16R
Matrix: SOLID
Date Extracted : Aug 25-04
Date Analyzed : Aug 26-04
Applies to: LR 135043
REPORTING UNITS = ug/Kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup.	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
Phenol	ND	50	34	37	68	74	8	42	6-117
2-Chorophenol	ND	50	34	35	68	70	3	35	28-100
1,4-Dichlorobenzene	ND	50	32	34	64	68	6	36	39-92
n-Nitroso-di-n-propylamine	ND	50	42	45	84	90	7	42	5-149
1,2,4-Trichlorobenzene	ND	50	30	32	60	64	7	41	41-97
4-Chloro-3-methylphenol	ND	50	33	38	66	76	14	37	26-117
Acenaphthene	ND	50	30	33	60	66	10	41	46-113
4-Nitrophenol	ND	50	41	44	82	88	7	73	53-143
2,4-Dinitrotoluene *	ND	50	35	35	70	70	0	43	82-125
Pentachlorophenol	ND	50	40	43	80	86	7	52	25-187
Pyrene	ND	50	47	52	94	104	10	36	47-136

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC LIMIT %REC
Phenol	ND	50	27	54	17-99
2-Clorophenol	ND	50	27	54	28-88
1,4-Dichlorobenzene	ND	50	25	50	33-89
n-Nitroso-di-n-propylamine	ND	50	33	66	9-130
1,2,4-Trichlorobenzene	ND	50	23	46	25-92
[illegible] methylphenol	ND	50	25	50	27-96
[illegible]	ND	50	28	56	31-101
4-Nitrophenol	ND	50	35	70	8-123
2,4-Dinitrotoluene	ND	50	37	74	27-139
Pentachlorophenol	ND	50	34	68	0-151
Pyrene	ND	50	47	94	34-127

Method Blank – All ND
* MS/MSD is out of control, due to matrix interference.
8/30/2004

8270 MSD-LCS 0825 S

ASSOCIATED LABORATORIES
LCS REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: LCS/LCSD - Soil Samples
Analysis Date: Aug 26-04 2:31 AM
Applies to: LR 134971, 135043

Reporting Units – ug/Kg

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spk. Dup	%Rec LCS	%Rec LCS D	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	45.06	47.54	90	95	5	22	59-172
MTBE	ND	50	47.23	48.95	94	98	4	24	62-137
Benzene	ND	50	48.65	51.86	97	104	6	24	62-137
Trichloroethene	ND	50	48.97	49.61	98	99	1	21	66-142
Toluene	ND	50	47.81	48.39	96	97	1	21	59-139
Chlorobenzene	ND	50	48.65	49.26	97	99	1	21	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 2	LCS	LCSD
DBFM	95	96	100
1,2-DCA	99	89	96
Tol-d8	101	95	97
p-BFB	97	94	97

8/27/2004

8260 LCSD 0826 S

TABLE 7

Order #: 546406 **Client Sample ID:** FL0205-L2A4D7-1.0

Matrix: SOLID

Date Sampled: 08/16/2004
Time Sampled: 13:45

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
ALCH518	Moisture	17.40	1			%	08/19/04 LN
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/18/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/18/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/18/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/18/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/18/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/18/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
806 North Batavia - Orange, California 92868 - 714/771-6900 *FAX 714/538-1209*

CLIENT BHATE (10177)
ATTN: Jerry Pelfry
1111 10th. Street
480
Alamorgordo, NM 88310

LAB REQUEST 134607
REPORTED 08/19/2004
RECEIVED 08/17/2004

PROJECT FT31 Landfarm

SUBMITTER Client

COMMENTS

This laboratory request covers the following listed samples which were analyzed for the parameters indicated on the attached Analytical Result Report. All analyses were conducted using the appropriate methods as indicated on the report. This cover letter is an integral part of the final report.

Order No.	Client Sample Identification
546406	FL0205-L2A4D7-1.0
546407	FL0205-L2R-e
546408	Laboratory Method Blank-S
546409	Laboratory Method Blank-W

Thank you for the opportunity to be of service to your company. Please feel free to call if there are any questions regarding this report or if we can be of further service.

ASSOCIATED LABORATORIES by,

Edward S. Behare, Ph.D.
Vice President

NOTE: Unless notified in writing, all samples will be discarded by appropriate disposal protocol 30 days from date reported.

The reports of the Associated Laboratories are confidential property of our clients and may not be reproduced or used for publication in part or in full without our written permission. This is for the mutual protection of the public, our clients, and ourselves.

TESTING & CONSULTING
Chemical
Microbiological
Environmental

Order #: 546406 **Client Sample ID:** FL0205-L2A4D7-1.0

Matrix: SOLID

Date Sampled: 08/16/2004
Time Sampled: 13:45

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/19/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/19/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/19/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/19/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/19/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/19/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/19/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/19/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/19/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	98				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	106				%	70 - 135
8260B	Surr3 - Toluene-d8	96				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99				%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	08/18/04 AF
8015	C10 - C22	3.4	1	3	0.65	mg/Kg	08/18/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/18/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546406 **Client Sample ID:** FL0205-L2A4D7-1.0

Matrix: SOLID

Date Sampled: 08/16/2004
Time Sampled: 13:45

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/19/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/19/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/19/04 AM
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/19/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/19/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/19/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/19/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/19/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/19/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/19/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/19/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/19/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/19/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/19/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/19/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/19/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/19/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/19/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/19/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/19/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/19/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/19/04 AM
8260B	m and p-Xylene	ND	1	5	0.67	ug/Kg	08/19/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/19/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/19/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/19/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/19/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/19/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/19/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/19/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/19/04 AM
8260B	o-Xylene	ND	1	5	0.35	ug/Kg	08/19/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/19/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/19/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/19/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/19/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/19/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/19/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546406 **Client Sample ID:** FL0205-L2A4D7-1.0

Matrix: SOLID

Date Sampled: 08/16/2004
Time Sampled: 13:45

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Terphenyl-d14 (sur)	92				%	18 - 137
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/19/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/19/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/19/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/19/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/19/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/19/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/19/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/19/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/19/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/19/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/19/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/19/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/19/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/19/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/19/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/19/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/19/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/19/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/19/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/19/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/19/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/19/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/19/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/19/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/19/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/19/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/19/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/19/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	08/19/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/19/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/19/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/19/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/19/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/19/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/19/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/19/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546406 **Client Sample ID:** FL0205-L2A4D7-1.0

Matrix: SOLID

Date Sampled: 08/16/2004
Time Sampled: 13:45

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/18/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/18/04 DP
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Butylbenzylphthalate	116 J	1	333	20	ug/Kg	08/18/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/18/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/18/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/18/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	61				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	46				%	30 - 115
8270C	2-Fluorophenol (sur)	60				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	46				%	23 - 120
8270C	Phenol-d5 (sur)	64				%	24 - 113

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES Analytical Results Report

Order #: 546408 **Client Sample ID**: Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	1,2,4-Trichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	1,2-Dichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	1,3-Dichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	1,4-Dichlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2,4,5-Trichlorophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2,4,6-Trichlorophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2,4-Dichlorophenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2,4-Dimethylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2,4-Dinitrophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2,4-Dinitrotoluene	ND	1	333	55.3	ug/Kg	08/18/04 DP
8270C	2,6-Dinitrotoluene	ND	1	333	32.9	ug/Kg	08/18/04 DP
8270C	2-Chloronaphthalene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2-Chlorophenol	ND	1	333	74.8	ug/Kg	08/18/04 DP
8270C	2-Methylnaphthalene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2-Methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	2-Nitroaniline	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	2-Nitrophenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	3,3-Dichlorobenzidine	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	3-Methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	3-Nitroaniline	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	4,6-Dinitro-2-methylphenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	4-Bromophenyl-phenylether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Chloro-3-methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Chloroaniline	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Chlorophenyl-phenylether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Methylphenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	4-Nitroaniline	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	4-Nitrophenol	ND	1	1665	21.7	ug/Kg	08/18/04 DP
8270C	Acenaphthene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Acenaphthylene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Anthracene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzidine	ND	1	333	260	ug/Kg	08/18/04 DP
8270C	Benzo(a)anthracene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(a)pyrene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(b)fluoranthene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(g,h,i)perylene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Benzo(k)fluoranthene	ND	1	333	25.2	ug/Kg	08/18/04 DP
8270C	Benzoic Acid	ND	1	333	41.0	ug/Kg	08/18/04 DP

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546407 **Client Sample ID**: FL0205-L2R-c

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/18/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/18/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/18/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/18/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/18/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/18/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	99	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	100	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	96	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546407 **Client Sample ID**: FL0205-L2R-c

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/18/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/18/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/18/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/18/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/18/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/18/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/18/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/18/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/18/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/18/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/18/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/18/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/18/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/18/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/18/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/18/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/18/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/18/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/18/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/18/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/18/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	n-Hexane	ND	1	5	5	ug/L	08/18/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/18/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/18/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/18/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/18/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/18/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/18/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/18/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/18/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546407 **Client Sample ID**: FL0205-L2R-c

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/18/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/18/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/18/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/18/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/18/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/18/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/18/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/18/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/18/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/18/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/18/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/18/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/18/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/18/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/18/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/18/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/18/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/18/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/18/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/18/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/18/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/18/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/18/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/18/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/18/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/18/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/18/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546408 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,4-Dichloro-2-butene	ND	1	5	2.35	ug/Kg	08/18/04 AM
8260B	Trichloroethene	ND	1	5	0.43	ug/Kg	08/18/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.40	ug/Kg	08/18/04 AM
8260B	Vinyl acetate	ND	1	50	10.2	ug/Kg	08/18/04 AM
8260B	Vinyl chloride	ND	1	5	0.47	ug/Kg	08/18/04 AM
8260B	Xylenes, total	ND	1	5	0.8	ug/Kg	08/18/04 AM
Surrogates						**Units**	**Control Limits**
8260B	Surr1 - Dibromofluoromethane	96				%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	102				%	70 - 135
8260B	Surr3 - Toluene-d8	99				%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	98				%	70 - 135
8015	C06 - C10	ND	1	3	0.90	mg/Kg	08/18/04 AF
8015	C10 - C22	ND	1	3	0.65	mg/Kg	08/18/04 AF
8015	C22 - C36	ND	1	5	3.60	mg/Kg	08/18/04 AF

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546408 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromoform	ND	1	5	0.53	ug/Kg	08/18/04 AM
8260B	Bromomethane	ND	1	5	2.07	ug/Kg	08/18/04 AM
8260B	Carbon Disulfide	ND	1	5	0.8	ug/Kg	08/18/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.40	ug/Kg	08/18/04 AM
8260B	Chlorobenzene	ND	1	5	0.42	ug/Kg	08/18/04 AM
8260B	Chloroethane	ND	1	5	1.1	ug/Kg	08/18/04 AM
8260B	Chloroform	ND	1	5	0.46	ug/Kg	08/18/04 AM
8260B	Chloromethane	ND	1	5	0.25	ug/Kg	08/18/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.79	ug/Kg	08/18/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.38	ug/Kg	08/18/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	5	0.59	ug/Kg	08/18/04 AM
8260B	Dibromochloromethane	ND	1	5	0.44	ug/Kg	08/18/04 AM
8260B	Dibromomethane	ND	1	5	0.46	ug/Kg	08/18/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.16	ug/Kg	08/18/04 AM
8260B	Ethyl benzene	ND	1	5	0.41	ug/Kg	08/18/04 AM
8260B	Ethyl methacrylate	ND	1	5	1.8	ug/Kg	08/18/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.29	ug/Kg	08/18/04 AM
8260B	Iodomethane	ND	1	5	0.6	ug/Kg	08/18/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.38	ug/Kg	08/18/04 AM
8260B	m and p-Xylene	ND	1	5	0.67	ug/Kg	08/18/04 AM
8260B	Methacrylonitrile	ND	1	5	2.70	ug/Kg	08/18/04 AM
8260B	Methyl methacrylate	ND	1	5	0.21	ug/Kg	08/18/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	5	0.51	ug/Kg	08/18/04 AM
8260B	Methylene chloride	ND	1	5	0.91	ug/Kg	08/18/04 AM
8260B	n-Butylbenzene	ND	1	5	0.38	ug/Kg	08/18/04 AM
8260B	n-Hexane	ND	1	5	5	ug/Kg	08/18/04 AM
8260B	n-Propylbenzene	ND	1	5	0.32	ug/Kg	08/18/04 AM
8260B	Naphthalene	ND	1	5	0.60	ug/Kg	08/18/04 AM
8260B	o-Xylene	ND	1	5	0.35	ug/Kg	08/18/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.32	ug/Kg	08/18/04 AM
8260B	Pentachloroethane	ND	1	5	0.6	ug/Kg	08/18/04 AM
8260B	Propionitrile	ND	1	5	5	ug/Kg	08/18/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.31	ug/Kg	08/18/04 AM
8260B	Styrene	ND	1	5	0.37	ug/Kg	08/18/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.41	ug/Kg	08/18/04 AM
8260B	Tetrachloroethene	ND	1	5	0.49	ug/Kg	08/18/04 AM
8260B	Toluene	ND	1	5	0.42	ug/Kg	08/18/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.48	ug/Kg	08/18/04 AM
8260B	trans-1,3-Dichloropropene	ND	1	5	0.44	ug/Kg	08/18/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546408 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	2.19	ug/Kg	08/18/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.47	ug/Kg	08/18/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.50	ug/Kg	08/18/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.57	ug/Kg	08/18/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/Kg	08/18/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.74	ug/Kg	08/18/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.43	ug/Kg	08/18/04 AM
8260B	1,1-Dichloropropene	ND	1	5	1.30	ug/Kg	08/18/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/18/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.65	ug/Kg	08/18/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.54	ug/Kg	08/18/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.60	ug/Kg	08/18/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.92	ug/Kg	08/18/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.43	ug/Kg	08/18/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.45	ug/Kg	08/18/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.59	ug/Kg	08/18/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.58	ug/Kg	08/18/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.55	ug/Kg	08/18/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.44	ug/Kg	08/18/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.51	ug/Kg	08/18/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.46	ug/Kg	08/18/04 AM
8260B	1-Chlorohexane	ND	1	5	0.38	ug/Kg	08/18/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.47	ug/Kg	08/18/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.98	ug/Kg	08/18/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.46	ug/Kg	08/18/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.92	ug/Kg	08/18/04 AM
8260B	2-Hexanone	ND	1	5	4.7	ug/Kg	08/18/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.52	ug/Kg	08/18/04 AM
8260B	4-Methyl -2- Pentanone (MIBK)	ND	1	5	0.49	ug/Kg	08/18/04 AM
8260B	Acetone	ND	1	50	3.81	ug/Kg	08/18/04 AM
8260B	Acetonitrile	ND	1	5	0.7	ug/Kg	08/18/04 AM
8260B	Acrolein	ND	1	200	172	ug/Kg	08/18/04 AM
8260B	Acrylonitrile	ND	1	5	1.3	ug/Kg	08/18/04 AM
8260B	Allyl chloride	ND	1	5	0.4	ug/Kg	08/18/04 AM
8260B	Benzene	ND	1	5	0.39	ug/Kg	08/18/04 AM
8260B	Benzyl chloride	ND	1	5	0.38	ug/Kg	08/18/04 AM
8260B	Bromobenzene	ND	1	5	0.65	ug/Kg	08/18/04 AM
8260B	Bromochloromethane	ND	1	5	0.36	ug/Kg	08/18/04 AM
8260B	Bromodichloromethane	ND	1	5	0.48	ug/Kg	08/18/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546408 **Client Sample ID:** Laboratory Method Blank-S

Matrix: SOLID

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8270C	Benzyl alcohol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Chloroethoxy)methane	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Chloroethyl)ether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Chloroisopropyl) ether	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	bis(2-Ethylhexyl)phthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Butylbenzylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Chrysene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Di-n-butylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Di-n-octylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Dibenz(a,h)anthracene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Dibenzofuran	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Diethylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Dimethylphthalate	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Fluoranthene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Fluorene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachlorobenzene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachlorobutadiene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachlorocyclopentadiene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Hexachloroethane	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Indeno(1,2,3-c,d)pyrene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Isophorone	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	N-Nitroso-di-n-propylamine	ND	1	333	24.7	ug/Kg	08/18/04 DP
8270C	N-Nitrosodiphenylamine	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Naphthalene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Nitrobenzene	ND	1	333	62.8	ug/Kg	08/18/04 DP
8270C	Pentachlorophenol	ND	1	1665	20	ug/Kg	08/18/04 DP
8270C	Phenanthrene	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Phenol	ND	1	333	20	ug/Kg	08/18/04 DP
8270C	Pyrene	ND	1	333	20	ug/Kg	08/18/04 DP
Surrogates						**Units**	**Control Limits**
8270C	2,4,6-Tribromophenol (sur)	56				%	17 - 122
8270C	2-Fluorobiphenyl (sur)	50				%	30 - 115
8270C	2-Fluorophenol (sur)	69				%	25 - 121
8270C	Nitrobenzene-d5 (sur)	51				%	23 - 120
8270C	Phenol-d5 (sur)	72				%	24 - 113
8270C	Terphenyl-d14 (sur)	79				%	18 - 137

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

ASSOCIATED LABORATORIES
QA REPORT FORM

Method : EPA 8270/625

Prep. Method : 3545

QC Sample: 134607-406

Matrix: SOLID

Extracted : Aug 18-04

Analyzed : Aug 18-04

Applies to: LR 134607, 134592

REPORTING UNITS = ug/Kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup.	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
Phenol	ND	50	34	35	68	70	3	42	6-117
2-Chorophenol	ND	50	32	33	64	66	3	35	28-100
1,4-Dichlorobenzene	ND	50	28	26	56	52	7	36	39-92
n-Nitroso-di-n-propylamine	ND	50	37	38	74	76	3	42	5-149
1,2,4-Trichlorobenzene	ND	50	29	27	58	54	7	41	41-97
4-Chloro-3-methylphenol	ND	50	33	32	66	64	3	37	26-117
Acenaphthene	ND	50	30	30	60	60	0	41	46-113
4-Nitrophenol	ND	50	44	46	88	92	4	73	53-143
2,4-Dinitrotoluene	ND	50	46	45	92	90	2	43	82-125
Pentachlorophenol	ND	50	50	46	100	92	8	52	25-187
Pyrene	ND	50	56	54	112	108	4	36	47-136

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC LIMIT %REC
Phenol	ND	50	33	66	17-99
2-Clorophenol	ND	50	31	62	28-88
1,4-Dichlorobenzene	ND	50	27	54	33-89
n-Nitroso-di-n-propylamine	ND	50	34	68	9-130
1,2,4-Trichlorobenzene	ND	50	26	52	25-92
4-Chloro-3-methylphenol	ND	50	30	60	27-96
Acenaphthene	ND	50	27	54	31-101
4-Nitrophenol	ND	50	40	80	8-123
2,4-Dinitrotoluene	ND	50	43	86	27-139
Pentachlorophenol	ND	50	42	84	0-151
Pyrene	ND	50	51	102	34-127

Method Blank = All ND

8/19/2004 8270 MSD-LCS 0818 S

Order #: 546409 **Client Sample ID:** Laboratory Method Blank-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	Bromodichloromethane	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	Bromoform	ND	1	5	0.17	ug/L	08/18/04 AM
8260B	Bromomethane	ND	1	5	1.15	ug/L	08/18/04 AM
8260B	Carbon Disulfide	ND	1	5	2.56	ug/L	08/18/04 AM
8260B	Carbon tetrachloride	ND	1	5	0.49	ug/L	08/18/04 AM
8260B	Chlorobenzene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	Chloroethane	ND	1	5	0.4	ug/L	08/18/04 AM
8260B	Chloroform	ND	1	5	0.36	ug/L	08/18/04 AM
8260B	Chloromethane	ND	1	5	0.27	ug/L	08/18/04 AM
8260B	cis-1,2-Dichloroethene	ND	1	5	0.30	ug/L	08/18/04 AM
8260B	cis-1,3-Dichloropropene	ND	1	5	0.22	ug/L	08/18/04 AM
8260B	cis-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/18/04 AM
8260B	Dibromochloromethane	ND	1	5	0.22	ug/L	08/18/04 AM
8260B	Dibromomethane	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	Dichlorodifluoromethane	ND	1	5	0.08	ug/L	08/18/04 AM
8260B	Ethyl benzene	ND	1	5	0.31	ug/L	08/18/04 AM
8260B	Ethyl methacrylate	ND	1	50	0.2	ug/L	08/18/04 AM
8260B	Hexachlorobutadiene	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	Iodomethane	ND	1	5	0.5	ug/L	08/18/04 AM
8260B	Isopropylbenzene (Cumene)	ND	1	5	0.23	ug/L	08/18/04 AM
8260B	m and p-Xylene	ND	1	5	0.54	ug/L	08/18/04 AM
8260B	Methacrylonitrile	ND	1	35	0.43	ug/L	08/18/04 AM
8260B	Methyl methacrylate	ND	1	5	0.38	ug/L	08/18/04 AM
8260B	Methyl-tert-butylether (MTBE)	ND	1	1	0.18	ug/L	08/18/04 AM
8260B	Methylene chloride	ND	1	5	0.64	ug/L	08/18/04 AM
8260B	n-Butylbenzene	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	n-Hexane	ND	1	5	5	ug/L	08/18/04 AM
8260B	n-Propylbenzene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	Naphthalene	ND	1	5	0.88	ug/L	08/18/04 AM
8260B	o-Xylene	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	p-Isopropyltoluene	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	Pentachloroethane	ND	1	5	0.4	ug/L	08/18/04 AM
8260B	Propionitrile	ND	1	100	1.9	ug/L	08/18/04 AM
8260B	sec-Butylbenzene	ND	1	5	0.28	ug/L	08/18/04 AM
8260B	Styrene	ND	1	5	0.20	ug/L	08/18/04 AM
8260B	tert-Butylbenzene	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	Tetrachloroethene	ND	1	5	0.36	ug/L	08/18/04 AM
8260B	Toluene	ND	1	5	0.32	ug/L	08/18/04 AM
8260B	trans-1,2-Dichloroethene	ND	1	5	0.41	ug/L	08/18/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546409 **Client Sample ID:** Laboratory Method Blank-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	1,1,1,2-Tetrachloroethane	ND	1	5	0.83	ug/L	08/18/04 AM
8260B	1,1,1-Trichloroethane	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	1,1,2,2-Tetrachloroethane	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,1,2-Trichloroethane	ND	1	5	0.15	ug/L	08/18/04 AM
8260B	1,1,2-Trichlorotrifluoroethane	ND	1	5	0.10	ug/L	08/18/04 AM
8260B	1,1-Dichloroethane	ND	1	5	0.31	ug/L	08/18/04 AM
8260B	1,1-Dichloroethene	ND	1	5	0.62	ug/L	08/18/04 AM
8260B	1,1-Dichloropropene	ND	1	5	0.72	ug/L	08/18/04 AM
8260B	1,2,3-Trichlorobenzene	ND	1	5	0.61	ug/L	08/18/04 AM
8260B	1,2,3-Trichloropropane	ND	1	5	0.22	ug/L	08/18/04 AM
8260B	1,2,4-Trichlorobenzene	ND	1	5	0.61	ug/L	08/18/04 AM
8260B	1,2,4-Trimethylbenzene	ND	1	5	0.49	ug/L	08/18/04 AM
8260B	1,2-Dibromo-3-chloropropane	ND	1	5	1.74	ug/L	08/18/04 AM
8260B	1,2-Dibromoethane	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,2-Dichlorobenzene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	1,2-Dichloroethane	ND	1	5	0.17	ug/L	08/18/04 AM
8260B	1,2-Dichloropropane	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,3,5-Trimethylbenzene	ND	1	5	0.26	ug/L	08/18/04 AM
8260B	1,3-Dichlorobenzene	ND	1	5	0.41	ug/L	08/18/04 AM
8260B	1,3-Dichloropropane	ND	1	5	0.24	ug/L	08/18/04 AM
8260B	1,4-Dichlorobenzene	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	1-Chlorohexane	ND	1	5	0.32	ug/L	08/18/04 AM
8260B	2,2-Dichloropropane	ND	1	5	0.30	ug/L	08/18/04 AM
8260B	2-Butanone (MEK)	ND	1	100	0.75	ug/L	08/18/04 AM
8260B	2-Chloroethyl vinyl ether	ND	1	5	0.25	ug/L	08/18/04 AM
8260B	2-Chlorotoluene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	2-Hexanone	ND	1	20	0.78	ug/L	08/18/04 AM
8260B	4-Chlorotoluene	ND	1	5	0.18	ug/L	08/18/04 AM
8260B	4-Methyl-2-Pentanone (MIBK)	ND	1	10	0.20	ug/L	08/18/04 AM
8260B	Acetone	ND	1	100	3.18	ug/L	08/18/04 AM
8260B	Acetonitrile	ND	1	50	0.49	ug/L	08/18/04 AM
8260B	Acrolein	ND	1	200	3.3	ug/L	08/18/04 AM
8260B	Acrylonitrile	ND	1	10	1.6	ug/L	08/18/04 AM
8260B	Allyl chloride	ND	1	5	0.3	ug/L	08/18/04 AM
8260B	Benzene	ND	1	1	0.22	ug/L	08/18/04 AM
8260B	Benzyl chloride	ND	1	5	0.37	ug/L	08/18/04 AM
8260B	Bromobenzene	ND	1	5	0.58	ug/L	08/18/04 AM
8260B	Bromochloromethane	ND	1	5	0.30	ug/L	08/18/04 AM

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits

Order #: 546409 **Client Sample ID:** Laboratory Method Blank-W

Matrix: WATER

Method	Analyte	Result	DF	EQL	MDL	Units	Date/Analyst
8260B	trans-1,3-Dichloropropene	ND	1	5	0.28	ug/L	08/18/04 AM
8260B	trans-1,4-Dichloro-2-butene	ND	1	20	0.28	ug/L	08/18/04 AM
8260B	Trichloroethene	ND	1	5	0.23	ug/L	08/18/04 AM
8260B	Trichlorofluoromethane	ND	1	5	0.35	ug/L	08/18/04 AM
8260B	Vinyl acetate	ND	1	50	0.3	ug/L	08/18/04 AM
8260B	Vinyl chloride	ND	1	5	0.27	ug/L	08/18/04 AM
8260B	Xylenes, total	ND	1	5	0.4	ug/L	08/18/04 AM

Surrogates			Units	Control Limits
8260B	Surr1 - Dibromofluoromethane	100	%	70 - 135
8260B	Surr2 - 1,2-Dichloroethane-d4	102	%	70 - 135
8260B	Surr3 - Toluene-d8	100	%	70 - 135
8260B	Surr4 - p-Bromofluorobenzene	99	%	70 - 135

EQL = Estimated Quantitation Limit, MDL = Method detection limit, DF = Dilution Factor
ND = Not detected below indicated MDL, J=Trace, S=Surrogate Outside Control Limits



ASSOCIATED LABORATORIES
QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Water Samples 134575-313

Analysis Date: Aug 19-04 12:14 AM

Applies to: LR 134575, 134576, 134577, 134578, 134579, 134580, 134581, 134582, 134583, 134584, LR 134607

Reporting Units = ug/L

Matrix Spike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	46.25	46.83	93	94	1	22	59-172
MTBE	ND	50	49.88	50.18	100	100	1	24	62-137
Benzene	ND	50	50.64	50.79	101	102	0	24	62-137
Trichloroethene	ND	50	48.17	50.24	96	100	4	21	66-142
Toluene	ND	50	48.78	50.19	98	100	3	21	59-139
Chlorobenzene	ND	50	49.61	50.06	99	100	1	21	60-133

QC Sample: LCS 12:28 PM
Analysis Date: Aug 18-04

LCS RECOVERY / METHOD BLANK

Test	Sample Result	Spike Added	LCS Spike	%Rec LCS	QC Limits %REC
1,1-Dichloroethene	ND	50	51.97	104	59-172
MTBE	ND	50	52.30	105	62-137
Benzene	ND	50	53.44	107	62-137
Trichloroethene	ND	50	52.57	105	66-142
Toluene	ND	50	51.03	102	59-139
Chlorobenzene	ND	50	52.38	105	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 1	MS	MSD	LCS
DBFM	100	98	99	103
1,2-DCA	102	98	97	98
Tol-d8	100	97	97	98
p-BFB	99	98	100	99

8/19/2004 *8260 MSD-LCS 0819 W*

ASSOCIATED LABORATORIES
QA REPORT FORM - METHOD 8260 / 624 / 524.2

QC Sample: MS / MSD - Soil Samples 134594-423

Analysis Date: Aug 19-04 8:06 AM

Applies to: LR 134607

Reporting Units = ug/Kg

Matrix Spike / Matrix Spike Duplicate

Test	Sample Result	Spike Added	Matrix Spike	Matrix Spk. Dup	%Rec MS	%Rec MSD	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	44.82	44.47	90	89	1	22	59-172
MTBE	ND	50	44.48	41.95	89	84	6	24	62-137
Benzene	ND	50	47.65	44.41	95	89	7	24	62-137
Trichloroethene	ND	50	49.32	48.93	99	98	1	21	66-142
Toluene	ND	50	45.36	44.94	91	90	1	21	59-139
Chlorobenzene	ND	50	44.59	44.46	89	89	0	21	60-133

QC Sample: LCS/LCSD
Analysis Date: Aug 19-04 1:49 AM

Lab Controlled Spike / Lab Controlled Spike Duplicate

Test	Sample Result	Spike Added	LCS Spike	LCS Spk. Dup	%Rec LCS	%Rec LCS D	RPD	QC Limits RPD	QC Limits %REC
1,1-Dichloroethene	ND	50	47.87	47.76	96	96	0	22	59-172
MTBE	ND	50	50.04	49.25	100	99	2	24	62-137
Benzene	ND	50	50.41	49.27	101	99	2	24	62-137
Trichloroethene	ND	50	49.43	49.07	99	98	1	21	66-142
Toluene	ND	50	50.44	49.01	101	98	3	21	59-139
Chlorobenzene	ND	50	49.75	51.36	100	103	3	21	60-133

Method Blank = All ND

SURROGATE (QC Limits : 70-135)

Compound	MB 2	MB 3	LCS	LCSD	MS	MSD	MS recovery
DBFM	96	99	99	99	99	100	98
1,2-DCA	102	105	94	91	99	96	98
Tol-d8	99	101	99	98	97	96	98
p-BFB	98	99	100	94	97	97	101

8/19/2004 *8260 MSD-LCSD 0819 S*

ASSOCIATED LABORATORIES
QA REPORT FORM

QC Sample: 134607-406

Matrix: SOLID

Extraction Method : 3545

Prep. Date: Aug 17-04

Analysis Date: Aug 18-04

ID#'s in Batch: LR 134607

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RESULT

Reporting Units = mg/Kg

Test	Method	Sample Result	Spike Added	Matrix Spike	Matrix Spike Dup	%Rec MS	%Rec MSD	RPD
DIESEL	8015D	ND	25	26.0	27.4	104	110	5

ND = Not Detected
RPD = Relative Percent Difference of Matrix Spike and Matrix Spike Duplicate
%REC-MS & MSD = Percent Recovery of Matrix Spike & Matrix Spike Duplicate

%REC LIMITS = 70 - 130
RPD LIMITS = 30

PREPARATION BLANK / LAB CONTROL SAMPLE RESULTS

	PREP BLK Value	Result	True	%Rec	L.Limit	H.Limit
LCS	ND	30.3	25	121	70%	130%
LCSD	ND	28.0	25	112	70%	130%

LCS Result = Lab Control Sample Result
True = True Value of LCS
L.Limit / H.Limit = LCS Control Limits

SURROGATE RECOVERY

Sample No. / QC Limit	O-Terphenyl 55-200
MS	163
MSD	125
Method Blank	118
LCS	134
LCSD	129

8/19/2004 *8015d TPH 0817 S*