

7/23/14



DEPARTMENT OF THE AIR FORCE
HEADQUARTERS 49TH WING (ACC)
HOLLOMAN AIR FORCE BASE, NEW MEXICO



DeAnna M. Rothhaupt
Chief, HAFB Environmental
550 Tabosa Avenue
Holloman AFB NM 88330-8458

RECEIVED

JUL 25 2014

New Mexico Environment Department
Attn: Mr. John Kieling, Chief
Hazardous Waste Bureau
2905 Rodeo Park Drive East, Building 1
Santa Fe NM 87505-6303

NMED
Hazardous Waste Bureau

Dear Mr. Kieling

This letter is being submitted to report sampling exceedances to comply with table 2-1 of the Expanded Closure and Post-Closure Plan for the 20,000-pound Open Detonation Unit (New Mexico Environmental Department permit number: NM6572124422-OD). Several closure standard exceedances were noted during the last sampling event in August of 2012. Four soil samples with elevated levels of perchlorate and one groundwater sample with elevated perchlorate and nitrates were identified. Attachments 1-5 detail the levels and locations of these exceedances.

The current contractor assigned to this project is in the process of drafting a revised expanded closure and post-closure plan for your review. They are proposing to collect additional soil samples, install five more monitoring wells (5 ea) and perform groundwater sampling to fill known data gaps and better delineate the extent of the contamination. After the data is better defined they are proposing to submit a revised plan to remediate the contaminated areas based on their findings.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

If you have any questions, please contact DeAnna Rothhaupt, Chief HAFB Environmental, at 575-572-3931 or by e-mail at deanna.rothhaupt@holloman.af.mil.

Sincerely

DeAnna M. Rothhaupt, GS-12, DAFC

Attachments:

- 1- GW Tables, 2 - Soil Tables, 3- Soil Map, 4- GW Map, 5- Samples Map

cc:

(w/ Atch)

Mr. Dave Cobrain
Hazardous Waste Bureau
2905 Rodeo Park Drive East, Bldg 1
Santa Fe NM 87505-6303

(w/ Atch)

Mr. Cornelius Amindyas
Hazardous Waste Bureau
5500 San Antonio Dr, NE
Albuquerque NM 87109-4127

(w/o Atch)

Mr. Chuck Hendrickson
USEPA, Region 6 (6PD-F)
1445 Ross Ave, Ste 1200
Dallas TX 75202-2750

Table X-XX
 August 2012 Groundwater Analytical Data
 20K Open Detonation Unit
 Holloman Air Force Base, New Mexico

Client Sample Identification: Lab Sample Identification: Date Sampled:	Groundwater Screening Levels		Basewide Background			HAFB-EOD-MW01			HAFB-EOD-MW02			HAFB-EOD-MW03			HAFB-EOD-MW04		
	NMWQCC ¹	USEPA MCL ²	NMED Approved Background Levels ³	Dissolved Metals in Groundwater UTL ⁴	Total Metals in Groundwater UTL ⁴	280-31846-1 8/6/2012	Q	Q 1	280-31846-2 8/6/2012	Q	Q 1	280-31846-3 8/6/2012	Q	Q 1	280-31846-4 8/6/2012	Q	Q 1
Analyte						Result ⁵			Result ⁵			Result ⁵			Result ⁵		
Chromium	50	NV	2.5	2.50	NV	2.5	J		2.5	J		2.5	J		2.5	J	
Perchlorate	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L			µg/L			µg/L			µg/L		
Perchlorate	NV	15 ⁶	NV	NV	NV	0.31			1,600			0.48			0.15		
Nitrate / Phosphate	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L			mg/L			mg/L			mg/L		
Nitrate as N	10	10	NV	NV	NV	0.82	J		30			0.81	J		0.74	J	
Total Phosphorus	NV	NV	NV	NV	NV	0.019	J		0.0079	J		0.007	J		0.005	U	
General Chemistry	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L			mg/L			mg/L			mg/L		
Total Dissolved Solids	1,000	500 ⁷	NV	NV	65,956.58	5,400		J	5,900			5,100		J	5,000		J

Notes:

NMWQCC = New Mexico Water Quality Control Commission

USEPA = United States Environmental Protection Agency

NMED = New Mexico Environmental Department

MCL = Maximum Contaminant Level

UTL = Upper Tolerance Limit

LCS = Laboratory Control Sample

LCSD = Laboratory Control Sample Duplicate

%RPD = Percent Relative Percent Difference

µg/L = microgram per liter

mg/L = milligram per liter

ng/L = nanogram per liter

NV = No Value

Q = Laboratory Qualifier

Q1 = Validating Chemist Qualifier

Qualifiers

U = Not detected

* = LCS or LCSD exceeded the control limits

J = Indicates an estimated value

%RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.

B = Indicates the analyte was detected in the associated Method Blank

¹ Standards for Groundwater, if 10,000 mg/l TDS Concentration or Less, New Mexico Administrative Code 20.6.2.3103

² USEPA National Primary Drinking Water Regulations MCLs (816-F-09-004, May 2009)

³ Tables 2 and 3, Conditional Approval Letter, Basewide Background Study Report, Holloman Air Force Base, New Mexico (NMED, December 2011)

⁴ Table 5-18, Basewide Background Study Report, Holloman Air Force Base, New Mexico (NationView/Bhate JV III, July 2011)

⁵ If results are not detected (U) then the value is set at the Method Detection Limit (MDL)

⁶ USEPA, Interim Drinking Water Health Advisory, for exposure to Perchlorate in water (December 2008)

⁷ USEPA Secondary Drinking Water Standard (816-F-09-004, May 2009)

Solid value indicates analytes above the New Mexico Groundwater Quality Standards or the USEPA MCLs

Indicates analytical results above the New Mexico Groundwater Quality Standard or USEPA MCL, but below the NMED Approved Background Level

Indicates analytical results above the NMED Approved Background Level, but below the New Mexico Groundwater Quality Standard and USEPA MCL

Table X-XX
 August 2012 Soil Analytical Data
 20K Open Detonation Unit
 Holloman Air Force Base, New Mexico

Client Sample Identification:		20K00-S08	20K00-S09	20K00-S021	20K00-S037
Lab Sample Identification:		280-32108-1	280-32085-3	280-31980-8	280-32085-16
Date Sampled:		8/13/2012	8/10/2012	8/8/2012	8/10/2012
		µg/kg	µg/kg	µg/kg	µg/kg
Perchlorate	54.8	65,000	84,000	280,000	130,000

Notes:

NMED = New Mexico Environment Department

µg/kg = micrograms per kilogram

mg/kg = milligrams per kilogram

ng/kg = nanograms per kilogram

% = percent

NV = No Value

NS = Not Sampled

Q = Qualifier

Qualifiers

U = Not detected

J = Indicates an estimated value

B = Indicates the analyte was detected in the associated Method Blank


¹ Table A-1, NMED Soil Screening Levels (SSLs), Risk Assessment Guidance for Site Investigations and Remediation (February, 2012)

² If results are not detected (U) then the value is set at the Method Detection Limit (MDL)

³ USEPA Region 9, 6, and 9 Regional Screening Levels (RSLs) (May, 2012)

⁴ No Value established for NMED Residential SSL (February, 2012) and USEPA RSL (May, 2012)

Bold value indicates analytes above NMED SSLs (February, 2012)



**20,000-Pound Open Detonation Unit
Perchlorate Soil Analytical Results
(August 2012)**

PROJECT NO.	SCALE	DATE	DRAWN BY:
	1" = 60'	9/5/2012	djm
			DRAWING NO.

NATIONVIEW

1666800

1667060

1667320

1667580

739860
739600
739340
739080
738820

HAFB-EOD-MW01		
Parameter	Result (mg/L)	Action Level (mg/L)
TDS	5,400	500 ¹



White Sands Missile Range Property, No Aerial Provided

HAFB-EOD-MW02		
Parameter	Result (µg/L)	Action Level (µg/L)
Perchlorate	1,600	15 ³
Parameter	Result (mg/L)	Action Level (mg/L)
Nitrate	30	10 ²
TDS	6,600	500 ¹

HAFB-EOD-MW03		
Parameter	Result (mg/L)	Action Level (mg/L)
TDS	5,100	500 ¹

HAFB-EOD-MW04		
Parameter	Result (mg/L)	Action Level (mg/L)
TDS	5,000	500 ¹

Legend

Monitoring Well Location

µg/L = micrograms per liter
 mg/L = milligrams per liter
 TDS = Total Dissolved Solids
 USEPA = U.S. Environmental Protection Agency
 NMWQCC = New Mexico Water Quality Control Commission
 MCL = Maximum Contaminant Level
¹ USEPA National Primary Drinking Water Regulations (816-F-09-004 May, 2009)
² USEPA National Secondary Drinking Water Regulations (816-F-09-004 May, 2009)
³ USEPA, Interim Drinking Water Health Advisory, for exposure to Perchlorate in water (December 2008)
 Red analytical results exceed the USEPA MCLs and/or NMWQCC Groundwater Standards

0 ft. 130 ft. 260 ft.

1666800

1667060

1667320


1667580

Projection- New Mexico State Plane Coordinate System, Central Zone, North American Horizontal Datum 1983 (feet).

20,000-Pound Open Detonation Unit Groundwater Analytical Results Above Action Levels (August 2012)



PROJECT NO.	SCALE	DATE	DRAWN BY:
	1" = 130'	9/5/2012	dtm
DRAWING NO.			



**20,000-Pound Open Detonation Unit
Soil Sampling Locations**

PROJECT NO:	SCALE: 1" = 60'	DATE: 9/4/2012	DRAWN BY: dtm
		DRAWING NO:	

