



SUSANA MARTINEZ
Governor

JOHN A. SANCHEZ
Lieutenant Governor

NEW MEXICO  **ENTERED**
ENVIRONMENT DEPARTMENT



BUTCH TONGATE
Cabinet Secretary-Designate

J.C. BORREGO
Deputy Secretary

2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
Phone (505) 476-6000 Fax (505) 476-6030
www.env.nm.gov

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

January 6, 2017

Mr. Adam Kusmak
Chief, Installation Management Flight
49th CES/CEI
550 Tabosa Avenue
Holloman AFB, NM 88330

**RE: APPROVAL
RESPONSE TO THE NOTICE OF DISAPPROVAL FOR THE RCRA FACILITY
INVESTIGATION REPORT, GROUP 1 – SEPTIC SYSTEM SITES, BUILDINGS
308 (OT-C530), 920, 921, 922 (OT-C531), 924 (OT-C532), 1190 (OT-C533), 1196
(OT-C535), 1199 (OT-C536), 1200 (OT-C537), 1201 (OT-C538), 1221 (OT-C539),
1251 (OT-C540), 1166 (OT-C542) 1175 (OT-C543) AND 1176 (OT-C544)
HOLLOMAN AIR FORCE BASE, EPA ID # NM6572124422
HWB-HAFB-14-003**

Dear Mr. Kusmak:

The New Mexico Environment Department (NMED) has reviewed the May 26, 2016 response to NMED's Notice of Disapproval (NOD) dated May 29, 2015 for the RCRA Facility Investigation Report, Group 1 – Septic System Sites (RFI Report), dated December 2013 and submitted by Holloman Air Force Base on April 22, 2014. The subject NOD response and, subsequently, the RFI Report, are approved.


The RFI Report provided the investigation results for thirteen sites that had septic systems that were removed between 2002 and 2008. No releases have been reported from these systems. The investigations were conducted to determine if historical releases had occurred. Based upon the results of the initial investigations and the additional investigations requested in the NOD, the NMED has determined that no additional corrective action is required for the following Group 1 septic sites that were the subject of the RFI Report: Buildings 308 (OT-C530), 920, 921, 922

Mr. Adam Kusmak
January 6, 2017
Page 2 of 2

(OT-C531), 924 (OT-C532), 1190 (OT-C533), 1196 (OT-C535), 1199 (OT-C536), 1200 (OT-C537), 1201 (OT-C538), 1221 (OT-C539), 1251 (OT-C540), 1166 (OT-C542) 1175 (OT-C543) and 1176 (OT-C544).

If you have any questions regarding this letter, please contact Mr. David Strasser of my staff at (505) 222-9526.

Sincerely,



John E. Kieling
Chief
Hazardous Waste Bureau

cc: D. Cobrain, NMED HWB
C. Amindyas, NMED HWB
D. Strasser, NMED HWB
C. Schick, HAFB
D. Griffin, HAFB
C. Hendrickson, EPA, Region 6 (6MM-RC)
L. King, EPA, Region 6 (6MM-RC)

File: HAFB 2017 and Reading
HAFB-14-003