


ANALYTICAL RESULTS
FOR
U.S. GEOLOGICAL SURVEY
ENSECO-RMAL NO. 013952




MARCH 25, 1991

Reviewed by:


Randall Thompson


Lindsay Breyer

Enseco Incorporated
4955 Yarrow Street
Arvada, Colorado 80002
303/421-6611 Fax: 303/431-7171



Introduction

This report presents the analytical results as well as supporting information to aid in the evaluation and interpretation of the data and is arranged in the following order:

- o Sample Description Information
- o Analytical Test Requests
- o Analytical Results
- o Quality Control Report

Sample Description Information

The Sample Description Information lists all of the samples received in this project together with the internal laboratory identification number assigned for each sample. Each project received at Enseco - RMAL is assigned a unique six digit number. Samples within the project are numbered sequentially. The laboratory identification number is a combination of the six digit project code and the sample sequence number.

Also given in the Sample Description Information is the Sample Type (matrix), Date of Sampling (if known) and Date of Receipt at the laboratory.

Analytical Test Requests

The Analytical Test Requests lists the analyses that were performed on each sample. The Custom Test column indicates where tests have been modified to conform to the specific requirements of this project.

SAMPLE DESCRIPTION INFORMATION
for
U.S. Geological Survey

Lab ID	Client ID	Matrix	Sampled Date Time	Received Date
013952-0001-SA	KAFB021307-2	AQUEOUS	11 MAR 91 13:05	12 MAR 91

ANALYTICAL TEST REQUESTS
for
U.S. Geological Survey

Lab ID: 013952	Group Code	Analysis Description	Custom Test?
0001	A	Chromium, Furnace AA	N
		Chromium, Furnace AA (Total)	N
		Prep - Total Metals, ICP	N
		Chromium VI (Dissolved)	N
		Chromium VI (Total)	N
		Nitrate Plus Nitrite	N
		Total Organic Carbon (TOC)	N
		Total Organic Halogen (TOX)	N

Analytical Results

The analytical results for this project are presented in the following data tables. Each data table includes sample identification information, and when available and appropriate, dates sampled, received, authorized, prepared and analyzed. The authorization data is the date when the project was defined by the client such that laboratory work could begin.

Data sheets contain a listing of the parameters measured in each test, the analytical results and the Enseco reporting limit. Reporting limits are adjusted to reflect dilution of the sample, when appropriate. Solid and waste samples are reported on an "as received" basis, i.e. no correction is made for moisture content.

Enseco-RMAL is no longer routinely blank-correcting analytical data. Uncorrected analytical results are reported, along with associated blank results, for all organic and metals analyses. Analytical results and blank results are reported for conventional inorganic parameters as specified in the method. This policy is described in detail in the Enseco Incorporated Quality Assurance Program Plan for Environmental Chemical Monitoring, Revision 3.3, May, 1989.

The results from the Standard Enseco QA/QC Program, which generates data which are independent of matrix effects, is provided subsequently.

Metals

Total Metals

Client Name: U.S. Geological Survey
 Client ID: KAFB021307-2
 Lab ID: 013952-0001-SA
 Matrix: AQUEOUS
 Authorized: 12 MAR 91

Sampled: 11 MAR 91
 Prepared: See Below

Received: 12 MAR 91
 Analyzed: See Below

Parameter	Result	Units	Reporting Limit	Analytical Method	Prepared Date	Analyzed Date
Chromium (VI)	ND	mg/L	0.010	7196	NA	12 MAR 91
Chromium	0.0029	mg/L	0.0010	7191	14 MAR 91	15 MAR 91 @1300

ND = Not detected
 NA = Not applicable

Reported By: Sandra Jones

Approved By: Dave Roberts

Metals

Dissolved Metals

Client Name: U.S. Geological Survey
 Client ID: KAFB021307-2
 Lab ID: 013952-0001-SA
 Matrix: AQUEOUS
 Authorized: 12 MAR 91

Sampled: 11 MAR 91
 Prepared: See Below

Received: 12 MAR 91
 Analyzed: See Below

Parameter	Result	Units	Reporting Limit	Analytical Method	Prepared Date	Analyzed Date
Chromium (VI)	ND	mg/L	0.010	7196	NA	12 MAR 91
Chromium	ND	mg/L	0.0010	7191	NA	15 MAR 91

@1300

ND = Not detected
 NA = Not applicable

Reported By: Sandra Jones

Approved By: Dave Roberts

General Inorganics

Client Name: U.S. Geological Survey
 Client ID: KAFB021307-2
 Lab ID: 013952-0001-SA
 Matrix: AQUEOUS
 Authorized: 12 MAR 91

Sampled: 11 MAR 91
 Prepared: See Below

Received: 12 MAR 91
 Analyzed: See Below

Parameter	Result	Units	Reporting Limit	Analytical Method	Prepared Date	Analyzed Date
Nitrate plus Nitrite	4.2	mg/L	0.25	353.2	NA	21 MAR 91
Total Organic Carbon	ND	mg/L	0.50	9060	NA	13 MAR 91
Total Organic Halogen as Cl	ND	ug/L	30.0	9020	NA	19 MAR 91

ND = Not detected
 NA = Not applicable

Reported By: Linda Sullivan

Approved By: Tammy Bailey

Quality Control Results

The Enseco laboratories operate under a vigorous QA/QC program designed to ensure the generation of scientifically valid, legally defensible data by monitoring every aspect of laboratory operations. Routine QA/QC procedures include the use of approved methodologies, independent verification of analytical standards, use of duplicate Laboratory Control Samples to assess the precision and accuracy of the methodology on a routine basis, and a rigorous system of data review.

In addition, the Enseco laboratories maintain a comprehensive set of certifications from both state and federal governmental agencies which require frequent analyses of blind audit samples. Enseco - Rocky Mountain Analytical Laboratory is certified by the EPA under the EPA/CLP program for both Organic and Inorganic analyses, under the USATHAMA (U.S. Army) program, by the Army Corps of Engineers, and the states of Colorado, New Jersey, New York, Utah, and Florida, among others.

The standard laboratory QC package is designed to:

- 1) establish a strong, cost-effective QC program that ensures the generation of scientifically valid, legally defensible data
- 2) assess the laboratory's performance of the analytical method using control limits generated with a well-defined matrix
- 3) establish clear-cut guidelines for acceptability of analytical data so that QC decisions can be made immediately at the bench, and
- 4) provide a standard set of reportables which assures the client of the quality of his data.

The Enseco QC program is based upon monitoring the precision and accuracy of an analytical method by analyzing a set of Duplicate Control Samples (DCS) at frequent, well-defined intervals. Each DCS is a well-characterized matrix which is spiked with target compounds at 5-100 times the reporting limit, depending upon the methodology being monitored. The purpose of the DCS is not to duplicate the sample matrix, but rather to provide an interference-free, homogeneous matrix from which to gather data to establish control limits. These limits are used to determine whether data generated by the laboratory on any given day is in control.

Control limits for accuracy (percent recovery) are based on the average, historical percent recovery +/- 3 standard deviation units. Control limits for precision (relative percent difference) range from 0 (identical duplicate DCS results) to the average, historical relative percent difference + 3 standard deviation units. These control limits are fairly narrow based on the consistency of the matrix being monitored and are updated on a quarterly basis.

For each batch of samples analyzed, an additional control measure is taken in the form of a Single Control Sample (SCS). The SCS consists of a control matrix that is spiked with either representative target compounds or surrogate compounds appropriate to the method being used. An SCS is prepared for each sample lot for which the DCS pair are not analyzed.

Accuracy for DCS and SCS is measured by Percent Recovery.

$$\% \text{ Recovery} = \frac{\text{Measured Concentration}}{\text{Actual Concentration}} \times 100$$

Precision for DCS is measured by Relative Percent Difference (RPD).

$$\text{RPD} = \frac{|\text{Measured Concentration DCS1} - \text{Measured Concentration DCS2}|}{(\text{Measured Concentration DCS1} + \text{Measured Concentration DCS2})/2} \times 100$$

All samples analyzed concurrently by the same test are assigned the same QC lot number. Projects which contain numerous samples, analyzed over several days, may have multiple QC lot numbers associated with each test. The QC information which follows includes a listing of the QC lot numbers associated with each of the samples reported, DCS and SCS (where applicable) recoveries from the QC lots associated with the samples, and control limits for these lots. The QC data is reported by test code, in the order that the tests are reported in the analytical results section of this report.

QC LOT ASSIGNMENT REPORT
Metals Analysis and Preparation

Laboratory Sample Number	QC Matrix	QC Category	QC Lot Number (DCS)	QC Run Number (SCS/BLANK)
013952-0001-SA	AQUEOUS	CR-FAA-AD	15 MAR 91-A	-
013952-0001-SA	AQUEOUS	CR-FAA-AT	14 MAR 91-A	14 MAR 91-A
013952-0001-SA	AQUEOUS	CR6-A	12 MAR 91-A	-
013952-0001-SA	AQUEOUS	CR6-AT	12 MAR 91-A	-

DUPLICATE CONTROL SAMPLE REPORT
Metals Analysis and Preparation

Analyte	Spiked	Concentration		AVG	Accuracy Average (%)		Precision (RPD)		
		DCS1	Measured DCS2		DCS	Limits	DCS	Limit	
Category: CR-FAA-AD Matrix: AQUEOUS QC Lot: 15 MAR 91-A Concentration Units: mg/L									
Chromium	0.02	0.0198	0.0190	0.0194	97	75-125	4.1	20	
Category: CR-FAA-AT Matrix: AQUEOUS QC Lot: 14 MAR 91-A Concentration Units: mg/L									
Chromium	0.20	0.178	0.174	0.176	88	75-125	2.3	20	
Category: CR6-A Matrix: AQUEOUS QC Lot: 12 MAR 91-A Concentration Units: mg/L									
Chromium (VI)	0.05	0.0496	0.0483	0.0490	98	75-125	2.7	20	
Category: CR6-AT Matrix: AQUEOUS QC Lot: 12 MAR 91-A Concentration Units: mg/L									
Chromium (VI)	0.05	0.0496	0.0483	0.0490	98	75-125	2.7	20	

Calculations are performed before rounding to avoid round-off errors in calculated results.

ENSECO ANALYTICAL SERVICES REQUEST FORM

FORMAL # 13952-9

Special Handling (Circle as appropriate and explain in record 5)

Hazardous material

Site Type (circle one)

SW - Surface Water
 (GW) Ground Water
 ME - Meteorological

LK - Lake
 ES - Estuary
 SP - Spring
 SS - Special Source

AFB 021307-2 LFZ
 Station Name

Field ID
 USGS/WRD/NEW MEX
 Field Office

KIRTLAND AFB
 RP-SWMU'S
 Project

BILL DAM
 Collector

(505) 262-5341
 Phone (FTS)

Deposition* (circle one)

Q - WATSTORE
 X - Lab File

Sample identification

For Laboratory Use Only

K A F B 0213.07-2
 Station ID or Unique Number*

463.53.600.1
 Project Account #

9 9 1
 Year*

03
 Month*

11
 Day*

1305
 Time*

03
 Month

11
 Day

1320
 Time

N M
 State Code*

035
 District/ User Code*

0.0.1
 County Code

Begin Date

Composite End Date

Analysis level codes and schedules

Parameter	Sample Medium**	Geologic Unit	Analysis Status**	Analysis Source	Hydrologic Condition**	Sample Type**	Hydrologic Event**
PARAMETER:	CHROMIUM, TOTAL		(H) or 9	CHROMIUM HEXAVALENT TOTAL			
METHOD:	SW3020/SW7191			SW7196			
PARAMETER:	CHROMIUM, DISS		9	CHROMIUM HEXAVALENT DISSOLVED			
METHOD:	SW3005/SW7191			SW7196			
PARAMETER:	NITRATE + NITRITE		9				
METHOD:	E353.2						
PARAMETER:	URANIUM GROSS ALPHA & GROSS BETA			VOX			
METHOD:	A711B, E700			SW5020/SW8010			
PARAMETER:				TOC, TOX			
METHOD:				SW7196, SW7020			
				E415.1			
							NITROGLYCERINE/PETN
							USATHAMA

Chain-of-Custody Record

PROJECT NAME KIRTLAND AFB-IRP, SWMU'S PROJECT NO. 463536001 P.O. NO.

Relinquished by: (Signature)	Received by: (Signature)	Date	Time
<i>Mike Royal</i>	FEDERAL EXPRESS	3/11/91	1500
Relinquished by: (Signature)	Received by: (Signature)	Date	Time
	<i>Justin Chase</i>	3/12/91	0500
Relinquished by: (Signature)	Received at lab by: (Signature)	Date	Time
Relinquished from lab by: (Signature)	Received by: (Signature)	Date	Time

Comments (Only 50 characters stored in NWIS)

Record 5 WELL AT LANDFILL 2

Record 6

Total number of sample bottles for this request: 6

SHIP TO:

Enseco-Rocky Mountain Analytical
 4955 Yarrow Street.
 Arvada, CO 80002
 (303) 421-6611