

⇒ State of New Mexico

ENVIRONMENT DEPARTMENT

Harold Runnels Building 1190 St. Francis Drive, P.O. Box 26110 Santa Fe, New Mexico 87502 (505) 827-2850

JUDITH M. ESPINOSA SECRETARY

RON CURRY
DEPUTY SECRETARY

CERTIFIED MAIL RETURN RECEIPT REQUESTED

July 6, 1993

Colonel Thomas A. Norris Director, Environmental Management 337th ABW 2000 Wyoming Blvd. SE Suite 5659 Kirtland AFB, New Mexico 87117-5659

Re: Due Date for Closure Certification Report, Base Sewage Lagoons and Golf Course Main Pond

Dear Colonel Norris:

The Hazardous and Radioactive Materials Bureau (HRMB) of the New Mexico Environment Department (NMED) is in receipt of the sample analysis results dated June 14, 1993 for Kirtland Air Force Base (KAFB) Golf Course Main Pond and the Base Sewage Lagoons. Receipt of this data is hereby considered documentation for completion of field activities required by the approved closure plans for the aforementioned units.

Pursuant to the New Mexico Hazardous Waste Management Regulations (HWMR-7) Part VI, 40 CFR 265.115, KAFB must now submit to NMED a certification of closure with supporting documentation no later than August 13, 1993 (60 days after completion of closure activities). The closure certification report must include the details of any variance from the approved closure plans and the reason for the variance, as well as a certification that the report is accurate and complete.

In order to demonstrate that there have been no impacts above Health-Based Action Levels to the groundwater from these closing units, KAFB must submit any and all groundwater quality data pertinent to monitoring wells 0501, 0502, 0503, 0504, 0602, 0608, 0609, and 0610 from December 1990 to present. If there are any other data collected in conjunction with this closure that KAFB wants to be considered in NMED's decision of whether or not to grant clean closure of these units, it must be provided with the



KAFB 7/6/93 Pg. 2

certification report for our review. The following is a list of supporting documents that have already been supplied to HRMB and need not be resubmitted:

Basewide Closure Plan, 9/10/91;

Unit Closure Plan for Golf Course Main Pond, 9/10/91;

Unit Closure Plan for Base Sewage Lagoons, 9/10/91;

Installation Restoration Program (IRP) Stage 2 Interim Technical Information Report (Sites 5-7), 9/90;

USAF IRP Sampling and Analysis Plan, 11/92;

Assaigai Analytical Laboratories Proposed Sampling Program, Revision 1, 5/7/93;

Assaigai Analytical Laboratories drilling, sampling, and analytical report, 6/14/93;

If there are any questions concerning this matter, please contact Ms. Stephanie Stoddard of my staff at (505)827-4308.

Sincerely,

Barbara Hoditschek, Program Manager

RCRA Permits

xc: Steve Alexander

File Red 93