

DEPARTMENT OF THE AIR FORCE  
Headquarters 377th Air Base Wing (AFMC)

9 Dec 94

MEMORANDUM FOR SEE DISTRIBUTION

FROM: 377 ABW/EMR  
2000 Wyoming Blvd SE  
Kirtland AFB NM 87117-5659

SUBJECT: Additional Corrections to Stage 2B RFI Report

1. The Compliance Branch recently completed an in-house survey of KAFB's oil/water separators (OWS); the survey included a dye trace test to determine to which utility the separators discharge. Their survey and subsequent review of the Stage 2B RFI Report revealed several previously unknown discrepancies:

a. Buildings 333/334, ST-203 and ST-204: These two OWS discharge to the **storm sewer** vice sanitary sewer.

b. Building 381, ST-212: This OWS discharges to the **sanitary sewer** vice storm sewer.

c. Building 23226, ST-263: This OWS discharges to the **storm sewer** vice sanitary sewer.

2. **For EPA Region 6 and NMED:** The Compliance Branch has taken STs-203, -204, and -263 out of service.

3. **For Brown & Root Environmental:** Please ensure these changes are incorporated into the final RFI report, and add a statement that STs-203, -204, and -263 have been taken out of service.

4. Please contact Mr. Stephen Lee or me if you have any questions.

  
CHRISTOPHER B. DeWITT, R.P.G.  
Chief, Restoration Branch  
Environmental Management Division

KAFB1550



**DISTRIBUTION:**

Mr. Kevin Walter  
Brown & Root Environmental  
Gateway Office Park, Ste 201  
2021 Girard Blvd SE  
Albuquerque NM 87106

Ms. Nancy Morlock, Env. Engineer  
RCRA Permits Branch  
U.S. EPA Region 6  
1445 Ross Ave, Ste 1200  
Dallas TX 75202-2733

Mr. Roger Clark, Ph.D.  
Brown & Root Environmental  
661 Andersen Dr.  
Pittsburgh PA 15220-2745

Mr. Steve Pullen, DSMOA  
Hazardous & Radioactive Mat Bureau  
New Mexico Environment Department  
525 Camino de los Marquez, Ste 4  
Santa Fe NM 87502

Mr. Rod Arnold  
AFCEE/ESR  
8001 Enter Circle Dr., Ste 2  
Brooks AFB TX 78235-5328

Mr. Alan Waite  
HQ AFMC/CEVR  
4225 Logistics Ave, Ste 8  
Wright-Patterson AFB OH 45433-5747