

88488
Tuesday, May 3, 2005 (2)

California Home



[Cal/Ecotox Home](#)

[Species](#)

[Chemical](#)

[Reports](#)

[About](#)

[Contact Us](#)

[Links](#)

Cal/Ecotox Database

search

My CA



The California Wildlife Biology, Exposure Factor, and Toxicity Database (Cal/Ecotox) is a compilation of physiological and ecological parameters and toxicity data for a number of California fish and wildlife.

Cal/Ecotox Database Species Selector by Common Name




Select common name and click submit button to query for exposure factor and/or toxicity information available in the Cal/Ecotox Database. Alternatively, choose from [species list by scientific name](#).

Search Tip: To identify data for a specific subspecies, query by scientific name.


- Alameda Song Sparrow
- Alameda Whipsnake
- American Kestrel
- Arboreal Salamander
- Arroyo Southwestern Toad
- Audubon's Cottontail
- Audubon's Cottontail (ssp. arizonae)
- Audubon's Cottontail (ssp. audubonii)

submit

(c) 2003 State of California [Conditions of Use](#) [Privacy Policy](#)



14209



[Cal/Ecotox Home](#)

[Species](#)

[Chemical](#)

[Reports](#)

[About](#)

[Contact Us](#)

[Links](#)



Cal/Ecotox Database -
Species Query Results

search

My CA

Species: Southwestern Willow Flycatcher

Exposure Factor: Body Weight - Mean

Yong, Wang, and Deborah M. Finch. 1997. Migration of the willow flycatcher along the middle Rio Grande. *Wilson Bull.* 109(2):253-268.

Endpoint Description :

mean body weight of extimus subspecies

Endpoint Value :

12.73 g, 1.16 SD

Range :

There is no range data available.

[Study Details](#)

