

 ENTERED


*Loretto Community  
Sisters and Comembers  
NM Office  
113 Camino Santiago  
Santa Fe, NM 87501  
505 983-1251*

**RECEIPT**

I, Sally Worthington  
received 49 individually signed letters regarding the lack of groundwater  
protection requirements in proposed hazardous waste permit for Los Alamos  
National Laboratory, collected by the Loretto Community.

Date: May 6, 2010.

Signature: Sally Worthington  
Representing: New Mexico Environment Department



33541



Date: \_\_\_\_\_

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

Date: 5/5/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Kathryn C. Sherlock*  
Address: *1004 Camino Orabi*  
*Santa Fe, NM 87502*

Date: 5-5-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Elana Sue StPere*

Address: *#1 Chavez Tr. Santa Fe NM. 87505*

Date: May 4, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Nancy Armbruster*  
Address: *111 Camino Santiago  
Santa Fe, NM 87501*

*I believe it is incumbent on LANL  
to take seriously suggestions of groundwater  
contamination noted in this letter  
and allay our concerns over  
contamination in our drinking water.*  
*E. Joseph Armbruster  
111 Camino Santiago  
Santa Fe, NM 87501*

Date: 5-4-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Roy S. Sherman*

Address: *120 CAMINO MARTINEZ  
SANTA FE, NM 87501*

Date: 5/4/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

*Amber M. Reed*  
*11 Camino Arroyo*  
*Santa Fe,*  
*NM 87501*

*I do want to trust that you will do the responsible action for the health of our community & environment. Will you?*

Date: 5/4/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

*Ardena Schank*

Address:

*F Firerock Place  
Santa Fe, NM 87508*

*Please do all you  
can to protect our  
precious source of  
water by using  
good drilling techniques  
Thank you*

Date: 5-4-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

*Joan Elk*  
*115 Camino Santiago*  
*Santa Fe 87501*

Date: 5/4/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, 

Name: Lowelle Simms  
Address: 122 Camino Santiago  
Santa Fe, N.M. 87501

Date: May 3, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Natasha Torres*

Address: *126 Camino Santiago #3  
SF, NM 87501*

Date: May 3, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Frederick and Noriko Falkenberg  
Address: 105 Camino Santiago #4  
Santa Fe, NM 87501

Date: 5/3/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Cynthia Piatt*

Name: CYNTHIA PIATT

Address: 109 CAMINO SANTIAGO  
SANTA FE, NM 87501

*Please do what is ethically correct  
for the benefit of humankind in  
New Mexico.*

Date: 5/3/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Betty P. Cauthorne*  
Name: BETTY P. CAUTHORNE  
Address: 121 Camino Santiago  
Santa Fe  
N.M. 87501

Date: S-3-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

*Peter J. Lapolla DT & D.D.S.*  
*Peter J. Lapolla*  
*106 Camino Santa Fe 1200*  
*Santa Fe, NM 87501*

Date: April 27, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: johri.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:


"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely



Name:

Michael J. Shawver

Address:

619 Copper Ave NW  
Albuquerque, NM 87102

Date: April 27, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.


Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

  
Joseph Sandoval

Address:

4901 Bond Ct NW

Albuquerque, NM 87120

Date: 4-27-2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

*Rene Korynto*

Address:

*1111 Jefferson NE  
Alb., NM 87110*

Date: 4-27-2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

*Alfonso Hernandez*

Address:

*806 Columbia  
Ab., NM*

Date: April 27, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Ed Monjarás

Address: 6324 Christy Ave. NE  
Albuq. NM 87109

Date: 5-2-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Sharon Palma

Address:

3 Cebolla Loop  
Jemez Springs, NM  
87025

Date: 5/2/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Karen Knoll*

Name: *KAREN KNOLL*

Address: *PO Box 337  
Jemez Springs,  
NM 87025*

Date: April 26, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Rosamund Evans*  
Name: *Rosamund Evans*

Address: *1417 Adams NE  
Albuquerque, NM 87110*

Date: APRIL 26, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Henry Misserville*

Name: *Henry MISSERVILLE*

Address: *24 MATISSE Rd  
ABO 87123*

Date: April 26, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

*Susan Rodriguez*  
Susan Rodriguez  
7224 Carson Trl. NW  
Albuquerque, NM 87120

Date: 4-26-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.


It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

  
~~Federico~~ Federico Reade  
520 Foothill 87105

Date: 4-26-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, 

Name: RICHARD MOORE

Address: 803 LA VEGA S.W. ALBUQ, NM 87105

Date: 4/26/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Floy Barrett*

Name: *Floy Barrett*

Address: *316 Washington N.E., Abq. 87108*

Date: 4/26/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Lesley Weinstock*

Name:

*Lesley Weinstock*

Address:

*1712 Richmond Dr NE  
ABQ NM 87106*

Date: 4/25/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

*Marlene Perotte*

Name:

Address:

*1004 Major Ave NW  
Albuquerque, NM  
87107*

Date: 4/25/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Chelsea Collonge

Address: 1925 Five Points Rd SW  
Albuquerque NM 87105

Date: 4/26/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, 

Name: Veronica Cruz

Address: 2446 Palomas Dr NE Alb N.M 87110

Date: April 26, 2006

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: johri.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Susan Rodriguez*

Name: Susan Rodriguez

Address: 7224 Carson Trl NW  
Albuquerque, NM 87120

Date: 4-26-2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: johri.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Robert Gomez,

Address: [Signature]

PO Box 1846

Taos NM 87571

Date: 4-24-2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:


"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

  
Name: DONNA ROWE

Address: 10048 MENAUL NE K-22 ABO NM 87112

This is no regular form letter, would you let your family, children, grandchildren, DRINK THIS CRAP? Didn't think so.

Date: 4-24-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Defective wells are worthless & allow LANL to escape its responsibilities to monitor groundwater!

Sincerely,

Name:

Karen Navaro

Address:

12413 Cloudview NE  
Albuquerque, NM 87123

Date: April 24, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

*And, I am concerned about the effects of this contamination on future generations.*  
Thank you for your careful consideration of my comments.

Sincerely,

Name: *Sandra Harold*

Address: *5 Myranda Ct.  
Santa Fe, NM 87508*

Date: April 24, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Ay Celia Sedillo, Sr*

Address: *2617 Kentucky St. NE  
Albuquerque, NM 87110*

Date: 4/23/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

  
Liza Minno Bloom

1925 Five Points Rd SW ABQ NM 87105

Date: 4/24/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Patricia Heron*

Name: PATRICIA HERON

Address: 380 VANCOUVER RD SE  
RIO RANCHO, NM 87124

Date: 4.24-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Mary Nelson

Address:

009 Banco Bonito Rd  
Jemmy Springs NM 87025

Date: April 24, '10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments. *Water is our #1 concern in NM.*

Sincerely,

Name: *Delores Kucicade, S.L.*

Address: *3 Cebolla Loop  
Jemez Springs  
NM 87025*

Date: 4/24/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Derek Bloom

Address: A25 Five points Rd, Albuq. NM, 87105

Water is our life and future. We must protect it.

Date: 04-24-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Donna Kangeter*

Name: *Donna Kangeter*

Address: *205 - Adams NE #3  
Albq. NM 87108*

Date: 4-24-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: johri.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:


"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.


Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, 

Name: 

Address: 

Date: April 23, 2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Address:

*Camy Condon*  
CAMY CONDON  
522 Debonair Dr.  
Los Lunas NM  
87031

Date: 4-27-2010

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Belenbe Ruiz

Address: 14B Carlson Rd Santa Fe NM 87508

Date: 4-21-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

*Prashant Zeehink*

Address:

*PO Box 9858 Santa Fe, NM 87504*

Date: 4/21/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Eric Castonguay*

Name: *Eric Castonguay*

Address: *55 Camino Peralta  
Santa Fe, NM 87507*

Date: 4/22/10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: SCOTT SHUKER

Address: 1616 PASEO DE LA CONQUISTA DORA  
SANTA FE, NM 87501

Date: 4-22-10

John E. Kieling, Program Manager  
Hazardous Waste Bureau - New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303  
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit  
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... ." p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: Tammy Maitland  
Address: 6432 Jaguar Drive  
SF, NM 87507