

Permit

Date: April 13, 2010

 ENTERED

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Dear Mr. Kieling:

I make the following public comments about the February 2, 2010 revised draft Hazardous Waste Permit for Los Alamos National Laboratory (LANL), which will allow the Department of Energy (DOE) and LANL to handle ¼ million pounds of hazardous waste each year during the 10-year permit.

1. **I support the NMED denial of LANL's permit applications for the open air burning of hazardous waste.** LANL has been on notice for more than 21 years that the public does not want them to use our air for disposal of hazardous waste. If DOE/LANL needs to continue to burn hazardous waste, there are alternatives, including confined burn facilities that are designed to capture the emissions. Any permit for confined burned facilities must include limits on the amount and types of waste to be burned, as well as the frequency.

I support NMED requiring DOE/LANL to install confined burn facilities before the permit is finalized as an alternative to open burning. The permit must include limits as to the type and amount of waste and the frequency of the burns.

2. **Public Participation Must Be Early, Often, Meaningful, and Continuous.** The Environmental Protection Agency (EPA) issued enhanced public participation requirements for early, often, meaningful, and continuous contact with the public about the cleanup of the LANL dumpsites. The 25 dumpsites contain "legacy waste," which are dangerous mixtures of wastes contaminated with chemicals and radiation. NMED, DOE and LANL have been lax in fulfilling the public participation requirements, such as holding public meetings on a regular basis, providing documents, and informing the public of opportunities for input into decision-making processes.

The permit must include prescriptive requirements for NMED and DOE/LANL to provide enhanced participation as required by EPA for early, often, continuous, and meaningful contact with the public about both the Compliance Order on Consent (Consent Order) and the Final LANL Permit.

3. DOE/LANL is required to establish an **Information Repository** where permit documents are readily available to the public. NMED is only requiring LANL to create a virtual (electronic) repository. Previous drafts of the permit required both a virtual and physical repository. **EPA supports a physical Information Repository.**

As an act of Restorative Justice and in order to meet the needs of both urban and rural communities and future generations, **NMED must require DOE/LANL to establish both a**

33689



physical Information Repository in the Española Valley, as well as a virtual (electronic) version *before* the permit is finalized.

4. **Emergency Management, Planning, Preparedness and Response.** Over the past 10 years, serious deficiencies in the DOE/LANL Emergency Management and Response Division have been found by several government auditing agencies, including the DOE Inspector General, the Government Accountability Office and the Defense Nuclear Facility Safety Board. The reports described serious problems with LANL fire protection *before* the Cerro Grande Fire of 2000. The new reports describe the ongoing failure to provide fire protection.

I object to NMED allowing DOE/LANL to continue hazardous waste operations without meeting the emergency management, planning, preparedness and response requirements. NMED must conduct a full investigation into the recommendations of the expert reports and require their implementation *before* the permit is finalized.

5. **Seismic Hazard on the Seismically Active Volcanic Pajarito Plateau.** A 2007 report described a 50% increase in the seismic hazard at LANL. It identified many deficiencies in the knowledge of the seismic hazard and made recommendations for further field studies. It also identified the failure of DOE/LANL to install and operate a reliable network of seismic instruments (seismometers) to accurately monitor the seismic hazard from ground motions. The current network consists of uncalibrated seismometers at only three locations.

I object to NMED allowing DOE/LANL to continue hazardous waste operations without the necessary field studies and without a reliable network of seismometers. NMED must conduct a full investigation into the recommendations of these seismic reviews *before* the permit is finalized.

6. **Financial Assurance Requirements.** DOE/LANL and its contractor do not want to provide the financial documents to ensure that funding is available to cleanup the contaminated facilities at LANL when they are done using them.

I support NMED requirements in the revised draft permit that DOE/LANL must meet all of the financial assurance requirements for each of the 24 hazardous waste management units.

7. **Additional Comments.**

Sincerely,

Name:

Tania Zubovitch

Address:

PO Box 552, Chama NM 87522

Email:

Date: 4-30-10

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: 4/30/10

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.


Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: 1-31-10

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: 4/30/10

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... " p. 62.


Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: 4/30/10

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54 ... " p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: 

Date: 30 April, 2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: 4/30/10

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, 

Name:

Date: April 30, 2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name: *Bernard J. Mc Intyre*

Date: _____

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.


I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, 

Name: 5/1/10

Date: 5-1-2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.


Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: 5-1-2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely, *Devin S. Kholse*

Name:

Date: May 2, 2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Shady Braz Tondo
509 Keleher Ave NW
Albuquerque, NM 87102

Date: 5/2/2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

J. M. Hieslman
6134 4th St NW, Apt. 82
ABQ, NM 87107

Date: MAY 5, 2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:



Date: May 5, 2010

John E. Kieling, Program Manager
Hazardous Waste Bureau - New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
E-mail: john.kieling@state.nm.us

Re: Lack of Groundwater Protection Requirements in Proposed Hazardous Waste Permit
for Los Alamos National Laboratory

Dear Mr. Kieling:

I provide the following public comments about the lack of groundwater protection requirements in the proposed Hazardous Waste Permit for Los Alamos National Laboratory (LANL).

The Environmental Protection Agency (EPA) has designated the Española Basin as a sole source aquifer, meaning that the Española Basin is the sole drinking water source for the area between the Jemez and Sangre de Cristo Mountains, running from Tres Piedras, to the north, to almost Galisteo, to the south.

Since operations began in 1943, LANL has buried over 21 million cubic feet of radioactive, hazardous and toxic wastes in unlined pits, trenches and shafts dug into the volcanic tuff. The LANL groundwater monitoring network has been under development since 1998 and has yet to provide reliable and representative samples of groundwater from the regional aquifer.

I am particularly concerned about the lack of detection and compliance groundwater monitoring for the "regulated units," Areas G, H and L, at Technical Area 54 (TA-54). I quote the March 19, 2010 written testimony by James Bearzi, Bureau Chief of the NMED Hazardous Waste Bureau:

"... groundwater contamination has already been detected beneath the regulated units at TA-54" p. 62.

Groundwater beneath LANL discharges to the springs at the Rio Grande. Albuquerque residents are already drinking water from the Rio Grande and Santa Fe residents will begin next spring.

It is time to get back to basics. NMED must require LANL to install wells drilled only with air. These wells must be able to detect contamination and provide the necessary information in order to implement corrective action, or "cleanup," in an efficient and cost effective manner. Already too much taxpayer money has been wasted drilling defective wells, collecting and analyzing samples from defective wells and reporting data to the public that is unreliable.

Thank you for your careful consideration of my comments.

Sincerely,

Name:

Noema Ugueda