

memorandum

Albuquerque Operations Office

Los Alamos Area Office

Los Alamos, New Mexico 87544

DATE: NOV 21 1994

REPLY TO

ATTN OF: LAAMEP:2BK-002

SUBJECT: Notice of Deficiency (NOD) for OU 1071, SWMU 0-039 Sampling Plan

File
OK 1071

Back to...
Jan 10/94
...

TO: Jorg Jansen, Program Manager, EM/ER, LANL, MS-M992

EPA Region 6 has issued a NOD for the Sampling Plan for SWMU 0-039. Attached with this memorandum is the letter of notification, received at LAAO on November 14, 1994, and associated NOD comments. The letter of notification requires that EPA's comments be addressed no later than December 2, 1994. Please submit a draft response to LAAO no later than November 30, 1994.

If you have any questions regarding this matter, please call me at 665-7203, or Bonnie Koch of my staff at 665-7202.

2 *UG Storage Tanks leaked dry cleaning fluid. AEC originally installed & operated*

Theodore J. Taylor
Theodore J. Taylor
Program Manager
Environmental Restoration Program

Attachment

- cc w/attachment:
- K. Sisneros
New Mexico Environment Dept.
1190 St. Francis Dr.
P. O. Box 26110
Santa Fe, NM 87502
- W. Spurgeon, EM-452, HQ
- E. Merrill, EM-452, HQ
- T. Taylor, AAMEP, LAAO
- B. Swanton, NMED-AIP, LANL, MS-J993
- J. White, ESH-18, LANL, MS-K497
- G. Allen, CST-18, LANL, MS-E525
- J. Levings, ERPO, AL

- cc w/o attachment:
- B. Koch, AAMEP, LAAO
- K. Schenck, Scientech, LAAO
- T. Baca, EM, LANL, MS-J591
- RPF, LANL, MS-M707

see also 10/20/94 letter in ou 1071 file (can)



TZ