19th Edition 1995

Franson 1995
ER ID # 56405

20

Standard Methods

for the Examination of Water and Wastewater

Prepared and published jointly by

AMERICAN PUBLIC HEALTH ASSOCIATION
AMERICAN WATER WORKS ASSOCIATION
WATER ENVIRONMENT FEDERATION

Joint Editorial Board
ANDREW D. EATON, AWWA, *Chair*
LENORE S. CLESCERI, WEF
ARNOLD E. GREENBERG, APHA

Managing Editor
MARY ANN H. FRANSON

Publication Office
AMERICAN PUBLIC HEALTH ASSOCIATION
1015 Fifteenth Street, NW

7399

SEP 11 1997

TABLE OF CONTENTS

PAGE

Part 1000 INTRODUCTION
1010 INTRODUCTION 1-1
A. Scope and Application of Methods . . 1-1
B. Statistics 1-1
C. Glossary 1-3
1020 QUALITY ASSURANCE 1-4
A. Introduction 1-4
B. Quality Control 1-4
C. Quality Assessment. 1-7
1030 DATA QUALITY 1-8
A. Introduction 1-8
B. Bias 1-9
C. Precision 1-9
D. Total Uncertainty 1-10
E. Method Detection Level 1-10
F. Checking Correctness of Analyses . . 1-12
1040 METHOD DEVELOPMENT AND EVALUATION 1-13
A. Introduction 1-13
B. Method Validation 1-13
C. Collaborative Testing 1-15
1050 EXPRESSION OF RESULTS 1-16
A. Units 1-16
B. Significant Figures 1-17
1060 COLLECTION AND PRESERVATION OF SAMPLES 1-18
A. Introduction 1-18
B. Collection of Samples. 1-19
C. Sample Preservation 1-24
1080 REAGENT-GRADE WATER 1-25
A. Introduction 1-25
B. Methods for Preparation of Reagent-Grade Water 1-26
C. Reagent Water Quality 1-26
1090 LABORATORY OCCUPATIONAL HEALTH AND SAFETY 1-27
A. Introduction 1-27
B. Safe Laboratory Practices 1-28
C. Laboratory Facility/Fixed Equipment 1-34
D. Hazard Evaluation 1-35
E. Personal Protective Equipment. . . . 1-35
F. Worker Protection Medical Program 1-38
G. Provisions for Work With Particularly Hazardous Substances 1-39
H. Biological Safety 1-40
I. Radiological Safety 1-41
J. Chemical Hygiene Plan 1-43
1100 WASTE MINIMIZATION AND DISPOSAL . . 1-44
A. Introduction 1-44
B. Waste Minimization 1-44
C. Waste Treatment and Disposal. . . . 1-45

Part 2000 PHYSICAL AND AGGREGATE PROPERTIES
2000 INTRODUCTION 2-1
2020 QUALITY CONTROL 2-1
2110 APPEARANCE 2-1
2120 COLOR 2-1
A. Introduction 2-1
B. Visual Comparison Method 2-1
C. Spectrophotometric Method 2-1
D. Tristimulus Filter Method 2-4
E. ADMI Tristimulus Filter Method. . . 2-7
2130 TURBIDITY 2-8
A. Introduction 2-8
B. Nephelometric Method 2-8
2150 ODOR 2-11
A. Introduction 2-11
B. Threshold Odor Test 2-12
2160 TASTE 2-15
A. Introduction . . . . . [illegible]
B. Flavor Threshold Test (FTT) . . . . [illegible]
C. Flavor Rating Assessment (FRA) . . 2-18
2170 FLAVOR PROFILE ANALYSIS (PROPOSED) 2-19
A. Introduction 2-19
B. Flavor Profile Analysis 2-19
2310 ACIDITY 2-23
A. Introduction 2-23
B. Titration Method. 2-23
2320 ALKALINITY 2-25
A. Introduction 2-25
B. Titration Method. 2-26
2330 CALCIUM CARBONATE SATURATION . . . 2-28
A. Introduction 2-28
B. Indices Indicating Tendency of a Water to Precipitate $CaCO_3$ or Dissolve $CaCO_3$ 2-29
C. Indices Predicting the Quantity of $CaCO_3$ That Can Be Precipitated or Dissolved 2-33
D. Diagrams and Computer Codes for $CaCO_3$ Indices 2-33
2340 HARDNESS 2-35
A. Introduction 2-35
B. Hardness by Calculation . . . . . [illegible]
C. EDTA Titrimetric Method . . . . . [illegible]
2350 OXIDANT DEMAND/REQUIREMENT (PROPOSED) 2-38
A. Introduction 2-38
B. Chlorine Demand/Requirement . . . 2-39
C. Chlorine Dioxide Demand/ [illegible]

D. Ozone Demand/Requirement—Batch Method . . . 2-41
E. Ozone Demand/Requirement Semi-Batch Method . . . 2-42
2510 CONDUCTIVITY . . . 2-43
A. Introduction . . . 2-43
B. Laboratory Method . . . 2-45
2520 SALINITY . . . 2-46
A. Introduction . . . 2-46
B. Electrical Conductivity Method . . . 2-47
C. Density Method . . . 2-48
D. Algorithm of Practical Salinity . . . 2-48
2530 FLOATABLES . . . 2-49
A. Introduction . . . 2-49
B. Particulate Floatables (GENERAL) . . . 2-49
C. Trichlorotrifluoroethane-Soluble Floatable Oil and Grease (GENERAL) . . . 2-51
2540 SOLIDS . . . 2-53
A. Introduction . . . 2-53
B. Total Solids Dried at 103–105°C . . . 2-54
C. Total Dissolved Solids Dried at 180°C . . . 2-55
D. Total Suspended Solids Dried at 103–105°C . . . 2-56
E. Fixed and Volatile Solids Ignited at 550°C . . . 2-57
F. Settleable Solids . . . 2-57
G. Total, Fixed, and Volatile Solids in Solid and Semisolid Samples . . . 2-58
2550 TEMPERATURE . . . 2-59
A. Introduction . . . 2-59
B. Laboratory and Field Methods . . . 2-59
2560 PARTICLE COUNTING AND SIZE DISTRIBUTION (PROPOSED) . . . 2-60
A. Introduction . . . 2-60
B. Electrical Sensing Zone Method . . . 2-64
C. Light-Blockage Methods . . . 2-65
D. Light-Scattering Method . . . 2-66
2570 ASBESTOS . . . 2-68
A. Introduction . . . 2-68
B. Transmission Electron Microscopy Method . . . 2-68
2580 OXIDATION-REDUCTION POTENTIAL (ORP) (PROPOSED) . . . 2-73
A. Introduction . . . 2-73
B. Oxidation-Reduction Potential Measurement in Clean Water . . . 2-74
2710 TESTS ON SLUDGES . . . 2-77
A. Introduction . . . 2-77
B. Oxygen-Consumption Rate . . . 2-77
C. Settled Sludge Volume . . . 2-78
D. Sludge Volume Index . . . 2-79
E. Zone Settling Rate . . . 2-79
F. Specific Gravity . . . 2-80
G. Capillary Suction Time . . . 2-81
H. Time-to-Filter . . . 2-82
2720 ANAEROBIC SLUDGE DIGESTER GAS ANALYSIS . . . 2-83
A. Introduction . . . 2-83
B. Volumetric Method . . . 2-8
C. Gas Chromatographic Method . . . 2-8
2810 DISSOLVED GAS SUPERSATURATION . . . 2-8
A. Introduction . . . 2-8
B. Direct-Sensing Membrane-Diffusion Method . . . 2-8

Part 3000 METALS
3010 INTRODUCTION . . . 3-1
A. General Discussion . . . 3-1
B. Sampling and Sample Preservation . . . 3-1
C. General Precautions . . . 3-2
3020 QUALITY CONTROL . . . 3-2
3030 PRELIMINARY TREATMENT OF SAMPLES . . . 3-3
A. Introduction . . . 3-3
B. Filtration for Dissolved and Suspended Metals . . . 3-3
C. Treatment for Acid-Extractable Metals . . . 3-4
D. Digestion for Metals . . . 3-4
E. Nitric Acid Digestion . . . 3-5
F. Nitric Acid-Hydrochloric Acid Digestion . . . 3-5
G. Nitric Acid-Sulfuric Acid Digestion . . . 3-6
H. Nitric Acid-Perchloric Acid Digestion . . . 3-6
I. Nitric Acid-Perchloric Acid-Hydrofluoric Acid Digestion . . . 3-6
J. Dry Ashing . . . 3-7
K. Microwave-Assisted Digestion (PROPOSED) . . . 3-7
3110 METALS BY ATOMIC ABSORPTION SPECTROMETRY . . . 3-9
3111 METALS BY FLAME ATOMIC ABSORPTION SPECTROMETRY . . . 3-9
A. Introduction . . . 3-9
B. Direct Air-Acetylene Flame Method . . . 3-13
C. Extraction/Air-Acetylene Flame Method . . . 3-15
D. Direct Nitrous Oxide-Acetylene Flame Method . . . 3-16
E. Extraction/Nitrous Oxide-Acetylene Flame Method . . . 3-17
3112 METALS BY COLD-VAPOR ATOMIC ABSORPTION SPECTROMETRY . . . 3-18
A. Introduction . . . 3-18
B. Cold-Vapor Atomic Absorption Spectrometric Method . . . 3-18
3113 METALS BY ELECTROTHERMAL ATOMIC ABSORPTION SPECTROMETRY . . . 3-20
A. Introduction . . . 3-20
B. Electrothermal Atomic Absorption Spectrometric Method . . . 3-22
3114 ARSENIC AND SELENIUM BY HYDRIDE GENERATION/ATOMIC ABSORPTION SPECTROMETRY . . . 3-28
A. Introduction

B. Manual Hydride Generation/Atomic Absorption Spectrometric Method 3-28
C. Continuous Hydride Generation/Atomic Absorption Spectrometric Method . . . 3-32

3120 METALS BY PLASMA EMISSION SPECTROSCOPY . . . 3-33
A. Introduction . . . 3-33
B. Inductively Coupled Plasma (ICP) Method . . . 3-34

3130 METALS BY ANODIC STRIPPING VOLTAMMETRY (PROPOSED) . . . 3-39
A. Introduction . . . 3-39
B. Determination of Lead and Cadmium 3-40

3500-Al ALUMINUM . . . 3-43
A. Introduction . . . 3-43
B. Atomic Absorption Spectrometric Method . . . 3-43
C. Inductively Coupled Plasma Method 3-43
D. Eriochrome Cyanine R Method . . . 3-43
E. Automated Pyrocatechol Violet (PCV) Method . . . 3-46

3500-Sb ANTIMONY . . . 3-49
A. Introduction . . . 3-49
B. Atomic Absorption Spectrometric Method . . . 3-49
C. Inductively Coupled Plasma Method 3-49

3500-As ARSENIC . . . 3-49
A. Introduction . . . 3-49
B. Atomic Absorption Spectrometric Method . . . 3-50
C. Silver Diethyldithiocarbamate Method 3-50
D. Inductively Coupled Plasma Method 3-52

3500-Ba BARIUM . . . 3-52
A. Introduction . . . 3-52
B. Atomic Absorption Spectrometric Method . . . 3-52
C. Inductively Coupled Plasma Method 3-52

3500-Be BERYLLIUM . . . 3-52
A. Introduction . . . 3-52
B. Atomic Absorption Spectrometric Method . . . 3-52
C. Inductively Coupled Plasma Method 3-53
D. Aluminon Method . . . 3-53

3500-Bi BISMUTH . . . 3-54
A. Introduction . . . 3-54
B. Atomic Absorption Spectrometric Method . . . 3-54

3500-Cd CADMIUM . . . 3-54
A. Introduction . . . 3-54
B. Atomic Absorption Spectrometric Method . . . 3-54
C. Inductively Coupled Plasma Method 3-55
D. Dithizone Method . . . 3-55

3500-Ca CALCIUM . . . 3-56
A. Introduction . . . 3-56
B. Atomic Absorption Spectrometric Method . . . 3-5
C. Inductively Coupled Plasma Method 3-5
D. EDTA Titrimetric Method . . . 3-5

3500-Cs CESIUM . . . 3-5
A. Introduction . . . 3-5
B. Atomic Absorption Spectrometric Method . . . 3-5

3500-Cr CHROMIUM . . . 3-5
A. Introduction . . . 3-5
B. Atomic Absorption Method for Total Chromium . . . 3-5
C. Inductively Coupled Plasma Method 3-5
D. Colorimetric Method . . . 3-5
E. Ion Chromatographic Method . . . 3-6

3500-Co COBALT . . . 3-6
A. Introduction . . . 3-6
B. Atomic Absorption Spectrometric Method . . . 3-6
C. Inductively Coupled Plasma Method 3-6

3500-Cu COPPER . . . 3-6
A. Introduction . . . 3-6
B. Atomic Absorption Spectrometric Method . . . 3-6
C. Inductively Coupled Plasma Method
D. Neocuproine Method . . .
E. Bathocuproine Method . . . 3-6

3500-Au GOLD . . . 3-6
A. Introduction . . . 3-6
B. Atomic Absorption Spectrometric Method . . . 3-6

3500-Ir IRIDIUM . . . 3-6
A. Introduction . . . 3-6
B. Atomic Absorption Spectrometric Method . . . 3-6

3500-Fe IRON . . . 3-6
A. Introduction . . . 3-6
B. Atomic Absorption Spectrometric Method . . . 3-6
C. Inductively Coupled Plasma Method 3-6
D. Phenanthroline Method . . . 3-6

3500-Pb LEAD . . . 3-7
A. Introduction . . . 3-7
B. Atomic Absorption Spectrometric Method . . . 3-7
C. Inductively Coupled Plasma Method 3-7
D. Dithizone Method . . . 3-7

3500-Li LITHIUM . . . 3-7
A. Introduction . . .
B. Atomic Absorption Spectrometric Method . . . 3-7
C. Inductively Coupled Plasma Method 3-7
D. Flame Emission Photometric Method 3-7

3500-Mg MAGNESIUM . . . 3-7
A. Introduction . . . 3-7

B. Atomic Absorption Spectrometric Method . . . 3-75
C. Inductively Coupled Plasma Method 3-75
D. Gravimetric Method . . . 3-75
E. Calculation Method . . . 3-76
3500-Mn MANGANESE . . . 3-76
A. Introduction . . . 3-76
B. Atomic Absorption Spectrometric Method . . . 3-76
C. Inductively Coupled Plasma Method 3-77
D. Persulfate Method . . . 3-77
3500-Hg MERCURY . . . 3-78
A. Introduction . . . 3-78
B. Cold-Vapor Atomic Absorption Method . . . 3-79
C. Dithizone Method . . . 3-79
3500-Mo MOLYBDENUM . . . 3-80
A. Introduction . . . 3-80
B. Atomic Absorption Spectrometric Method . . . 3-80
C. Inductively Coupled Plasma Method 3-80
3500-Ni NICKEL . . . 3-80
A. Introduction . . . 3-80
B. Atomic Absorption Spectrometric Method . . . 3-81
C. Inductively Coupled Plasma Method 3-81
3500-Os OSMIUM . . . 3-81
A. Introduction . . . 3-81
B. Atomic Absorption Spectrometric Method . . . 3-81
3500-Pd PALLADIUM . . . 3-81
A. Introduction . . . 3-81
B. Atomic Absorption Spectrometric Method . . . 3-81
3500-Pt PLATINUM . . . 3-82
A. Introduction . . . 3-82
B. Atomic Absorption Spectrometric Method . . . 3-82
3500-K POTASSIUM . . . 3-82
A. Introduction . . . 3-82
B. Atomic Absorption Spectrometric Method . . . 3-82
C. Inductively Coupled Plasma Method 3-82
D. Flame Photometric Method . . . 3-83
E. Potassium-Selective Electrode Method 3-83
3500-Re RHENIUM . . . 3-84
A. Introduction . . . 3-84
B. Atomic Absorption Spectrometric Method . . . 3-84
3500-Rh RHODIUM . . . 3-85
A. Introduction . . . 3-85
B. Atomic Absorption Spectrometric Method . . . 3-85
3500-Ru RUTHENIUM . . . 3-85
A. Introduction . . . 3-85
B. Atomic Absorption Spectrometric Method . . . 3-85
3500-Se SELENIUM . . . 3-85
A. Introduction . . . 3-85
B. Sample Preparation . . . 3-87
C. Continuous Hydride Generation/Atomic Absorption Spectrometric Method . . . 3-89
D. Colorimetric Method . . . 3-89
E. Fluorometric Method . . . 3-90
F. Determination of Volatile Selenium . 3-91
G. Determination of Nonvolatile Organic Selenium Compounds . . . 3-91
H. Electrothermal Atomic Absorption Spectrometric Method . . . 3-93
I. Inductively Coupled Plasma Method 3-93
3500-Ag SILVER . . . 3-93
A. Introduction . . . 3-93
B. Atomic Absorption Spectrometric Method . . . 3-94
C. Inductively Coupled Plasma Method 3-94
D. Dithizone Method . . . 3-94
3500-Na SODIUM . . . 3-96
A. Introduction . . . 3-96
B. Atomic Absorption Spectrometric Method . . . 3-96
C. Inductively Coupled Plasma Method 3-96
D. Flame Emission Photometric Method 3-96
3500-Sr STRONTIUM . . . 3-98
A. Introduction . . . 3-98
B. Atomic Absorption Spectrometric Method . . . 3-98
C. Inductively Coupled Plasma Method 3-98
D. Flame Emission Photometric Method 3-99
3500-Tl THALLIUM . . . 3-100
A. Introduction . . . 3-100
B. Atomic Absorption Spectrometric Method . . . 3-100
C. Inductively Coupled Plasma Method 3-100
3500-Th THORIUM . . . 3-100
A. Introduction . . . 3-100
B. Atomic Absorption Spectrometric Method . . . 3-100
3500-Sn TIN . . . 3-101
A. Introduction . . . 3-101
B. Atomic Absorption Spectrometric Method . . . 3-101
3500-Ti TITANIUM . . . 3-101
A. Introduction . . . 3-101
B. Atomic Absorption Spectrometric Method . . . 3-101
3500-V VANADIUM . . . 3-101
A. Introduction . . . 3-101
B. Atomic Absorption Spectrometric Method . . . 3-102
C. Inductively Coupled Plasma Method 3-102
D. Gallic Acid Method . . . 3-102
3500-Zn ZINC . . . 3-103
A. Introduction . . . 3-103

B. Atomic Absorption Spectrometric Method . . . 3-103
C. Inductively Coupled Plasma Method 3-103
D. Dithizone Method I . . . 3-104
E. Dithizone Method II . . . 3-105
F. Zincon Method . . . 3-106

Part 4000 INORGANIC NONMETALLIC CONSTITUENTS
4010 INTRODUCTION . . . 4-1
4020 QUALITY CONTROL . . . 4-1
4110 DETERMINATION OF ANIONS BY ION CHROMATOGRAPHY . . . 4-1
A. Introduction . . . 4-1
B. Ion Chromatography with Chemical Suppression of Eluent Conductivity 4-1
C. Single-Column Ion Chromatography with Electronic Suppression of Eluent Conductivity and Conductimetric Detection (PROPOSED) . . . 4-6
4500-B BORON . . . 4-8
A. Introduction . . . 4-8
B. Curcumin Method . . . 4-8
C. Carmine Method . . . 4-10
D. Inductively Coupled Plasma Method 4-10
4500-Br^- BROMIDE . . . 4-10
A. Introduction . . . 4-10
B. Phenol Red Colorimetric Method . . . 4-11
C. Ion Chromatographic Method . . . 4-12
4500-CO_2 CARBON DIOXIDE . . . 4-12
A. Introduction . . . 4-12
B. Nomographic Determination of Free Carbon Dioxide and the Three Forms of Alkalinity . . . 4-12
C. Titrimetric Method for Free Carbon Dioxide . . . 4-17
D. Carbon Dioxide and Forms of Alkalinity by Calculation . . . 4-17
4500-CN^- CYANIDE . . . 4-18
A. Introduction . . . 4-18
B. Preliminary Treatment of Samples . . . 4-21
C. Total Cyanide after Distillation . . . 4-23
D. Titrimetric Method . . . 4-24
E. Colorimetric Method . . . 4-24
F. Cyanide-Selective Electrode Method 4-26
G. Cyanides Amenable to Chlorination after Distillation . . . 4-27
H. Cyanides Amenable to Chlorination without Distillation (Short-Cut Method) . . . 4-28
I. Weak Acid Dissociable Cyanide . . . 4-30
J. Cyanogen Chloride . . . 4-31
K. Spot Test for Sample Screening . . . 4-32
L. Cyanates . . . 4-33
M. Thiocyanate . . . 4-34

4500-Cl CHLORINE (RESIDUAL) . . . 4-
A. Introduction . . . 4-
B. Iodometric Method I . . . 4-
C. Iodometric Method II . . . 4-
D. Amperometric Titration Method . . . 4-
E. Low-Level Amperometric Titration Method . . . 4-
F. DPD Ferrous Titrimetric Method . . . 4-
G. DPD Colorimetric Method . . . 4-
H. Syringaldazine (FACTS) Method . . . 4-
I. Iodometric Electrode Technique . . . 4-
4500-Cl^- CHLORIDE . . . 4-
A. Introduction . . . 4-
B. Argentometric Method . . . 4-
C. Mercuric Nitrate Method . . . 4-
D. Potentiometric Method . . . 4-
E. Automated Ferricyanide Method . . . 4-
F. Ion Chromatographic Method . . . 4-
4500-ClO_2 CHLORINE DIOXIDE . . . 4-
A. Introduction . . . 4-
B. Iodometric Method . . . 4-
C. Amperometric Method I . . . 4-
D. DPD Method . . . 4-
E. Amperometric Method II . . . 4-
4500-F^- FLUORIDE . . . 4-
A. Introduction . . . 4-
B. Preliminary Distillation Step . . . 4-
C. Ion-Selective Electrode Method . . . 4-
D. SPADNS Method . . . 4-
E. Complexone Method . . . 4-
F. Ion Chromatographic Method . . . 4-
4500-H^+ pH VALUE . . . 4-
A. Introduction . . . 4-
B. Electrometric Method . . . 4-
4500-I IODINE . . . 4-
A. Introduction . . . 4-
B. Leuco Crystal Violet Method . . . 4-
C. Amperometric Titration Method . . . 4-
4500-I^- IODIDE . . . 4-
A. Introduction . . . 4-
B. Leuco Crystal Violet Method . . . 4-
C. Catalytic Reduction Method . . . 4-
4500-N NITROGEN . . . 4-
4500-NH_3 NITROGEN (AMMONIA) . . . 4-
A. Introduction . . . 4-
B. Preliminary Distillation Step . . . 4-
C. Titrimetric Method . . . 4-
D. Ammonia-Selective Electrode Method 4-
E. Ammonia-Selective Electrode Method Using Known Addition . . . 4-
F. Phenate Method . . . 4-
G. Automated Phenate Method . . . 4-
4500-NO_2^- NITROGEN (NITRITE) . . . 4-
A. Introduction . . . 4-
B. Colorimetric Method . . . 4-
C. Ion Chromatographic Method . . . 4-

4500-NO_3^- NITROGEN (NITRATE) 4-85
A. Introduction 4-85
B. Ultraviolet Spectrophotometric Screening Method 4-85
C. Ion Chromatographic Method 4-86
D. Nitrate Electrode Method 4-86
E. Cadmium Reduction Method 4-87
F. Automated Cadmium Reduction Method 4-88
G. Titanous Chloride Reduction Method 4-90
H. Automated Hydrazine Reduction Method 4-90
4500-N_{org} NITROGEN (ORGANIC) 4-91
A. Introduction 4-91
B. Macro-Kjeldahl Method. 4-92
C. Semi-Micro-Kjeldahl Method 4-92
D. Persulfate Method (PROPOSED) . . 4-95
4500-O OXYGEN (DISSOLVED) 4-96
A. Introduction 4-96
B. Iodometric Methods 4-97
C. Azide Modification 4-98
D. Permanganate Modification 4-100
E. Alum Flocculation Modification . . . 4-101
F. Copper Sulfate-Sulfamic Acid Flocculation Modification 4-101
G. Membrane Electrode Method 4-102
4500-O_3 OZONE (RESIDUAL) 4-104
A. Introduction 4-104
B. Indigo Colorimetric Method 4-104
4500-P PHOSPHORUS 4-106
A. Introduction 4-106
B. Sample Preparation. 4-109
C. Vanadomolybdophosphoric Acid Colorimetric Method 4-111
D. Stannous Chloride Method 4-112
E. Ascorbic Acid Method 4-113
F. Automated Ascorbic Acid Reduction Method 4-114
4500-Si SILICON 4-115
A. Introduction 4-115
B. Atomic Absorption Spectrometric Method 4-117
C. Gravimetric Method 4-117
D. Molybdosilicate Method. 4-118
E. Heteropoly Blue Method 4-120
F. Automated Method for Molybdate-Reactive Silica 4-121
G. Inductively Coupled Plasma Method 4-122
4500-S^{2-} SULFIDE 4-122
A. Introduction 4-122
B. Separation of Soluble and Insoluble Sulfides 4-123
C. Sample Pretreatment to Remove Interfering Substances or to Concentrate the Sulfide 4-124
D. Methylene Blue Method 4-124
E. Gas Dialysis, Automated Methylene Blue Method 4-126
F. Iodometric Method. 4-127
G. Ion-Selective Electrode Method . . . 4-127
H. Calculation of Un-ionized Hydrogen Sulfide 4-129
4500-SO_3^{2-} SULFITE 4-131
A. Introduction 4-131
B. Iodometric Method. 4-132
C. Phenanthroline Method 4-133
4500-SO_4^{2-} SULFATE 4-134
A. Introduction 4-134
B. Ion Chromatographic Method 4-134
C. Gravimetric Method with Ignition of Residue 4-135
D. Gravimetric Method with Drying of Residue 4-136
E. Turbidimetric Method 4-136
F. Automated Methylthymol Blue Method 4-124

Part 5000 AGGREGATE ORGANIC CONSTITUENTS
5010 INTRODUCTION 5-1
A. General Discussion 5-1
B. Sample Collection and Preservation . 5-1
5020 QUALITY CONTROL 5-1
5210 BIOCHEMICAL OXYGEN DEMAND (BOD) 5-2
A. Introduction 5-2
B. 5-Day BOD Test. 5-3
C. Ultimate BOD Test (PROPOSED). . 5-6
D. Respirometric Method (PROPOSED) 5-9
5220 CHEMICAL OXYGEN DEMAND (COD) . . 5-12
A. Introduction 5-12
B. Open Reflux Method 5-13
C. Closed Reflux, Titrimetric Method . . 5-14
D. Closed Reflux, Colorimetric Method 5-15
5310 TOTAL ORGANIC CARBON (TOC) 5-16
A. Introduction 5-16
B. Combustion-Infrared Method 5-17
C. Persulfate-Ultraviolet Oxidation Method 5-19
D. Wet Oxidation Method 5-20
5320 DISSOLVED ORGANIC HALOGEN 5-22
A. Introduction 5-22
B. Adsorption-Pyrolysis Titrimetric Method 5-22
5510 AQUATIC HUMIC SUBSTANCES 5-27
A. Introduction 5-27
B. Diethylaminoethyl (DEAE) Method 5-28
C. XAD Method 5-29
5520 OIL AND GREASE 5-30
A. Introduction 5-30
B. Partition-Gravimetric Method 5-31
C. Partition-Infrared Method 5-33
D. Soxhlet Extraction Method 5-34

E. Extraction Method for Sludge Samples 5-34
F. Hydrocarbons 5-35
5530 PHENOLS 5-36
A. Introduction 5-36
B. Cleanup Procedures 5-36
C. Chloroform Extraction Method . . . 5-37
D. Direct Photometric Method 5-39
5540 SURFACTANTS 5-39
A. Introduction 5-39
B. Surfactant Separation by Sublation . . 5-40
C. Anionic Surfactants as MBAS 5-42
D. Nonionic Surfactants as CTAS 5-45
5550 TANNIN AND LIGNIN 5-47
A. Introduction 5-47
B. Colorimetric Method 5-47
5560 ORGANIC AND VOLATILE ACIDS 5-48
A. Introduction 5-48
B. Chromatographic Separation Method for Organic Acids 5-48
C. Distillation Method 5-50
5710 FORMATION OF TRIHALOMETHANES AND OTHER DISINFECTION BY-PRODUCTS (PROPOSED) 5-50
A. Introduction 5-50
B. Trihalomethane Formation Potential (THMFP) 5-53
C. Simulated Distribution System Trihalomethanes (SDS-THM) . . . 5-56
D. Formation of Other Disinfection By-Products (DBPs) 5-58
5910 UV-ABSORBING ORGANIC CONSTITUENTS 5-60
A. Introduction 5-60
B. Ultraviolet Absorption Method . . . 5-60

Part 6000 INDIVIDUAL ORGANIC COMPOUNDS
6010 INTRODUCTION 6-1
A. General Discussion 6-1
B. Sample Collection and Preservation . 6-2
C. Analytical Methods 6-3
6020 QUALITY ASSURANCE/QUALITY CONTROL FOR ORGANIC COMPOUNDS 6-6
A. Introduction 6-6
B. Quality Control Practices 6-6
6040 CONSTITUENT CONCENTRATION BY GAS EXTRACTION 6-7
A. Introduction 6-7
B. Closed-Loop Stripping, Gas Chromatographic/Mass Spectrometric Analysis 6-7
C. Purge and Trap Technique 6-17
6210 VOLATILE ORGANIC COMPOUNDS 6-17
A. Introduction 6-17
B. Purge and Trap Packed-Column Gas Chromatographic/Mass Spectrometric Method I 6-17
C. Purge and Trap Packed-Column Gas Chromatographic/Mass Spectrometric Method II 6-2
D. Purge and Trap Capillary-Column Gas Chromatographic/Mass Spectrometric Method 6-3
6211 METHANE 6-3
A. Introduction 6-3
B. Combustible-Gas Indicator Method. . 6-3
C. Volumetric Method. 6-3
6220 VOLATILE AROMATIC ORGANIC COMPOUNDS 6-3
A. Introduction 6-3
B. Purge and Trap Gas Chromatographic Method I 6-3
C. Purge and Trap Gas Chromatographic Method II 6-4
D. Purge and Trap Gas Chromatographic/Mass Spectrometric Method 6-4
E. Liquid-Liquid Extraction Gas Chromatographic/Mass Spectrometric Method 6-4
6230 VOLATILE HALOCARBONS 6-4
A. Introduction 6-4
B. Purge and Trap Packed-Column Gas Chromatographic Method I . . . .
C. Purge and Trap Packed-Column Gas Chromatographic Method II 6-5
D. Purge and Trap Capillary-Column Gas Chromatographic Method . . . 6-5
E. Purge and Trap Gas Chromatographic/Mass Spectrometric Method 6-5
6231 1,2-DIBROMOETHANE (EDB) AND 1,2-DIBROMO-3-CHLOROPROPANE (DBCP) 6-5
A. Introduction 6-5
B. Liquid-Liquid Extraction Gas Chromatographic Method 6-5
C. Purge and Trap Gas Chromatographic/Mass Spectrometric Method 6-6
D. Purge and Trap Gas Chromatographic Method 6-6
6232 TRIHALOMETHANES AND CHLORINATED ORGANIC SOLVENTS 6-6
A. Introduction 6-6
B. Liquid-Liquid Extraction Gas Chromatographic Method 6-6
C. Purge and Trap Gas Chromatographic/Mass Spectrometric Method . . . . . .
D. Purge and Trap Gas Chromatographic Method 6-6
6251 DISINFECTION BY-PRODUCTS: HALOACETIC ACIDS AND TRICHLOROPHENOL 6-6

A. Introduction 6-67
B. Micro Liquid-Liquid Extraction Gas Chromatographic Method 6-67
6252 Disinfection By-Products: Aldehydes (PROPOSED) 6-76
A. Introduction 6-76
B. PFBHA Liquid-Liquid Extraction Gas Chromatographic Method 6-77
6410 Extractable Base/Neutrals and Acids 6-84
A. Introduction 6-84
B. Liquid-Liquid Extraction Gas Chromatographic/Mass Spectrometric Method 6-84
6420 Phenols 6-97
A. Introduction 6-97
B. Liquid-Liquid Extraction Gas Chromatographic Method 6-97
C. Liquid-Liquid Extraction Gas Chromatographic/Mass Spectrometric Method 6-102
6431 Polychlorinated Biphenyls (PCBs) . . 6-103
A. Introduction 6-103
B. Liquid-Liquid Extraction Gas Chromatographic Method 6-103
C. Liquid-Liquid Extraction Gas Chromatographic/Mass Spectrometric Method 6-103
6440 Polynuclear Aromatic Hydrocarbons 6-103
A. Introduction 6-103
B. Liquid-Liquid Extraction Chromatographic Method 6-103
C. Liquid-Liquid Extraction Gas Chromatographic/Mass Spectrometric Method 6-108
6610 Carbamate Pesticides (PROPOSED) . 6-109
A. Introduction 6-109
B. High-Performance Liquid Chromatographic Method 6-109
6630 Organochlorine Pesticides 6-114
A. Introduction 6-114
B. Liquid-Liquid Extraction Gas Chromatographic Method I 6-115
Appendix—Standardization of Magnesia-Silica Gel Column by Weight Adjustment Based on Adsorption of Lauric Acid 6-120
C. Liquid-Liquid Extraction Gas Chromatographic Method II 6-121
D. Liquid-Liquid Extraction Gas Chromatographic/Mass Spectrometric Method 6-128
6640 Acidic Herbicide Compounds 6-128
A. Introduction 6-128
B. Micro Liquid-Liquid Extraction Gas Chromatographic Method 6-129
6651 Glyphosate Herbicide 6-137
A. Introduction 6-137
B. Liquid Chromatographic Post-Column Fluorescence Method 6-137

Part 7000 RADIOACTIVITY
7010 Introduction 7-1
A. General Discussion 7-1
B. Sample Collection and Preservation . 7-2
7020 Quality Control and Statistics . . . 7-3
A. Basic Quality Control Program 7-3
B. Quality Control for Wastewater Samples 7-4
C. Statistics 7-4
D. Calculation and Expression of Results 7-5
7030 Counting Instruments 7-6
A. Introduction 7-6
B. Description and Operation of Instruments 7-6
7040 Facilities 7-11
A. Counting Room 7-11
B. Radiochemistry Laboratory 7-11
C. Laboratory Safety 7-12
D. Pollution Prevention 7-12
E. Waste Management 7-12
7110 Gross Alpha and Gross Beta Radioactivity (Total, Suspended, and Dissolved) 7-13
A. Introduction 7-13
B. Evaporation Method for Gross Alpha-Beta 7-13
C. Coprecipitation Method for Gross Alpha Radioactivity in Drinking Water (PROPOSED) 7-16
7120 Gamma-Emitting Radionuclides . . . 7-18
A. Introduction 7-18
B. Gamma Spectroscopic Method 7-18
7500-Cs Radioactive Cesium 7-20
A. Introduction 7-20
B. Precipitation Method 7-21
7500-I Radioactive Iodine 7-22
A. Introduction 7-22
B. Precipitation Method 7-22
C. Ion-Exchange Method 7-23
D. Distillation Method 7-24
7500-Ra Radium 7-25
A. Introduction 7-25
B. Precipitation Method 7-26
C. Emanation Method 7-28
D. Sequential Precipitation Method . . . 7-34
7500-Sr Total Radioactive Strontium and Strontium 90 7-36
A. Introduction 7-36
B. Precipitation Method 7-36
7500-^{3}H Tritium 7-39
A. Introduction 7-39
B. Liquid Scintillation Spectrometric Method 7-39

TABLE OF CONTENTS

7500-U URANIUM 7-41
A. Introduction 7-41
B. Radiochemical Method 7-41
C. Isotopic Method (PROPOSED) . . . 7-43

Part 8000 TOXICITY
8010 INTRODUCTION 8-1
A. General Discussion 8-1
B. Terminology 8-2
C. Basic Requirements for Toxicity Tests 8-3
D. Conducting Toxicity Tests 8-4
E. Preparing Organisms for Toxicity Tests 8-7
F. Toxicity Test Systems, Materials, and Procedures 8-15
G. Calculating, Analyzing, and Reporting Results of Toxicity Tests 8-20
H. Interpreting and Applying Results of Toxicity Tests 8-25
8030 MUTAGENESIS (PROPOSED) 8-26
A. Introduction 8-26
B. *Salmonella* Microsomal Mutagenicity Test 8-27
8050 BACTERIAL BIOLUMINISCENCE 8-32
A. Introduction 8-32
B. Bacterial Bioluminescence Test . . . 8-33
8110 ALGAE 8-33
8111 BIOSTIMULATION (ALGAL PRODUCTIVITY) 8-33
A. General Principles 8-33
B. Planning and Evaluating Algal Assays 8-34
C. Apparatus 8-34
D. Sample Handling 8-35
E. Synthetic Algal Culture Medium . . . 8-36
F. Inoculum 8-36
G. Test Conditions and Procedures . . . 8-36
H. Effect of Additions 8-38
I. Data Analysis and Interpretation . . . 8-38
8112 PHYTOPLANKTON 8-39
A. Introduction 8-39
B. Inoculum 8-39
C. Test Conditions and Procedures . . . 8-39
8211 DUCKWEED (PROPOSED) 8-40
A. Introduction 8-40
B. Selecting and Preparing Test Organisms 8-41
C. Toxicity Test Procedure 8-41
D. Evaluating and Reporting Results . . 8-42
8220 AQUATIC ROOTED PLANTS (PROPOSED) 8-43
A. Introduction 8-43
B. Selecting and Preparing Test Organisms 8-44
C. Toxicity Test Procedure 8-44
D. Evaluating and Reporting Results . . 8-45
8510 ANNELIDS 8-46
A. Introduction 8-46
B. Selecting and Preparing Test
C. Toxicity Test Procedures 8-
D. Sediment Test Procedures Using the Marine Polychaete *Neanthes arenaceodentata* (PROPOSED) . . 8-
E. Sediment Test Procedures Using Freshwater and Marine Oligochaetes *Pristina leidyi*, *Tubifex tubifex*, and *Lumbriculus variegatus* (PROPOSED) 8-
F. Data Evaluation 8-
8610 MOLLUSKS 8-
A. Introduction 8-
B. Selecting and Preparing Test Organisms 8-
C. Conducting the Toxicity Tests 8-
D. Reporting and Analyzing Results . . . 8-
8710 MICROCRUSTACEANS 8-
8711 *DAPHNIA* 8-
A. Introduction 8-
B. Selecting and Preparing Test Organisms 8-
C. Procedures 8-
8720 MACROCRUSTACEANS 8-
A. Introduction . . . . . .
B. Selecting and Preparing Test Species
C. Conducting the Toxicity Tests 8-
8750 AQUATIC INSECTS 8-
A. Introduction 8-
B. Selecting and Preparing Test Organisms 8-
C. Toxicity Test Procedures 8-
D. Data Evaluation 8-
8910 FISH 8-
A. Introduction 8-
B. Fish Selection and Preparation 8-
C. Test Procedures 8-

Part 9000 MICROBIOLOGICAL EXAMINATION
9010 INTRODUCTION 9-
9020 QUALITY ASSURANCE 9-
A. Introduction 9-
B. Intralaboratory Quality Control Guidelines 9-
C. Interlaboratory Quality Control . . . 9-1
9030 LABORATORY APPARATUS 9-1
A. Introduction 9-1
B. Equipment Specifications 9-1
9040 WASHING AND STERILIZATION 9-1
9050 PREPARATION OF CULTURE MEDIA . . .
A. General Procedures . . . . . .
B. Water 9-1
C. Media Specifications 9-1
9060 SAMPLES 9-1
A. Collection 9-1
B. Preservation and Storage 9-1

B. Seven-Hour Fecal Coliform Test (SPECIALIZED) 9-20
C. Special Techniques (SPECIALIZED) 9-20
D. Coliphage Detection (PROPOSED) . 9-22
9212 STRESSED ORGANISMS 9-23
A. Introduction 9-23
B. Recovery Enhancement 9-24
9213 RECREATIONAL WATERS 9-26
A. Introduction 9-26
B. Swimming Pools 9-26
C. Whirlpools 9-28
D. Natural Bathing Beaches 9-28
E. Membrane Filter Technique for *Pseudomonas aeruginosa* 9-30
F. Multiple-Tube Technique for *Pseudomonas aeruginosa* 9-31
9215 HETEROTROPHIC PLATE COUNT 9-31
A. Introduction 9-31
B. Pour Plate Method 9-34
C. Spread Plate Method 9-35
D. Membrane Filter Method 9-37
9216 DIRECT TOTAL MICROBIAL COUNT 9-38
A. Introduction 9-38
B. Epifluorescence Microscopic Method 9-38
9217 ASSIMILABLE ORGANIC CARBON (PROPOSED) 9-39
A. Introduction 9-39
B. *Pseudomonas fluorescens* Strain P-17, *Spirillum* Strain NOX Method . . . 9-41
9221 MULTIPLE-TUBE FERMENTATION TECHNIQUE FOR MEMBERS OF THE COLIFORM GROUP 9-44
A. Introduction 9-44
B. Standard Total Coliform Fermentation Technique 9-45
C. Estimation of Bacterial Density . . . 9-48
D. Presence-Absence (P-A) Coliform Test 9-50
E. Fecal Coliform Procedure 9-51
F. *Escherichia coli* Procedure (PROPOSED) 9-52
9222 MEMBRANE FILTER TECHNIQUE FOR MEMBERS OF THE COLIFORM GROUP . . 9-53
A. Introduction 9-53
B. Standard Total Coliform Membrane Filter Procedure 9-54
C. Delayed-Incubation Total Coliform Procedure 9-58
D. Fecal Coliform Membrane Filter Procedure 9-60
E. Delayed-Incubation Fecal Coliform Procedure 9-61
F. *Klebsiella* Membrane Filter Procedure 9-62
G. MF Partition Procedures (PROPOSED) 9-63
9223 CHROMOGENIC SUBSTRATE COLIFORM TEST 9-64
A. Introduction 9-64
B. Chromogenic Substrate Test 9-65
9225 DIFFERENTIATION OF THE COLIFORM BACTERIA 9-66
A. Introduction 9-66
B. Culture Purification 9-67
C. Identification 9-67
D. Media, Reagents, and Procedures . . 9-68
9230 FECAL STREPTOCOCCUS AND ENTEROCOCCUS GROUPS 9-70
A. Introduction 9-70
B. Multiple-Tube Technique 9-71
C. Membrane Filter Techniques 9-72
9240 IRON AND SULFUR BACTERIA 9-74
A. Introduction 9-74
B. Iron Bacteria 9-75
C. Sulfur Bacteria 9-77
D. Enumeration, Enrichment, and Isolation of Iron and Sulfur Bacteria 9-79
9250 DETECTION OF ACTINOMYCETES 9-84
A. Introduction 9-84
B. Actinomycete Plate Count 9-85
9260 DETECTION OF PATHOGENIC BACTERIA . . 9-87
9510 DETECTION OF ENTERIC VIRUSES 9-87
A. Introduction 9-87
B. Virus Concentration from Small Sample Volumes by Adsorption to and Elution from Microporous Filters 9-89
C. Virus Concentration from Large Sample Volumes by Adsorption to and Elution from Microporous Filters 9-92
D. Virus Concentration by Aluminum Hydroxide Adsorption-Precipitation 9-96
E. Hydroextraction-Dialysis with Polyethylene Glycol 9-97
F. Recovery of Viruses from Suspended Solids in Water and Wastewater . . 9-98
G. Assay and Identification of Viruses in Sample Concentrates 9-99
9610 DETECTION OF FUNGI 9-103
A. Introduction 9-103
B. Pour Plate Technique 9-105
C. Spread Plate Technique 9-106
D. Membrane Filter Technique 9-107
E. Technique for Yeasts 9-108
F. Zoosporic Fungi 9-108
G. Aquatic Hyphomycetes 9-109
H. Fungi Pathogenic to Humans 9-110
9711 PATHOGENIC PROTOZOA 9-110
A. Introduction 9-110

B. Immunofluorescence Method for *Giardia* and *Cryptosporidium* spp. (PROPOSED) 9-111
C. *Entamoeba histolytica* 9-117

Part 10000 BIOLOGICAL EXAMINATION
10010 INTRODUCTION 10-1
10200 PLANKTON 10-2
A. Introduction 10-2
B. Sample Collection 10-2
C. Concentration Techniques 10-9
D. Preparing Slide Mounts 10-10
E. Microscopes and Calibrations 10-11
F. Phytoplankton Counting Techniques 10-13
G. Zooplankton Counting Techniques . . 10-16
H. Chlorophyll 10-17
I. Determination of Biomass (Standing Crop) 10-25
J. Metabolic Rate Measurements 10-26
10300 PERIPHYTON 10-30
A. Introduction 10-30
B. Sample Collection 10-30
C. Sample Analysis 10-32
D. Primary Productivity 10-34
E. Interpreting and Reporting Results 10-42
10400 MACROPHYTON 10-43
A. Introduction 10-43
B. Preliminary Survey 10-44
C. Vegetation Mapping Methods 10-44
D. Population Estimates . . . . . [illegible]
E. Productivity . . . . . 10-[illegible]
10500 BENTHIC MACROINVERTEBRATES . . . . 10-[illegible]
A. Introduction . . . . . 10-[illegible]
B. Sample Collection . . . . . 10-[illegible]
C. Sample Processing and Analysis . . . 10-[illegible]
D. Data Evaluation and Presentation . . 10-[illegible]
10550 NEMATOLOGICAL EXAMINATION . . . . . 10-[illegible]
A. Introduction . . . . . 10-[illegible]
B. Collection and Processing Techniques for Nematodes . . . . . 10-[illegible]
C. Illustrated Key to Freshwater Nematodes . . . . . 10-[illegible]
10600 FISH . . . . . 10-[illegible]
A. Introduction . . . . . 10-[illegible]
B. Data Acquisition . . . . . 10-[illegible]
C. Sample Preservation . . . . . 10-[illegible]
D. Analysis of Collections . . . . . 10-[illegible]
E. Investigation of Fish Kills . . . . . 10-[illegible]
10900 IDENTIFICATION OF AQUATIC ORGANISMS 10-[illegible]
A. Procedure in Identification . . . . . 10-[illegible]
B. Key to Major Groups of Aquatic Organisms (Plates 1–35) . . . . . 10-[illegible]
Acknowledgments . . . . . 10-[illegible]
C. Key for Identification of Freshwater Algae Common in Water Supplies and Polluted Waters (Plates 1A, 1B, 28-35) . 10-[illegible]
D. Index to Illustrations . . . . . 10-[illegible]
E. Selected Taxonomic References . . . 10-[illegible]

INDEX [illegible]

FIGURES

1010:1 Normal and skewed distributions 1-2
1020:1 Control charts for means 1-5
1020:2 Duplicate analyses of a standard 1-6
1020:3 Range chart for variable concentrations 1-6
1020:4 Range chart for variable ranges 1-7
1020:5 Means control chart with out-of-control data 1-7
1030:1 Definition of accuracy 1-8
1030:2 Detection limit relationship 1-11
1060:1 Approximate number of samples required in estimating a mean concentration . . 1-23

2120:1 Filtration system for color determinations 2-4
2120:2 Chromaticity diagrams 2-5
2150:1 Odor-free-water generator 2-13
2530:1 Floatables sampler with mixer 2-50
2530:2 Floatables flotation funnel and filter holder 2-50
2530:3 Flotation funnels and mixing unit 2-51
2530:4 Floatable oil tube, 1-L capacity 2-52
2560:1 Schematic of filtration apparatus for preparation of particle-free dilution water or electrolyte solution 2-6
2710:1 Schematic diagram of settling vessel for settled sludge volume test 2-7
2710:2 Schematic diagram of settling vessel for zone settling rate test 2-8
2710:3 Capillary suction time apparatus 2-8
2710:4 TTF equipment 2-8
2720:1 Gas collection apparatus 2-8
2810:1 Time response for the membrane-diffusion method 2-8

3112:1 Schematic arrangement of equipment for measurement of mercury by cold-vapor atomic absorption technique . . . . . [illegible]
3114:1 Manual reaction cell for producing As and Se hydrides 3-2
3114:2 Schematic of a continuous hydride generator 3-3

3500-Al:1 Correction curves for estimation of aluminum in the presence of fluoride . 3-45
3500-Al:2 Aluminum manifold for Automated System I (nonsegmented, flow-injection analyzer) 3-47
3500-Al:3 Aluminum manifold for Automated System II (segmented-flow analyzer). . 3-47
3500-As:1 Arsine generator and absorber assembly 3-50
3500-Se:1 General scheme for speciation of selenium in water 3-86
3500-Sr:1 Graphical method of computing strontium concentration 3-99

4110:1 Typical inorganic anion separation. . . . 4-3
4110:2 Typical inorganic anion separation. . . . 4-7
4500-CO_2:1 Nomograph for evaluation of hydroxide ion concentration 4-13
4500-CO_2:2 Nomograph for evaluation of bicarbonate alkalinity 4-14
4500-CO_2:3 Nomograph for evaluation of carbonate alkalinity 4-15
4500-CO_2:4 Nomograph for evaluation of free carbon dioxide content 4-16
4500-CN^-:1 Cyanide distillation apparatus 4-23
4500-Cl^-:1 Example of differential titration curve (end point is 25.5 mL) 4-52
4500-Cl^-:2 Flow scheme for automated chloride analysis 4-53
4500-ClO_2:1 Chlorine dioxide generation and absorption system 4-54
4500-F^-:1 Direct distillation apparatus for fluoride 4-60
4500-F^-:2 Fluoride manifold 4-64
4500-H^+:1 Electrode potential vs. pH 4-66
4500-H^+:2 Typical pH electrode response as a function of temperature 4-66
4500-NH_3:1 Ammonia manifold 4-82
4500-NO_3^-:1 Reduction column 4-87
4500-NO_3^-:2 Nitrate-nitrite manifold. 4-89
4500-NO_3^-:3 Nitrate-nitrite manifold 4-91
4500-N_{org}:1 Micro-kjeldahl distillation apparatus . . . 4-94
4500-O:1 DO and BOD sampler assembly 4-97
4500-O:2 Effect of temperature on electrode sensitivity. 4-102
4500-O:3 The salting-out effect at different temperatures 4-103
4500-O:4 Typical trend of effect of stirring on electrode response. 4-103
4500-P:1 Steps for analysis of phosphate fractions 4-107
4500-P:2 Phosphate manifold for automated analytical system 4-115
4500-Si:1 Silica manifold 4-121
4500-S^{2-}:1 Analytical flow paths for sulfide determinations 4-123
4500-S^{2-}:2 Sulfide manifold. 4-126
4500-S^{2-}:3 Proportions of H_2S and HS^- in dissolved sulfide 4-130
4500-SO_3^{2-}:1 Apparatus for evolution of SO_2 from samples for colorimetric analysis . . . 4-133
4500-SO_4^{2-}:1 Sulfate manifold. 4-138

5320:1 DOX analysis system 5-23
5520:1 Distillate recovery apparatus 5-32
5540:1 Sublation apparatus 5-41
5710:1 Effect of changing molar oxidant ratios of free chlorine:free bromine on molar ratios of substituted organic chloride: organic bromide, using four different precursor substrates 5-51
5710:2a Relationships between definitions used in the formation potential test, for a sample that did not contain free chlorine at the time of sampling 5-52
5710:2b Relationships between definitions used in the formation potential test, for a sample that already contained free chlorine at the time of sampling 5-52

6040:1 Schematic of closed-loop stripping apparatus. 6-9
6040:2 One-liter "tall form" stripping bottle. . . 6-9
6040:3 Gas heater 6-10
6040:4 Extraction of filter. 6-10
6040:5 Flow rate through 1.5-mg carbon filter . . 6-11
6040:6 Effect of filter resistance, measured as flow, on recovery of earthy-musty odorants and C_7-C_{10} internal standard 6-11
6040:7 Mass spectra of 2-methylisoborneol under different instrumental conditions . . . 6-14
6040:8 Mass spectrum of geosmin 6-14
6210:1 Purging device 6-19
6210:2 Trap packings and construction to include desorb capability 6-19
6210:3 Purge and trap system (purge mode). . . 6-19
6210:4 Purge and trap system (desorb mode) . . 6-19
6210:5 Gas chromatogram of volatile organic compounds 6-21
6210:6 Trap packings and construction to include desorb capability 6-26
6210:7 Gas chromatogram of volatile organic compounds (wide-bore capillary column) 6-32
6210:8 Gas chromatogram of volatile organic compounds (mega-bore capillary column) 6-32
6210:9 Gas chromatogram of test mixture (narrow-bore capillary column) 6-35
6211:1 Combustible gas indicator circuit and flow diagram 6-37
6220:1 Trap packings and construction to include desorb capability 6-40
6220:2 Purge and trap system (purge mode). . . 6-40
6220:3 Purge and trap system (dry mode). . . . 6-40
6220:4 Purge and trap system (desorb mode) . . 6-40

6220:5 Gas chromatogram of purgeable aromatic compounds 6-40
6220:6 Gas chromatogram of test mixture 6-43
6220:7 Gas chromatogram of test mixture 6-43
6230:1 Gas chromatogram of purgeable halocarbons 6-48
6230:2 Gas chromatogram of purgeable halocarbons 6-52
6230:3 Dual chromatogram of volatile organics (capillary column) with photoionization and electrolytic conductivity detectors 6-56
6231:1 Extract of reagent water with 0.114 µg/L added EDB and DBCP 6-59
6232:1 Chromatogram for THMs and chlorinated organic solvents 6-63
6251:1 Haloacetic acids separation from other commonly produced disinfection by-products on a DB-1701 column 6-68
6251:2 Easy-to-use diazomethane generator apparatus for preparing small amounts of diazomethane in methyl *tertiary*-butyl ether (MtBE) 6-70
6251:3 Easy-to-use alternative diazomethane generator for preparing small amounts of diazomethane in MtBE 6-70
6251:4 Chromatogram produced by reagent water with known additions 6-73
6252:1 Results for analytical column 6-81
6252:2 Results for confirmation column 6-82
6410:1 Gas chromatogram of base/neutral fraction 6-89
6410:2 Gas chromatogram of acid fraction . . . 6-90
6410:3 Gas chromatogram of pesticide fraction . 6-90
6410:4 Gas chromatogram of chlordane 6-90
6410:5 Gas chromatogram of toxaphene 6-91
6410:6 Gas chromatogram of PCB-1016 6-91
6410:7 Gas chromatogram of PCB-1221 6-91
6410:8 Gas chromatogram of PCB-1232 6-91
6410:9 Gas chromatogram of PCB-1242 6-92
6410:10 Gas chromatogram of PCB-1248 6-92
6410:11 Gas chromatogram of PCB-1254 6-92
6410:12 Gas chromatogram of PCB-1260 6-92
6410:13 Tailing factor calculation 6-93
6420:1 Gas chromatogram of phenols 6-100
6420:2 Gas chromatogram of PFB derivatives of phenols 6-101
6440:1 Liquid chromatogram of polynuclear aromatic hydrocarbons 6-106
6440:2 Liquid chromatogram of polynuclear aromatic hydrocarbons 6-106
6440:3 Gas chromatogram of polynuclear aromatic hydrocarbons 6-107
6610:1 Schematic of post-column reaction HPLC system 6-112
6610:2 Schematic HPLC-PCD chromatogram of carbamate mix indicating relative response, separations, and retention . . 6-113
6630:1 Results of gas chromatographic procedure for organochlorine pesticides . . . . . [illegible]
6630:2 Results of gas chromatographic procedure for organochlorine pesticides 6-116
6630:3 Chromatogram of pesticide mixture . . . 6-117
6630:4 Chromatogram of pesticide mixture . . . 6-117
6630:5 Chromatogram of pesticide mixture . . . 6-117
6630:6 Gas chromatogram of pesticides 6-124
6630:7 Gas chromatogram of chlordane 6-124
6630:8 Gas chromatogram of toxaphene 6-125
6630:9 Gas chromatogram of PCB-1016 6-125
6630:10 Gas chromatogram of PCB-1221 6-125
6630:11 Gas chromatogram of PCB-1232 6-125
6630:12 Gas chromatogram of PCB-1242 6-126
6630:13 Gas chromatogram of PCB-1248 6-126
6630:14 Gas chromatogram of PCB-1254 6-126
6630:15 Gas chromatogram of PCB-1260 6-126
6640:1 Herbicide standard chromatogram on analytical capillary column 6-132
6640:2 Herbicide standard chromatogram on confirmatory capillary column 6-133
6651:1 Schematic of post-column reaction HPLC system 6-138
7030:1 Shape of counting rate–anode voltage curves 7-7
7030:2 Calculation of the energy resolution of a pulse-type detector . . . . . [illegible]
7500-I:1 Distillation apparatus for iodine analysis 7-25
7500-Ra:1 De-emanation assembly 7-29
7500-Sr:1 Yttrium 90 vs. strontium 90 activity as a function of time 7-38
7500-U:1 Electrodeposition apparatus 7-43
8010:1 Holding tank design for fish and macroinvertebrates 8-9
8010:2 Algal culture units 8-12
8010:3 Method of lighting, free-standing frames, and placement of medium source, air pumps, and other apparatus for mass algal culture devices 8-13
8010:4 Basic components of flow-through system 8-15
8010:5 Examples of median lethal concentration determinations at two representative times by probit analysis and line of best fit 8-22
8010:6 Toxicity curve, drawn from LC50s determined in Figure 8015:5 8-23
8610:1 Diagram of constant-flow apparatus . . . 8-56
8720:1 Rearing and exposure beaker and automatic siphon for dungeness crab larvae . . . . . 8-[illegible]
8720:2 Egg-hatching tank for lobsters . . . . . [illegible]
8720:3 Hughes lobster-rearing tank 8-65
9020:1 Frequency curve (positively skewed distribution) 9-11
9215:1 Preparation of dilutions 9-34

9215:2 Drying weight loss of 15-mL agar plates stored separately, inverted with lids on . . . 9-36
9215:3 Weight loss of 25-mL agar plates (100 × 15 mm) dried separately in a laminar-flow hood at room temperature (24 to 26°C), relative humidity (30 to 33%), and air velocity 0.6 m/s. 9-37
9221:1 Schematic outline of presumptive, confirmed, and completed phases for total coliform detection 9-46
9240:1 Filaments of *Crenothrix polyspora* showing variation of size and shape of cells within the sheath 9-75
9240:2 Filaments of *Sphaerotilus natans*, showing cells within the filaments and some free "swarmer" cells 9-76
9240:3 Laboratory culture of *Gallionella ferruginea*, showing cells, stalks excreted by the cells, and branching of stalks where cells have divided 9-76
9240:4 Mixture of fragments of stalks of *Gallionella ferruginea* and inorganic iron-manganese precipitate found in natural samples from wells 9-76
9240:5 Single-celled iron bacterium *Siderocapsa treubii* 9-77
9240:6 Photosynthetic purple sulfur bacteria. . . 9-78
9240:7 Colorless filamentous sulfur bacteria: *Beggiatoa alba* trichomes, containing globules of sulfur 9-78
9240:8 *Thiothrix nivea* in a rosette formation . . 9-79
9240:9 Colorless filamentous sulfur bacteria: portion of a colony, showing branching of the mucoid filament, identified as *Thiodendron mucosum* 9-79
9240:10 Colorless nonfilamentous sulfur bacteria: dividing cell of *Thiovolum majus*, containing sulfur globules. 9-79
9250:1 Bacterial colonies—typical colony type vs. actinomycete colony type, 50 × . . 9-86
9510:1 Two-stage microporous filter adsorption-elution method for concentrating viruses from large volumes of water with electronegative filters 9-92
9510:2 Schematic of apparatus for first-stage concentration with negatively charged filters 9-93
9711:1 Water sampling apparatus 9-113
9711:2 Ten-place manifold with stainless steel wells 9-115
711:3 Photomicrographs of a *Giardia* cyst . . . 9-116
9711:4 Photomicrographs of *Cryptosporidium* oocysts 9-116

10200:1 Structural features of common water samplers, Kemmerer and Van Dorn . . 10-4
10200:3 Examples of commonly used plankton sampling nets 10-7
10200:4 Examples of commonly used high-speed zooplankton samplers 10-7
10200:5 Filter funnel for concentrating zooplankton 10-10
10200:6 Ocular micrometer ruling. 10-12
10200:7 Calibration of Whipple Square 10-12
10200:8 Counting cell (Sedgwick-Rafter). 10-14
10200:9 A simple, efficient device for concentrating plankton. 10-17
10200:10 The Folsom plankton splitter 10-17
10200:11 Reverse-phase HPLC chromatogram for a fivefold dilution of EPA sample . . . 10-21
10200:12 Reverse-phase HPLC pigment chromatogram for a mixture of common algal pigments found in freshwater systems. 10-23
10300:1 Periphyton sampler 10-31
10300:2 Component processes in the oxygen metabolism of a section of a hypothetical stream during the course of a cloudless day 10-36
10300:3 Gross periphytic primary production (P_G) determined by the O'Connell-Thomas Chamber 10-38
10300:4 Calculation of gross primary production at a single station 10-39
10300:5 Calculation of gross periphytic primary productivity from upstream-downstream diurnal curves 10-40
10400:1 Allen curve for a cohort of a population of aquatic macrophytes. 10-52
10500:1 Ponar grab 10-61
10500:2 Orange-peel sampler. 10-61
10500:3 Petersen grab 10-62
10500:4 Van Veen grab 10-62
10500:5 Smith-McIntyre grab. 10-62
10500:6 Shipek grab. 10-62
10500:7 Ekman grab 10-63
10500:8 Surber or square-foot sampler. 10-63
10500:9 Phleger core sampler. 10-64
10500:10 KB corer 10-64
10500:11 Wilding or stovepipe sampler 10-64
10500:12 Drift net sampler 10-64
10500:13 Hester-Dendy artificial substrate unit . . 10-65
10500:14 Basket sampler 10-66
10500:15 Marsh net sampler. 10-66
10550:1 *Butlerius* sp., a freshwater nematode. . . 10-72
10600:1 Diagram of a sunken trap net 10-92
10600:2 Bag seine in operation in a stream. . . . 10-94
10600:3 Diagram of electrofishing boat 10-95
10600:4 Types of tags commonly used 10-96
10600:5 Passive integrated transponder (PIT) tagging system 10-97
10600:6 Key organs and external body parts of a soft-rayed and spiny-rayed fish 10-99

TABLES

1010:I Critical Values for 5% and 1% Tests of Discordancy for a Single Outlier in a Normal Sample . . . 1-2
1020:I Factors for Computing Lines on Range Control Charts . . . 1-6
1020:II Audit of a Soil Analysis Procedure . . . 1-8
1030:I Precision Calculations Using Duplicates 1-9
1030:II Precision Calculation from Known Additions . . . 1-9
1030:III Conductivity Factors of Ions Commonly Found in Water . . . 1-12
1040:I Precision and Bias for a Single Concentration in a Single Matrix . . . 1-13
1040:II Variations in Factors for Method Ruggedness Determination . . . 1-14
1040:III Factor Matrix for Method Ruggedness Determination . . . 1-14
1040:IV Sample Collaborative Test Results . . . 1-15
1040:V Method Precision and Bias . . . 1-16
1050:I Conversion Factors . . . 1-16
1060:I Summary of Special Sampling or Handling Requirements . . . 1-22
1080:I Reagent Water Specifications . . . 1-25
1080:II Water Purification Processes . . . 1-25
1090:I Permissible Exposure Limits and/or Threshold Limit Values for Some Inorganic Chemicals Specified in *Standard* Methods . . . 1-31
1090:II Permissible Exposure Limits and/or Threshold Limit Values for Organic Solvents Specified in *Standard Methods* 1-32
1090:III Permissible Exposure Limits and/or Threshold Limit Values for Some of the Reagents Specified in *Standard Methods* . . . 1-33
1090:IV Glove Selection for Organic Chemical Handling . . . 1-36
1090:V Glove Selection for Inorganic Chemical Handling . . . 1-37
1090:VI Procedures Involving Potential Exposure to Ionizing Radiation . . . 1-41
2120:I Selected Ordinates for Spectrophotometric Color Determinations . . . 2-4
2120:II Color Hues for Dominant Wavelength Ranges . . . 2-6
2150:I Threshold Odor Numbers Corresponding to Various Dilutions . . . 2-14
2150:II Dilutions for Various Odor Intensities . . 2-14
2160:I Flavor Threshold Numbers Corresponding to Various Dilutions . . 2-16
2160:II Dilutions for Determining the FTN . . . 2-16
2170:I Qualitative Odor References . . . 2-21
2320:I End-Point pH Values . . . 2-26
2320:II Alkalinity Relationships . . . 2-28
2330:I Estimating Equilibrium Constants and Activity Coefficients . . . 2-31
2330:II Precalculated Values for *pK* and *A* at Selected Temperatures . . . 2-31
2330:III Graphs and Computer Software That Can Be Used to Calculate $CaCO_3$ Saturation Indices . . . 2-34
2340:I Maximum Concentrations of Interferences Permissible with Various Inhibitors . . . 2-36
2510:I Equivalent Conductivity, Λ, and Conductivity, *k*, of Potassium Chloride at 25.0°C . . . 2-43
2510:II Sample Analysis Illustrating Calculation of Conductivity, k_{calc}, for Natural Waters . . . 2-44
2510:III Equivalent Conductances, λ°_+ and λ°_-, (mho-cm²/equivalent) for Ions in Water at 25.0°C . . . 2-44
2530:I Coefficient of Variation and Recovery for Particulate Floatables Test . . .
2560:I Example Calculations for Particle Size Distribution Analysis . . . 2-6
2580:I Potential of ZoBell's Solution as Function of Temperature . . . 2-7
2580:II Preparation of Redox Standard Solutions 2-7
2580:III Recommended Combinations for Selected Sample Types . . . 2-7
2710:I Temperature Correction Factor . . . 2-8
2810:I Bunsen Coefficient for Oxygen in Fresh Water . . . 2-9
2810:II Vapor Pressure of Fresh Water . . . 2-9
3030:I Acids Used in Conjunction with HNO_3 for Sample Preparation . . . 3-
3111:I Atomic Absorption Concentration Ranges with Direct Aspiration Atomic Absorption . . . 3-1
3111:II Interlaboratory Precision and Bias Data for Atomic Absorption Methods—Direct Aspiration and Extracted Metals . . . 3-1
3111:III Single-Operator Precision and Recommended Control Ranges for Atomic Absorption Methods–Direct Aspiration and Extracted Metals . . .
3112:I Interlaboratory Precision and Bias of Cold-Vapor Atomic Absorption Spectrometric Method for Mercury . . 3-1
3113:I Potential Matrix Modifiers for Electrothermal Atomic Absorption Spectrometry 3-1

3113:II	Detection Levels and Concentration Ranges for Electrothermal Atomization Atomic Absorption Spectrometry	3-22
3113:III	Interlaboratory Single-Analyst Precision Data for Electrothermal Atomization Methods	3-24
3113:IV	Interlaboratory Overall Precision Data for Electrothermal Atomization Methods	3-25
3113:V	Interlaboratory Relative Error Data for Electrothermal Atomization Methods	3-26
3120:I	Suggested Wavelengths, Estimated Detection Limits, Alternate Wavelengths, Calibration Concentrations, and Upper Limits	3-35
3120:II	ICP Precision and Bias Data	3-37
3130:I	Precision of Pb and Cd Analysis by ASV	3-42
3500-Al:I	Single-Operator Precision and Bias for Inorganic Monomeric Aluminum Analysis	3-48
3500-Al:II	Single-Operator Precision and Bias for High-Level Aluminum Determination	3-48
3500-Cr:I	Ion Chromatographic Conditions	3-61
3500-Cr:II	Single-Laboratory Precision and Bias	3-62
3500-Cr:III	Multilaboratory Determination of Bias for Hexavalent Chromium	3-62
3500-Fe:I	Selection of Light Path Length for Various Iron Concentrations	3-69
3500-K:I	Concentration of Cations Interfering at Various Concentrations of Potassium	3-83
3500-V:I	Concentration at Which Various Ions Interfere in the Determination of Vanadium	3-102
4110:I	Determination of Bias for Fluoride	4-4
4110:II	Determination of Bias for Chloride	4-4
4110:III	Determination of Bias for Nitrite Nitrogen	4-4
4110:IV	Determination of Bias for Bromide	4-4
4110:V	Determination of Bias for Nitrate Nitrogen	4-5
4110:VI	Determination of Bias for Orthophosphate	4-5
4110:VII	Determination of Bias for Sulfate	4-5
4110:VIII	Detection Limits for Anions in Reagent Water	4-6
4110:IX	Single-Column Chromatography Single-Operator Precision and Bias	4-8
4500-ClO_2:I	Equivalent Weights for Calculating Concentrations on the Basis of Mass	4-58
4500-F^-:I	Concentration of Some Substances Causing 0.1-mg/L Error at 1.0 mg F/L in Fluoride Methods	4-59
4500-H^+:I	Preparation of pH Standard Solutions	4-67
4500-H^+:II	Standard pH Values	4-68
4500-NH_3:I	Precision and Bias of Ammonia-Selective Electrode	4-79
4500-NH_3:II	Values of Q vs. ΔE (59 mv Slope) for 10% Volume Change	4-80
4500-NH_3:III	Precision Data for Manual Phenate Method Based on Triplicate Analyses of Ammonium Sulfate	4-81
4500-N_{org}:I	Precision Data for Kjeldahl Nitrogen Method Based on Mean of Triplicate Analyses of Nicotinic Acid	4-93
4500-N_{org}:II	Precision Data for Total Nitrogen, Persulfate Method, Based on Triplicate Analyses of Nicotinic Acid	4-95
4500-O:I	Solubility of Oxygen in Water Exposed to Water-Saturated Air at Atmospheric Pressure (101.3 kPa)	4-99
4500-P:I	Precision and Bias Data for Manual Phosphorus Methods	4-108
4500-P:II	Comparison of Precision and Bias of Ascorbic Acid Methods	4-114
4500-Si:I	Selection of Light Path Length for Various Silica Concentrations	4-118
4500-Si:II	Preparation of Permanent Color Standards for Visual Determination of Silica	4-119
4500-S^{2-}:I	Dilution of Sulfide Stock Solution for Preparation of Standards (100 mL Total Volume)	4-128
5210:I	UBOD Results for Wastewater Sample	5-8
5220:I	Sample and Reagent Quantities for Various Digestion Vessels	5-15
5310:I	Precision and Bias for Total Organic Carbon (TOC) by Persulfate-Ultraviolet Oxidation	5-20
5320:I	Intralaboratory, Single-Operator, Dissolved Organic Halogen (Microcolumn Procedure)—Precision and Bias Data	5-27
5540:I	Surfactant Recovery by Sublation	5-42
5710:I	Single-Operator Precision and Bias Data for THMFP	5-55
5710:II	Single-Operator Precision and Bias Data for TTHM (pH = 9.2)	5-56
5910:I	Precision of UV Analyses and Correlation to KHP Samples	5-62
5910:II	Single-Operator Precision for UV Absorption Measurements of Fulvic Acid Solutions	5-62
6010:I	Analysis Methods for Specific Organic Compounds	6-1
6010:II	Recommended Preservation for Volatiles	6-3
6040:I	Instrumental Detection Limits for Earthy-Musty Smelling Compounds by CLSA-GC/MS	6-8
6040:II	Instrumental Detection Limits for Selected Organic Compounds by	

6040:III Typical Operating Conditions for GC/MS Analysis of CLSA Extracts 6-13
6040:IV GC/MS Data for Three Internal Standards and Two Earthy-Musty-Smelling Compounds 6-13
6040:V Single-Laboratory Bias for Selected Organic Compounds Causing Taste and Odor . . 6-15
6040:VI Precision Data for Selected Organic Compounds Causing Taste and Odor . 6-15
6040:VII Recovery and Precision Data for Selected Priority Pollutants 6-16
6210:I Chromatographic Conditions and Method Detection Limits (MDL) 6-18
6210:II BFB Key *m/z* Abundance Criteria 6-19
6210:III Suggested Surrogate and Internal Standards. 6-20
6210:IV Calibration and QC Acceptance Criteria 6-22
6210:V Characteristic Masses for Purgeable Organic Compounds 6-23
6210:VI Method Bias and Precision as Functions of Concentration 6-24
6210:VII Chromatographic Conditions for Volatile Organic Compounds on Packed Columns 6-27
6210:VIII Characteristic Masses (*m/z*) for Purgeable Organic Compounds 6-28
6210:IX Single-Laboratory Bias and Precision Data for Volatile Organic Compounds in Reagent Water (Packed Column) . . 6-29
6210:X Chromatographic Conditions for Volatile Organic Compounds on Wide-Bore Capillary Columns. 6-31
6210:XI Chromatographic Conditions for Volatile Organic Compounds on Narrow-Bore Capillary Column 6-31
6210:XII Single-Laboratory Bias and Precision Data for Volatile Organic Compounds in Reagent Water (Wide-Bore Capillary Column). 6-33
6210:XIII Single-Laboratory Bias and Precision Data for Volatile Organic Compounds in Reagent Water (Narrow-Bore Capillary Column). 6-34
6220:I Chromatographic Conditions and Method Detection Limits 6-39
6220:II Calibration and QC Acceptance Criteria 6-41
6220:III Method Bias and Precision as Functions of Concentration 6-41
6220:IV Retention Times for Aromatic Compounds. 6-43
6220:V Single-Laboratory Bias and Precision for Aromatic and Unsaturated Compounds in Chlorinated Drinking Water and Raw Source Water 6-44
6220:VI Single-Analyst Precision, Overall Precision, and Bias for Purgeable Aromatic
6220:VII Bias and Precision Data for Purgeable Aromatic Compounds from Multilaboratory Performance Evaluation Studies. 6-45
6230:I Chromatographic Conditions and Method Detection Limits (MDL) 6-47
6230:II Calibration and QC Acceptance Criteria 6-49
6230:III Method Bias and Precision as Functions of Concentration 6-50
6230:IV Retention Times for Organohalides . . . 6-52
6230:V Single-Laboratory Bias and Precision for Organohalides in Ohio River Water and Drinking Water 6-53
6230:VI Bias, Single-Analyst Precision, and Overall Precision for Organohalides in Drinking Water 6-54
6230:VII Retention Times for Volatile Organic Compounds on Photoionization Detector (PID) and Electrolytic Conductivity Detector (ECD). 6-55
6230:VIII Single-Laboratory Bias and Precision for Volatile Organic Compounds in Reagent Water 6-57
6231:I Chromatographic Conditions for 1,2-Dibromoethane (EDB) and 1,2-Dibromo-3-Chloropropane (DBCP) . . 6-
6231:II Single-Laboratory Precision and Bias for EDB and DBCP in Tap Water 6-60
6232:I Precision and Bias Data for THM-Chlorinated Organic Solvent Method, DB-5 Column. 6-66
6251:I Method Detection Limits and Precision Data. 6-68
6251:II Analytical Standards. 6-70
6251:III Retention Times 6-73
6251:IV Recommended Quantitation Limits . . . 6-73
6251:V Additive Recovery in Reagent Water . . 6-74
6251:VI Absolute Recovery Data for Reagent Water with Known Additions. 6-74
6251:VII Sample Duplicate Data from Two Laboratories 6-75
6251:VIII Field Sample Recovery with Known Additions to Drinking Water, in Two Laboratories 6-76
6252:I Method Detection Limits (MDL) and Precision Data 6-78
6252:II Analytical Standards of Carbonyl Compounds Used in the PFBHA Method 6-80
6252:III Recovery of Triplicate In-Situ Derivatized Aldehydes Compared to the Recovery of Pure Oxime Derivatives from Organic-Free Water . 6-80
6252:IV Retention Times (RTs) for Derivatized Aldehydes, Surrogate and Internal Standards on Electron-Capture

6410:I Chromatographic Conditions, Method Detection Limits, and Characteristic Masses for Base/Neutral Extractables . 6-85
6410:II Chromatographic Conditions, Method Detection Limits, and Characteristic Masses for Acid Extractables 6-86
6410:III DFTPP Key Masses and Abundance Criteria 6-87
6410:IV Suggested Internal and Surrogate Standards. 6-88
6410:V QC Acceptance Criteria 6-94
6410:VI Method Bias and Precision as Functions of Concentration 6-96
6420:I Chromatographic Conditions and Method Detection Limits 6-98
6420:II Silica Gel Fractionation and Electron Capture Gas Chromatography of PFBB Derivatives 6-98
6420:III QC Acceptance Criteria 6-102
6420:IV Method Bias and Precision as Functions of Concentration 6-102
6440:I High-Performance Liquid Chromatography Conditions and Method Detection Limits. 6-104
6440:II Gas Chromatographic Conditions and Retention Times 6-105
6440:III QC Acceptance Criteria 6-107
6440:IV Method Bias and Precision as Functions of Concentration 6-108
6610:I Recovery of Known Additions of Selected Carbamates from Water and Estimated Detection Limits (EDL) . . 6-110
6610:II Storage Stability of Samples with Known Additions. 6-111
6610:III Primary and Confirmatory Chromatographic Conditions and Retention Times for Selected Carbamate Pesticides 6-113
6610:IV Mean Recovery, Single-Analyst Standard Deviation, and Overall Standard Deviation for Collaborative Study Data 6-114
6630:I Retention Ratios of Various Organochlorine Pesticides Relative to Aldrin 6-119
6630:II Precision and Bias Data for Selected Organochlorine Pesticides 6-119
6630:III Chromatographic Conditions and Method Detection Limits 6-121
6630:IV Distribution of Chlorinated Pesticides and PCBs into Magnesia-Silica Gel Column Fractions 6-123
6630:V QC Acceptance Criteria 6-127
6630:VI Method Precision and Bias as Functions of Concentration 6-127
6640:I Method Detection Limits. 6-129
6640:II Analytical Standards. 6-130
6640:III Suggested Herbicide Solution Concentrations . . . . . (
6640:IV Short-Range Calibration Standards . . . (
6640:V Retention Times . . . . . (
6640:VI Single-Laboratory Bias and Precision Data, Level 1 Addition Reagent Water (
6640:VII Single-Laboratory Bias and Precision Data, Level 2 Addition Reagent Water (
6640:VIII Laboratory Performance Check Solution (
6640:IX Sample Matrix Addition Recoveries . . . (
6640:X Interlaboratory Quality Control Comparison Data . . . . . (
6640:XI Results for Laboratory Quality Control with Laboratory Fortified Blank. . . . (

7010:I Sample Handling, Preservation, and Holding Times . . . . . .
7010:II Usual Distribution of Common Radioelements Between the Solid and Liquid Phases of Wastewater . . . . .
7030:I Energy Resolution for Various Detector Types . . . . . .
7120:I Gamma-Emitters Recovery and Precision Estimate Regression Line Equations. .
7120:II Gamma-Emitters Study: Summary of Participants. . . . . .
7500-Ra:I Chemical and Radiochemical Composition of Samples Used to Determine Bias and Precision of Radium 226 Method . . . . . .
7100-Ra:II Factors for Decay of Radon 222, Growth of Radon 222 from Radium 226, and Correction of Radon 222 Activity for Decay During Counting . . . . . .

8010:I Recommended Composition for Reconstituted Fresh Water . . . . . .
8010:II Quantities of Reagent-Grade Chemicals to be Added to Aerated Soft Reconstituted Fresh Water for Buffering pH . . . . . .
8010:III Procedure for Preparing Reconstituted Seawater . . . . . .
8010:IV.A Macronutrient Stock Solution . . . . . .
8010:IV.B Micronutrient Stock Solution . . . . . .
8010:V Nutrients for Algal Culture Medium in Seawater . . . . . .
8010:VI Percentage of Ammonia Un-ionized in Distilled Water . . . . . .
8010:VII Experimental Data from Hypothetical Toxicity Test Subjected to Probit Analysis . . . . . .
8030:I Diagnostic Mutagens for Tester Strains TA98 and TA100 . . . . . .
8211:I Duckweed Nutrient Solution . . . . . .

8220:I	Example of Seed Germination and Seedling Growth Test Conditions	8-45
8910:I	Recommended Prophylactic and Therapeutic Treatments for Freshwater Fish to be Used for Experimental Purposes	8-79
9020:I	Quality of Purified Water Used In Microbiology Testing	9-5
9020:II	Reagent Additions for Water Quality Test	9-5
9020:III	Time and Temperature for Autoclave Sterilization	9-8
9020:IV	Holding Times for Prepared Media	9-8
9020:V	Control Cultures for Microbiological Tests	9-9
9020:VI	Calculation of Precision Criterion	9-9
9020:VII	Daily Checks on Precision of Duplicate Counts	9-9
9020:VIII	Coliform Counts and Their Logarithms	9-11
9020:IX	Comparison of Frequency of MPN Data	9-11
9020:X	Comparison of Frequency of Log MPN Data	9-11
9211:I	Special Rapid Techniques	9-21
9215:I	Effect of Temperature of Drying on Weight Loss of 15-mL Agar Plates Stored Separately	9-36
9221:I	Preparation of Lauryl Tryptose Broth	9-45
9221:II	MPN Index and 95% Confidence Limits for Various Combinations of Positive and Negative Results When Five 20-mL Portions are Used	9-48
9221:III	MPN Index and 95% Confidence Limits for Various Combinations of Positive and Negative Results When Ten 10-mL Portions are Used	9-48
9221:IV	MPN Index and 95% Confidence Limits for Various Combinations of Positive Results When Five Tubes are Used per Dilution (10 mL, 1.0 mL, 0.1 mL)	9-49
9222:I	Suggested Sample Volumes for Membrane Filter Total Coliform Test	
9222:II	95% Confidence Limits for Membrane Filter Coliform Results Using 100-mL Sample	9
9222:III	Suggested Sample Volumes for Membrane Filter Fecal Coliform Test	9
9225:I	Biochemical Reactions of Key Species of the Family Enterobacteriaceae	9
9230:I	Selected Key Biochemical Characteristics of the Streptococcus Species Within the Fecal Streptococcus and Enterococcus Groups	9
9250:I	General Macroscopic Properties of Bacterial Colonies on Solid Medium	9
10200:I	Characteristics of Commonly Used Plankton Nets	1
10200:II	Conversion Table for Membrane Filter Technique	1(
10200:III	Extinction Coefficients and Chromatographic Properties of Pigments Separated by Reverse-Phase High-Performance Liquid Chromatography	1(
10200:IV	HPLC Solvent System Program	1(
10300:I	Sample Calculation Ledger for Computation of Corrected Rate of Oxygen Change from a Single-Station Diurnal Curve	1(
10300:II	Sample Calculation Ledger for Computation of Corrected Rates of Oxygen Change from the Upstream-Downstream Diurnal Curves of Oxygen Concentration and Temperature	1(
10400:I	Methods Used to Determine Macrophyte Production	1(