

*Teri ✓
Return to RAK*

From: BONNIE KOCH
To: internet:driscoll.barbara@epamail.epa.gov,internet...
Date: 5/9/96 11:32am
Subject: Request: Early Review of 3-056(c) NOD Response/Meeting

To: Barbara Driscoll and Lou Roberts

From: Bonnie Koch, DOE, and Garry Allen, LANL

Telecon:

Ron Kern was called this morning at 10:30 so that a request for an early review of the subject NOD Response, which was due to the regulatory bureaus on May 3, 1996, could receive an early review. The reason for the request is that:

1) There is a need to have a meeting with the NMED Surface Water Bureau to see if the proposed monitoring in the plan meets their approval before the monitoring season begins, which hopefully, is imminent.

2) NMED SW Bureau was approached earlier this month to request a meeting, but because the monitoring and slope stabilization actually tie back to the proposed cleanup level of 10 ppm, NMED SW Bureau thought it would be more appropriate to have all the regulatory bureaus involved present at the meeting to discuss the monitoring. TSCA has a policy of 1 ppm for cleanup in a watercourse and it is possible that TSCA may have the most stringent requirement.

Ron Kern had no problem with B. Koch sending an E-mail to B. Driscoll and L. Roberts requesting an early review of the 3-056(c) package. However, Ron Kern is very busy and does not know if when NMED HRMB could complete their review and be ready for a meeting. However, because 3-056(c) is not in NMED's portion of the NMED/EPA work share, Ron Kern said he had no problem with B. Koch E-mailing B. Driscoll to request an early review. B. Koch said that Lou Roberts had told her a while ago that she did not mind being called to be informed of when a review might be needed since she is very loaded.

Dear Barbara and Lou,

Barbara, as you can see from the above, Ron Kern did not mind my e-mailing you to ask for an early review and one reason we are requesting it is so that a meeting before the monitoring season begins, which should be soon, can be arranged. Would you let me know what your reply to this request is and assuming that you could meet via telephone, what your schedules might be?

Thank you very much for your consideration in this matter. I will be faxing this E-mail to both Ron Kern, NMED HRMB and Glenn Saums, NMED Surface Water Bureau.

5/9/96 11:43:30 AM

TZ

