




UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6  
1445 ROSS AVENUE, SUITE 1200  
DALLAS, TX 75202-2733



JUL 13 1994

CERTIFIED LETTER: RETURN RECEIPT REQUESTED

*no time  
to review  
reply until -  
7/31/94*

*Barbara ✓  
Ron K ✓  
Teri D ✓*

Mr. Joseph C. Vozella, Chief  
Environment, Safety and Health Branch  
Department of Energy  
Los Alamos Field Office  
Los Alamos, NM 87544

Re: Notice of Deficiency, RFI Work Plan **OU 1082**  
Los Alamos National Laboratory  
NM0890010515

Dear Mr. Vozella:

The Environmental Protection Agency (EPA) has reviewed the RCRA Facility Investigation (RFI) Work Plan for Operable Unit 1082 (OU 1082) dated July 16, 1993 and found it to be deficient. Enclosed is a list of deficiencies which need to be addressed within thirty (30) days of receipt of this letter with the exception of the sampling plans noted in deficiency #18 which are due within sixty (60) days of receipt of this letter.

Should you have any questions, please contact Barbara Driscoll at (214) 655-7441. After August 1, 1994 Barbara's number will be changed to (214) 665-7441.

Sincerely yours,

William K. Honker, P.E.,  
Chief, RCRA Permits Branch

Enclosure (1)

cc: Mr. Benito Garcia, Bureau Chief  
Hazardous and Radioactive Materials Bureau  
New Mexico Environment Department

Mr. Jorg Jansen, Program Manager  
Environmental Restoration Program  
Los Alamos National Laboratory, M992



3430

*TU*