

TA 16



State of New Mexico
ENVIRONMENT DEPARTMENT
Hazardous and Radioactive Materials Bureau
2044 A Galisteo, P.O. Box 26110
Santa Fe, New Mexico 87502-6110
Telephone (505) 827-1557
Fax (505) 827-1544



GARY E. JOHNSON
GOVERNOR

PETER MAGGIORE
SECRETARY

REC'D 11-18-99

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

December 10, 1999

John C. Browne, Director
Los Alamos National Laboratory
P.O. Box 1663, Mail Stop A100
Los Alamos, New Mexico 87545

David A. Gurule, Area Manager
Department of Energy
Los Alamos Area Office
528 35th Street, Mail Stop A316
Los Alamos, New Mexico 87544

**RE: DUE DATE FOR RESCINDED TA-16 CHAPTER OF PART B REAPPLICATION
LOS ALAMOS NATIONAL LABORATORY
NM09890010515**

Dear Dr. Browne and Mr. Gurule:

On November 5, 1999, the Hazardous and Radioactive Materials Bureau (HRMB) issued a rescission of its determination of administrative completeness for the TA-16 chapter of the Los Alamos National Laboratory (LANL) Part B permit reapplication. During the December 2, 1999 waste management meeting between HRMB and LANL, LANL staff requested a due date for the submittal of the TA-16 chapter, which is being reformatted to conform with the re-permitting strategy agreed to by NMED and LANL. LANL staff suggested the end of January/beginning of February 2000 as a workable and reasonable deadline.

HRMB finds this time frame acceptable. LANL shall submit the reformatted TA-16 Part B application by February 1, 2000.




6206

Tc

Dr. Browne and Mr. Gurule
December 10, 1999
Page 2 of 2

If there are any questions, please feel free to contact me at (505) 827-1558 x 1012, or Michael Chacón at (505) 827-1558 x 1017.

Sincerely,



John E. Kieling
Acting Manager
RCRA Permits Management Program

JEK/mjc

cc: James P. Bearzi, Chief, HRMB
John Kieling, NMED HRMB
Michael Chacón, NMED HRMB
Pam Young, NMED HRMB
Herman Ledoux, DOE LAAO, MS A316
Jody Plum, DOE LAAO, MS A316
Jack Ellvinger, LANL ESH-19, MS K490
File: Reading and Red LANL TA-16/99

c:\documents\lanlwm\ta16\reformat call-in