

HSWA CANL 1106/21/21-024
(b,d,h)S



GARY E. JOHNSON
GOVERNOR

State of New Mexico
ENVIRONMENT DEPARTMENT
Hazardous & Radioactive Materials Bureau
2044 Galisteo
P.O. Box 26110
Santa Fe, New Mexico 87502
(505) 827-1557
Fax (505) 827-1544



MARK E. WEIDLER
SECRETARY

EDGAR T. THORNTON, III
DEPUTY SECRETARY

**CERTIFIED MAIL
RETURN RECEIPT REQUESTED**

September 24, 1997

Mr. G. Thomas Todd, Area Manager
Los Alamos Area Office
Department of Energy
528 35th Street
Los Alamos, New Mexico 87544

Dr. Sigfried Hecker, Director
Los Alamos National Laboratory
P. O. Box 1663, Mail Stop A100
Los Alamos, New Mexico 87545

**RE: Request for Supplemental Information
Voluntary Corrective Action Completion Report
Potential Release Site 21-024(d)
Los Alamos National Laboratory
NM0890010515**

Dear Mr. Todd and Dr. Hecker:

The RCRA Permits Management Program (RPMP) of the New Mexico Environment Department has reviewed the Voluntary Corrective Action Completion Report (LA-UR-96-258) for Potential Release Site 21-024(d) dated January 23, 1996 and referenced by EM/ER:96-258 and requests supplemental information detailed in the attachment.

LANL must respond to the request for supplemental information within thirty (30) days of the receipt of this letter. If LANL does not submit a complete response this request within thirty (30) calendar days, LANL should be advised that a Notice of Deficiency will be issued.

TL



10313

Mr. Todd and Dr. Hecker
Sep 24, 1997
Page 2

Should you have any questions regarding this letter, please contact me or Mr. John Kieling, RPMP's LANL Facility Manager, at (505) 827-1558.

Sincerely,



Robert S. ("Stu") Dinwiddie, PH. D., Manager
RCRA Permits Management Program

RSD:kth

attachment

cc w/ attachment:

T. Baca, LANL EM-DO, MS J591
T. Davis, NMED HRMB
B. Garcia, NMED HRMB
T. Glatzmaier, LANL DDEES/ER, MS M992
K. Hill, NMED HRMB
J. Jansen, LANL EM/ER, MS M992
M. Johansen, DOE LAAO, MS A316
J. Kieling, NMED HRMB
M. Leavitt, NMED GWQB
H. LeDoux, DOE LAAO, MS A316
D. McInroy, LANL EM/ER, MS M992
D. Neleigh, EPA 6PD-N
J. Parker, NMED DOE OB
G. Saums, NMED SWQB
T. Taylor, DOE LAAO, MS A316
S. Yanicak, NMED DOE OB, MS J993
File: Reading and HSWA LANL 1/1106/21/21-024(b, d & h)
Track: LANL, doc date, NA, DOE/LANL, HRMB/kth, RE, file

ATTACHMENT
Request for Supplemental Information
Voluntary Corrective Action Completion Report
Potential Release Site 21-024(d)
January 23, 1996

General Comment: If hazardous constituents were found down-gradient of the outfall, LANL should sample underneath the tank and any associated piping. LANL should clarify if only radionuclides were identified or whether hazardous constituents are also present.

1. **Page 1; 2nd paragraph:** EPA's acceptance of the NFA proposal (March 1995) is a tentative decision and not final until public participation procedures are completed and a final determination is issued. Therefore, the draft tentative decision could be entirely reversed in the final decision.

2. **Septic Tank Contents:** LANL should provide the results of all constituents analyzed (including the detection limits) for both the solid and liquid samples. The VCA Completion Report provided only partial results or results that were above detection limits.