EXISTING ROAD TO D.P.

PARKING AREA
EXISTING

EXISTING VALVE BOX

EXISTING

DPW-43 PUMP HOUSE

DPW-27 TANK

EXISTING

EDGE OF ASPHALT PAVEMENT

DOCK

NTAMINATED DUMP AREA

CONC. RAMP

BOILER HOUSE

D.P. LAUNDRY
DPW-20

Outside line of piers

Main Building

1" Cold Water
Hot Water
Circ. Hot Water
1½" Condensate Return
2" Steam Main

DOCK

Relocate ditch as shown

EXISTING

PARKING AREA
EXISTING

TELEPHONE LINE
EXISTING

POWER LINES
EXISTING

PIT

PLUG
"Y"

DPW-68
500 Gal. Gas Tank
See Details

PIT

PIT

CONTAINED AREA

Tank

OF GAS TANK

146' NEW 6" V.C.T. SEWER PIPE

DPW-62
NEW SEPTIC TANK 3'-6" X 7'-0"
SEE DWG. A5-C141 FOR DETAILS

NEW 4" V.C.T. OUTFALL LINE

Present Grade

Backfill

1½" Air Cell

6" Sewer Tile

2" pipe support

8"x6"x12" Conc. Footings
Locate in field to fit
Tank support

10419

OBSOLETE DEAD STORAGE

REV. 0	Added Sewer, Steam, Hot Water & Gas Lines, Block & Pipe Rack	AUTHORIZED FOR	LOS ALAMOS SCIENTIFIC LABORATORY DEPARTMENT OF ENGINEERING—CONSTRUCTION & MAINTENANCE GROUP		
		HEALTH, ACCEPTANCE SAFETY, ACCEPTANCE FIRE PR. ACCEPTANCE COMM. INT. ACCEPTANCE PROC. INT. ACCEPTANCE	BLDG. DPW-30 INDUSTRIAL WASTE STUDIES LAB. T. A. 21 PLOT PLAN		
		SEC. INT. APPROVAL Santa Fe, N.M.	SCALE: 1" = 20'-0"	DRAWN BY: [illegible] DATE: 6-4-62 CHKD. BY: [illegible] DATE: 6-7-62 APPVD. BY: [illegible] DATE: 7-2-62	DWG. NO. A5-C142

Job 136

Los Alamos Environmental Restoration Records Processing Facility

ER Record I.D.# 0024368