

TA 21



Risk Reduction & Environmental Stewardship Division
Water Quality & Hydrology Group (RRES-WQH)
PO Box 1663, MS K497
Los Alamos, New Mexico 87545
(505) 665-2014/Fax: (505) 665-9344

Date: October 25, 2002
Refer to: RRES-WQH: 02-387

Mr. Mark V. Coffman
Environmental Scientist
New Mexico Environmental Department
DOE Oversight Bureau, MS J993
Los Alamos, New Mexico 87544

SUBJECT: TA-21-57 AST DIESEL FUEL RELEASE – SUPPLEMENTAL INFORMATION

Dear Mr. Coffman:

In response to your request, I am providing the following supplemental information regarding the TA-21 diesel release. This information is a follow-up to the information provided to you in our September 19, 2002 letter. The following information addresses the questions that we discussed:

- Attached is Table 1 that correlates the sample identifications (IDs) discussed in the TA-21-57 AST Fuel Oil Environmental Assessment and Characterization Report (Characterization Report) with the corresponding chain of custody (COC) IDs that are associated with the data package from General Engineering Laboratories (GEL).
- Prior to daily use of the Photoionization Detector (PID) for field screening by JCNNM-HENV, the instrument was calibrated to isobutylene gas. No additional adjustments to the system were made during the field screening.
- The data rows labeled Horizontal and Vertical Extent and associated analytical data in the Angled Holes (#1 and #2) definition column in Appendix 4 of the Characterization Report were constructed to reflect the horizontal and vertical distances from the point of ground penetration by the angled boreholes. Unfortunately, there is an administrative error in the reporting of the associated analytical data results in the Characterization Report. The attached Table 2 shows the corrected associated analytical data values.



Please contact Mark Haagenstad (505) 665-2014 or myself at (505) 665-6085 should you have questions or need additional information regarding this matter.

Sincerely,



Mike Saladen
Water Quality & Hydrology Group

MS:MH/tml

Attachments: a/s

Cy: Joseph Vozella, DOE/OLASO, w/o att., MS A316
Gene Turner, DOE/OLASO, w/o att., MS A316
Randi Allen, DOE/OLASO, w/att., MS A316
Tony Stanford, FWO-DO, w/o att., MS K492
David Padilla, FWO-UI, w/o att., MS K718
Jerome Gonzales, FWO-UI, w/att., MS K718
Suzanne Moore, JCNNM-HENV, w/att., MS A199
Mell Smithour, JCNNM-UMDO, w/o att., MS A199
Beverly Ramsey, RRES-DO, w/o att., MS J591
Ken Hargis, RRES-DO, w/o att., MS J591
Doug Stavert, RRES-EP, w/o att., MS J978
Steven Rae, RRES-WQH, w/att., MS K497
Tina Sandoval, RRES-WQH, w/o att., MS K497
Mark Haagenstad, RRES-WQH, w/att., MS K497
John Hopkins, RRES-R, w/o att., MS M992
Roy Bohn, RRES-R, w/o att., MS M992
Phil Wardwell, LC-ESH, w/att., MS A187
RRES-WQH File, w/att., MS K497
IM-5, w/att., MS A150

Table 2. Corrected values for Horizontal and Vertical Extent associated analytical data information of Angles Holes #1 and #2 (Correction to the TA-21-57 AST Fuel Oil Environmental Assessment and Characterization Report, Appendix 4 [Haagenstad et al., 2002]).

Sample Name	Distance (ft)	General Engineering Laboratories Analytical Data (TPH-Diesel Range Organics [mg/kg])
Angle Hole #1 at 35 degrees	20.00	14700.000
	30.00	25000.000
	40.00	12500.000
Horizontal Extent from Point of Ground Penetration	11.47	14700.000
	17.21	25000.000
	22.94	12500.000
Vertical Extent from Point of Ground Penetration	16.38	14700.000
	24.57	25000.000
	32.77	12500.000
Angle Hole #2 at 25 degrees	15.00	13600.000
	25.00	27300.000
	35.00	13600.000
	45.00	16700.000
	55.00	204.000
	65.00	2.800
	75.00	3.580
	85.00	4.340
95.00	1.650	
Horizontal Extent from Point of Ground Penetration	6.33	13600.000
	10.57	27300.000
	14.79	13600.000
	19.02	16700.000
	23.24	204.000
	27.47	2.800
	31.70	3.580
	35.92	4.340
40.15	1.650	
Vertical Extent from Point of Ground Penetration	13.59	13600.000
	22.66	27300.000
	31.72	13600.000
	40.78	16700.000
	49.85	204.000
	58.91	2.800
	67.97	3.580
	77.04	4.340
86.10	1.650	

Table 1. Sampling identification correlations between the TA-21-57 AST Diesel Fuel Oil Release Environmental Assessment and Characterization Report and the General Engineering Laboratories (GEL) data package.

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
Hole A	1	JC-S100-1	2-4	2	4	FT	TPH-DRO
Hole B	2	JC-S101-2	4-6	4	6	FT	TPH-DRO
Hole C	3	JC-S102-3	2-4'3"	2	4'3"	FT	TPH-DRO
Hole D	4, 5, 6	JC-S103-4	6-8	6	8	FT	TPH-DRO
		JC-S104-5	8-12	8	12	FT	TPH-DRO
		JC-S105-6	14-16	14	16	FT	TPH-DRO
Hole E	7	JC-S106-7	2-6.2	2	6.2	FT	TPH-DRO
Hole F	8	JC-S107-8	0-2.2	0	2.2	FT	TPH-DRO
Hole G	9	JC-S108-9	4-6	4	6	FT	TPH-DRO
Hole H	10	JC-S109-10	0-2	0	2	FT	TPH-DRO
Hole I	11	JC-S110-11	2-4	2	4	FT	TPH-DRO
Hole J	12, 13	JC-S111-12	0-2	0	2		TPH-DRO
		JC-S112-13	2-5	2	5	FT	TPH-DRO
Hole K	14	JC-S113-14	0-3	0	3	FT	TPH-DRO
Hole L	15	JC-S114-15	2-4	2	4	FT	TPH-DRO
Hole M	16	JC-S115-16	2-4	2	4	FT	TPH-DRO
Hole N	17	JC-S116-17	2-4	2	4	FT	TPH-DRO
Hole O	18	JC-S117-18	0-2	0	2	FT	TPH-DRO
Hole P	19	JC-S118-19	2-4	2	4	FT	TPH-DRO
Hole Q	20	JC-S119-20	0-2	0	2	FT	TPH-DRO
Hole R	21	JC-S120-21	2-4	2	4	FT	TPH-DRO
Hole S	22	JC-S121-22	2-4	2	4	FT	TPH-DRO
Hole T	23	JC-S122-23	2-4	2	4	FT	TPH-DRO

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
		JC-S123-24	2-4	2	4	FT	TPH-DRO
		JC-S124-25	4-6	4	6	FT	TPH-DRO
		JC-S125-26	6-8	6	8	FT	TPH-DRO
Hole U	24, 25, 26, 27, 28	JC-S126-27	8-10	8	10	FT	TPH-DRO
		JC-S127-28	10-12	10	12	FT	TPH-DRO
Hole V	29	JC-S128-29	0-4	0	4	FT	TPH-DRO
Hole W	30	JC-S129-30	2-4	2	4	FT	TPH-DRO
Waste Characterization, 31	31	JC-S130-31	0-1	0	1	FT	TPH-DRO, BTEX TCLP METALS
Waste Characterization, 32	32	JC-S131-32	0-1	0	1	FT	TPH-DRO, BTEX TCLP METALS
Waste Characterization, 33	33	JC-S132-33	0-1	0	1	FT	TPH-DRO, BTEX TCLP METALS
Waste Characterization, 34	34	JC-S133-34	0-1	0	1	FT	TPH-DRO, BTEX TCLP METALS
Waste Characterization, 35	35	JC-S134-35	0-1	0	1	FT	TPH-DRO, BTEX TCLP METALS
Waste Characterization, 36	36	JC-S135-36	0-1	0	1	FT	TPH-DRO, BTEX TCLP METALS
V-1-42	42	JC-S140-42	3	N/A	N/A	FT	TPH-DRO
V-1-43	43	JC-S140-43	8	N/A	N/A	FT	TPH-DRO PAH,BTEX
V-1-44	44	JC-S140-44	8	N/A	N/A	FT	TPH-DRO
V-1-45	45	JC-S140-45	15	N/A	N/A	FT	TPH-DRO
V-1-46	46	JC-S140-46	20	N/A	N/A	FT	TPH-DRO
V-1-47	47	JC-S140-47	25	N/A	N/A	FT	TPH-DRO
V-1-48	48	JC-S140-48	30	N/A	N/A	FT	TPH-DRO
V-1-49	49	JC-S140-49	33	N/A	N/A	FT	TPH-DRO

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
V-1-50	50	JC-S140-50	39	N/A	N/A	FT	TPH-DRO
V-1-51	51	JC-S140-51	45	N/A	N/A	FT	TPH-DRO
V-1-52	52	JC-S140-52	55	N/A	N/A	FT	TPH-DRO
V-1-53	53	JC-S140-53	65	N/A	N/A	FT	TPH-DRO
V-1-54	54	JC-S140-54	75	N/A	N/A	FT	TPH-DRO
V-1-55	55	JC-S140-55	85	N/A	N/A	FT	TPH-DRO
V-1-56	56	JC-S140-56	95	N/A	N/A	FT	TPH-DRO
V-1-57	57	JC-S140-57	105	N/A	N/A	FT	TPH-DRO
V-1-58	58	JC-S140-58	115	N/A	N/A	FT	TPH-DRO
V-1-59	59	JC-S140-59		125	N/A	N/A	FT
	60 VOID	JC-S140-60=VOID					
V-1-61	61	JC-S140-61	135	N/A	N/A	FT	TPH-DRO
V-1-62	62	JC-S140-62	145	N/A	N/A	FT	TPH-DRO
V-1-63	63	JC-S140-63	155	N/A	N/A	FT	TPH-DRO
V-1-64	64	JC-S140-64	165	N/A	N/A	FT	TPH-DRO
V-1-65	65	JC-S140-65	175	N/A	N/A	FT	TPH-DRO
V-2-66	66	JC-S140-66	7.5	N/A	N/A	FT	TPH-DRO
V-2-67	67	JC-S140-67	20	N/A	N/A	FT	TPH-DRO
V-2-68	68	JC-S140-68	30	N/A	N/A	FT	TPH-DRO
V-2-69	69	JC-S140-69	40	N/A	N/A	FT	TPH-DRO
V-2-70	70	JC-S140-70	50	N/A	N/A	FT	TPH-DRO
V-2-71	71	JC-S140-71	60	N/A	N/A	FT	TPH-DRO
V-2-72	72	JC-S140-72	65	N/A	N/A	FT	TPH-DRO

TPH-DRO

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
V-2-73	73	JC-S140-73	80	N/A	N/A	FT	TPH-DRO
V-2-74	74	JC-S140-74	90	N/A	N/A	FT	TPH-DRO
V-2-75	75	JC-S140-75	100	N/A	N/A	FT	TPH-DRO
V-2-37	37	JC-S136-37	110	N/A	N/A	FT	TPH-DRO
V-3-76-3	76-3	JC-S142-76-3	15	N/A	N/A	FT	TPH-DRO
V-3-76-5	76-5	JC-S142-76-5	25	N/A	N/A	FT	TPH-DRO
V-3-76-7	76-7	JC-S142-76-7	35	N/A	N/A	FT	TPH-DRO
V-3-76-9	76-9	JC-S142-76-9	45	N/A	N/A	FT	TPH-DRO PAH,BTEX
V-3-76-11	76-11	JC-S142-76-11	55	N/A	N/A	FT	TPH-DRO
V-3-76-13		JC-S142-76-13	65			FT	TPH-DRO
V-3-76-14	76-13, 76-14	JC-S142-76-14	65	N/A	N/A	FT	TPH-DRO
V-3-77-15	77-15	JC-S143-77-15	75	N/A	N/A	FT	TPH-DRO
V-3-77-16	77-16	JC-S143-77-16	85	N/A	N/A	FT	TPH-DRO
V-3-77-17	77-17	JC-S143-77-17	95	N/A	N/A	FT	TPH-DRO
V-3-77-18	77-18	JC-S143-77-18	105	N/A	N/A	FT	TPH-DRO
V-4-78-1	78-1	JC-S144-78-1	15	N/A	N/A	FT	TPH-DRO
V-4-78-2	78-2	JC-S144-78-2	25	N/A	N/A	FT	TPH-DRO
V-4-78-4	78-4	JC-S144-78-4	35	N/A	N/A	FT	TPH-DRO
V-4-78-5	78-5	JC-S144-78-5	45	N/A	N/A	FT	TPH-DRO
V-4-78-6	78-6	JC-S144-78-6	55	N/A	N/A	FT	TPH-DRO
V-4-78-7	78-7	JC-S144-78-7	65	N/A	N/A	FT	TPH-DRO
V-4-78-8	78-8	JC-S144-78-8	75	N/A	N/A	FT	TPH-DRO
V-4-78-9	78-9	JC-S144-78-9	85	N/A	N/A	FT	TPH-DRO

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
V-4-78-10	78-10	JC-S144-78-10	95	N/A	N/A	FT	TPH-DRO
V-4-78-11		JC-S144-78-11	105			FT	TPH-DRO
V-4-78-12 DUP	78-11, 78-12	JC-S144-78-12	105	N/A	N/A	FT	TPH-DRO
V-5-79-1	79-1	JC-S145-79-1	15	N/A	N/A	FT	TPH-DRO
V-5-79-2	79-2	JC-S145-79-2	25	N/A	N/A	FT	TPH-DRO
V-5-79-3	79-3	JC-S145-79-3	35	N/A	N/A	FT	TPH-DRO
V-5-79-4	79-4	JC-S145-79-4	45	N/A	N/A	FT	TPH-DRO
V-5-79-5	79-5	JC-S145-79-5	55	N/A	N/A	FT	TPH-DRO
V-5-79-6	79-6	JC-S145-79-6	65	N/A	N/A	FT	TPH-DRO
V-5-79-7	79-7	JC-S145-79-7	75	N/A	N/A	FT	TPH-DRO
V-5-79-8	79-8	JC-S145-79-8	85	N/A	N/A	FT	TPH-DRO
V-5-79-9	79-9	JC-S145-79-9	95	N/A	N/A	FT	TPH-DRO
V-5-79-10		JC-S145-79-10	105			FT	TPH-DRO
V-5-79-11DUP	79-10, 79-11	JC-S145-79-11	105	N/A	N/A	FT	TPH-DRO
V-5-79-12	79-12	JC-S145-79-12	115	N/A	N/A	FT	TPH-DRO
V-5-79-13	79-13	JC-S145-79-13	125	N/A	N/A	FT	TPH-DRO
V-6-80-1	80-1	JC-S146-80-1	15	N/A	N/A	FT	TPH-DRO
V-6-80-2	80-2	JC-S146-80-2	25	N/A	N/A	FT	TPH-DRO
V-6-80-3	80-3	JC-S146-80-3	35	N/A	N/A	FT	TPH-DRO
V-6-80-4	80-4	JC-S146-80-4	45	N/A	N/A	FT	TPH-DRO
V-6-80-5	80-5	JC-S146-80-5	55	N/A	N/A	FT	TPH-DRO
V-6-80-6	80-6	JC-S146-80-6	65	N/A	N/A	FT	TPH-DRO
V-6-80-7	80-7	JC-S146-80-7	75	N/A	N/A	FT	TPH-DRO
V-6-80-8	80-8	JC-S146-80-8	85	N/A	N/A	FT	TPH-DRO

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
V-6-80-9	80-9	JC-S146-80-9	95	N/A	N/A	FT	TPH-DRO
V-6-80-10	80-10	JC-S146-80-10	105	N/A	N/A	FT	TPH-DRO
V-7-81-1	81-1	JC-S147-81-1	15	N/A	N/A	FT	TPH-DRO
V-7-81-2	81-2	JC-S147-81-2	25	N/A	N/A	FT	TPH-DRO
V-7-81-3	81-3	JC-S147-81-3	35	N/A	N/A	FT	TPH-DRO
V-7-81-4	81-4	JC-S147-81-4	45	N/A	N/A	FT	TPH-DRO
V-7-81-5	81-5	JC-S147-81-5	55	N/A	N/A	FT	TPH-DRO
V-7-81-6	81-6	JC-S147-81-6	65	N/A	N/A	FT	TPH-DRO
V-7-81-7	81-7	JC-S147-81-7	75	N/A	N/A	FT	TPH-DRO
V-7-81-8	81-8	JC-S147-81-8	85	N/A	N/A	FT	TPH-DRO
V-7-81-10	81-10	JC-S147-81-10	95	N/A	N/A	FT	TPH-DRO
V-7-81-11	81-11	JC-S147-81-11	105	N/A	N/A	FT	TPH-DRO
A-1-82-1	82-1	JC-S148-82-1	20	N/A	N/A	FT	TPH-DRO TPH-DRO BTEX,PAH
A-1-82-2	82-2	JC-S148-82-2	30	N/A	N/A	FT	TPH-DRO
A-1-82-3	82-3	JC-S148-82-3	40	N/A	N/A	FT	TPH-DRO
V8-83-1	83-1	JC-S149-83-1	15	N/A	N/A	FT	TPH-DRO
V8-83-2	83-2	JC-S149-83-2	25	N/A	N/A	FT	TPH-DRO
V8-83-3	83-3	JC-S149-83-3	35	N/A	N/A	FT	TPH-DRO
V8-83-4	83-4	JC-S149-83-4	45	N/A	N/A	FT	TPH-DRO
V8-83-5	83-5	JC-S149-83-5	55	N/A	N/A	FT	TPH-DRO
V8-83-6	83-6	JC-S149-83-6	65	N/A	N/A	FT	TPH-DRO
V8-83-7	83-7	JC-S149-83-7	75	N/A	N/A	FT	TPH-DRO
V8-83-8	83-8	JC-S149-83-8	85	N/A	N/A	FT	TPH-DRO
V8-83-9	83-9	JC-S149-83-9	95	N/A	N/A	FT	TPH-DRO
V8-83-10	83-10	JC-S149-83-10	105	N/A	N/A	FT	TPH-DRO
A2-84-1	84-1	JC-S150-84-1	15	N/A	N/A	FT	TPH-DRO

Sample Name:	Sample ID (from the COC)	GEL Chain of Custody ID:	Sample Depth:	Beginning Depth	Ending Depth	Depth Units:	Analysis Conducted:
A2-84-2	84-2	JC-S150-84-2	25	N/A	N/A	FT	TPH-DRO
A2-84-3	84-3	JC-S150-84-3	35	N/A	N/A	FT	TPH-DRO
A2-84-4	84-4	JC-S150-84-4	45	N/A	N/A	FT	TPH-DRO
A2-84-5	84-5	JC-S150-84-5	55	N/A	N/A	FT	TPH-DRO
A2-84-6	84-6	JC-S150-84-6	65	N/A	N/A	FT	TPH-DRO
A2-84-7	84-7	JC-S150-84-7	75	N/A	N/A	FT	TPH-DRO
A2-84-8	84-8	JC-S150-84-8	85	N/A	N/A	FT	TPH-DRO
A2-84-9	84-9	JC-S150-84-9	95	N/A	N/A	FT	TPH-DRO
JPA-1	96	JC-S140-96	4'6" - 5'	4'6"	5"	FT	TPH-DRO
JPA-2	97	JC-S140-97	4'6" - 5'	4'6"	5"	FT	TPH-DRO
JPA-3	98	JC-S140-98	4'6" - 5'	4'6"	5"	FT	TPH-DRO
JPA-4	99	JC-S140-99	4'6" - 5'	4'6"	5"	FT	TPH-DRO