



**Roberts, Kathryn, NMENV**

**From:** Roberts, Kathryn, NMENV  
**Sent:** Monday, January 07, 2008 8:42 AM  
**To:** 'Mark S. Thacker'  
**Cc:** Cobrain, Dave, NMENV  
**Subject:** Extended Suite Sampling (21-022(h)-99, 21-023(a)-99, 21-024(d), 21-024(i))

Mark,

NMED is in receipt of the extended suite sampling for SWMUs 21-022(h)-99, 21-023(a)-99, 21-024(d), 21-024(i). NMED has reviewed the data and determined that no further sampling for PCBs, dioxins/furans, and high explosives is required at SWMUs 21-022(h)-99, 21-023(a)-99, and 21-024(i).

The dioxin/furan TEQ (21.2) and the concentration of Aroclor-1254 (129 ug/kg) are below regulatory cleanup levels. However, the fact that both dioxins/furans and PCBs were found at elevated levels at this location in comparison to other SWMUs and AOCs in the area, is cause for concern.

The Permittees must conduct additional dioxin/furan and PCB sampling at locations 19 and 25 at SWMU 21-024(d).

Please let me know if you have any questions.

Katie

Kathryn Roberts  
Environmental Specialist  
New Mexico Environment Department  
Hazardous Waste Bureau  
2905 Rodeo Park Drive East  
Building 1  
Santa Fe, NM 87505  
Phone: 505-476-6041  
Fax: 505-476-6030  
email: kathryn.roberts@state.nm.us

