



BILL RICHARDSON
GOVERNOR

State of New Mexico TA55
ENVIRONMENT DEPARTMENT

Hazardous Waste Bureau
2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6303
Telephone (505) 428-2500
Fax (505) 428-2567
www.nmenv.state.nm.us



RON CURRY
SECRETARY

DERRITH WATCHMAN-MOORE
DEPUTY SECRETARY

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

May 23, 2005

Mr. G. Pete Nanos, Director
Los Alamos National Laboratory
P. O. Box 1663, MS A100
Los Alamos, NM 87545

Edwin L. Wilmot, Manager
Los Alamos Site Office
Department of Energy
528 35th Street, Mail Stop A316
Los Alamos, New Mexico 87544

**RE: APPROVAL OF TIME EXTENSION REQUEST FOR TECHNICAL AREA 55
CLOSURE CERTIFICATION REPORT FOR BUILDING PF 4 ROOM B38
LOS ALAMOS NATIONAL LABORATORY NM0890010515
HWB-LANL-02-025**

Dear Messrs. Nanos and Wilmot:

The New Mexico Environment Department (NMED) has received and reviewed the U. S. Department of Energy and the University of California (Permittees) Los Alamos National Laboratory's (LANL's) letter dated May 16, 2005 (ENV-SWRC:05-031). The subject of the letter was to request a time extension to submit the closure certification report for the Technical Area (TA) 55- Building PF 4 Room B38. The reason given for the request was that although all closure activities for the unit have been completed, the extension is necessary for the draft report to undergo security review and certification.

NMED approves the time extension request for submittal of the closure certification report to be submitted to NMED by June 1, 2005.


30611



Messrs. Nanos and Wilmot
May 23, 2005
Page 2

Should you have any questions regarding this letter please contact Lee Winn of my staff at (505) 428-2541.

Sincerely,



John E. Kieling
Manager
Permits Management Program

JEK:lw

cc: J. Bearzi, NMED HWB
D. Cobrain, NMED HWB
L. Winn, NMED HWB
L. King, EPA 6PD-N
T. Grieggs, LANL RRES-SWRC, MS K490
J. Ellvinger, LANL RRES-SWRC, MS K490
G. Bacigalupa, LANL RRES-SWRC, MS K490
G. Turner, DOE LASO, MS A316

File: Reading and TA-55 2005