



BRUCE KING
GOVERNOR

State of New Mexico
ENVIRONMENT DEPARTMENT

Harold Runnels Building
1190 St. Francis Drive, P.O. Box 26110
Santa Fe, New Mexico 87502
(505) 827-2850

JUDITH M. ESPINOSA
SECRETARY

RON CURRY
DEPUTY SECRETARY

April 22, 1992

Mr. Ron Johnson
Public Service Company Of New Mexico
Alvarado Square
Albuquerque, NM 87158
(505) 848-2340


Dear Mr. Johnson:

This letter is in response to Public Service Company Of New Mexico's (PNM) request, dated April 20, 1992, for an extension on Phase I under the Corrective Action Directive (CAD) at Person Generating Station. As requested by PNM, a ninety (90) day extension is approved by HRMB due to the extent of the plume migration and the need to drill additional monitoring wells for complete contaminate characterization. The Schedule of Implementation has been changed to the following dates:

<u>Item No.</u>	<u>End Date</u>	<u>Task Description</u>
5	7/16/92	Install and sample monitoring wells
6	9/10/92	Cutting/Core Logs submitted to HRMB
7	10/12/92	Assessment summary report submitted to HRMB
8	10/12/92	Corrective Measures Technology report submitted to HRMB
9	11/26/92	PNM receives comments on Assessment summary report from HRMB

Thank you for your cooperative effort.

Sincerely,


Edward L. Horst
Program Manager, RCRA

ELH:td

cc: Bruce Swanton, Supervisor RCRA Technical Section
Teri D. Davis, RCRA Technical Section

TRACKING OUTPUT, 01/01/90 to 01/01/93 Current date: 03/25/92

Record Number: 1 | Facility: PNM | EID Contact: TERI
Basis for Action: PERMIT CORRECTIVE ACTION DIRECTIVE
Trigger Date: 01/27/92 | Date Due: 07/16/92
Facility Contact: RON JOHNSON | Telephone: 848-2998
Compliance Action: Install and sample monitoring wells

Compliance Complete?: n

Record Number: 2 | Facility: PNM | EID Contact: TERI
Basis for Action: PERMIT CORRECTIVE ACTION DIRECTIVE
Trigger Date: 01/27/92 | Date Due: 09/10/92
Facility Contact: RON JOHNSON | Telephone: 848-2998
Compliance Action: Cutting/Core logs submitted to HRMB

Compliance Complete?: n

Record Number: 3 | Facility: PNM | EID Contact: TERI
Basis for Action: PERMIT CORRECTIVE ACTION DIRECTIVE
Trigger Date: 01/27/92 | Date Due: 10/12/92
Facility Contact: RON JOHNSON | Telephone: 848-2998
Compliance Action: Assessment summary report submitted to HRMB

Compliance Complete?: n

Record Number: 4 | Facility: PNM | EID Contact: TERI
Basis for Action: PERMIT CORRECTIVE ACTION DIRECTIVE
Trigger Date: 01/27/92 | Date Due: 10/12/92
Facility Contact: RON JOHNSON | Telephone: 848-2998
Compliance Action: Corrective Measures Technogoly report submitted to
HRMB

Compliance Complete?: N

Record Number: 5 | Facility: PNM | EID Contact: TERI
Basis for Action: PERMIT CORRECTIVE ACTION DIRECTIVE
Trigger Date: 01/27/92 | Date Due: 11/26/92
Facility Contact: RON JOHNSON | Telephone: 848-2998
Compliance Action: PNM receives comments on Assessment summary report
from HRMB

Compliance Complete?: N