



Analytical **Technologies**, Inc.

9830 S. 51st Street Suite B-113 Phoenix, AZ 85044 (602) 496-4400

ATI I.D. 205661

June 1, 1992

Public Service of New Mexico
1 Alvarado Sq. MS 0246
Albuquerque, NM 87158


Project Name/Number: Person St.


Attention: Ron Johnson

On 05/08/92, Analytical Technologies, Inc. received a request to analyze aqueous sample(s). The sample(s) were analyzed with EPA methodology or equivalent methods. The results of these analyses and the quality control data, which follow each set of analyses, are enclosed.

Diethylphthalate was found in the Method 8270 reagent blank. This compound was not detected in your sample.

If you have any questions or comments, please do not hesitate to contact us at (602) 496-4400.


Mary Tyer
Project Manager


Robert V. Woods
Laboratory Manager

RVW:ktd
Enclosure



Analytical Technologies, Inc.

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.

DATE RECEIVED : 05/08/92
REPORT DATE : 06/01/92

ATI I.D. : 205661

ATI #	CLIENT DESCRIPTION	MATRIX	DATE COLLECTED
01	PSMW-X (DUPLICATE OF PSMW-8A)	AQUEOUS	05/07/92
02	TRIP BLANK	AQUEOUS	03/24/92

----- TOTALS -----

MATRIX	# SAMPLES
AQUEOUS	2

ATI STANDARD DISPOSAL PRACTICE

The samples from this project will be disposed of in thirty (30) days from the date of this report. If an extended storage period is required, please contact our sample control department before the scheduled disposal date.



Analytical **Technologies**, Inc.

GENERAL CHEMISTRY RESULTS

ATI I.D. : 205661

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.

DATE RECEIVED : 05/08/92

REPORT DATE : 06/01/92

PARAMETER	UNITS	01
CYANIDE, TOTAL	MG/L	<0.01
SULFIDE, TOTAL	MG/L	<1



Analytical Technologies, Inc.

GENERAL CHEMISTRY - QUALITY CONTROL

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.

ATI I.D. : 205661

Table with 9 columns: PARAMETER, UNITS, ATI I.D., SAMPLE RESULT, DUP. RESULT, RPD, SPIKED SAMPLE CONC, SPIKE CONC, % REC. Rows include CYANIDE, TOTAL and SULFIDE, TOTAL.

% Recovery = (Spike Sample Result - Sample Result) / Spike Concentration X 100

RPD (Relative Percent Difference) = (Sample Result - Duplicate Result) / Average Result X 100



METALS RESULTS

ATI I.D. : 205661

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.

DATE RECEIVED : 05/08/92

REPORT DATE : 06/01/92

PARAMETER	UNITS	01
SILVER	MG/L	<0.010
ARSENIC	MG/L	<0.005
BARIUM	MG/L	0.039
BERYLLIUM	MG/L	<0.005
CADMIUM	MG/L	<0.005
COBALT	MG/L	<0.010
CHROMIUM	MG/L	0.110
COPPER	MG/L	<0.010
MERCURY	MG/L	<0.0002
NICKEL	MG/L	<0.020
LEAD	MG/L	<0.002
ANTIMONY	MG/L	<0.05
SELENIUM	MG/L	0.009
TIN	MG/L	<0.03
THALLIUM	MG/L	<0.005
VANADIUM	MG/L	<0.010
ZINC	MG/L	0.012



METALS - QUALITY CONTROL

CLIENT : PUBLIC SERVICE OF NEW MEXICO
 PROJECT # : (NONE)
 PROJECT NAME : PERSON STAT.

ATI I.D. : 205661

PARAMETER	UNITS	ATI I.D.	SAMPLE RESULT	DUP. RESULT	RPD	SPIKED SAMPLE	SPIKE CONC	% REC
SILVER	MG/L	20566101	<0.010	<0.010	NA	0.416	0.500	83
ARSENIC	MG/L	20566201	<0.005	<0.005	NA	0.045	0.050	90
BARIUM	MG/L	20566101	0.039	0.039	0	0.949	1.00	91
BERYLLIUM	MG/L	20566101	<0.005	<0.005	NA	0.423	0.500	85
CADMIUM	MG/L	20566101	<0.005	<0.005	NA	0.477	0.500	95
COBALT	MG/L	20566101	<0.010	<0.010	NA	0.951	1.00	95
CHROMIUM	MG/L	20566101	0.110	0.102	8	1.03	1.00	92
COPPER	MG/L	20566101	<0.010	<0.010	NA	0.483	0.500	97
MERCURY	MG/L	20566401	<0.0002	<0.0002	NA	0.0050	0.0050	100
NICKEL	MG/L	20566101	<0.020	<0.020	NA	0.878	1.00	88
LEAD	MG/L	20561101	<0.002	<0.002	NA	0.052	0.050	104
ANTIMONY	MG/L	20566101	<0.05	<0.05	NA	1.01	1.00	101
SELENIUM	MG/L	20566201	0.010	0.010	0	0.042	0.050	64
TIN	MG/L	20566101	<0.03	<0.03	NA	0.96	1.00	96
THALLIUM	MG/L	20566201	<0.005	<0.005	NA	0.052	0.050	104
VANADIUM	MG/L	20566101	<0.010	<0.010	NA	0.941	1.00	94
ZINC	MG/L	20566101	0.012	0.011	9	0.476	0.500	93

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative Percent Difference)} = \frac{(\text{Sample Result} - \text{Duplicate Result})}{\text{Average Result}} \times 100$$



Analytical **Technologies**, Inc.

GAS CHROMATOGRAPHY - RESULTS

ATI I.D. : 20566101

TEST : CHLORINATED HERBICIDES (EPA 8150)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.
CLIENT I.D. : PSMW-X
SAMPLE MATRIX : AQUEOUS

DATE SAMPLED : 05/07/92
DATE RECEIVED : 05/08/92
DATE EXTRACTED : 05/14/92
DATE ANALYZED : 05/18/92
UNITS : UG/L
DILUTION FACTOR : 1

COMPOUNDS	RESULTS
2,4,5-TRICHLOROPHENOXYACETIC ACID	<0.2
2,4-DICHLOROPHENOXYACETIC ACID	<0.4
2-SEC-BUTYL-4,6-DINITROPHENOL	<1.0
SILVEX (2,4,5-TP)	<0.2

SURROGATE PERCENT RECOVERIES

DCAA (%) 77



Analytical Technologies, Inc.

GAS CHROMATOGRAPHY - RESULTS

REAGENT BLANK

TEST : CHLORINATED HERBICIDES (EPA 8150)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.
CLIENT I.D. : REAGENT BLANK

ATI I.D. : 205661
DATE EXTRACTED : 05/14/92
DATE ANALYZED : 05/18/92
UNITS : UG/L
DILUTION FACTOR : N/A

COMPOUNDS	RESULTS
2,4,5-TRICHLOROPHENOXYACETIC ACID	<0.2
2,4-DICHLOROPHENOXYACETIC ACID	<0.4
2-SEC-BUTYL-4,6-DINITROPHENOL	<1.0
SILVEX (2,4,5-TP)	<0.2

SURROGATE PERCENT RECOVERIES

DCAA (%)

67



QUALITY CONTROL DATA

TEST : CHLORINATED HERBICIDES (EPA 8150)

ATI I.D. : 205661

CLIENT : PUBLIC SERVICE OF NEW MEXICO
 PROJECT # : (NONE)
 PROJECT NAME : PERSON STAT.
 REF I.D. : 20599909

DATE ANALYZED : 05/19/92
 SAMPLE MATRIX :
 UNITS : UG/L

COMPOUNDS	SAMPLE CONC. RESULT	SAMPLE CONCENTRATION	SAMPLE SPIKED	SAMPLE REC.	DUP. SPIKED SAMPLE REC.	DUP. SPIKED SAMPLE REC.	RPD
2,4-D	<0.4	17	12	71	12	71	0
SILVEX	<0.2	3.3	2.7	82	2.6	79	4

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative \% Difference)} = \frac{(\text{Spiked Sample Result} - \text{Duplicate Spike Sample Result})}{\text{Average of Spiked Sample}} \times 100$$



Analytical Technologies, Inc.

GAS CHROMATOGRAPHY - RESULTS

ATI I.D. : 20566101

TEST : ORGANOPHOSPHORUS PESTICIDES (EPA 8140)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.
CLIENT I.D. : PSMW-X
SAMPLE MATRIX : AQUEOUS

DATE SAMPLED : 05/07/92
DATE RECEIVED : 05/08/92
DATE EXTRACTED : 05/11/92
DATE ANALYZED : 05/13/92
UNITS : UG/L
DILUTION FACTOR : 1

COMPOUNDS

RESULTS

Table with 2 columns: COMPOUNDS and RESULTS. Rows include O,O-DIETHYL-O-(2-PYRAZINYLY) PHOSPHO, DISULFOTON, FAMPHUR, METHYL PARATHION, PARATHION, PHORATE, and TETRAETHYLDITHIOPYROPHOSPHATE.

SURROGATE PERCENT RECOVERIES

TRIPHENYLPHOSPHATE (%) 103



REAGENT BLANK

TEST : ORGANOPHOSPHORUS PESTICIDES (EPA 8140)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.
CLIENT I.D. : REAGENT BLANK

ATI I.D. : 205661
DATE EXTRACTED : 05/11/92
DATE ANALYZED : 05/13/92
UNITS : UG/L
DILUTION FACTOR : N/A

COMPOUNDS	RESULTS
O,O-DIETHYL-O-(2-PYRAZINYLY) PHOSPHO DISULFOTON	<1.0
FAMPHUR	<1.0
METHYL PARATHION	<2.0
PARATHION	<1.0
PHORATE	<1.0
TETRAETHYLDITHIOPYROPHOSPHATE	<2.0
	<1.0

SURROGATE PERCENT RECOVERIES

TRIPHENYLPHOSPHATE (%) 88



Analytical Technologies, Inc.

QUALITY CONTROL DATA

ATI I.D. : 205661

TEST : ORGANOPHOSPHORUS PESTICIDES (EPA 8140)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
 PROJECT # : (NONE)
 PROJECT NAME : PERSON STAT.
 REF I.D. : 20566401

DATE ANALYZED : 05/14/92
 SAMPLE MATRIX : AQUEOUS
 UNITS : UG/L

COMPOUNDS	SAMPLE CONC.		SPIKED RESULT	SPIKED SAMPLE	DUP. % SPIKED		RPD
	RESULT	SPIKED			REC. SAMPLE	REC.	
M-PARATHION	<1.0	61	63	103	60	98	5
E-PARATHION	<1.0	66	67	102	66	100	2

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative \% Difference)} = \frac{(\text{Spiked Sample Result} - \text{Duplicate Spike Sample Result})}{\text{Average of Spiked Sample}} \times 100$$

GAS CHROMATOGRAPHY - RESULTS

ATI I.D. : 20566101

TEST : ORGANOCHLORINE PESTICIDES & PCB'S (EPA 8080)

CLIENT	: PUBLIC SERVICE OF NEW MEXICO	DATE SAMPLED	: 05/07/92
PROJECT #	: (NONE)	DATE RECEIVED	: 05/08/92
PROJECT NAME	: PERSON STAT.	DATE EXTRACTED	: 05/11/92
CLIENT I.D.	: PSMW-X	DATE ANALYZED	: 05/15/92
SAMPLE MATRIX	: AQUEOUS	UNITS	: UG/L
		DILUTION FACTOR	: 1

COMPOUNDS	RESULTS
ALDRIN	<0.05
ALPHA BHC	<0.05
BETA BHC	<0.05
GAMMA BHC (LINDANE)	<0.05
DELTA BHC	<0.05
CHLORDANE	<0.5
4,4'-DDD	<0.1
4,4'-DDE	<0.1
4,4'-DDT	<0.1
DIELDRIN	<0.1
ENDOSULFAN I	<0.05
ENDOSULFAN II	<0.1
ENDOSULFAN SULFATE	<0.1
ENDRIN	<0.1
ENDRIN ALDEHYDE	<0.1
ENDRIN KETONE	<0.1
HEPTACHLOR	<0.05
HEPTACHLOR EPOXIDE	<0.05
METHOXYCHLOR	<0.5
TOXAPHENE	<1.0
AROCLOR 1016	<0.5
AROCLOR 1221	<0.5
AROCLOR 1232	<0.5
AROCLOR 1242	<0.5
AROCLOR 1248	<0.5
AROCLOR 1254	<0.5
AROCLOR 1260	<0.5
ISODRIN	<0.05
KEPONE	<0.5

SURROGATE PERCENT RECOVERIES

DBC (%)	93
DBOFBP (%)	92



Analytical Technologies, Inc.

GAS CHROMATOGRAPHY - RESULTS

REAGENT BLANK

TEST : ORGANOCHLORINE PESTICIDES & PCB'S (EPA 8080)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
 PROJECT # : (NONE)
 PROJECT NAME : PERSON STAT.
 CLIENT I.D. : REAGENT BLANK

ATI I.D. : 205661
 DATE EXTRACTED : 05/11/92
 DATE ANALYZED : 05/14/92
 UNITS : UG/L
 DILUTION FACTOR : N/A

COMPOUNDS	RESULTS
ALDRIN	<0.05
ALPHA BHC	<0.05
BETA BHC	<0.05
GAMMA BHC (LINDANE)	<0.05
DELTA BHC	<0.05
CHLORDANE	<0.5
4,4'-DDD	<0.1
4,4'-DDE	<0.1
4,4'-DDT	<0.1
DIELDRIN	<0.1
ENDOSULFAN I	<0.05
ENDOSULFAN II	<0.1
ENDOSULFAN SULFATE	<0.1
ENDRIN	<0.1
ENDRIN ALDEHYDE	<0.1
ENDRIN KETONE	<0.1
HEPTACHLOR	<0.05
HEPTACHLOR EPOXIDE	<0.05
METHOXYCHLOR	<0.5
TOXAPHENE	<1.0
AROCLOR 1016	<0.5
AROCLOR 1221	<0.5
AROCLOR 1232	<0.5
AROCLOR 1242	<0.5
AROCLOR 1248	<0.5
AROCLOR 1254	<0.5
AROCLOR 1260	<0.5
ISODRIN	<0.05
KEPONE	<0.5

SURROGATE PERCENT RECOVERIES

DBC (%) 80
 DBOFBP (%) 92



QUALITY CONTROL DATA

TEST : ORGANOCHLORINE PESTICIDES & PCB'S (EPA 8080) ATI I.D. : 205661

CLIENT : PUBLIC SERVICE OF NEW MEXICO

PROJECT # : (NONE) DATE ANALYZED : 05/15/92

PROJECT NAME : PERSON STAT. SAMPLE MATRIX : AQUEOUS

REF I.D. : 20566401 UNITS : UG/L

COMPOUNDS	SAMPLE CONC. RESULT	SAMPLE SPIKED	SAMPLE SPIKED	% REC.	DUP. SPIKED SAMPLE	% REC.	DUP. SPIKED SAMPLE	RPD
GAMMA BHC	<0.05	2.0	2.0	100	1.8	90	11	
HEPTACHLOR	<0.05	2.0	2.0	100	1.8	90	11	
ALDRIN	<0.05	2.0	2.0	100	1.7	85	16	
DIELDRIN	<0.1	2.0	2.0	100	1.8	90	11	
ENDRIN	<0.1	2.0	2.1	105	2.0	100	5	
DDT	<0.1	2.0	2.0	100	1.9	95	5	

$$\% \text{ Recovery} = \frac{(\text{Spike Sample Result} - \text{Sample Result})}{\text{Spike Concentration}} \times 100$$

$$\text{RPD (Relative \% Difference)} = \frac{(\text{Spiked Sample Result} - \text{Duplicate Spike Sample Result})}{\text{Average of Spiked Sample}} \times 100$$



Analytical **Technologies**, Inc.

GCMS - RESULTS

ATI I.D. : 20566101

TEST : DIOXIN 2,3,7,8-TCDD (METHOD 625 SCREEN)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
PROJECT # : (NONE)
PROJECT NAME : PERSON STAT.
CLIENT I.D. : PSMW-X
SAMPLE MATRIX : AQUEOUS

DATE SAMPLED : 05/07/92
DATE RECEIVED : 05/08/92
DATE EXTRACTED : N/A
DATE ANALYZED : 05/20/92
UNITS : UG/L
DILUTION FACTOR : 1

COMPOUNDS

RESULTS

2,3,7,8-TCDD
2,3,7,8-TCDF

ND
ND



GCMS - RESULTS

ATI I.D. : 20566101

TEST : VOLATILE ORGANICS (EPA 8240)

CLIENT : PUBLIC SERVICE OF NEW MEXICO
 PROJECT # : (NONE)
 PROJECT NAME : PERSON STAT.
 CLIENT I.D. : PSMW-X
 SAMPLE MATRIX : AQUEOUS

DATE SAMPLED : 05/07/92
 DATE RECEIVED : 05/08/92
 DATE EXTRACTED : N/A
 DATE ANALYZED : 05/16/92
 UNITS : UG/L
 DILUTION FACTOR : 1

COMPOUNDS	RESULTS
CHLOROMETHANE	<10
BROMOMETHANE	<10
VINYL CHLORIDE	<1
CHLOROETHANE	<1
METHYLENE CHLORIDE	<5
ACETONE	<10
CARBON DISULFIDE	<1
1,1-DICHLOROETHENE	100
1,1-DICHLOROETHANE	2
1,2-DICHLOROETHENE (TOTAL)	<1
CHLOROFORM	2
1,2-DICHLOROETHANE	<1
2-BUTANONE (MEK)	<10
1,1,1-TRICHLOROETHANE	24
CARBON TETRACHLORIDE	<1
VINYL ACETATE	<10
BROMODICHLOROMETHANE	<1
1,1,2,2-TETRACHLOROETHANE	<1
1,2-DICHLOROPROPANE	<1
TRANS-1,3-DICHLOROPROPENE	<1
TRICHLOROETHENE	<1
DIBROMOCHLOROMETHANE	<1
1,1,2-TRICHLOROETHANE	<1
BENZENE	<1
CIS-1,3-DICHLOROPROPENE	<1
BROMOFORM	<5
2-HEXANONE (MBK)	<10
4-METHYL-2-PENTANONE (MIBK)	<10
TETRACHLOROETHENE	130
TOLUENE	<1
CHLOROBENZENE	<1
ETHYLBENZENE	<1
STYRENE	<1
TOTAL XYLENES	<1
ACETONITRILE	<100
ACROLEIN	<20
ACRYLONITRILE	<10
ALLYL CHLORIDE	<5
1,2-DIBROMO-3-CHLOROPROPANE	<5
CHLOROPRENE	<5
1,2-DIBROMOETHANE	<5

(CONTINUED NEXT PAGE)



TEST : VOLATILE ORGANICS (EPA 8240)

COMPOUNDS	RESULTS
DIBROMOMETHANE	<5
DICHLORODIFLUOROMETHANE	<5
1,4-DIOXANE	<150
ETHYL CYANIDE	<25
ISOBUTYL ALCOHOL	<50
METHYL IODIDE	<5
METHACRYLONITRILE	<5
PYRIDINE	<100
1,1,1,2-TETRACHLOROETHANE	<5
TRANS-1,4-DICHLORO-2-BUTENE	<5
TRICHLOROMONOFUOROMETHANE	<5
1,2,3-TRICHLOROPROPANE	<5
METHYL METHACRYLATE	<5
ETHYL METHACRYLATE	<5

SURROGATE PERCENT RECOVERIES

1,2-DICHLOROETHANE-D4 (%)	106
BFB (%)	100
TOLUENE-D8 (%)	102



Analytical **Technologies**, Inc.

ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

TEST : VOLATILE ORGANICS (EPA 8240)

ATI I.D. : 20566101

COMPOUNDS

RESULTS

NO ADDITIONAL COMPOUNDS

<5

GCMS - RESULTS

ATI I.D. : 20566102

TEST : VOLATILE ORGANICS (EPA 8240)

 CLIENT : PUBLIC SERVICE OF NEW MEXICO
 PROJECT # : (NONE)
 PROJECT NAME : PERSON STAT.
 CLIENT I.D. : TRIP BLANK
 SAMPLE MATRIX : AQUEOUS

 DATE SAMPLED : 03/24/92
 DATE RECEIVED : 05/08/92
 DATE EXTRACTED : N/A
 DATE ANALYZED : 05/16/92
 UNITS : UG/L
 DILUTION FACTOR : 1

COMPOUNDS	RESULTS
CHLOROMETHANE	<10
BROMOMETHANE	<10
VINYL CHLORIDE	<1
CHLOROETHANE	<1
METHYLENE CHLORIDE	<5
ACETONE	<10
CARBON DISULFIDE	<1
1,1-DICHLOROETHENE	<1
1,1-DICHLOROETHANE	<1
1,2-DICHLOROETHENE (TOTAL)	<1
CHLOROFORM	<1
1,2-DICHLOROETHANE	<1
2-BUTANONE (MEK)	<10
1,1,1-TRICHLOROETHANE	<1
CARBON TETRACHLORIDE	<1
VINYL ACETATE	<10
BROMODICHLOROMETHANE	<1
1,1,2,2-TETRACHLOROETHANE	<1
1,2-DICHLOROPROPANE	<1
TRANS-1,3-DICHLOROPROPENE	<1
TRICHLOROETHENE	<1
DIBROMOCHLOROMETHANE	<1
1,1,2-TRICHLOROETHANE	<1
BENZENE	<1
CIS-1,3-DICHLOROPROPENE	<1
BROMOFORM	<5
2-HEXANONE (MBK)	<10
4-METHYL-2-PENTANONE (MIBK)	<10
TETRACHLOROETHENE	<1
TOLUENE	<1
CHLOROBENZENE	<1
ETHYLBENZENE	<1
STYRENE	<1
TOTAL XYLENES	<1
ACETONITRILE	<100
ACROLEIN	<20
ACRYLONITRILE	<10
ALLYL CHLORIDE	<5
1,2-DIBROMO-3-CHLOROPROPANE	<5
CHLOROPRENE	<5
1,2-DIBROMOETHANE	<5

(CONTINUED NEXT PAGE)



TEST : VOLATILE ORGANICS (EPA 8240)

COMPOUNDS	RESULTS
DIBROMOMETHANE	<5
DICHLORODIFLUOROMETHANE	<5
1,4-DIOXANE	<150
ETHYL CYANIDE	<25
ISOBUTYL ALCOHOL	<50
METHYL IODIDE	<5
METHACRYLONITRILE	<5
PYRIDINE	<100
1,1,1,2-TETRACHLOROETHANE	<5
TRANS-1,4-DICHLORO-2-BUTENE	<5
TRICHLOROMONOFUOROMETHANE	<5
1,2,3-TRICHLOROPROPANE	<5
METHYL METHACRYLATE	<5
ETHYL METHACRYLATE	<5

SURROGATE PERCENT RECOVERIES

1,2-DICHLOROETHANE-D4 (%)	107
BFB (%)	101
TOLUENE-D8 (%)	104



Analytical **Technologies**, Inc.

ADDITIONAL COMPOUNDS (SEMI-QUANTITATED)

TEST : VOLATILE ORGANICS (EPA 8240)

ATI I.D. : 20566102

COMPOUNDS

RESULTS

NO ADDITIONAL COMPOUNDS

<5