



MEMORANDUM

TO: The Files
FROM: Stephanie Kruse *SK*
SUBJECT: Meeting with Philips Semiconductors re closure
DATE: October 4, 1995

A meeting was held in Santa Fe this morning to discuss termination of Philips' RCRA storage permit. Philips will continue to operate under less-than-90-day storage status.

Philips stated that there have been no spills in reportable quantities to date.

Present were:

NMED

Philips

Barbara Hoditschek
Coby Muckelroy
Stephanie Kruse

Jim Cochran
Melanie McKinley
David Paulson

1. Closure activities will take place during the period of Philips' annual shut-down - Dec. 23-30. Coby will arrange for an inspection on Dec 26 or 27 (probably the 27th).
2. Philips expects to certify closure the end of Jan.-beginning of Feb.
3. Philips will set up a less-than-90-day storage area, clearly marked as such, for storage of wastes generated during the closure period. This area will be clearly identified in the CP revision.
4. After making revisions as discussed below, Philips will send us a disc of the revisions in "strikeout/redline".
5. Philips will FAX us a map of HSWA GW sampling plan.
6. Philips will send NMED a letter requesting withdrawal of the first permit modification request.

7. Philips will revise the revised CP as follows:
 - a. Make changes to revised I.1.a., putting back in GW sampling depending on the results of soil sampling.
 - b. p. 6 of revised CP: Will put original language back in (referring to possible TCLP toxic materials in sludges).
 - c. S&A plan according to TCP's memo. Include a map of sampling points.
 - d. Top of p. 5 of revised CP: Wording will be changed to state that samples from Flammable Storage #4 only will be tested for TOC (not Flammable Storage #4 and Chemical Storage #2, which is As and Hg), as identified in the table.
 - e. Storage of hazardous waste under 262.42 (<90 day storage) will be discussed in the CP.
8. Philips will take care of Public Information based on 40 CFR 270.42. Philips' will also send notification to its mailing list. Will also put notice in paper.

NMED will:

1. Send Philips directions on Public Information process, an example or two of what information goes into a Public Notice, and a mailing list.
2. FAX the TCP comments down to Philips, after discussion with Teri, by end of week.
3. Send Philips a letter giving the Director's approval for the revised Closure Plan, so that we can proceed with a Class I modification.
4. Call Nancy Morlock. On the HSWA portion of the permit. Will EPA continue to manage under Work Share? Find out if TCP wants the RFI review (within 120 days).