

PS red file 95



GARY E. JOHNSON
GOVERNOR

State of New Mexico
ENVIRONMENT DEPARTMENT
Hazardous & Radioactive Materials Bureau
2044 Galisteo
P.O. Box 26110
Santa Fe, New Mexico 87502
(505) 827-1557
Fax (505) 827-1544



MARK E. WEIDLER
SECRETARY

EDGAR T. THORNTON, III
DEPUTY SECRETARY

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

October 20, 1995

Mr. James Cochran, Manager
Environmental, Health and Safety
Philips Semiconductors
9201 Pan American Freeway
Albuquerque, New Mexico 87113

SUBJECT: Closure Plan: Notice of Deficiency

Dear Mr. Cochran:

Staff have completed review of the revisions to Philips' proposed changes to the closure plan, including an addendum containing a sampling and analysis plan. These revisions were received by FAX on October 12, 1995. Technical Compliance Program staff have provided the following comments which must be addressed before the closure plan can be approved:

<u>Section</u>	<u>Comment</u>
	20 NMAC 4.1, Subpart V, 40 CFR 264.112(b) (5)
3.2.1	The facility should mention whether or not the sampling ports at the waste storage area have ever been sampled. If they have, the results should be included in the closure plan.
	20 NMAC 4.1, Subpart V, 40 CFR 264.112(b) (4)
Table 1	The performance standard for specific volatile organic constituents should be based on risk-based concentrations. The term "Not Applicable" utilized in this table should be changed to performance standards or risk-based concentrations presented in the latest version of the US Environmental Protection Agency Region III Risk-based Concentration Table (enclosed).

Please submit the necessary changes within 30 days of receipt of this Notice of Deficiency.

Mr. James Cochran
October 20, 1995
Page 2

Please contact Stephanie Kruse of my staff at 827-1561 if you have any questions about these deficiencies.

Sincerely,


Benito J. Garcia, Chief

Enclosure

xc: Teri Davis, NMED
Melanie McKinley, Philips
David Neleigh, EPA
Philips red file 95
Reading file



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region III
841 Chestnut Street
Philadelphia, Pennsylvania 19107



March 7, 1995

SUBJECT: Risk-Based Concentration Table, January - June 1995

FROM: Roy L. Smith, Ph.D., Senior Toxicologist
Technical Support Section (3HW13)

TO: RBC Table Mailing List

Attached is the EPA Region III Risk-Based Concentration (RBC) table, which we have distributed quarterly to all interested parties since 1991. Please see below for some important announcements concerning changes in the Table and administrative issues with our mailing list.

Major Changes in this Issue of the RBC

1. IRIS and HEAST have matured, and EPA has revised them at a decreasing rate over the last few years. Lately, each quarterly RBC update has been virtually the same as its predecessor. Meanwhile, the mailing list for the RBC table has expanded exponentially and the quarterly mailings have become a substantial burden to the Region. Upon reflection, we've decided to change to semi-annual distribution. We think this change will extend our ability to keep producing the RBC table, while having little effect on the table's usefulness. (For example, there have been *no* changes to toxicity constants in IRIS or HEAST in the three months since the 4th quarter table was published.)
2. The RBC table now includes soil screening levels (SSLs) for protection of groundwater and air. Most of the new entries were taken directly from EPA/OSWER's newly proposed SSL guidance document. We've added some additional SSLs based on the same proposed methodology. Sources of SSLs are noted in the table. SSLs incorporate all the same exposure assumptions as RBCs, plus many additional assumptions needed for inter-media extrapolation. SSLs are therefore distinct from RBCs, and should be used only in the framework proposed in the OSWER document. If you have not yet seen this proposal, you can obtain it from NTIS (703-487-4650, as document numbers 9355.4-1, PB95-963530, or EPA540/R-94/105).

Administrative Issues

Our situation on the administrative front can be summarized in one word--"HELP"!! The RBC mailing list now includes more than 1300 recipients and we are experiencing significant problems with our current "delivery system." We would appreciate your suggestions for making our future mailings more efficient. We are also exploring the possibility of providing access to the RBC through an electronic bulletin board and would like your feedback on that idea. In the meantime, we will be examining our current mailing list and limiting future mailings to one individual per organization; we need your help in distributing the RBC within your organization if there are others who would like copies.

2. A single contaminant contributes nearly all of the health risk;
3. Volatilization or leaching of that contaminant from soil is expected not to be significant;
4. The exposure scenarios used in the RBC table are appropriate for the site;
5. The fixed risk levels used in the RBC table are appropriate for the site; and
6. Risk to ecological receptors is expected not to be significant;

the risk-based concentrations would probably be protective as no-action levels or cleanup goals. However, to the extent that a site deviates from this description, as most do, the RBCs would not necessarily be appropriate.

To summarize, the table should generally not be used to (1) set cleanup or no-action levels at CERCLA or RCRA Corrective Action sites, (2) substitute for EPA guidance for preparing baseline risk assessments, or (3) determine if a waste is hazardous under RCRA.

Attachment

EPA Region III Risk-Based Concentration Table

Background Information



*Roy L. Smith, Ph.D.
Senior Toxicologist
February 9, 1995*

Development of Risk-Based Concentrations

General

Separate carcinogenic and non-carcinogenic risk-based concentrations were calculated for each compound for each pathway. The concentration in the table is the lower of the two, rounded to two significant figures. The following terms and values were used in the calculations:

Exposure variables	Value	Symbol
<i>General:</i>		
Carcinogenic potency slope oral (risk per mg/kg/d):	*	CPS _o
Carcinogenic potency slope inhaled (risk per mg/kg/d):	*	CPS _i
Reference dose oral (mg/kg/d):	*	RfD _o
Reference dose inhaled (mg/kg/d):	*	RfD _i
Target cancer risk:	1e-06	TR
Target hazard quotient:	1	THQ
Body weight, adult (kg):	70	BW _a
Body weight, age 1-6 (kg):	15	BW _c
Averaging time carcinogens (d):	25550	AT _c
Averaging time non-carcinogens (d):	ED*365	AT _n
Inhalation, adult (m ³ /d):	20	IRA _a
Inhalation, child (m ³ /d):	12	IRA _c
Inhalation factor, age-adjusted (m ³ -y/kg-d):	11.66	IFA _{adj}
Tap water ingestion, adult (L/d):	2	IRW _a
Tap water ingestion, age 1-6 (L/d):	1	IRW _c
Tap water ingestion factor, age-adjusted (L-y/kg-d):	1.09	IFW _{adj}
Fish ingestion (g/d):	54	IRF
Soil ingestion, adult (mg/d):	100	IRS _a
Soil ingestion, age 1-6 (mg/d):	200	IRS _c
Soil ingestion factor, age adjusted (mg-y/kg-d):	114.29	IFS _{adj}
<i>Residential:</i>		
Exposure frequency (d/y):	350	EF _r
Exposure duration, total (y):	30	ED _{tot}
Exposure duration, age 1-6 (y):	6	ED _c
Volatilization factor (L/m ³):	0.5	K

oral RfDs for both volatile and non-volatile compounds. RBCs for carcinogens were based on combined childhood and adult exposure; for non-carcinogens RBCs were based on adult exposure.

Carcinogens

$$RBC \frac{\mu\text{g}}{\text{L}} = \frac{TR \cdot ATc \cdot 1000 \frac{\mu\text{g}}{\text{mg}}}{E\text{Fr} \cdot ([K \cdot IFAadj \cdot CPSi] + [IFWadj \cdot CPSo])}$$

Non-carcinogens

$$RBC \frac{\mu\text{g}}{\text{L}} = \frac{THQ \cdot BWa \cdot ATn \cdot 1000 \frac{\mu\text{g}}{\text{mg}}}{E\text{Fr} \cdot EDtot \cdot \left(\frac{K \cdot IRAa}{RfDi} + \frac{IRWa}{RfDo} \right)}$$

Ambient air

Oral potency slopes and references were used where inhalation values were not available. RBCs for carcinogens were based on combined childhood and adult exposure; for non-carcinogens RBCs were based on adult exposure.

Carcinogens

$$RBC \frac{\mu\text{g}}{\text{m}^3} = \frac{TR \cdot ATc \cdot 1000 \frac{\mu\text{g}}{\text{mg}}}{E\text{Fr} \cdot IFAadj \cdot CPSi}$$

Non-carcinogens

$$RBC \frac{\mu\text{g}}{\text{m}^3} = \frac{THQ \cdot RfDi \cdot BWa \cdot ATn \cdot 1000 \frac{\mu\text{g}}{\text{mg}}}{E\text{Fr} \cdot EDtot \cdot IRAa}$$

Edible fish

All RBCs were based on adult exposure.

Carcinogens

$$RBC \frac{\text{mg}}{\text{kg}} = \frac{TR \cdot BWa \cdot ATc}{E\text{Fr} \cdot EDtot \cdot \frac{IRF}{1000 \frac{\text{g}}{\text{kg}}} \cdot CPSo}$$

Non-carcinogens

$$RBC \frac{\text{mg}}{\text{kg}} = \frac{THQ \cdot RfDo \cdot BWa \cdot ATn}{E\text{Fr} \cdot EDtot \cdot \frac{IRF}{1000 \frac{\text{g}}{\text{kg}}}}$$

new table. The table clearly distinguishes the OSWER SSLs from the "unofficial" ones.

These SSLs provide reasonable maximum estimates of transfers of contaminants from soil to other media. One column contains soil concentrations protective of groundwater quality; the other contains soil concentrations protective of air quality. "Protective" is defined in the same terms as the risk-based concentrations for tap water and air -- that residential contact scenarios will yield a fixed upper bound risk of 10^{-6} or a fixed hazard quotient of 1 (whichever occurs at the lower concentration).

OSWER's SSLs should be used only within the framework proposed in the guidance document. The additional SSLs included in the RBC table are intended for the same uses (although they obviously carry less weight than the formally proposed numbers).

The SSLs are based on the following assumptions:

Input variables	Value	Symbol*
Surface soil moisture content (g/g)	0.1	W_s
Vadose zone soil moisture content (kg/kg)	0.2	W_v
Surface soil bulk density (g/cm^3)	1.5	ρ_{bs}
Vadose zone soil bulk density (kg/L)	1.5	ρ_{bv}
Surface soil particle density (g/cm^3)	2.65	ρ_{ss}
Vadose zone soil particle density (g/cm^3)	2.65	ρ_{sv}
Total surface soil porosity (L pore /L soil)	0.43	N_s
Total vadose zone soil porosity (L pore/L soil)	0.43	N_v
Air-filled surface soil porosity (L air/L soil)	0.28	θ_{as}
Water-filled surface soil porosity (L water/L soil)	0.15	θ_{ws}
Air-filled vadose zone soil porosity (L air/L soil)	0.13	θ_{av}
Water-filled vadose zone soil porosity (L water/L soil)	0.30	θ_{wv}
Organic carbon fraction of surface soil (g/g)	0.006	FOC _s
Organic carbon fraction of vadose zone soil (g/g)	0.002	FOC _v
Dispersion factor for 0.5 acres (g/m^2s per kg/m^3)	35.1	Q/C
Particulate emission factor (m^3/kg)	6.79e+08	PEF
Exposure interval (s)	9.50e+08	T
Dilution-attenuation factor (unitless)	10	DAF

*: Symbols were adjusted, variables were rearranged, and derived and chemical-specific variables were omitted for simplicity and clarity. Presentation of the input variables in a single table using the same terms as in the OSWER SSL document would have been confusing. The terms used here are generally similar to OSWER's, and can easily be compared with the SSL guidance document.

With two exceptions described in the following section, SSL calculations were based on the same algorithms presented in the OSWER draft SSL guidance document. For details of the calculations (and for general background information on SSLs), I strongly recommend

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.							
Contaminant	CAS	Risk-Based Concentrations				Soil Screening Levels- Transfers from Soil to:							
		RfDo mg/kg/d	RfDi mg/kg/d	CPSo kg-d/mg	CPSi kg-d/mg	V C	Tap Water µg/L	Ambient Air µg/m ³	Fish mg/kg	Soil Ingestion		Air mg/kg	Groundwater mg/kg
										Industrial mg/kg	Residential mg/kg		
Acephate	30560191	4.00E-03 I		8.70E-03 I			7.7 C	0.72 C	0.36 C	660 C	73 C		
Acetaldehyde	75070		2.57E-03 I		7.70E-03 I		94 N	0.81 C					
Acetochlor	34256821	2.00E-02 I					730 N	73 N	27 N	41000 N	1600 N		
Acetone	67641	1.00E-01 I					3700 N	370 N	140 N	200000 N	7800 N	62000 E	8 E
Acetone cyanohydrin	75865	7.00E-02 H	4.00E-02 A				2600 N	150 N	95 N	140000 N	5500 N		
Acetonitrile	75078	6.00E-03 I	1.43E-02 A				220 N	52 N	8.1 N	12000 N	470 N		
Acetophenone	98862	1.00E-01 I	5.71E-06 W			☒	0.042 N	0.021 N	140 N	200000 N	7800 N		
Acifluorfen	62476599	1.30E-02 I					470 N	47 N	18 N	27000 N	1000 N		
Acrolein	107028	2.00E-02 H	5.71E-06 I				730 N	0.021 N	27 N	41000 N	1600 N		
Acrylamide	79061	2.00E-04 I		4.50E+00 I	4.55E+00 I		0.015 C	0.0014 C	0.0007 C	1.3 C	0.14 C		
Acrylic acid	79107	5.00E-01 I	1.00E-03 I				18000 N	3.7 N	680 N	1E+06 N	39000 N		
Acrylonitrile	107131	1.00E-03 H	5.71E-04 I	5.40E-01 I	2.38E-01 I		0.12 C	0.026 C	0.0058 C	11 C	1.2 C		
Alachlor	15972608	1.00E-02 I		8.00E-02 H			0.84 C	0.078 C	0.039 C	72 C	8 C		
Alar	1596845	1.50E-01 I					5500 H	550 N	200 N	310000 N	12000 N		
Aldicarb	116063	1.00E-03 I					37 N	3.7 N	1.4 N	2000 N	78 N	570 S	0.036 M
Aldicarb sulfone	1646884	1.00E-03 I					37 N	3.7 N	1.4 N	2000 N	78 N		
Aldrin	309002	3.00E-05 I		1.70E+01 I	1.71E+01 I		0.004 C	0.00037 C	0.00019 C	0.34 C	0.038 C	0.5 E	0.005 E
Allyl	74223646	2.50E-01 I					9100 N	910 N	340 N	510000 N	20000 N		
Allyl alcohol	107186	5.00E-03 I					180 N	18 N	6.8 N	10000 N	390 N		
Allyl chloride	107051	5.00E-02 W	2.86E-04 I				1800 N	1 N	68 N	100000 N	3900 N		
Aluminum	7429905	1.00E+00 E					37000 N	3700 N	1400 N	1E+06 N	78000 N		
Aluminum phosphide	20859738	4.00E-04 I					15 N	1.5 N	0.54 N	820 N	31 N		
Amdro	67485294	3.00E-04 I					11 N	1.1 N	0.41 N	610 N	23 N		
Ametryn	834128	9.00E-03 I					330 N	33 N	12 N	18000 N	700 N		
m-Aminophenol	591275	7.00E-02 H					2600 N	260 N	95 N	140000 N	5500 N		
4-Aminopyridine	504245	2.00E-05 H					0.73 N	0.073 N	0.027 N	41 N	1.6 N		
Amitraz	33089611	2.50E-03 I					91 N	9.1 N	3.4 N	5100 N	200 N		
Ammonia	7664417		2.86E-02 I				1000 N	100 N					
Ammonium sulfamate	7773060	2.00E-01 I					7300 N	730 N	270 N	410000 N	16000 N		
Aniline	62533		2.86E-04 I	5.70E-03 I			10 N	1 N	0.55 C	1000 C	110 C	45 N	0.031 N
Antimony and compounds	7440360	4.00E-04 I					15 N	1.5 N	0.54 N	820 N	31 N		
Antimony pentoxide	1314609	5.00E-04 H					18 N	1.8 N	0.68 N	1000 N	39 N		
Antimony potassium tartrate	304610	9.00E-04 H					33 N	3.3 N	1.2 N	1800 N	70 N		
Antimony tetroxide	1332316	4.00E-04 H					15 N	1.5 N	0.54 N	820 N	31 N		
Antimony trioxide	1309644	4.00E-04 H					15 N	1.5 N	0.54 N	820 N	31 N		
Apollo	74115245	1.30E-02 I					470 N	47 N	18 N	27000 N	1000 N		
Aramite	140578	5.00E-02 H		2.50E-02 I	2.49E-02 I		2.7 C	0.25 C	0.13 C	230 C	26 C		
Arsenic	7440382	3.00E-04 I					11 N	1.1 N	0.41 N	610 N	23 N	380 E	15 E
Arsenic (as carcinogen)	7440382			1.75E+00 I	1.51E+01 I		0.038 C	0.00041 C	0.0018 C	3.3 C	0.37 C	380 E	15 E
Arsine	7784421		1.43E-05 I				0.52 N	0.052 N					
Assure	76578148	9.00E-03 I					330 N	33 N	12 N	18000 N	700 N		
Asulam	3337711	5.00E-02 I					1800 N	180 N	68 N	100000 N	3900 N		

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.						
Contaminant	CAS	Risk-Based Concentrations				Soil Screening Levels-						
		RfDo	RfDi	CPSo	CPSi	Transfers from Soil to:						
		mg/kg/d	mg/kg/d	kg-d/mg	kg-d/mg	Air	Groundwater					
						Tap Water	Ambient Air	Fish	Soil Ingestion			
						µg/L	µg/m3	mg/kg	Industrial	Residential	mg/kg	mg/kg
sec-Butylbenzene	135988	1.00E-02 E				61 N	37 N	14 N	20000 N	780 N	80 S	0.27 M
tert-Butylbenzene	104518	1.00E-02 E				61 N	37 N	14 N	20000 N	780 N		
Butylphthalyl butylglycolate	85701	1.00E+00 I				37000 N	3700 N	1400 N	1E+06 N	78000 N		
Cacodylic acid	75605	3.00E-03 H				110 N	11 N	4.1 N	6100 N	230 N		
Cadmium and compounds	7440439	5.00E-04 I			6.30E+00 I	18 N	0.00099 C	0.68 N	1000 N	39 N	920 E	6 E
Caprolactam	105602	5.00E-01 I				18000 N	1800 N	680 N	1E+06 N	39000 N		
Captafol	2425061	2.00E-03 I		8.60E-03 H		7.8 C	0.73 C	0.37 C	670 C	74 C		
Captan	133062	1.30E-01 I		3.50E-03 H		19 C	1.8 C	0.9 C	1600 C	180 C		
Carbaryl	63252	1.00E-01 I				3700 N	370 N	140 N	200000 N	7800 N	0.34 S	23
Carbofuran	1563662	5.00E-03 I				180 N	18 N	6.8 N	10000 N	390 N		
Carbon disulfide	75150	1.00E-01 I	2.86E-03 H			21 N	10 N	140 N	200000 N	7800 N	11 E	14 E
Carbon tetrachloride	56235	7.00E-04 I	5.71E-04 E	1.30E-01 I	5.25E-02 I	0.16 C	0.12 C	0.024 C	44 C	4.9 C	0.2 E	0.03 E
Carbosulfan	55285148	1.00E-02 I				370 N	37 N	14 N	20000 N	780 N		
Carboxin	5234684	1.00E-01 I				3700 N	370 N	140 N	200000 N	7800 N		
Chloral	75876	2.00E-03 I				73 N	7.3 N	2.7 N	4100 N	160 N		
Chloramben	133904	1.50E-02 I				550 N	55 N	20 N	31000 N	1200 N		
Chloranil	118752			4.03E-01 H		0.17 C	0.016 C	0.0078 C	14 C	1.6 C		
Chlordane	57749	6.00E-05 I		1.30E+00 I	1.29E+00 I	0.052 C	0.0049 C	0.0024 C	4.4 C	0.49 C	10 E	2 E
Chlorimuron-ethyl	90982324	2.00E-02 I				730 N	73 N	27 N	41000 N	1600 N		
Chlorine	7782505	1.00E-01 I				3700 N	370 N	140 N	200000 N	7800 N		
Chlorine dioxide	10049044		5.71E-05 I			2.1 N	0.21 N					
Chloroacetaldehyde	107200	6.90E-03 O				250 N	25 N	9.3 N	14000 N	540 N		
Chloroacetic acid	79118	2.00E-03 H				73 N	7.3 N	2.7 N	4100 N	160 N		
2-Chloroacetophenone	532274		8.57E-06 I			0.31 N	0.031 N					
4-Chloroaniline	106478	4.00E-03 I				150 N	15 N	5.4 N	8200 N	310 N	1200 S	0.3 E
Chlorobenzene	108907	2.00E-02 I	5.71E-03 A			39 N	21 N	27 N	41000 N	1600 N	94 E	0.6 E
Chlorobenzilate	510156	2.00E-02 I		2.70E-01 H	2.70E-01 H	0.25 C	0.023 C	0.012 C	21 C	2.4 C		
p-Chlorobenzoic acid	74113	2.00E-01 H				7300 N	730 N	270 N	410000 N	16000 N		
4-Chlorobenzotrifluoride	98566	2.00E-02 H				730 N	73 N	27 N	41000 N	1600 N	86 N	7.5 N
2-Chloro-1,3-butadiene	126998	2.00E-02 A	2.00E-03 H			14 N	7.3 N	27 N	41000 N	1600 N		
1-Chlorobutane	109693	4.00E-01 H				2400 N	1500 N	540 N	820000 N	31000 N		
Chlorodibromomethane	124481	2.00E-02 I		8.40E-02 I		0.13 C	0.075 C	0.038 C	68 C	7.6 C	1900 E	0.2 E
Chlorodifluoromethane	75456		1.43E+01 I			87000 N	52000 N					
Chloroethane	75003	4.00E-01 E	2.86E+00 I			8600 N	10000 N	540 N	820000 N	31000 N	2600 S	33 N
2-Chloroethyl vinyl ether	110758	2.50E-02 O				150 N	91 N	34 N	51000 N	2000 N		
Chloroform	67663	1.00E-02 I		6.10E-03 I	8.05E-02 I	0.15 C	0.078 C	0.52 C	940 C	100 C	0.2 E	0.3 E
Chloromethane	74873			1.30E-02 H	6.30E-03 H	1.4 C	0.99 C	0.24 C	440 C	49 C	0.063 C	0.0066 C
4-Chloro-2,2-methylaniline hydrochloride	3165933			4.60E-01 H		0.15 C	0.014 C	0.0069 C	12 C	1.4 C		
4-Chloro-2-methylaniline	95692			5.80E-01 H		0.12 C	0.011 C	0.0054 C	9.9 C	1.1 C		
beta-Chloronaphthalene	91587	8.00E-02 I				2900 N	290 N	110 N	160000 N	6300 N	2.8 S	140 N
o-Chloronitrobenzene	88733			2.50E-02 H		0.42 C	0.25 C	0.13 C	230 C	26 C		
p-Chloronitrobenzene	100005			1.80E-02 H		0.59 C	0.35 C	0.18 C	320 C	35 C		

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.								
Contaminant	CAS	Risk-Based Concentrations				Soil Screening Levels- Transfers from Soil to:								
		RfDo	RfDi	CPSo	CPSi	Air	Groundwater							
		mg/kg/d	mg/kg/d	kg-d/mg	kg-d/mg									
V	Tap Water	Ambient Air	Fish	Soil Ingestion										
O	µg/L	µg/m3	mg/kg	Industrial	Residential	mg/kg	mg/kg							
C														
DDT	50293	5.00E-04 I		3.40E-01 I	3.40E-01 I			0.2 C	0.018 C	0.0093 C	17 C	1.9 C	80 E	1 E
Decabromodiphenyl ether	1163195	1.00E-02 I						61 N	37 N	14 N	20000 N	780 N		
Demeton	8065483	4.00E-05 I						1.5 N	0.15 N	0.054 N	82 N	3.1 N		
Diallate	2303164			6.10E-02 H				0.17 C	0.1 C	0.052 C	94 C	10 C		
Diazinon	333415	9.00E-04 H						33 N	3.3 N	1.2 N	1800 N	70 N	5400 S	2.8 N
Dibenzofuran	132649	4.00E-03 E						150 N	15 N	5.4 N	8200 N	310 N	120 S	120 N
1,4-Dibromobenzene	106376	1.00E-02 I						61 N	37 N	14 N	20000 N	780 N		
1,2-Dibromo-3-chloropropane	96128		5.71E-05 I	1.40E+00 H	2.42E-03 H			0.048 C	0.21 N	0.0023 C	4.1 C	0.46 C	1.9 N	0.00061 M
1,2-Dibromoethane	106934		5.71E-05 H	8.50E+01 I	7.70E-01 I			0.00075 C	0.0081 C	0.00004 C	0.067 C	0.0075 C	0.0058 C	0.00018 M
Dibutyl phthalate	84742	1.00E-01 I						3700 N	370 N	140 N	200000 N	7800 N	100 E	120 E
Dicamba	1918009	3.00E-02 I						1100 N	110 N	41 N	61000 N	2300 N		
1,2-Dichlorobenzene	95501	9.00E-02 I	4.00E-02 A					270 N	150 N	120 N	180000 N	7000 N	300 E	6 E
1,3-Dichlorobenzene	541731	8.90E-02 O						540 N	320 N	120 N	180000 N	7000 N		
1,4-Dichlorobenzene	106467		2.29E-01 I	2.40E-02 H				0.44 C	0.26 C	0.13 C	240 C	27 C	7700 E	1 E
3,3'-Dichlorobenzidine	91941			4.50E-01 I				0.15 C	0.014 C	0.007 C	13 C	1.4 C	52 S	0.01 E
1,4-Dichloro-2-butene	764410				9.30E+00 H			0.0011 C	0.00067 C					
Dichlorodifluoromethane	75718	2.00E-01 I	5.71E-02 A					390 N	210 N	270 N	410000 N	16000 N	37 N	7.5 N
1,1-Dichloroethane	75343	1.00E-01 H	1.43E-01 A					810 N	520 N	140 N	200000 N	7800 N	980 E	11 E
1,2-Dichloroethane (EDC)	107062		2.86E-03 E	9.10E-02 I	9.10E-02 I			0.12 C	0.069 C	0.035 C	63 C	7 C	0.3 E	0.01 E
1,1-Dichloroethylene	75354	9.00E-03 I		6.00E-01 I	1.75E-01 I			0.044 C	0.036 C	0.0053 C	9.5 C	1.1 C	0.04 E	0.03 E
1,2-Dichloroethylene (cis)	156592	1.00E-02 H						61 N	37 N	14 N	20000 N	780 N	1500 E	0.2 E
1,2-Dichloroethylene (trans)	156605	2.00E-02 I						120 N	73 N	27 N	41000 N	1600 N	3600 E	0.3 E
1,2-Dichloroethylene (mixture)	540590	9.00E-03 H						55 N	33 N	12 N	18000 N	700 N		
2,4-Dichlorophenol	120832	3.00E-03 I						110 N	11 N	4.1 N	6100 N	230 N	4800 S	0.5 E
2,4-Dichlorophenoxyacetic Acid (2,4-D)	94757	1.00E-02 I						61 N	37 N	14 N	20000 N	780 N	7000 S	1.7 M
4-(2,4-Dichlorophenoxy)butyric Acid	94826	8.00E-03 I						290 N	29 N	11 N	16000 N	630 N		
1,2-Dichloropropane	78875		1.14E-03 I	6.80E-02 H				0.16 C	0.092 C	0.046 C	84 C	9.4 C	11 E	0.02 E
2,3-Dichloropropanol	616239	3.00E-03 I						110 N	11 N	4.1 N	6100 N	230 N		
1,3-Dichloropropene	542756	3.00E-04 I	5.71E-03 I	1.75E-01 H	1.30E-01 H			0.077 C	0.048 C	0.018 C	33 C	3.7 C	0.1 E	0.001 E
Dichlorvos	62737	5.00E-04 I	1.43E-04 I	2.90E-01 I				0.23 C	0.022 C	0.011 C	20 C	2.2 C	3.5 C	0.00072 C
Dicofol	115322			4.40E-01 W				0.15 C	0.014 C	0.0072 C	13 C	1.5 C		
Dicyclopentadiene	77736	3.00E-02 H	5.71E-05 A					0.42 N	0.21 N	41 N	61000 N	2300 N		
Dieldrin	60571	5.00E-05 I		1.60E+01 I	1.61E+01 I			0.0042 C	0.00039 C	0.0002 C	0.36 C	0.04 C	2 E	0.001 E
Diesel emissions			1.43E-03 I					52 N	5.2 N					
Diethyl phthalate	84662	8.00E-01 I						29000 N	2900 N	1100 N	1E+06 N	63000 N	520 E	110 E
Diethylene glycol, monobutyl ether	112345		5.71E-03 H					210 N	21 N					
Diethylene glycol, monoethyl ether	111900	2.00E+00 H						73000 N	7300 N	2700 N	1E+06 N	160000 N		
Diethylformamide	617845	1.10E-02 H						400 N	40 N	15 N	22000 N	860 N		
Di(2-ethylhexyl)adipate	103231	6.00E-01 I		1.20E-03 I				56 C	5.2 C	2.6 C	4800 C	530 C		
Diethylstilbestrol	56531			4.70E+03 H				0.00001 C	1E-06 C	7E-07 C	0.0012 C	0.00014 C		
Difenzoquat (Avenge)	43222486	8.00E-02 I						2900 N	290 N	110 N	160000 N	6300 N		
Diiflubenzuron	35367385	2.00E-02 I						730 N	73 N	27 N	41000 N	1600 N		

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.							
Contaminant	CAS	RfDo mg/kg/d	RfDi mg/kg/d	CPSo kg/d/mg	CPSi kg/d/mg	V O C	Risk-Based Concentrations					Soil Screening Levels- Transfers from Soil to:	
							Tap Water µg/L	Ambient Air µg/m ³	Fish mg/kg	Soil Ingestion		Air mg/kg	Groundwater mg/kg
										Industrial mg/kg	Residential mg/kg		
Endrin	72208	3.00E-04 I					11 N	1.1 N	0.41 N	610 N	23 N	16 S	0.4 E
Epichlorohydrin	106898	2.00E-03 H	2.86E-04 I	9.90E-03 I	4.20E-03 I		6.8 C	1 N	0.32 C	580 C	65 C		
1,2-Epoxybutane	106887		5.71E-03 I				210 N	21 N					
Ethephon (2-chloroethyl phosphonic acid)	16672870	5.00E-03 I					180 N	18 N	6.8 N	10000 N	390 N		
Ethion	563122	5.00E-04 I					18 N	1.8 N	0.68 N	1000 N	39 N		
2-Ethoxyethanol acetate	111159	3.00E-01 A					11000 N	1100 N	410 N	610000 N	23000 N		
2-Ethoxyethanol	110805	4.00E-01 H	5.71E-02 I				15000 N	210 N	540 N	820000 N	31000 N		
Ethyl acrylate	140885			4.80E-02 H			1.4 C	0.13 C	0.066 C	120 C	13 C		
EPTC (S-Ethyl dipropylthiocarbamate)	759944	2.50E-02 I					910 N	91 N	34 N	51000 N	2000 N		
Ethyl ether	60297	2.00E-01 I				☒	1200 N	730 N	270 N	410000 N	16000 N		
Ethyl methacrylate	97632	9.00E-02 H					3300 N	330 N	120 N	180000 N	7000 N		
Ethyl acetate	141786	9.00E-01 I					33000 N	3300 N	1200 N	1E+06 N	70000 N		
Ethylbenzene	100414	1.00E-01 I	2.86E-01 I			☒	1300 N	1000 N	140 N	200000 N	7800 N	260 E	5 E
Ethylene cyanohydrin	109784	3.00E-01 H					11000 N	1100 N	410 N	610000 N	23000 N		
Ethylene diamine	107153	2.00E-02 H					730 N	73 N	27 N	41000 N	1600 N		
Ethylene glycol	107211	2.00E+00 I					73000 N	7300 N	2700 N	1E+06 N	160000 N		
Ethylene glycol, monobutyl ether	111762		5.71E-03 H				210 N	21 N					
Ethylene oxide	75218			1.02E+00 H	3.50E-01 H		0.066 C	0.018 C	0.0031 C	5.6 C	0.63 C		
Ethylene thiourea (ETU)	96457	8.00E-05 I		1.19E-01 H			0.57 C	0.053 C	0.027 C	48 C	5.4 C		
Ethyl p-nitrophenyl phenylphosphorothioate	2104645	1.00E-05 I					0.37 N	0.037 N	0.014 N	20 N	0.78 N		
Ethyl nitrosourea	759739			1.40E+02 W			0.00048 C	0.00005 C	0.00002 C	0.041 C	0.0046 C		
Ethylphthalyl ethyl glycolate	84720	3.00E+00 I					110000 N	11000 N	4100 N	1E+06 N	230000 N		
Express	10120	8.00E-03 I					290 N	29 N	11 N	16000 N	630 N		
Fenamiphos	22224926	2.50E-04 I					9.1 N	0.91 N	0.34 N	510 N	20 N		
Fluometuron	2164172	1.30E-02 I					470 N	47 N	18 N	27000 N	1000 N		
Fluoride	7782414	6.00E-02 I					2200 N	220 N	81 N	120000 N	4700 N		
Fluoridone	59756604	8.00E-02 I					2900 N	290 N	110 N	160000 N	6300 N		
Flurprimidol	56425913	2.00E-02 I					730 N	73 N	27 N	41000 N	1600 N		
Flutolanil	66332965	6.00E-02 I					2200 N	220 N	81 N	120000 N	4700 N		
Fluvalinate	69409945	1.00E-02 I					370 N	37 N	14 N	20000 N	780 N		
Folpet	133073	1.00E-01 I		3.50E-03 I			19 C	1.8 C	0.9 C	1600 C	180 C		
Fomesafen	72178020			1.90E-01 I			0.35 C	0.033 C	0.017 C	30 C	3.4 C		
Fonofos	944229	2.00E-03 I					73 N	7.3 N	2.7 N	4100 N	160 N		
Formaldehyde	50000	2.00E-01 I			4.55E-02 I		7300 N	0.14 C	270 N	410000 N	16000 N		
Formic Acid	64186	2.00E+00 H					73000 N	7300 N	2700 N	1E+06 N	160000 N		
Fosetyl-al	39148248	3.00E+00 I					110000 N	11000 N	4100 N	1E+06 N	230000 N		
Furan	110009	1.00E-03 I					37 N	3.7 N	1.4 N	2000 N	78 N		
Furazolidone	67458			3.80E+00 H			0.018 C	0.0016 C	0.00083 C	1.5 C	0.17 C		
Furfural	98011	3.00E-03 I	1.43E-02 A				110 N	52 N	4.1 N	6100 N	230 N		
Furium	531828			5.00E+01 H			0.0013 C	0.00013 C	0.00006 C	0.11 C	0.013 C		
Furmecyclox	60568050			3.00E-02 I			2.2 C	0.21 C	0.11 C	190 C	21 C		
Glufosinate-ammonium	77182822	4.00E-04 I					15 N	1.5 N	0.54 N	820 N	31 N		

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.						
Contaminant	CAS	Risk-Based Concentrations				Soil Screening Levels- Transfers from Soil to:						
		RfDo	RfDi	CPSo	CPSi	Tap Water	Ambient Air	Fish	Soil Ingestion		Air	Groundwater
		mg/kg/d	mg/kg/d	kg-d/mg	kg-d/mg				Industrial	Residential		
V O C	µg/L	µg/m3	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	mg/kg			
Mancozeb	8018017	3.00E-02 H				1100 N	110 N	41 N	61000 N	2300 N		
Maneb	12427382	5.00E-03 I				180 N	18 N	6.8 N	10000 N	390 N		
Manganese and compounds	7439965	5.00E-03 I	1.43E-05 I			180 N	0.052 N	6.8 N	10000 N	390 N		
Mephosfolan	950107	9.00E-05 H				3.3 N	0.33 N	0.12 N	180 N	7 N		
Mepiquat chloride	24307264	3.00E-02 I				1100 N	110 N	41 N	61000 N	2300 N		
Mercury (inorganic)	7439976	3.00E-04 H	8.57E-05 H			11 N	0.31 N	0.41 N	610 N	23 N	7 E	3 E
Mercury (methyl)	22967926	3.00E-04 I				11 N	1.1 N	0.41 N	610 N	23 N		
Merphos	150505	3.00E-05 I				1.1 N	0.11 N	0.041 N	61 N	2.3 N		
Merphos oxide	78488	3.00E-05 I				1.1 N	0.11 N	0.041 N	61 N	2.3 N		
Metalaxyl	57837191	6.00E-02 I				2200 N	220 N	81 N	120000 N	4700 N		
Methacrylonitrile	126987	1.00E-04 I	2.00E-04 A			3.7 N	0.73 N	0.14 N	200 N	7.8 N		
Methamidophos	10265926	5.00E-05 I				1.8 N	0.18 N	0.068 N	100 N	3.9 N		
Methanol	67561	5.00E-01 I				18000 N	1800 N	680 N	1E+06 N	39000 N		
Methidathion	950378	1.00E-03 I				37 N	3.7 N	1.4 N	2000 N	78 N		
Methomyl	16752775	2.50E-02 I				910 N	91 N	34 N	51000 N	2000 N		
Methoxychlor	72435	5.00E-03 I				180 N	18 N	6.8 N	10000 N	390 N	41 S	62 E
2-Methoxyethanol acetate	110496	2.00E-03 A				73 N	7.3 N	2.7 N	4100 N	160 N		
2-Methoxyethanol	109864	1.00E-03 H	5.71E-03 I			37 N	21 N	1.4 N	2000 N	78 N		
2-Methoxy-5-nitroaniline	99592			4.60E-02 H		1.5 C	0.14 C	0.069 C	120 C	14 C		
Methyl acetate	79209	1.00E+00 H				37000 N	3700 N	1400 N	1E+06 N	78000 N		
Methyl acrylate	96333	3.00E-02 A				1100 N	110 N	41 N	61000 N	2300 N		
2-Methylaniline hydrochloride	636215			1.80E-01 H		0.37 C	0.035 C	0.018 C	32 C	3.5 C		
2-Methylaniline	95534			2.40E-01 H		0.28 C	0.026 C	0.013 C	24 C	2.7 C		
Methyl chlorocarbonate	79221	1.00E+00 W				37000 N	3700 N	1400 N	1E+06 N	78000 N		
4-(2-Methyl-4-chlorophenoxy) butyric acid	94815	1.00E-02 I				370 N	37 N	14 N	20000 N	780 N		
2-Methyl-4-chlorophenoxyacetic acid	94746	5.00E-04 I				18 N	1.8 N	0.68 N	1000 N	39 N		
2-(2-Methyl-14-chlorophenoxy)propionic aci	93652	1.00E-03 I				37 N	3.7 N	1.4 N	2000 N	78 N		
Methylcyclohexane	108872		8.57E-01 H			31000 N	3100 N				60 S	1500 N
Methylene bromide	74953	1.00E-02 A				61 N	37 N	14 N	20000 N	780 N		
Methylene chloride	75092	6.00E-02 I	8.57E-01 H	7.50E-03 I	1.64E-03 I	4.1 C	3.8 C	0.42 C	760 C	85 C	7 E	0.01 E
4,4'-Methylene bis(2-chloroaniline)	101144	7.00E-04 H		1.30E-01 H	1.30E-01 H	0.52 C	0.048 C	0.024 C	44 C	4.9 C		
4,4'-Methylenebisbenzeneamine	101779			2.50E-01 W		0.27 C	0.025 C	0.013 C	23 C	2.6 C		
4,4'-Methylene bis(N,N'-dimethyl)aniline	101611			4.60E-02 I		1.5 C	0.14 C	0.069 C	120 C	14 C		
4,4'-Methylenediphenyl isocyanate	101688		5.71E-06 I			0.035 N	0.021 N					
Methyl ethyl ketone	78933	6.00E-01 I	2.86E-01 I			1900 N	1000 N	810 N	1E+06 N	47000 N		
Methyl hydrazine	60344			1.10E+00 W		0.061 C	0.0057 C	0.0029 C	5.2 C	0.58 C		
Methyl isobutyl ketone	108101	8.00E-02 H	2.29E-02 A			2900 N	84 N	110 N	160000 N	6300 N		
Methyl methacrylate	80626	8.00E-02 H				2900 N	290 N	110 N	160000 N	6300 N		
2-Methyl-5-nitroaniline	99558			3.30E-02 H		2 C	0.19 C	0.096 C	170 C	19 C		
Methyl parathion	298000	2.50E-04 I				9.1 N	0.91 N	0.34 N	510 N	20 N	28 S	0.041 N
2-Methylphenol (o-cresol)	95487	5.00E-02 I				1800 N	180 N	68 N	100000 N	3900 N	12000 S	6 E
3-Methylphenol (m-cresol)	103394	5.00E-02 I				1800 N	180 N	68 N	100000 N	3900 N		

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.							Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.						
Contaminant	CAS	Risk-Based Concentrations				V O C	Soil Screening Levels- Transfers from Soil to:						
		RfDo mg/kg/d	RfDi mg/kg/d	CPSo kg/d/mg	CPSi kg/d/mg		Tap	Ambient	Fish	Soil Ingestion		Air	Groundwater
							Water µg/L	Air µg/m ³		Industrial	Residential		
NuStar	85509199	7.00E-04 I					26 N	2.6 N	0.95 N	1400 N	55 N		
Octabromodiphenyl ether	32536520	3.00E-03 I					110 N	11 N	4.1 N	6100 N	230 N		
Octahydro-1357-tetranitro-1357-tetrazocine	2691410	5.00E-02 I					1800 N	180 N	68 N	100000 N	3900 N		
Octanethylpyrophosphoramidate	152169	2.00E-03 H					73 N	7.3 N	2.7 N	4100 N	160 N		
Oryzalin	19044883	5.00E-02 I					1800 N	180 N	68 N	100000 N	3900 N		
Oxadiazon	19666309	5.00E-03 I					180 N	18 N	6.8 N	10000 N	390 N		
Oxamyl	23135220	2.50E-02 I					910 N	91 N	34 N	51000 N	2000 N		
Oxyfluorfen	42874033	3.00E-03 I					110 N	11 N	4.1 N	6100 N	230 N		
Paclobutrazol	76738620	1.30E-02 I					470 N	47 N	18 N	27000 N	1000 N		
Paraquat	1910425	4.50E-03 I					160 N	16 N	6.1 N	9200 N	350 N		
Parathion	56382	6.00E-03 H					220 N	22 N	8.1 N	12000 N	470 N	110 s	3.9 N
Pebulate	1114712	5.00E-02 H					1800 N	180 N	68 N	100000 N	3900 N		
Pendimethalin	40487421	4.00E-02 I					1500 N	150 N	54 N	82000 N	3100 N		
Pentabromo-6-chloro cyclohexane	87843			2.30E-02 H			2.9 C	0.27 C	0.14 C	250 C	28 C		
Pentabromodiphenyl ether	32534819	2.00E-03 I					73 N	7.3 N	2.7 N	4100 N	160 N		
Pentachlorobenzene	608935	8.00E-04 I				☒	4.9 N	2.9 N	1.1 N	1600 N	63 N	570 N	48 N
Pentachloronitrobenzene	82688	3.00E-03 I		2.60E-01 H		☒	0.041 C	0.024 C	0.012 C	22 C	2.5 C		
Pentachlorophenol	87865	3.00E-02 I		1.20E-01 I			0.56 C	0.052 C	0.026 C	48 C	5.3 C	7.9 C	0.2 E
Permethrin	52645531	5.00E-02 I					1800 N	180 N	68 N	100000 N	3900 N		
Phenmedipham	13684634	2.50E-01 I					9100 N	910 N	340 N	510000 N	20000 N		
Phenol	108952	6.00E-01 I					22000 N	2200 N	810 N	1E+06 N	47000 N	21000 s	49 E
m-Phenylenediamine	108452	6.00E-03 I					220 N	22 N	8.1 N	12000 N	470 N		
p-Phenylenediamine	106503	1.90E-01 H					6900 N	690 N	260 N	390000 N	15000 N		
Phenylmercuric acetate	62384	8.00E-05 I					2.9 N	0.29 N	0.11 N	160 N	6.3 N		
2-Phenylphenol	90437			1.94E-03 H			35 C	3.2 C	1.6 C	3000 C	330 C		
Phorate	298022	2.00E-04 H					7.3 N	0.73 N	0.27 N	410 N	16 N		
Phosmet	732116	2.00E-02 I					730 N	73 N	27 N	41000 N	1600 N		
Phosphine	7803512	3.00E-04 I	8.57E-06 H				11 N	0.031 N	0.41 N	610 N	23 N		
Phosphorus (white)	7723140	2.00E-05 I					0.73 N	0.073 N	0.027 N	41 N	1.6 N		
p-Phthalic acid	100210	1.00E+00 H					37000 N	3700 N	1400 N	1E+06 N	78000 N		
Phthalic anhydride	85449	2.00E+00 I	3.43E-02 H				73000 N	130 N	2700 N	1E+06 N	160000 N		
Picloram	1918021	7.00E-02 I					2600 N	260 N	95 N	140000 N	5500 N		
Pirimiphos-methyl	29232937	1.00E-02 I					370 N	37 N	14 N	20000 N	780 N		
Polybrominated biphenyls		7.00E-06 H		8.90E+00 H			0.0076 C	0.0007 C	0.00035 C	0.64 C	0.072 C		
Polychlorinated biphenyls (PCBs)	1336363			7.70E+00 I			0.0087 C	0.00081 C	0.00041 C	0.74 C	0.083 C		8.2 E
Aroclor 1016	12674112	7.00E-05 I					2.6 N	0.26 N	0.095 N	140 N	5.5 N		
Aroclor 1254	11097691	2.00E-05 I					0.73 N	0.073 N	0.027 N	41 N	1.6 N		
Polychlorinated terphenyls (PCTs)				4.50E+00 E			0.015 C	0.0014 C	0.0007 C	1.3 C	0.14 C		
Polynuclear aromatic hydrocarbons													
Acenaphthene	83329	6.00E-02 I					2200 N	220 N	81 N	120000 N	4700 N	120 s	200 E
Anthracene	120127	3.00E-01 I					11000 N	1100 N	410 N	610000 N	23000 N	6.8 s	4300 E
Benz[a]anthracene	56553			7.30E-01 E	6.10E-01 E		0.092 C	0.01 C	0.0043 C	7.8 C	0.88 C	27 s	0.7 E

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.						
Contaminant	CAS	RfDo mg/kg/d	RfDi mg/kg/d	CPSo kg d/mg	CPSi kg d/mg	Risk-Based Concentrations					Soil Screening Levels- Transfers from Soil to:	
						Tap Water µg/L	Ambient Air µg/m3	Fish mg/kg	Soil Ingestion		Air mg/kg	Groundwater mg/kg
									Industrial mg/kg	Residential mg/kg		
Sodium azide	26628228	4.00E-03 I				150 N	15 N	5.4 N	8200 N	310 N		
Sodium diethyldithiocarbamate	148185	3.00E-02 I		2.70E-01 H		0.25 C	0.023 C	0.012 C	21 C	2.4 C		
Sodium fluoroacetate	62748	2.00E-05 I				0.73 N	0.073 N	0.027 N	41 N	1.6 N		
Sodium metavanadate	13718268	1.00E-03 H				37 N	3.7 N	1.4 N	2000 N	78 N		
Strontium, stable	7440246	6.00E-01 I				22000 N	2200 N	810 N	1E+06 N	47000 N		
Strychnine	57249	3.00E-04 I				11 N	1.1 N	0.41 N	610 N	23 N		
Styrene	100425	2.00E-01 I	2.86E-01 I			1600 N	1000 N	270 N	410000 N	16000 N	1400 E	2 E
Systhane	88671890	2.50E-02 I				910 N	91 N	34 N	51000 N	2000 N		
2,3,7,8-TCDD (dioxin)	1746016			1.56E+05 H	1.16E+05 H	4E-07 C	5E-08 C	C	4E-05 C	4E-06 C		
Tebuthiuron	34014181	7.00E-02 I				2600 N	260 N	95 N	140000 N	5500 N		
Temephos	3383968	2.00E-02 H				730 N	73 N	27 N	41000 N	1600 N		
Terbacil	5902512	1.30E-02 I				470 N	47 N	18 N	27000 N	1000 N		
Terbufos	13071799	2.50E-05 H				0.91 N	0.091 N	0.034 N	51 N	2 N		
Terbutryn	886500	1.00E-03 I				37 N	3.7 N	1.4 N	2000 N	78 N		
1,2,4,5-Tetrachlorobenzene	95943	3.00E-04 I				1.8 N	1.1 N	0.41 N	610 N	23 N	91 N	0.69 N
1,1,1,2-Tetrachloroethane	630206	3.00E-02 I		2.60E-02 I	2.59E-02 I	0.41 C	0.24 C	0.12 C	220 C	25 C		
1,1,2,2-Tetrachloroethane	79345			2.00E-01 I	2.03E-01 I	0.052 C	0.031 C	0.016 C	29 C	3.2 C	0.4 E	0.001 E
Tetrachloroethylene (PCE)	127184	1.00E-02 I		5.20E-02 E	2.03E-03 E	1.1 C	3.1 C	0.061 C	110 C	12 C	11 E	0.04 E
2,3,4,6-Tetrachlorophenol	58902	3.00E-02 I				1100 N	110 N	41 N	61000 N	2300 N		
p,a,a,a-Tetrachlorotoluene	5216251			2.00E+01 H		0.00053 C	0.00031 C	0.00016 C	0.29 C	0.032 C		
Tetrachlorovinphos	961115	3.00E-02 I		2.40E-02 H		2.8 C	0.26 C	0.13 C	240 C	27 C		
Tetraethylthiopyrophosphate	3689245	5.00E-04 I				18 N	1.8 N	0.68 N	1000 N	39 N		
Lead (tetraethyl)	78002	1.00E-07 I				0.0037 N	0.00037 N	0.00014 N	0.2 N	0.0078 N	0.00068 N	0.000034 N
Thallic oxide	1314325	7.00E-05 W				2.6 N	0.26 N	0.095 N	140 N	5.5 N		
Thallium												0.4 E
Thallium acetate	563688	9.00E-05 I				3.3 N	0.33 N	0.12 N	180 N	7 N		
Thallium carbonate	6533739	8.00E-05 I				2.9 N	0.29 N	0.11 N	160 N	6.3 N		
Thallium chloride	7791120	8.00E-05 I				2.9 N	0.29 N	0.11 N	160 N	6.3 N		
Thallium nitrate	10102451	9.00E-05 I				3.3 N	0.33 N	0.12 N	180 N	7 N		
Thallium selenite	12039520	9.00E-05 W				3.3 N	0.33 N	0.12 N	180 N	7 N		
Thallium sulfate	7446186	8.00E-05 I				2.9 N	0.29 N	0.11 N	160 N	6.3 N		
Thiobencarb	28249776	1.00E-02 I				370 N	37 N	14 N	20000 N	780 N		
2-(Thiocyanomethylthio)-benzothiazole	21564170	3.00E-02 H				1100 N	110 N	41 N	61000 N	2300 N		
Thiofanox	39196184	3.00E-04 H				11 N	1.1 N	0.41 N	610 N	23 N		
Thiophanate-methyl	23564058	8.00E-02 I				2900 N	290 N	110 N	160000 N	6300 N		
Thiram	137268	5.00E-03 I				180 N	18 N	6.8 N	10000 N	390 N		
Tin and compounds		6.00E-01 H				22000 N	2200 N	810 N	1E+06 N	47000 N		
Toluene	108883	2.00E-01 I	1.14E-01 I			750 N	420 N	270 N	410000 N	16000 N	520 E	5 E
Toluene-2,4-diamine	95807			3.20E+00 H		0.021 C	0.002 C	0.00099 C	1.8 C	0.2 C		
Toluene-2,5-diamine	95705	6.00E-01 H				22000 N	2200 N	810 N	1E+06 N	47000 N		
Toluene-2,6-diamine	823405	2.00E-01 H				7300 N	730 N	270 N	410000 N	16000 N		
p-Toluidine	106490			1.90E-01 W		0.35 C	0.033 C	0.017 C	20 C	3.4 C		

Sources: I=IRIS H=HEAST A=HEAST alternate W=Withdrawn from IRIS or HEAST E=EPA-ECAO Regional Support provisional value O=Other EPA documents.						Basis: C=carcinogenic effects N=noncarcinogenic effects E=EPA draft Soil Screening Level S=soil saturation concentration.							
Contaminant	CAS	RfDo mg/kg/d	RfDi mg/kg/d	CPSo kg·d/mg	CPSi kg·d/mg	V O C	Risk-Based Concentrations					Soil Screening Levels- Transfers from Soil to:	
							Tap Water µg/L	Ambient Air µg/m ³	Fish mg/kg	Soil Ingestion		Air mg/kg	Groundwater mg/kg
										Industrial mg/kg	Residential mg/kg		
p-Xylene	106423		8.57E-02 w			<input checked="" type="checkbox"/>	520 n	310 n				1000 s	220 m
Xylene (mixed)	1330207	2.00E+00 i				<input checked="" type="checkbox"/>	12000 n	7300 n	2700 n	1E+06 n	160000 n	320 e	74 e
Zinc	7440666	3.00E-01 i					11000 n	1100 n	410 n	610000 n	23000 n		42000 e
Zinc phosphide	1314847	3.00E-04 i					11 n	1.1 n	0.41 n	610 n	23 n		
Zineb	12122677	5.00E-02 i					1800 n	180 n	68 n	100000 n	3900 n		