



PHILIPS

Kirby

Philips Semiconductors

September 29, 1999

James P. Bearzi
Hazardous and Radioactive Materials Bureau
New Mexico Environment Department
2044A Galisteo St.
Santa Fe, NM 87505

1999
RECEIVED

Certified Mail: Z 558 378 045

SUBJECT: Philips Semiconductors (NMD000709782) - Notification of Quarterly Groundwater Sampling

Dear Mr. Bearzi:

Per the requirements listed in Module IV - Corrective Action of RCRA Permit No. NMD000709782-1 section C.1(a), Philips is providing you the required 10-day notification, prior to conducting quarterly groundwater sampling. The sampling is scheduled to take place on October 19, 20 and 21, 1999, and will be performed by Daniel B. Stephens and Associates (DBS&A). In addition to taking samples from three of our own wells, they will be taking samples from five of the City of Albuquerque wells located near Philips' property.

If you or one of your group members would like to be present at the time of sampling for observation, split samples, etc., please call me at (505) 822-7342.

Sincerely,

David Paulson
Environmental Specialist

(ENV934)

cc: USEPA Region 6, Z 558 378 046
Kirby Olson, NMED
Steve Szmyd, EHS Manager
James Casey, Legal Counsel
Environmental File
RFI Compliance Binder