



# PHILIPS

ENTERED

## Philips Semiconductors

---

July 24, 2002

Mr. William McDonald  
New Mexico Environment Department  
c/o Sandia National Laboratory  
P.O. Box 5800/MS-1087  
Albuquerque, NM 87185

### **SUBJECT: Quarterly Progress Report**

Dear Mr. McDonald:

In compliance with Philips Semiconductors' HSWA permit (NMD000709782-1), modified March 18, 1996, this letter serves as the quarterly progress report as required. The following progress has been made from March 12, 2003 to July 24, 2003.

- *D.1(a) - A description of the work completed and an estimate of the percentage of work completed:* Quarterly groundwater monitoring was completed the week of April 21, 2003. Thirteen (13) monitoring wells were sampled this quarter as part of our annual sampling requirements, which included City of Albuquerque wells NCLF-2 through NCLF-9, and Philips wells MW-1, MW-2, MW-4, MW-5, and MW-6.
- *D.1(b) - Summaries of all findings, including summaries of laboratory data:* A quarterly groundwater monitoring report (Sangre De Cristo Sciences; June, 2003) is included with this report for your files. This groundwater report includes analytical results for Appendix IX constituents.

Constituents detected in the groundwater this quarter were: Tetrachloroethene (PCE), Trichloroethene, Freon-12, Chromium, Barium, Vanadium, Lead, Nickel, Zinc, and Selenium. Most constituents were significantly below the lowest applicable federal or state drinking water standards. The constituents that slightly exceeded the MCLs were Tetrachloroethene (PCE). The only constituents consistently detected, over the past years, are Barium, Zinc, and Tetrachloroethene (PCE).

- *D.1(c) - Summaries of all problems or potential problems encountered during the reporting period and actions taken to rectify problems:* No problems identified.
- *D.1(d) - Projected work for the next reporting period:* Quarterly groundwater monitoring will continue.
- *D.1(e) - Summaries of contacts pertaining to corrective action or environmental matters with representatives of the local community, public interest groups or State government during the reporting period:*  
No contacts made.
- *D.1(f) - Changes in key project personnel during the reporting period:* No Changes.
- *D.1(g) - Summaries of all changes made in implementation during the reporting period:* None.

If you have any questions regarding this submission, please call our technical contact Joe Mauser at (505) 822-7634.

Philips Semiconductors, Inc.  
9201 Pan American Frwy., NE  
Albuquerque, New Mexico 87113  
(505)822-7000



# PHILIPS

## Philips Semiconductors

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Sincerely,

A handwritten signature in black ink, appearing to read "Doug Welter".

Doug Welter  
General Manager -- Albuquerque Operations

(ENV316)

Enclosure

cc:

w/ enclosure:

James Harris, USEPA Region VI  
Philips Legal Counsel - Sunnyvale  
Doug Earp, City of Albuquerque  
Baird Swanson, NMED/GWP  
Philips Semiconductors Environmental File

w/o enclosures:

James P. Bearzi, NMED  
RFI Compliance Binder

Philips Semiconductors, Inc.  
9201 Pan American Frwy., NE  
Albuquerque, New Mexico 87113  
(505)822-7000