

Michelle Lujan Grisham Governor

Howie C. Morales
Lt. Governor

DEW MEXICO ENVIRONMENT DEPARTMENT

Hazardous Waste Bureau

2905 Rodeo Park Drive East, Building 1
Santa Fe, New Mexico 87505-6313
Phone (505) 476-6000 Fax (505) 476-6030
www.env.nm.gov



James C. Kenney
Cabinet Secretary

Jennifer J. Pruett
Deputy Secretary

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

October 8, 2019

Jeffrey P. Harrell Manager U.S. Department of Energy NNSA / Sandia Field Office P.O. Box 5400, MS 0184 Albuquerque, NM 87185-5400 Paul Shoemaker Senior Manager Sandia National Laboratories P.O. Box 6200, MS-1395 Albuquerque, NM 87185

RE:

CORRECTION

REQUEST FOR EXTENSION FOR SUBMITTAL OF MONITORING WELL INSTALLATION REPORT, BURN SITE GROUNDWATER AREA OF CONCERN MONITORING WELLS CYN-MW16 THROUGH CYN-MW23
SANDIA NATIONAL LABORATORIES EPA ID# NM5890110518

HWB-SNL-19-003

Dear Messrs. Harrell and Shoemaker:

The New Mexico Environment Department (NMED) received an extension request for the submittal of the U.S. Department of Energy on behalf of itself and National Technology and Engineering Solutions of Sandia (NTESS) (collectively, the Permittees) Monitoring Well Installation Report, Burn Site Area of Concern Groundwater Monitoring Wells CYN-MW16 through CYN-MW23 (Report) on September 9, 2019.

The letter requests an extension to allow the Permittees commence field work by the end of calendar year 2019 due to funding issues. NMED previously granted the Permittee's request for a time extension, but the letter contained a typographical error. The correct submittal date for the Report is no later than **May 29, 2020**.

Messrs. Harrell and Shoemaker October 8, 2019 Page 2

If you have any questions regarding this letter, please contact Naomi Davidson at (505) 222-9504.

Sincerely,

John E. Kieling

Chief

Hazardous Waste Bureau

cc:

D. Cobrain, NMED HWB

B. Wear, NMED HWB

N. Davidson, NMED HWB

L. King, EPA Region 6 (6LCRRC)

B. Wechsler, DOE/NNSA/SFO, MS-0184

D. Rast, DOE/NNSA/SFO, MS-0184

C. Leigh, SNL/NM, MS-1103

File: KAFB 2019 and Reading