



State of New Mexico
ENVIRONMENT DEPARTMENT
 Harold Runnels Building
 1190 St. Francis Drive, P.O. Box 26110
 Santa Fe, New Mexico 87502
 (505) 827-2850

JUDITH M. ESPINOSA
 SECRETARY

RON CURRY
 DEPUTY SECRETARY

BRUCE KING
 GOVERNOR

**CERTIFIED MAIL
 RETURN RECEIPT REQUESTED**

April 20, 1994

Mr. Richard Mico
 Vice President/General Manager
 Sparton Technologies
 4901 Rockaway Blvd. S.E.
 Rio Rancho, New Mexico 87124-4469

Dear Mr. Mico:

RE: Updated Post-Closure Permit Application

The New Mexico Hazardous Waste Management Regulations (HWMR-7) Part IX, Section 270.1(c) requires that a facility with hazardous waste disposal units must have a Post-Closure Permit unless a demonstration of closure by removal is made as provided in HWMR-7 Part IX, Section 270.1(c)(5) and (6). According to these regulations a Post-Closure Permit is required for the Sparton Technologies Coors Road facility.

The New Mexico Environment Department (NMED) is scheduling to process a Post-Closure Permit for Sparton Technologies during Fiscal Year (FY) 1995. In order for our processing to proceed a complete updated permit application is needed. The Post-Closure Permit Application on file with the NMED is dated March 28, 1986. The information contained in this document is too dated for a useful regulatory and technical review.

For this reason I request that you submit an updated Post-Closure Permit Application for the Coors Road facility. Enclosed for your information is an outline of the minimum information required for such an application. The updated application is due to NMED by August 31, 1994.

Please contact Marc Sides of my staff at (505) 827-4308 if you have any questions on the information required.

Sincerely,

Kathleen M. Sisneros, Director
 Water and Waste Management Division

Enclosure

cc: Benito Garcia, Chief HRMB
 Barbara Hoditschek, Program Manager HRMB
 Marc Sides, HRMB

POST-CLOSURE PERMIT APPLICATION REQUIREMENTS

A copy of the Post-Closure inspection schedule (270.14(b)(5))

Floodplain information (270.14(b)(11)(iii - iv))

A copy of the Post-Closure plan (270.14(b)(13))

Documentation of the notice in deed or an appropriate alternative instrument (270.14(b)(14))

Cost estimate for Post-Closure and Post-Closure financial mechanism (270.14(b)(16))

Groundwater data and information demonstrating compliance with requirements for detection monitoring, compliance monitoring and corrective action, as applicable (270.14(c))

*Note that Section 270.14 establishes the information requirements for permit applications. The information requirements outlined above may have to be adjusted based on specific facility site conditions. Section 270.10(c) gives the Director the authority to determine when an application is complete whenever information requirements are completed to the Director's satisfaction.