METRIC
Corporation ENVIRONMENTAL ENGINEERING AND SCIENCE

January 15th, 2007

RECEIVED
JAN 2007
NMED Hazardous Waste Bureau

Mr. Charles A. Barnes, Project Manager
RCRA Enforcement Division (EN-HE)
USEPA, Region 6
1445 Ross Avenue
Dallas, TX 75202-2733

Ms. Christine Bynum, Program Manager
GWQB-ROS
P.O. Box 26110
Santa Fe, NM 87502-0110

Mr. John Kieling, Program Manager
Hazardous Waste Bureau
New Mexico Environmental Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6303

Mr. Baird Swanson
NMED - District 1
5500 San Antonio, NE.
Albuquerque, NM 87111

Dear Sirs:

Enclosed is a copy of the Groundwater Monitoring Program Plan Semi-Annual Progress Report for Sparton Technology, Inc. Coors Road facility. This report is for the third and fourth quarters of 2006.

Sincerely,

Don Briggs

Don Briggs, P.E.
Civil Engineer

DB/md
cc: Susan Widener
Stavros Papadopulos
Charles Stranko
Tony Hurst - 2 copies

• 6201A PAN AMERICAN FWY. NE★ALBUQUERQUE, NM 87109★Phone: 505-828-2801★Fax: 505-828-2803★E-mail: metenviro@aol.com
• 431C LUNA AVE.★P.O. BOX 1591★LOS LUNAS, NM 87031★Phone: 505-866-1602★Fax: 505-866-1416★E-mail: metenviroll@aol.com

METRIC
Corporation

SPARTON TECHNOLOGY, INC. COORS ROAD FACILITY GROUNDWATER MONITORING PROGRAM PLAN SEMI-ANNUAL PROGRESS REPORT THIRD AND FOURTH QUARTERS, 2006

PREPARED FOR
SPARTON TECHNOLOGY, INC.
ALBUQUERQUE, NEW MEXICO

PREPARED BY
METRIC CORPORATION
LOS LUNAS, NEW MEXICO

JANUARY 2007

METRIC
Corporation

SPARTON TECHNOLOGY, INC. COORS ROAD FACILITY
GROUNDWATER MONITORING PROGRAM PLAN
SEMI-ANNUAL PROGRESS REPORT
THIRD AND FOURTH QUARTERS, 2006

PREPARED FOR

SPARTON TECHNOLOGY, INC.

ALBUQUERQUE, NEW MEXICO

PREPARED BY

METRIC CORPORATION

LOS LUNAS, NEW MEXICO

JANUARY 2007

SPARTON TECHNOLOGY, INC. COORS ROAD FACILITY
GROUNDWATER MONITORING PROGRAM PLAN
SEMI-ANNUAL PROGRESS REPORT
THIRD AND FOURTH QUARTERS, 2006

Introduction

This is the semi-annual progress report covering the Third and Fourth Quarters 2006 groundwater sampling events conducted under the "Groundwater Monitoring Program Plan, Sparton Technology, Inc., Coors Road Facility, Albuquerque, New Mexico, undated." The Third Quarter 2006 sampling event was conducted from August 9, 2006 through August 10, 2006. The Fourth Quarter, 2006 sampling event was conducted from November 6, 2006 through November 21, 2006.

Groundwater Monitoring Activities

Water levels were measured in all existing wells listed in Table 3-1 of the Groundwater Monitoring Program Plan on August 9, 2006 for the Third Quarter 2006 sampling event and on November 6, 2006 for the Fourth Quarter 2006 sampling event Measured depths to water and calculated water level elevations are presented in APPENDIX A for both quarterly sampling events.

All wells listed in Table 3-1 as requiring quarterly sampling, with the exception of MW-57 which was dry, were sampled during the Third Quarter 2006 sampling event. Wells listed as requiring semi-annual, quarterly and annual sampling, including the new MW-79, were sampled during the Fourth Quarter 2005 sampling event with the exception of monitor wells MW-9, 13, 33, 35, 36 and 57 which did not have enough water to collect a sample.

Samples were analyzed for volatile organic compounds (EPA Method 8260B) and total chromium. If the sample water was not clear an additional analysis for dissolved chromium was performed.

Analytical Results

The Analytical Results summary sheets are presented in APPENDIX B.

The final laboratory data package for the Fourth Quarter 2006 sampling event was received on December 13, 2006.

APPENDIX A

First and Second Quarter 2006

WATER LEVEL MEASUREMENTS

Sparton Technology, Inc.
Third Quarter Water Level Elevations
August 9, 2006

Well #	MPE	SR Feet	WLE
PW-1	5042.30	72.16	- [1]
PZ-1	5141.79	189.08	4952.71
MW-7	5043.48	68.57	4974.91
MW-9	5042.46	72.79	4969.67
MW-12	5042.41	73.25	4969.16
MW-13	5041.98	DRY	NA
MW-14-R	5040.92	73.90	4967.02
MW-15	5047.63	P&A	NA
MW-16	5047.50	65.72	4981.78
MW-17	5049.28	68.01	4981.27
MW-18	5043.38	72.63	4970.75
MW-19	5043.30	75.19	4968.11
MW-20	5043.20	75.59	4967.61
MW-21	5045.78	63.10	4982.68
MW-22	5044.73	68.00	4976.73
MW-23	5045.74	71.98	4973.76
MW-24	5048.70	67.16	4981.54
MW-25	5046.17	64.40	4981.77
MW-26	5045.37	74.57	4970.80
MW-27	5046.04	65.09	4980.95
MW-28	5041.31	P&A	NA
MW-29	5041.88	71.50	4970.38
MW-30	5042.12	73.52	4968.60
MW-31	5041.38	74.24	4967.14
MW-32	5045.29	78.32	4966.97
MW-33	5042.20	DRY	NA
MW-34	5034.49	63.45	4971.04
MW-35	5042.50	DRY	NA
MW-36	5059.46	DRY	NA
MW-37-R	5093.12	129.21	4963.91
MW-38	5041.70	71.27	4970.43
MW-39	5042.30	73.40	4968.90
MW-40	5041.44	74.24	4967.20
MW-41	5044.56	77.16	4967.40
MW-42	5057.33	89.79	4967.54
MW-43	5057.74	90.50	4967.24
MW-44	5058.75	92.51	4966.24

Well #	MPE	SR Feet	WLE
MW-45	5089.48	125.25	4964.23
MW-46	5118.98	155.71	4963.27
MW-47	5121.16	158.41	4962.75
MW-48	5143.44	181.72	4961.72
MW-49	5041.44	74.12	4967.32
MW-50	5211.51	P&A	NA
MW-51	5060.34	78.58	4981.76
MW-52	5156.35	P&A	NA
MW-52R	5156.37	198.53	4957.84
MW-53	5148.62	188.43	4960.19
MW-54	5097.64	135.04	4962.60
MW-55	5143.45	182.93	4960.52
MW-56	5141.45	180.02	4961.43
MW-57	5103.54	DRY	NA
MW-58	5146.40	185.34	4961.06
MW-59	5060.65	94.21	4966.44
MW-60	5134.40	172.91	4961.49
MW-61	5134.74	173.25	4961.49
MW-62	5073.69	110.01	4963.68
MW-63	5063.10	91.41	4971.69
MW-64	5097.84	135.51	4962.33
MW-65	5156.45	198.64	4957.81
MW-66	5103.03	142.36	4960.67
MW-67	5142.21	187.70	4954.51
MW-68	5168.54	210.54	4958.00
MW-69	5167.79	209.90	4957.89
MW-70	5046.74	80.33	4966.41
MW-71-R	5134.12	179.58	4954.54
MW-72	5056.25	88.65	4967.60
MW-73	5051.08	84.59	4966.49
MW-79	5168.50	216.18	4952.32
CW-1	5168.02	233.34	4934.68
CW-2	5045.61	88.71	4956.90
OB-1	5169.10	214.00	4955.10
OB-2	5165.22	208.89	4956.33
PZG-1	5090.90		NA
Canal	4998.92	7.89	4991.03

[1] Water level not representative, because it is below bottom of screen.

[2] Shaded cells indicate up-dated information

Sparton Technology, Inc.
Fourth Quarter Water Level Elevations
November 6, 2006

Well #	MPE	SR Feet	WLE
PW-1	5042.30	72.18	- [1]
PZ-1	5141.79	188.47	4953.32
MW-7	5043.48	67.91	4975.57
MW-9	5042.46	72.07	4970.39
MW-12	5042.41	72.58	4969.83
MW-13	5041.98	70.00	4971.98
MW-14-R	5040.92	73.19	4967.73
MW-15	5047.63	P&A	NA
MW-16	5047.50	65.28	4982.22
MW-17	5049.28	67.35	4981.93
MW-18	5043.38	67.90	4975.48
MW-19	5043.30	74.48	4968.82
MW-20	5043.20	74.91	4968.29
MW-21	5045.78	62.71	4983.07
MW-22	5044.73	67.10	4977.63
MW-23	5045.74	71.31	4974.43
MW-24	5048.70	66.68	4982.02
MW-25	5046.17	63.96	4982.21
MW-26	5045.37	73.73	4971.64
MW-27	5046.04	64.55	4981.49
MW-28	5041.31	P&A	NA
MW-29	5041.88	70.89	4970.99
MW-30	5042.12	72.85	4969.27
MW-31	5041.38	73.54	4967.84
MW-32	5045.29	77.51	4967.78
MW-33	5042.20	72.65	4969.55
MW-34	5034.49	62.93	4971.56
MW-35	5042.50	DRY	NA
MW-36	5059.46	DRY	NA
MW-37-R	5093.12	128.58	4964.54
MW-38	5041.70	70.68	4971.02
MW-39	5042.30	72.75	4969.55
MW-40	5041.44	73.54	4967.90
MW-41	5044.56	76.32	4968.24
MW-42	5057.33	89.07	4968.26
MW-43	5057.74	89.73	4968.01
MW-44	5058.75	91.84	4966.91

Well #	MPE	SR Feet	WLE
MW-45	5089.48	124.62	4964.86
MW-46	5118.98	155.03	4963.95
MW-47	5121.16	157.78	4963.38
MW-48	5143.44	181.18	4962.26
MW-49	5041.44	73.53	4967.91
MW-50	5211.51	P&A	NA
MW-51	5060.34	77.50	4982.84
MW-52	5156.35	P&A	NA
MW-52R	5156.37	197.97	4958.40
MW-53	5148.62	188.04	4960.58
MW-54	5097.64	134.22	4963.42
MW-55	5143.45	182.32	4961.13
MW-56	5141.45	179.16	4962.29
MW-57	5103.54	140.22	4963.32
MW-58	5146.40	184.83	4961.57
MW-59	5060.65	93.45	4967.20
MW-60	5134.40	172.23	4962.17
MW-61	5134.74	172.54	4962.20
MW-62	5073.69	109.50	4964.19
MW-63	5063.10	82.10	4981.00
MW-64	5097.84	134.54	4963.30
MW-65	5156.45	198.10	4958.35
MW-66	5103.03	141.64	4961.39
MW-67	5142.21	186.98	4955.23
MW-68	5168.54	209.95	4958.59
MW-69	5167.79	209.37	4958.42
MW-70	5046.74	79.55	4967.19
MW-71-R	5134.12	178.79	4955.33
MW-72	5056.25	87.93	4968.32
MW-73	5051.08	83.83	4967.25
MW-79	5168.50	214.67	4953.83
CW-1	5168.02	232.80	4935.22
CW-2	5045.61	87.41	4958.20
OB-1	5169.10	213.40	4955.70
OB-2	5165.22	208.34	4956.88
PZG-1	5090.90		NA
Canal	4998.92	DRY	NA

[1] Water level not representative, because it is below bottom of screen.

[2] Shaded cells indicate up-dated information

APPENDIX B

WATER QUALITY SUMMARY

SPARTON TECHNOLOGY, INC.
GROUNDWATER MONITORING PROGRAM ANALYTICAL RESULTS
Through 4th QUARTER 2006 SAMPLING

qtrlysamp204.xls

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
PZ-1(NSR); UFZ									
PW-1(NSR)	02/19/98	19	<1.0	1.2	NA	NA	NA	NA	
EPA	02/19/98	22	<3.2	<2.5	NA	NA	NA	NA	
	11/21/01	2.1	<1.0	<1.0	0.331	NA	0.0717	NA	MethChl:3.4
MW-7(A); UFZ	12/01/98	63	15	12	0.33	0.18	0.014	0.02	
	11/16/99	84	16	8.8	0.027	NA	0.011	NA	
	11/17/00	89	21	8.1	0.0278	NA	0.0100	NA	1,1,2-TCTFA
	11/16/01	240	17	3.3	0.0145	NA	0.00860	NA	
special	05/09/02	48	3.8	2.4	0.034	NA	0.0110	NA	
	11/19/02	14	1.6	1.8	0.035	NA	<0.0056	NA	
	11/20/03	9.6	1.1	1.1	0.0080	NA	0.0023	NA	
	11/12/04	6.7	<1.0	<1.0	0.0100	NA	0.0058	NA	
	11/08/05	5.4	<1.0	<1.0	0.0157	NA	0.0123	NA	
	11/07/06	3	<1.0	<1.0	0.0242	NA	0.0172	NA	
MW-9(A); UFZ	01/07/91	1700	130	NA	NA	NA	NA	NA	
	04/01/91	1600	0	430	NA	NA	NA	NA	
	06/17/91	1400	120	NA	NA	NA	NA	NA	
	07/08/91	1300	99	NA	NA	NA	NA	NA	
	10/07/91	1000	79	NA	NA	NA	NA	NA	
	01/14/92	1200	0	NA	NA	NA	NA	NA	
	04/06/92	1400	72	NA	NA	NA	NA	NA	
	07/13/92	930	47	NA	NA	NA	NA	NA	
	09/23/92	1000	61	NA	NA	NA	NA	NA	
	01/11/93	690	71	200	NA	NA	NA	NA	
	04/14/93	820	69	190	NA	NA	NA	NA	
	07/29/93	730	42	110	<0.02	<0.02	NA	NA	
	10/06/93	680	35	84	NA	NA	NA	NA	
	11/29/93	680	35	110	NA	NA	NA	NA	
	01/19/94	790	34	120	NA	NA	NA	NA	
	04/06/94	740	22	71	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	07/20/94	750	50	91	<0.010	<0.02	NA	NA	
	10/27/94	750	51	97	NA	NA	NA	NA	
	01/08/95	850	57	120	NA	NA	NA	NA	
	04/19/94	790	39	91	NA	NA	NA	NA	
	08/01/95	490	43	52	<0.01	<0.05	NA	NA	
	10/11/95	650	30	71	NA	NA	NA	NA	
	01/16/96	570	25	82	<0.01	NA	NA	NA	
	04/24/96	710	46	91	NA	NA	NA	NA	
	07/17/96	460	49	51	<0.01	<0.01	NA	NA	
	10/04/96	540	48	63	NA	NA	NA	NA	
NMED	10/04/96	350	39	34	0.003	NA	NA	NA	
	02/04/97	550	32	48	NA	NA	NA	NA	
	04/24/97	580	99	100	NA	NA	NA	NA	
	08/20/97	390	32	36	<0.01	<0.02	NA	NA	
	10/23/097	500	41	43	NA	NA	NA	NA	
	01/22/98	410	31	<1.0	NA	NA	NA	NA	
	04/23/98	310	37	21	NA	NA	NA	NA	
	07/31/98	370	30	29	<0.01	<0.01	NA	NA	
	12/03/98	290	19	18	0.008	0.01	0.006	0.02	
	05/26/99	270	17	15	<0.05	<0.01	NA	NA	
	11/05/99	220	16	14	0.007	NA	NA	NA	
	11/13/00	180	10	9.1	<0.005	NA	NA	NA	MeCl:32; 1,1-DCA:2.0; PCE:2.1
	11/16/01	120	4.3	4.1	<0.005	NA	<0.005	NA	MeCl:5.5
	11/21/02	62	3.1	1.8	0.085	NA	<0.0056	NA	
	11/20/03	39	1.5	1.1	0.0028	NA	0.0013	NA	
	11/19/04	20	1.1	<1.0	<0.0050	NA	<0.0044	NA	
MW-12(A); UFZ	12/07/98	380	26	18	0.0500	0.02	0.0200	0.02	
	11/18/99	230	25	10	0.0310	NA	0.0220	NA	
	11/14/00	220	22	9	0.0409	NA	0.0301	NA	MeCl:3.1; 1,1-DCE:1.2
	11/20/01	160	12	4.5	0.0314	NA	0.0262	NA	MeCl:2.8; 1,1,2-TCTFA5.9
	11/21/02	140	10	3.3	0.0380	NA	0.0260	NA	MeCl:1.5
	11/19/03	210	16	4.5	0.0110	NA	0.0092	NA	1,1-DCA:1.0
	11/19/04	170	12	3.4	0.0050	NA	0.0070	NA	C3=CCV was greater than PLI established limits but meets
									EPA requirements. Results may be biased high
PZ-6-04	11/19/04	180	11	3.6	0.0110	NA	0.0052	NA	
	11/10/05	76	3.6	<1.0	0.00778	NA	0.00490	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/07/06	41	1.1	<1.0	0.00893	NA	0.00590	NA	
MW-13(A); UFZ	12/01/98	70	3.2	8	0.01100	0.01	0.007	0.02	
	11/15/99	57	3.8	5.7	0.01300	NA	0.0055	NA	
	11/14/00	40	2	3.9	0.00085	NA	0.0052	NA	
	11/16/01	27	<1.0	1.9	0.00530	NA	<0.00500	NA	
	11/19/02	18	<1.0	1.2	0.00980	NA	0.0078	NA	
DRY	11/20/03	NA	NA	NA	NA	NA	NA	NA	
DRY	11/05/04	NA	NA	NA	NA	NA	NA	NA	
DRY									
MW-14(A); UFZ	01/08/91	1700	0	NA	NA	NA	NA	NA	
	04/01/91	1400	0	NA	NA	NA	NA	NA	
	06/17/91	1100	51	<50	NA	NA	NA	NA	
	07/02/91	1400	54	NA	NA	NA	NA	NA	
	10/07/91	1100	56	NA	NA	NA	NA	NA	
	1/14/092	1300	110	NA	NA	NA	NA	NA	
	04/06/92	1400	<50	NA	NA	NA	NA	NA	
	07/13/92	860	<50	NA	NA	NA	NA	NA	
	09/23/92	1100	54	NA	NA	NA	NA	NA	
	01/11/93	850	42	20	NA	NA	NA	NA	
	04/14/93	850	41	19	NA	NA	NA	NA	
	07/29/93	720	31	14	0.66	0.66	NA	NA	
	10/06/93	700	31	16	NA	NA	NA	NA	
	11/29/93	640	31	14	NA	NA	NA	NA	
	01/19/94	680	27	6.3	NA	NA	NA	NA	
	04/06/94	730	19	13	NA	NA	NA	NA	
	07/20/94	730	34	<25	0.573	0.6	NA	NA	
	10/27/94	700	50	16	NA	NA	NA	NA	
	02/08/95	690	33	12	NA	NA	NA	NA	
	04/19/95	1000	17	10	NA	NA	NA	NA	
	08/01/95	470	29	9	1	0.91	NA	NA	
	10/10/95	470	18	11	NA	NA	NA	NA	
	01/12/96	290	4.6	5.8	1.53	NA	NA	NA	
	04/24/96	420	16	6.7	NA	NA	NA	NA	
	07/17/96	300	19	5.5	1.3	1.24	NA	NA	
	10/04/96	490	19	7.9	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
NMED	10/04/96	295	21	<12.5	1	NA	NA	NA	
	02/04/97	260	12	3.9	NA	NA	NA	NA	
	04/24/97	570	33	8.1	NA	NA	NA	NA	
	08/21/97	530	29	6.6	0.68	0.6	NA	NA	
	10/23/97	530	34	9.1	NA	NA	NA	NA	
	01/22/98	390	20	5.5	NA	NA	NA	NA	
	04/23/98	510	28	<20	NA	NA	NA	NA	
	07/31/98	450	27	5.4	0.6	0.6	NA	NA	
	12/01/98	430	24	4.2	0.11	<0.01	<0.005	0.01	
DRY	05/13/99	NA	NA	NA	NA	NA	NA	NA	
DRY	10/29/99	NA	NA	NA	NA	NA	NA	NA	
MW-14-R(A); UFZ	12/07/01	29	1.2	<1.0	0.213	NA	0.209	NA	1,1,2-TCTFA:6.4
	11/18/02	30	1.3	<1.0	0.4	NA	NA	NA	
	11/14/03	30	1.3	<1.0	0.35	NA	NA	NA	
	11/05/04	17	<1.0	<1.0	0.31	NA	NA	NA	
	11/08/05	9.1	<1.0	<1.0	0.201	NA	NA	NA	
	11/07/06	18	<1.0	<1.0	0.117	NA	0.121	NA	
MW-15(NSR); UFZ	01/08/91	110	6	NA	NA	NA	NA	NA	
	04/01/91	5	0	<50	NA	NA	NA	NA	
	06/20/91	91	6.3	36	NA	NA	NA	NA	
	07/02/91	110	0	NA	NA	NA	NA	NA	
	10/08/91	80	5	NA	NA	NA	NA	NA	
	01/15/92	64	<5	NA	NA	NA	NA	NA	
	04/07/92	54	<5	NA	NA	NA	NA	NA	
	07/14/92	49	<5	NA	NA	NA	NA	NA	
	09/23/92	66	<5	20	NA	NA	NA	NA	
	01/12/93	52	5	16	NA	NA	NA	NA	
	04/15/93	1.9	<0.2	<0.2	NA	NA	NA	NA	
	07/27/93	56	3	23	<0.010	NA	NA	NA	
	10/06/93	44	2.7	18	NA	NA	NA	NA	
	12/07/93	39	2	14	NA	NA	NA	NA	
	01/19/94	36	1.8	14	NA	NA	NA	NA	
DRY	04/06/94	NA	NA	NA	NA	NA	NA	NA	
	07/20/94	52	2	15	<0.010	<0.02	NA	NA	
	10/28/94	31	0.8	11	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	02/08/95	45	2	13	NA	NA	NA	NA	
DRY	04/20/95	NA	NA	NA	NA	NA	NA	NA	
	08/02/95	21	1J	7	<0.01	<0.05	NA	NA	
	10/11/95	15	<0.2	2.4	NA	NA	NA	NA	
DRY	01/17/96	NA	NA	NA	NA	NA	NA	NA	
DRY	04/24/96	NA	NA	NA	NA	NA	NA	NA	
DRY	07/17/96	NA	NA	NA	NA	NA	NA	NA	
DRY	10/04/96	NA	NA	NA	NA	NA	NA	NA	
DRY	02/04/97	NA	NA	NA	NA	NA	NA	NA	
DRY	04/24/97	NA	NA	NA	NA	NA	NA	NA	
DRY	08/21/97	NA	NA	NA	NA	NA	NA	NA	
DRY	10/23/97	NA	NA	NA	NA	NA	NA	NA	
DRY	01/22/98	NA	NA	NA	NA	NA	NA	NA	
DRY	04/23/98	NA	NA	NA	NA	NA	NA	NA	
DRY	07/31/98	NA	NA	NA	NA	NA	NA	NA	
DRY	11/17/98	NA	NA	NA	NA	NA	NA	NA	
DRY	02/16/99	NA	NA	NA	NA	NA	NA	NA	
DRY	05/13/99	NA	NA	NA	NA	NA	NA	NA	
DRY	10/29/99	NA	NA	NA	NA	NA	NA	NA	
MW-16(A); UFZ	01/08/91	16000	0	NA	NA	NA	NA	NA	
	04/01/91	12000	0	NA	NA	NA	NA	NA	
	06/18/91	17000	1400	11000	NA	NA	NA	NA	
	07/02/91	16000	620	NA	NA	NA	NA	NA	
	07/23/91	12000	650	NA	NA	NA	NA	NA	
	01/15/92	13000	<1000	NA	NA	NA	NA	NA	
	04/06/92	12000	540	NA	NA	NA	NA	NA	
	07/14/92	15000	<500	NA	NA	NA	NA	NA	
	09/23/92	14000	560	NA	NA	NA	NA	NA	
	01/11/93	13000	400	5900	NA	NA	NA	NA	
	04/14/93	12000	470	5900	NA	NA	NA	NA	
	07/29/93	11000	310	4200	0.28	0.28	NA	NA	
	10/06/93	13000	360	6200	NA	NA	NA	NA	
	11/29/93	13000	360	5100	NA	NA	NA	NA	
	01/19/94	12000	360	4400	NA	NA	NA	NA	
	04/06/94	11000	190	3200	NA	NA	NA	NA	
	07/20/94	11000	230	3700	0.376	0.4	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	10/28/94	11000	280	4000	NA	NA	NA	NA	
	02/08/95	8700	340	3100	NA	NA	NA	NA	
	04/21/95	7100	200	2100	NA	NA	NA	NA	
	08/01/95	9100	280	2700	NA	NA	NA	NA	
	10/11/95	7400	140	2200	0.57	0.52	NA	NA	
	01/16/96	7600	93	1900	0.19	NA	NA	NA	
	04/25/96	9700	110	1200	NA	NA	NA	NA	
	07/17/96	7400	170	1800	0.13	0.11	NA	NA	
NMED	10/04/96	8300	200	2100	NA	NA	NA	NA	
	10/04/96	6200	<500.0	1400	NA	NA	NA	NA	
	02/04/97	6000	130	1400	NA	NA	NA	NA	
	04/24/97	5300	82	1200	NA	NA	NA	NA	
	08/21/97	3000	<100	520	0.26	0.3	NA	NA	
	10/23/97	3900	<64	700	NA	NA	NA	NA	
	01/22/98	4100	<73	800	NA	NA	NA	NA	
	04/23/98	1900	23	400	NA	NA	NA	NA	
	07/31/98	2000	49	320	0.38	0.07	NA	NA	
	12/08/98	1200	30	170	1.1	<0.1	0.071	0.07	
	05/25/99	280	12	48	0.308	0.06	<0.005	0.04	
	11/18/99	46	3.5	6.9	0.55	NA	0.13	NA	
	11/20/00	12	<1.0	1.4	0.45	NA	0.27	NA	
	11/16/01	6.3	<1.0	<1.0	0.306	NA	0.216	NA	
	11/19/02	22	1.3	1.4	1.3	NA	0.9	NA	MethChl:2.3
	11/19/03	5.0	<1.0	<1.0	0.71	NA	0.51	NA	MethChl:1.0
	11/12/04	6.3	<1.0	<1.0	0.519	NA	0.13	NA	
	11/10/05	7.4	<1.0	<1.0	0.431	NA	0.131	NA	
	11/09/06	3.8	<1.0	<1.0	0.246	NA	0.112	NA	
MW-17(A); UFZ	12/01/98	68	3.5	13	0.8	0.8	0.75	0.77	
	11/16/99	21	1.5	3.4	0.031	NA	<0.005	NA	
	02/10/00	NA	NA	NA	0.14	NA	<0.005	NA	
	11/17/00	9.4	<1.0	1.5	0.0057	NA	<0.005	NA	Benz.:1.6
	11/19/01	1.8	<1.0	<1.0	<0.0050	NA	<0.0050	NA	
	11/19/02	1.9	<1.0	<1.0	0.076	NA	0.066	NA	
	11/20/03	1.1	<1.0	<1.0	0.035	NA	0.029	NA	
	11/11/04	1.3	<1.0	<1.0	0.0410	NA	0.025	NA	
	11/07/05	<1.0	<1.0	<1.0	0.0388	NA	0.0297	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/09/06	<1.0	<1.0	<1.0	0.0411	NA	0.0304	NA	Iron Diss:0.0423,Mg Diss:0.0132,Iron:2.33,Mg:0.0969
MW-18(A); UFZ	02/17/98	1100	120	100	NA	NA	NA	NA	
EPA	02/17/98	1000	140	110	NA	NA	NA	NA	
	12/02/98	600	50	42	<0.005	<0.01	<0.005	<0.01	
	11/19/99	980	180	60	0.012	NA	0.012	NA	
	02/10/00	NA	NA	NA	0.006	NA	<0.005	NA	
	11/17/00	500	42	18	<0.005	NA	<0.005	NA	Chloro:1.1; PCE:3.0
	11/20/01	390	22	8.6	<0.00500	NA	<0.00500	NA	1,1,2-TCTFA:5.5; 1,1,2-TCA:1.4; PCE:2.4
	11/21/02	5.0	<1.0	<1.0	0.029	NA	0.036	NA	
	11/19/03	2.4	<1.0	<1.0	0.030	NA	0.030	NA	
	11/19/04	2.3	<1.0	<1.0	0.028	NA	0.031	NA	
	11/07/05	2.0	<1.0	<1.0	0.0331	NA	0.0292	NA	
	11/09/06	1.6	<1.0	<1.0	0.0328	NA	0.0293	NA	
MW-19(A); ULFZ	01/07/91	680	57	NA	NA	NA	NA	NA	
	04/02/91	690	55	NA	NA	NA	NA	NA	
	06/17/91	570	48	<25	NA	NA	NA	NA	
	07/08/91	190	12	NA	NA	NA	NA	NA	
	10/07/91	170	10	NA	NA	NA	NA	NA	
	01/14/92	130	7.3	NA	NA	NA	NA	NA	
	04/06/92	230	10	NA	NA	NA	NA	NA	
	07/13/92	140	8	NA	NA	NA	NA	NA	
	09/23/92	120	7	NA	NA	NA	NA	NA	
	01/11/93	57	3	2	NA	NA	NA	NA	
	04/15/93	110	11	0.8	NA	NA	NA	NA	
	07/29/93	62	3	1	<.02	<.02	NA	NA	
	10/06/93	45	2.6	<0.2	NA	NA	NA	NA	
	11/29/93	39	2	<1.0	NA	NA	NA	NA	
	01/19/94	48	2.4	<0.2	NA	NA	NA	NA	
	04/06/94	81	2.8	0.8	NA	NA	NA	NA	
	07/20/94	61	<4	<4	<.01	<.05	NA	NA	
	10/27/94	47	2.5	1.1	NA	NA	NA	NA	
	02/08/95	72	4	2	NA	NA	NA	NA	
	04/19/95	92	3.1	<1.0	NA	NA	NA	NA	
	08/02/95	39	3J	1J	<0.01	<0.05	NA	NA	
	10/11/95	48	1.7	1.3	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	01/17/96	24	0.7	<1.0	<0.01	NA	NA	NA	
	04/24/96	88	1.5	<1.0	NA	NA	NA	NA	
	07/17/96	11	1.1	<1.0	<0.01	<0.05	NA	NA	
	10/04/96	8	0.5	<1.0	NA	NA	NA	NA	
NMED	10/04/96	7.7	1.2	0.6	<0.0010	NA	NA	NA	
	02/04/97	6.4	<0.2	<1.0	NA	NA	NA	NA	
	04/24/97	9.4	0.6	<1.0	NA	NA	NA	NA	
	08/20/97	13	1	<1.0	<0.01	<0.02	NA	NA	
	10/23/97	16	0.8	<1.0	NA	NA	NA	NA	
	01/22/98	12	1.1	<1.0	NA	NA	NA	NA	
	04/23/98	14	1.1	<1.0	NA	NA	NA	NA	
	07/31/98	18	1.4	<1.0	<0.01	<0.01	NA	NA	
	11/23/98	4.2	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/20/99	5.5	<1.0	<1.0	0.007	<0.01	NA	NA	
	11/08/99	2.4	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/00	3.3	<1.0	<1.0	<0.005	NA	NA	NA	
	11/13/01	2.0	<1.0	<1.0	<0.005	NA	NA	NA	1,1,2-TCTFA:6.2; CarTet:1.0
	11/25/02	23	1.5	<1.0	<0.005	NA	NA	NA	
	11/21/03	630	67	12	0.0051	NA	NA	NA	1,1,1-TCA:12; PCE:2.2; 1,1-DCA:1.6
	01/19/04	670	81	13	NA	NA	NA	NA	1,1,2-TCTFA:5.2; 1,1,1-TCA:13; PCE:2.6; 1,1-DCA:1.8
	11/12/04	550	44	6.6	0.0120	NA	NA	NA	
PZ-05-5	11/11/05	820	83	8.1	0.0221	NA	NA	NA	Chloroform: 1.3, Tetrachloroethene: 2.6, 1,1-Dichloroethane: 1.7
	11/11/05	810	78	7.9	0.0264	NA	NA	NA	1,1-Dichloroethane: 1.5, Chloroform:1.2, Tetrachloroethene: 2.4
	11/07/06	580	72	5.3	0.0261	NA	NA	NA	
MW-20(A); LLFZ	01/07/91	28	<5	NA	NA	NA	NA	NA	
	06/17/91	12	<5	<5	NA	NA	NA	NA	
	07/08/91	12	<5	NA	NA	NA	NA	NA	
	10/07/91	16	<5	NA	NA	NA	NA	NA	
	01/14/92	5	<5	ND	NA	NA	NA	NA	
	04/06/92	5	<5	ND	NA	NA	NA	NA	
	07/13/92	5	<5	ND	NA	NA	NA	NA	
	09/23/92	30	<5	NA	NA	NA	NA	NA	
	01/11/93	3	<1.0	<1.0	NA	NA	NA	NA	
	04/15/93	31	1.6	13	NA	NA	NA	NA	
	07/29/93	7	<1.0	<1.0	<0.02	<0.02	NA	NA	
	10/06/93	23	1.1	1	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	12/02/93	6	<1.0	<1.0	NA	NA	NA	NA	
	01/19/94	1.1	<0.2	<0.2	NA	NA	NA	NA	
	04/06/94	0.2	<0.2	<0.2	NA	NA	NA	NA	
	07/20/94	8	<1.0	<1.0	<0.01	<0.02	NA	NA	
	10/27/94	44	1.1	1.4	NA	NA	NA	NA	
	02/08/95	5	<1.0	<1.0	NA	NA	NA	NA	
	04/19/95	0.2	<0.2	<1.0	NA	NA	NA	NA	
	08/02/95	11	<5	<5	NA	NA	NA	NA	
	10/11/95	26	1.2	2.1	<0.01	<0.05	NA	NA	
	01/17/96	1.3	<0.2	<1.0	<0.01	NA	NA	NA	
	04/24/96	0.4	<0.2	<1.0	NA	NA	NA	NA	
	07/17/96	<1.0	<1.0	<1.0	<0.01	<0.05	NA	NA	
	10/04/96	0.4	<0.2	<1.0	NA	NA	NA	NA	
NMED	10/04/96	0.8	<0.5	<0.5	<0.0010	NA	NA	NA	
	02/04/97	<0.3	<0.2	<1.0	NA	NA	NA	NA	
	04/24/97	<0.3	<0.2	<1.0	NA	NA	NA	NA	
	08/20/97	1.1	<1.0	<1.0	<0.01	<0.02	NA	NA	
	10/23/97	<0.3	<0.2	<1.0	NA	NA	NA	NA	
	01/22/98	<0.3	<0.2	<1.0	NA	NA	NA	NA	
	04/23/98	<0.3	<0.2	<1.0	NA	NA	NA	NA	
	07/31/98	3.1	<0.2	<1.0	<0.01	<0.01	NA	NA	
	11/23/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/20/99	<1.0	<1.0	<1.0	0.007	<0.01	NA	NA	
	11/08/99	<1.0	<1.0	<1.0	0.005	NA	NA	NA	
	11/15/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/12/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/25/02	2	<1.0	<1.0	<0.005	NA	NA	NA	
	11/21/03	1.9	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/12/04	1.0	<1.0	<1.0	0.00800	NA	NA	NA	
	11/11/05	<1.0	<1.0	<1.0	0.00156	NA	NA	NA	
	11/07/06	<1.0	<1.0	<1.0	0.00290	NA	NA	NA	
MW-21(A); UFZ	01/08/91	910	76	NA	NA	NA	NA	NA	
	04/01/91	400	29	NA	NA	NA	NA	NA	
	06/18/91	500	77	470	NA	NA	NA	NA	
	07/02/91	440	40	NA	NA	NA	NA	NA	
	10/08/91	880	79	NA	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	01/14/92	680	62	NA	NA	NA	NA	NA	
	04/06/92	360	<25	NA	NA	NA	NA	NA	
	07/13/92	390	31	NA	NA	NA	NA	NA	
	09/23/92	460	38	NA	NA	NA	NA	NA	
	01/11/93	430	38	330	NA	NA	NA	NA	
	04/14/93	240	21	190	NA	NA	NA	NA	
	07/29/93	350	17	210	<0.02	<0.02	NA	NA	
	10/06/93	480	30	330	NA	NA	NA	NA	
	11/29/93	490	33	290	NA	NA	NA	NA	
	07/20/94	380	23	240	NA	NA	NA	NA	
	07/20/94	280	11	150	NA	NA	NA	NA	
	07/20/94	210	17	110	<0.01	<0.02	NA	NA	
	10/27/94	360	32	210	NA	NA	NA	NA	
	02/08/95	270	19	140	NA	NA	NA	NA	
	04/19/95	160	6	70	NA	NA	NA	NA	
	08/02/95	200	13	92	<0.01	<0.05	NA	NA	
	10/10/95	280	12	120	NA	NA	NA	NA	
	01/12/96	220	10	95	<0.01	NA	NA	NA	
	04/24/96	140	5.6	65	NA	NA	NA	NA	
	07/17/96	180	11	72	<0.01	<0.05	NA	NA	
	10/04/96	150	6.4	48	NA	NA	NA	NA	
NMED	10/04/96	79	<10	28	NA	NA	NA	NA	
	02/04/97	97	3.9	33	NA	NA	NA	NA	
	04/24/97	99	2.8	34	NA	NA	NA	NA	
	08/21/97	61	2.6	21	<0.01	<0.02	NA	NA	
	10/23/97	130	3.3	37	NA	NA	NA	NA	
	01/22/99	66	2.8	18	NA	NA	NA	NA	
	04/23/98	59	<4	<20	NA	NA	NA	NA	
	07/31/98	20	0.8	5	0.06	0.04	NA	NA	
	12/02/98	7.5	<1.0	1.1	0.1	<0.02	<0.005	<0.02	
DRY	05/13/99	NA	NA	NA	NA	NA	NA	NA	
	11/18/99	1.7	<1.0	<1.0	0.044	NA	0.005	NA	
	11/19/02	<1.0	<1.0	<1.0	0.4	NA	0.028	NA	
	11/19/03	<1.0	<1.0	<1.0	0.11	NA	0.029	NA	
	11/19/04	<1.0	<1.0	<1.0	0.031	NA	0.029	NA	
	11/08/05	<1.0	<1.0	<1.0	0.0728	NA	0.0305	NA	
	11/07/06	<1.0	<1.0	<1.0	0.0563	NA	0.0315	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
MW-22(A); UFZ	01/08/91	75	47	NA	NA	NA	NA	NA	
	04/01/91	92	31	NA	NA	NA	NA	NA	
	06/20/91	110	30	130	NA	NA	NA	NA	
	07/02/91	110	30	NA	NA	NA	NA	NA	
	10/08/91	93	30	NA	NA	NA	NA	NA	
	01/15/92	65	40	NA	NA	NA	NA	NA	
	04/07/92	90	31	NA	NA	NA	NA	NA	
	07/14/92	72	21	NA	NA	NA	NA	NA	
	09/23/92	48	25	NA	NA	NA	NA	NA	
	01/11/93	51	26	75	NA	NA	NA	NA	
	04/15/93	55	22	68	NA	NA	NA	NA	
	07/29/93	47	13	47	<0.02	<0.02	NA	NA	
	10/06/93	41	22	51	NA	NA	NA	NA	
	12/07/93	41	20	51	NA	NA	NA	NA	
	01/19/94	50	22	57	NA	NA	NA	NA	
	04/06/94	62	14	52	NA	NA	NA	NA	
	07/20/94	44	18	50	<0.01	<0.02	NA	NA	
	10/28/94	45	16	31	NA	NA	NA	NA	
	02/08/95	72	20	54	NA	NA	NA	NA	
	04/21/95	100	10	48	NA	NA	NA	NA	
	08/02/95	32	8	23	<0.01	<0.05	NA	NA	
	10/11/95	34	6.9	23	NA	NA	NA	NA	
	01/16/96	46	6.2	29	<0.01	NA	NA	NA	
	04/25/96	81	9.2	43	NA	NA	NA	NA	
	07/17/96	43	9	26	<0.01	<0.05	NA	NA	
	10/04/96	33	8	22	NA	NA	NA	NA	
NMED	10/04/96	18	5.6	12	0.001	0.001	NA	NA	
	02/04/97	40	6.8	41	NA	NA	NA	NA	
	04/24/97	74	11	37	NA	NA	NA	NA	
	08/21/97	44	6.2	21	<0.01	<0.02	NA	NA	
	10/23/97	54	9.3	27	NA	NA	NA	NA	
	01/22/98	65	8.8	31	NA	NA	NA	NA	
	04/23/98	78	9.3	36	NA	NA	NA	NA	
	07/31/98	35	4.8	14	0.02	<0.01	NA	NA	
	11/19/98	13	2	4.6	<0.005	<0.01	NA	NA	
	05/19/99	21	2.7	5.6	<0.005	<0.01	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/09/99	7	1.3	2.7	<0.0050	NA	NA	NA	
	11/17/00	3.1	<1.0	1.4	<0.0050	NA	NA	NA	
	03/16/01	2.8	<1.0	1.1	0.010	NA	<0.0050	NA	
	11/13/01	1.6	<1.0	<1.0	0.0194	NA	NA	NA	
	11/14/02	1.3	<1.0	<1.0	0.044	NA	0.037	NA	
	11/18/03	<1.0	<1.0	<1.0	<0.0010	NA	0.037	NA	
	11/05/04	<1.0	<1.0	<1.0	0.0406	NA	0.031	NA	
	11/03/05	<1.0	<1.0	<1.0	0.0353	NA	0.0384	NA	
	11/09/06	<1.0	<1.0	<1.0	0.0359	NA	NA	NA	
MW-23(A); UFZ	02/17/98	9900	770	1600	NA	NA	NA	NA	
EPA	02/17/98	13000	890	1600	NA	NA	NA	NA	
	12/03/98	6200	400	720	0.13	0.03	0.048	0.04	
	11/18/99	1300	110	120	0.073	NA	0.03	NA	
	11/20/00	2300	120	180	0.436	NA	0.162	NA	1,1-DCA:2.6; Chloro:3.2; 1,1,2-TCA:8.6; PCE:15; 1,1,1,2-PCA:4.0
	11/16/01	1300	50	57	4.08	NA	0.194	NA	Chloro:1.8; 1,1,2-TCA:5.1; PCE:7.6; 1,1,1,2-PCA:2.1
	11/21/02	3400	300	<20	11	NA	0.26	NA	PCE:34
	11/20/03	840	82	28	2.4	NA	0.049	NA	1,1-DCA:1.4; Chlor:1.2; 1,1,2-TCA:1.7: PCE:7.1
PZ-6-03	11/20/03	860	90	32	2.8	NA	0.047	NA	1,1-DCA:1.5; Chlor:1.3; 1,1,2-TCA:1.8: PCE:7.7
	11/12/04	320	36	9.1	0.562	NA	0.042	NA	TTCE:2.8
	11/10/05	50	4.5	<1.0	0.218	NA	0.0412	NA	
	11/07/06	11	1.0	<1.0	0.276	NA	0.0898	NA	
MW-24(NSR); UFZ	02/19/98	6100	98	890	NA	NA	NA	NA	
EPA	02/19/98	6800	120	900	NA	NA	NA	NA	
	12/08/98	4700	74	480	0.31	<0.01	0.015	0.02	
MW-25(A); UFZ	02/19/98	11000	230	1200	7.6	0.31	0.24	0.33	
EPA	02/19/98	13000	62	1300	NA	NA	NA	NA	
	12/08/98	5600	73	540	0.66	0.4	0.41	0.45	
	11/19/99	210	13	20	0.005	NA	0.33	NA	
	11/17/00	280	40	7.1	2.54	NA	0.215	NA	MeCl:7.3; cis-1,2-DCE:19; 1,1-DCA:1.0;Chloro:1.4; PCE:3.5
	11/20/01	46	4.6	<1.0	0.462	NA	0.00550	NA	MeCl:1.1
	01/08/03	NA	NA	NA	0.33	NA	0.27	NA	
PZ-18	01/08/03	NA	NA	NA	0.32	NA	0.28	NA	
	01/09/03	42	3.1	<1.0	NA	NA	NA	NA	MeCl:1.7; cis-1,2-DCE:1.6
PZ-18	01/09/03	46	3.6	<1.0	NA	NA	NA	NA	MeCl:2.0; cis-1,2-DCE:2.0
	11/19/03	42	3.1	<1.0	0.077	NA	0.036	NA	MeCl:2.6; cis-1,2-DCE:2.1

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/12/04	40	<1.0	<1.0	0.547	NA	0.049	NA	
	11/10/05	21	2.0	<1.0	0.0636	NA	0.0616	NA	MeCl: 1.2, cis-1,2-DCE: 2.0,
	11/07/06	32	2.2	<1.0	0.24	NA	0.0643	NA	cis-1,2-DCE: 2.0
MW-26(A); UFZ	02/18/98	4700	540	530	NA	NA	NA	NA	
EPA	02/18/98	4600	500	490	NA	NA	NA	NA	
	12/03/98	6500	590	550	0.19	0.05	0.043	0.05	
	11/19/99	3900	400	380	0.45	NA	0.07	NA	
	02/10/00	NA	NA	NA	0.78	NA	0.075	NA	
	11/17/00	3000	310	240	0.745	NA	0.0617	NA	1,1,2-TCTFA:6.0; 1,1-DCA:5.6; Benz:1.6; 1,1,2-TCA:5.5;
									PCE:20; 1,1,1,2-PCA:3.0
	11/21/01	1500	160	65	0.371	NA	0.186	NA	1,1,2-TCTFA:6.0; 1,1-DCA:3.1; Chlor:3.6; Benz:1.0; 1,1,2-TCA:2.3;
									PCE:11
	11/21/02	340	36	10	0.56	NA	0.12	NA	PCE:2.6
	11/19/03	61	2.7	<1.0	0.60	NA	0.14	NA	
	11/19/04	16	<1.0	<1.0	0.13	NA	0.133	NA	
	11/10/05	19	<1.0	<1.0	0.168	NA	0.131	NA	
PZ-05-6	11/10/05	19	<1.0	<1.0	0.179	NA	0.112	NA	
	11/09/06	20	<1.0	<1.0	0.278	NA	0.129	NA	
MW-27(NSR); UFZ	02/17/98	440	24	90	NA	NA	NA	NA	
EPA	02/17/98	580	25	96	NA	NA	NA	NA	
	12/02/98	380	24	57	0.027	<0.01	<0.005	0.01	
MW-28(NSR); UFZ									
DRY	02/16/99	NA	NA	NA	NA	NA	NA	NA	
DRY	05/13/99	NA	NA	NA	NA	NA	NA	NA	
MW-29(A); ULFZ	11/19/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/05/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/14/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/07/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
PZ-13	11/07/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/02	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/18/03	1.2	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/19/04	1.8	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/14/05	2.6	<1.0	<1.0	<0.00100	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/17/06	2.3	<1.0	<1.0	0.00480	NA	NA	NA	
MW-30(A); ULFZ	11/23/98	5.4	<1.0	<1.0	0.025	0.03	NA	NA	
	11/08/99	3.4	<1.0	<1.0	0.042	NA	NA	NA	
	11/13/00	3.4	<1.0	<1.0	0.0351	NA	NA	NA	
PZ-7	11/13/00	3.2	<1.0	<1.0	0.0368	NA	NA	NA	
	11/09/01	2.0	<1.0	<1.0	0.0322	NA	NA	NA	
	11/15/02	1.8	<1.0	<1.0	0.024	NA	NA	NA	
	11/18/03	2.2	<1.0	<1.0	0.038	NA	NA	NA	
	11/22/04	2.4	<1.0	<1.0	0.015	NA	NA	NA	
	11/11/05	5.3	<1.0	<1.0	0.00656	NA	NA	NA	
	11/09/06	13.0	<1.0	<1.0	0.0175	NA	NA	NA	
PZG-06-01	11/09/06	12.0	<1.0	<1.0	0.0158	NA	NA	NA	
MW-31(A); ULFZ	11/23/98	<1.0	<1.0	<1.0	0.014	0.02	NA	NA	
	11/09/99	<1.0	<1.0	<1.0	0.0065	NA	NA	NA	
	11/20/00	18	1.3	1.4	0.0220	NA	NA	NA	
	11/09/01	<1.0	<1.0	<1.0	0.0266	NA	NA	NA	
	11/18/02	<1.0	<1.0	<1.0	0.0056	NA	0.01	NA	
	11/14/03	<1.0	<1.0	<1.0	0.0045	NA	NA	NA	
	11/22/04	<1.0	<1.0	<1.0	0.007	NA	NA	NA	
	11/10/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	11/09/06	<1.0	<1.0	<1.0	0.00296	NA	NA	NA	
MW-32(A); LLFZ	10/04/91	5100	540	<420	NA	NA	NA	NA	
	11/06/91	2400	350	<250	NA	NA	NA	NA	
	12/12/91	2400	380	200	NA	NA	NA	NA	
	01/29/92	5100	850	440	NA	NA	NA	NA	
	04/22/92	6000	1100	510	NA	NA	NA	NA	
	07/22/92	7500	870	540	NA	NA	NA	NA	
	09/21/92	2600	550	260	NA	NA	NA	NA	
	01/12/93	830	130	74	NA	NA	NA	NA	
	04/14/93	1500	470	200	NA	NA	NA	NA	
	07/27/93	4400	1000	380	<0.01	NA	NA	NA	
	10/06/93	780	140	71	NA	NA	NA	NA	
	12/07/93	490	80	40	NA	NA	NA	NA	
	01/18/94	580	98	45	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	04/05/94	1700	250	110	NA	NA	NA	NA	
	07/19/94	400	58	62	NA	NA	NA	NA	
	10/25/94	1700	310	88	<0.01	NA	NA	NA	
	02/07/95	2000	430	99	NA	NA	NA	NA	
	04/18/95	1600	320	82	NA	NA	NA	NA	
	08/01/95	4200	810	170	NA	NA	NA	NA	
	10/10/95	2800	420	120	NA	NA	NA	NA	
	01/11/96	760	110	36	<0.01	NA	NA	NA	
	04/23/96	2400	350	<250	NA	<0.05	NA	NA	
	07/16/96	400	77	19	NA	NA	NA	NA	
	10/04/96	690	150	40	NA	NA	NA	NA	
NMED	10/04/96	500	120	25	<.0010	NA	NA	NA	
	02/03/97	390	71	20	NA	NA	NA	NA	
	04/24/97	1800	310	75	NA	NA	NA	NA	
	08/21/97	550	110	34	NA	NA	NA	NA	
	10/22/97	960	190	39	NA	NA	NA	NA	
	01/21/98	1600	320	66	NA	NA	NA	NA	
	04/23/98	1200	240	54	NA	NA	NA	NA	
	08/07/98	1300	260	54	NA	NA	NA	NA	
	11/30/98	550	96	30	<0.005	<0.01	NA	NA	
	11/10/99	710	200	24	<0.005	NA	NA	NA	
	11/21/00	340	69	9.3	<0.005	NA	NA	NA	PCE:3.2
	11/13/01	430	71	9.2	<0.005	NA	NA	NA	1,1,2-TCTFA:10; 1,1-DCA:3.5; PCE:3.9
	11/18/02	120	20	2.8	<0.005	NA	NA	NA	PCE:1.1
	11/14/03	140	21	2.6	<0.0010	NA	NA	NA	PCE:1.5
	11/05/04	83	11	1.4	<0.00500	NA	NA	NA	
PZ-4-04	11/05/04	64	8.9	1.2	<0.00500	NA	NA	NA	
	11/10/05	120	17	1.5	<0.00100	NA	NA	NA	PCE: 1.3
	11/11/06	110	15	<1.0	0.00486	NA	NA	NA	PCE: 1.2
PZ-06-02	11/11/06	84	11	<1.0	0.0034	NA	NA	NA	
MW-33(A); UFZ	12/02/98	630	53	28	0.22	<0.01	<0.005	<0.01	
	11/16/99	320	46	19	1.9	NA	0.006	NA	
	11/13/00	270	37	17	0.501	NA	<0.005	NA	1,1,2-TCTFA:5.0; 1,1-DCA:3.1
	11/16/01	110	7.9	4	0.0705	NA	0.0111	NA	1,1,2-TCA:1.2
Dry	11/04/02	NA	NA	NA	NA	NA	NA	NA	
Dry	11/20/03	NA	NA	NA	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
MW-34(A); UFZ	11/18/98	<1.0	<1.0	<1.0	0.16	0.04	NA	NA	
SP	02/18/99	NA	NA	NA	0.1	<0.01	<0.005	<0.01	
	11/04/99	<1.0	<1.0	<1.0	0.033	NA	NA	NA	
	02/09/00	NA	NA	NA	0.022	NA	<0.005	NA	
	11/28/00	<1.0	<1.0	<1.0	2.34	NA	0.00590	NA	
	11/20/01	<1.0	<1.0	<1.0	0.247	NA	0.0128	NA	
	11/19/02	<1.0	<1.0	<1.0	0.071	NA	<0.0056	NA	
	11/20/03	<1.0	<1.0	<1.0	0.79	NA	0.0049	NA	
	11/19/04	<1.0	<1.0	<1.0	0.15	NA	0.0071	NA	
	11/08/05	<1.0	<1.0	<1.0	0.197	NA	0.0113	NA	
	11/09/06	<1.0	<1.0	<1.0	0.0545	NA	0.0125	NA	
MW-35(A); UFZ	12/08/98	<1.0	<1.0	<1.0	0.048	0.04	0.03	0.04	
	11/16/99	<1.0	<1.0	<1.0	0.1	NA	0.052	NA	
	02/10/00	NA	NA	NA	0.049	NA	NA	NA	
	08/08/00	NA	NA	NA	0.0602	NA	NA	NA	
	11/28/00	<1.0	<1.0	<1.0	0.0530	NA	NA	NA	
	11/22/01	<1.0	<1.0	<1.0	NA	NA	NA	NA	1,1,2-TCTFA:15
Dry	11/04/02	NA	NA	NA	NA	NA	NA	NA	
Dry	11/20/03	NA	NA	NA	NA	NA	NA	NA	
Dry	11/04/05	NA	NA	NA	NA	NA	NA	NA	
MW-36(A); UFZ	10/02/91	19	<5.0	<5.0	NA	NA	NA	NA	
	01/08/92	15	<5.0	<5.0	NA	NA	NA	NA	
	04/02/92	14	<5.0	<5.0	NA	NA	NA	NA	
	07/21/92	10	<5.0	<5.0	NA	NA	NA	NA	
	09/22/92	8.3	<5.0	<5.0	NA	NA	NA	NA	
	01/14/93	7	<1.0	<1.0	NA	NA	NA	NA	
	04/13/93	4	<1.0	<1.0	NA	NA	NA	NA	
	07/27/93	25	5	2	0.052	NA	NA	NA	
	10/05/93	3	<1.0	<1.0	NA	NA	NA	NA	
	12/07/93	3	<1.0	<1.0	NA	NA	NA	NA	
	01/17/94	3	<1.0	<1.0	NA	NA	NA	NA	
	04/04/94	2	<1.0	<1.0	NA	NA	NA	NA	
	07/18/94	3	<1.0	<1.0	NA	NA	NA	NA	
	02/07/95	3J	<5	<5	NA	NA	NA	NA	
	04/18/95	3J	<5	<5	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	08/01/95	2J	<5	<5	NA	NA	NA	NA	
	10/10/95	2	<1.0	<1.0	NA	NA	NA	NA	
	01/10/96	1.9	<.02	<1.0	0.03	NA	NA	NA	
	04/24/96	<5.0	<5	<5	NA	NA	NA	NA	
	07/16/96	2.4	<1.0	<1.0	NA	NA	NA	NA	
	10/03/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/03/96	3	<0.5	<0.5	NA	NA	NA	NA	
	02/03/97	3.5	<1.0	<1.0	NA	NA	NA	NA	
	04/23/97	2.9	<1.0	<1.0	NA	NA	NA	NA	
	08/22/97	1.7	<1.0	<1.0	NA	NA	NA	NA	
	10/22/97	1.6	<1.0	<1.0	NA	NA	NA	NA	
	01/21/98	2.9	<1.0	<1.0	NA	NA	NA	NA	
	04/22/98	1.7	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	12/07/98	1.4	<1.0	<1.0	0.065	0.05	0.043	0.05	
	11/15/99	1	<1.0	<1.0	0.084	NA	0.045	NA	
	11/28/00	<1.0	<1.0	<1.0	0.0521	NA	0.0412	NA	
	11/26/01	1.8	<1.0	<1.0	0.0512	NA	0.0293	NA	
Dry	11/04/02	NA	NA	NA	NA	NA	NA	NA	
Dry	11/20/03	NA	NA	NA	NA	NA	NA	NA	
Dry	11/04/05	NA	NA	NA	NA	NA	NA	NA	
MW-37(A); UFZ	10/04/91	1400	<85	<85	NA	NA	NA	NA	
	01/08/92	1200	52	<50	NA	NA	NA	NA	
	04/02/92	960	<85	<85	NA	NA	NA	NA	
	07/21/92	800	37	<25	NA	NA	NA	NA	
	09/24/92	810	38	<33	NA	NA	NA	NA	
	01/14/93	510	19	4	NA	NA	NA	NA	
	04/13/93	340	18	4	NA	NA	NA	NA	
	07/28/93	800	28	8	NA	NA	NA	NA	
	10/04/93	600	<10	<10	NA	NA	NA	NA	
	11/30/93	980	46	<20	NA	NA	NA	NA	
	01/18/94	860	38	<10	NA	NA	NA	NA	
	04/05/94	850	37	<25	NA	NA	NA	NA	
	07/19/94	370	9	3	NA	NA	NA	NA	
	02/07/95	770	40	5	NA	NA	NA	NA	
	04/18/95	750	42	6	NA	NA	NA	NA	
	08/01/95	750	37	6	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	10/10/95	750	31	5	NA	NA	NA	NA	
	01/10/96	720	25	<10	<0.01	NA	NA	NA	
	04/23/96	600	15	<50	NA	<0.05	NA	NA	
	07/16/96	560	<50	<50	NA	NA	NA	NA	
	10/03/96	760	30	<30	NA	NA	NA	NA	
	02/03/97	660	23	<5	NA	NA	NA	NA	
	04/22/97	450	16	2	NA	NA	NA	NA	
	08/22/97	460	19	<10	NA	NA	NA	NA	
	10/22/97	450	18	<5	NA	NA	NA	NA	
	01/21/98	640	21	9.8	NA	NA	NA	NA	
	04/23/98	1500	65	<5	NA	NA	NA	NA	
	08/07/98	990	46	<10	NA	NA	NA	NA	
	12/03/98	990	48	<5	0.016	0.02	<0.005	0.02	
	11/16/99	910	58	2.9	0.25	NA	0.007	NA	
MW-37-R;UFZ	12/7/01	190	8.0	<1.0	0.00880	NA	0.00790	NA	Bromomethane:3.1; 1,1,2-TCTFA:8.2
	11/07/02	380	18.0	<1.0	0.07800	NA	0.07700	NA	cis-1,2-DCE:1.9; PCE:1.4
PZ-15	11/07/02	390	17.0	<1.0	0.07700	NA	0.07400	NA	cis-1,2-DCE:1.9; PCE:1.3
	11/12/03	180	7.4	<1.0	0.04300	NA	NA	NA	
	11/12/04	110	4.4	<1.0	0.0540	NA	NA	NA	
	11/07/05	120	4.4	<1.0	0.0797	NA	NA	NA	
	11/10/06	120	5.0	<1.0	0.0823	NA	NA	NA	
MW-38(A); LLFZ	11/19/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/05/99	<1.0	<1.0	<1.0	0.0077	NA	NA	NA	
	11/20/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/07/01	<1.0	<1.0	<1.0	0.00640	NA	NA	NA	
	11/15/02	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/14/03	<1.0	<1.0	<1.0	0.0059	NA	NA	NA	
	11/22/04	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/14/05	<1.0	<1.0	<1.0	0.00778	NA	NA	NA	
	11/17/06	<1.0	<1.0	<1.0	0.00706	NA	NA	NA	
MW-39(A);LLFZ	11/23/98	<1.0	<1.0	<1.0	0.17	0.18	NA	NA	
SP	02/18/99	NA	NA	NA	0.054	0.06	0.054	0.06	
	11/08/99	<1.0	<1.0	<1.0	0.034	NA	NA	NA	
	11/13/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/09/01	<1.0	<1.0	<1.0	0.0592	NA	NA	NA	
	11/15/02	<1.0	<1.0	<1.0	<0.005	NA	<0.0056	NA	
	11/18/03	<1.0	<1.0	<1.0	0.0039	NA	NA	NA	
	11/22/04	<1.0	<1.0	<1.0	0.009	NA	NA	NA	
	11/14/05	<1.0	<1.0	<1.0	0.00850	NA	NA	NA	
	11/18/06	<1.0	<1.0	<1.0	0.0132	NA	NA	NA	
MW-40(A); LLFZ	11/30/98	<1.0	<1.0	<1.0	0.011	0.02	NA	NA	
	11/09/99	<1.0	<1.0	<1.0	0.0069	NA	NA	NA	
	11/21/00	7.3	<1.0	<1.0	<0.005	NA	NA	NA	
	11/12/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	1,1,2-TCTFA:7.6
	11/15/02	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/14/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/22/04	<1.0	<1.0	<1.0	0.008	NA	NA	NA	
	11/14/05	<1.0	<1.0	<1.0	0.00267	NA	NA	NA	
	11/20/06	<1.0	<1.0	<1.0	0.00516	NA	NA	NA	
MW-41(A); ULFZ	11/19/98	170	26	<15	<0.005	<0.01	NA	NA	
	11/10/99	450	100	25	<0.005	NA	NA	NA	
	11/21/00	2500	490	61	<0.005	NA	NA	NA	1,1,2-TCTFA:13; 1,1-DCA:15; Chloro:1.0; Benz:2.8;
									1,1,2-TCA:4.3; ChlBnz:2.0; m&p Xyl:1.2; o-Xyl:1.1
	11/12/01	74	10	2.8	<0.005	NA	NA	NA	1,1,2-TCTFA:7.5;
	11/18/02	32	3.7	<1.0	0.014	NA	NA	NA	
	11/14/03	8.2	<1.0	<1.0	0.032	NA	NA	NA	
	11/22/04	4.5	<1.0	<1.0	0.039	NA	NA	NA	
	11/11/05	3.5	<1.0	<1.0	0.0341	NA	NA	NA	
	11/20/06	<1.0	<1.0	<1.0	0.0311	NA	NA	NA	
MW-42(A); ULFZ	10/04/91	930	120	170	NA	NA	NA	NA	
	01/29/92	740	120	130	NA	NA	NA	NA	
	04/22/92	690	120	120	NA	NA	NA	NA	
	07/21/92	640	100	110	NA	NA	NA	NA	
	09/24/92	600	95	110	NA	NA	NA	NA	
	01/12/93	680	100	100	NA	NA	NA	NA	
	04/14/93	320	100	85	NA	NA	NA	NA	
	07/28/93	620	79	80	NA	NA	NA	NA	
	10/05/93	600	93	84	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/29/93	620	100	91	NA	NA	NA	NA	
	01/18/94	570	97	84	NA	NA	NA	NA	
	04/05/94	490	79	77	NA	NA	NA	NA	
	07/19/94	530	97	76	NA	NA	NA	NA	
	02/07/95	340	84	60	NA	NA	NA	NA	
	04/19/95	340	71	49	NA	NA	NA	NA	
	08/01/95	340	80	52	NA	NA	NA	NA	
	10/10/95	350	56	43	NA	NA	NA	NA	
	01/10/96	470	55	57	<0.01	NA	NA	NA	
	04/24/96	250	64	39	NA	NA	NA	NA	
	07/16/96	330	72	42	NA	NA	NA	NA	
	10/03/96	460	80	50	NA	NA	NA	NA	
NMED	10/03/96	308	76	38	0.002	NA	NA	NA	
	02/03/97	370	68	41	NA	NA	NA	NA	
	04/22/97	370	68	41	NA	NA	NA	NA	
	08/22/97	320	46	33	NA	NA	NA	NA	
	10/22/97	290	50	30	NA	NA	NA	NA	
	01/22/98	310	48	27	NA	NA	NA	NA	
	04/23/98	300	45	25	NA	NA	NA	NA	
	08/07/98	320	45	26	NA	NA	NA	NA	
	11/19/98	370	48	21	<0.005	<0.01	NA	NA	
	05/19/99	270	40	17	<0.005	<0.01	NA	NA	
	11/10/99	360	49	16	<0.005	NA	NA	NA	
	11/21/00	260	36	11	<0.005	NA	NA	NA	1,1,2-TCTFA:6.4; PCE:2.0
	11/13/01	280	32	8.2	<0.005	NA	NA	NA	PCE:2.1
	11/25/02	320	49	<5.0	<0.0050	NA	NA	NA	
	11/21/03	200	34	4.8	0.023	NA	NA	NA	PCE:2.2
	02/12/04	NA	NA	NA	NA	NA	0.0096	NA	Confirmation Sample
	11/22/04	78	13	1.8	0.024	NA	NA	NA	
	11/11/05	120	21	1.8	0.0546	NA	NA	NA	PCE: 1.2
	11/21/06	81	19	1.2	0.0343	NA	NA	NA	PCE: 1.0
MW-43(A); LLFZ	10/04/91	440	93	120	NA	NA	NA	NA	
	01/29/92	260	68	88	NA	NA	NA	NA	
	04/22/92	340	58	69	NA	NA	NA	NA	
	07/21/92	200	37	59	NA	NA	NA	NA	
	09/24/92	180	41	46	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	01/12/93	200	41	61	NA	NA	NA	NA	
	04/14/93	130	38	54	NA	NA	NA	NA	
	07/28/93	850	150	200	NA	NA	NA	NA	
	10/05/93	160	31	41	NA	NA	NA	NA	
	11/29/93	150	32	48	NA	NA	NA	NA	
	01/18/94	150	38	49	NA	NA	NA	NA	
	04/05/94	120	25	31	NA	NA	NA	NA	
	07/19/94	160	46	39	NA	NA	NA	NA	
	02/07/95	79	28	23	NA	NA	NA	NA	
	04/19/95	98	32	24	NA	NA	NA	NA	
	08/01/95	100	27	26	NA	NA	NA	NA	
	10/10/95	110	25	28	NA	NA	NA	NA	
	01/10/96	95	23	29	<0.01	NA	NA	NA	
	04/24/96	87	24	18	NA	NA	NA	NA	
	07/16/96	73	21	18	NA	NA	NA	NA	
	10/03/96	73	21	18	NA	NA	NA	NA	
NMED	10/03/96	42	15	9.7	0.001	NA	NA	NA	
	02/03/97	78	19	16	NA	NA	NA	NA	
	04/24/97	65	15	14	NA	NA	NA	NA	
	08/22/97	48	10	12	NA	NA	NA	NA	
	10/22/97	41	11	11	NA	NA	NA	NA	
	01/22/98	69	16	15	NA	NA	NA	NA	
	04/23/98	49	11	11	NA	NA	NA	NA	
	08/08/98	37	8.6	9	NA	NA	NA	NA	
	11/19/98	25	5.1	5.4	<0.005	0.01	NA	NA	
	05/19/99	40	7.2	5.8	<0.005	<0.01	NA	NA	
	11/09/99	36	7.2	5.3	<0.005	NA	NA	NA	
	11/21/00	23	3.9	2.3	<0.005	NA	NA	NA	
	11/13/01	15	2	<1.0	<0.005	NA	NA	NA	
	11/25/02	4.3	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/21/03	3.2	<1.0	<1.0	0.0025	NA	NA	NA	
	11/22/04	2.4	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/11/05	1.9	<1.0	<1.0	0.00244	NA	NA	NA	
	11/21/06	1.7	<1.0	<1.0	0.00347	NA	NA	NA	
MW-44(A); LLFZ	11/18/98	1.3	<1.0	<1.0	<0.01	<0.01	NA	NA	
	11/04/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/29/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/07/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/11/02	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/12/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/12/04	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/08/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	11/16/06	<1.0	<1.0	<1.0	0.00347	NA	NA	NA	
MW-45(A); ULFZ	11/18/98	40	1.7	<1.0	NA	NA	NA	NA	
	11/30/98	NA	NA	NA	0.04	0.05	NA	NA	
	11/04/99	26	<1.0	<1.0	0.061	NA	NA	NA	
	11/29/00	24	<1.0	<1.0	0.108	NA	NA	NA	
2	02/27/01	NA	NA	NA	0.0959	NA	0.0946	NA	
	11/07/01	11	<1.0	<1.0	0.102	NA	NA	NA	
	11/11/02	2	<1.0	<1.0	0.075	NA	NA	NA	
	11/12/03	<1.0	<1.0	<1.0	0.054	NA	NA	NA	
	11/12/04	<1.0	<1.0	<1.0	0.0930	NA	NA	NA	
	11/07/05	<1.0	<1.0	<1.0	0.0322	NA	NA	NA	
	11/14/06	<1.0	<1.0	<1.0	0.0219	NA	NA	NA	
MW-46(A); ULFZ	10/02/91	5200	250	<250	NA	NA	NA	NA	
ULFZ	11/06/91	2600	90	80	NA	NA	NA	NA	
	01/08/92	2300	<100	<100	NA	NA	NA	NA	
	04/02/92	1300	<160	<160	NA	NA	NA	NA	
	07/21/92	960	41	77	NA	NA	NA	NA	
	09/24/92	4200	170	<170	NA	NA	NA	NA	
	01/14/93	1200	22	75	NA	NA	NA	NA	
	04/13/93	1200	7	17	NA	NA	NA	NA	
	07/28/93	1400	44	76	NA	NA	NA	NA	
	10/05/93	2100	73	68	NA	NA	NA	NA	
	12/01/93	1800	<100	<100	NA	NA	NA	NA	
	03/14/94	2500	60	110	NA	NA	NA	NA	
	04/05/94	2700	120	69	NA	NA	NA	NA	
	07/19/94	3200	230	<100	NA	NA	NA	NA	
	02/07/95	2600	120	65	NA	NA	NA	NA	
	04/18/95	2400	190	80	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	08/01/95	3000	130	76	NA	NA	NA	NA	
	10/10/95	3300	230	88	NA	NA	NA	NA	
	01/09/96	3200	220	96	0.19	NA	NA	NA	
	04/23/96	2300	150	<250	NA	0.19	NA	NA	
	07/16/96	1900	180	60	NA	NA	NA	NA	
	10/03/96	2400	220	<100	NA	NA	NA	NA	
NMED	10/01/96	1200	150	37	0.12	NA	NA	NA	
	02/03/97	1500	140	45	NA	NA	NA	NA	
	04/22/97	1700	130	42	NA	NA	NA	NA	
	08/22/97	900	66	<25	NA	NA	NA	NA	
	10/22/97	1000	67	<30	NA	NA	NA	NA	
	01/21/98	1200	81	20	NA	NA	NA	NA	
	04/22/98	1500	86	16	NA	NA	NA	NA	
	08/07/98	1400	88	19	NA	NA	NA	NA	
	11/19/98	2200	130	2.3	NA	NA	NA	NA	
	12/02/98	NA	NA	NA	<0.01	<0.01	NA	NA	
	05/18/99	2000	120	18	<0.005	<0.01	NA	NA	
	11/04/99	880	82	12	0.014	NA	NA	NA	
	02/09/00	NA	NA	NA	0.026	NA	0.025	NA	
	11/29/00	2900	520	60	0.0190	NA	NA	NA	1,1,2-TCTFA:35; 1,1-DCA:16; Chlor:5.0; Benz:2.6; 1,1,2-TCA:3.9
									PCE:26; ChlorBenz:1.9;
	11/07/01	3100	540	36	0.0101	NA	NA	NA	VinChl:2.1; 1,1,2-TCTFA:21; 1,1-DCA:13; Benz:2.5; 1,1,2-TCA:4.3
									PCE:30; ChlorBenz:2.3; Chlor:3.7
	11/11/02	3700	680	63	0.0083	NA	NA	NA	1,1,2-TCTFA:36; 1,1-DCA:17; Chlor:6.4; Benz:3.3; 1,1,2-TCA:6.0
									PCE:41; ChlorBenz:2.9
	11/11/03	2300	350	38	0.0048	NA	NA	NA	1,1-DCA:8.9; Chlor:7.6; PCE:22
PZ-5-04	11/12/04	910	140	16	0.0350	NA	NA	NA	112-TCTFA:11, 11DCA:1.9, Chlor:3.9, 112-TCA:1.0, TTCE:9.2
	11/12/04	910	140	16	0.0360	NA	NA	NA	112-TCTFA:12, 11DCA:2.0, Chlor:3.7, 112-TCA:1.1, TTCE:9.6
Special	02/11/05					NA	0.0370	NA	
	11/07/05	1000	140	15	0.0392	NA	NA	NA	112-TCTFA:8.4, 11DCA:1.7, Chlor:4.9, 112-TCA:1.1, TTCE:8.9
	11/16/06	870	120	18	0.0606	NA	NA	NA	112-TCTFA:<25, 11DCA:<5.0, Chlor:<5.0, 112-TCA:<5.0, PCE:8.4
MW-47(A); UFZ	11/17/98	34	1.2	<1.0	0.04	0.04	NA	NA	
	11/03/99	42	2	<1.0	0.019	NA	NA	NA	
	02/09/00	NA	NA	NA	0.019	NA	0.018	NA	
	11/09/00	55	<1.0	<1.0	0.0219	NA	0.0189	NA	
	11/29/01	53	2	<1.0	0.216	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/22/02	36	1.5	<1.0	0.017	NA	0.031	NA	
	11/20/03	32	1.2	<1.0	0.025	NA	0.023	NA	
	11/19/04	22	1.1	<1.0	0.076	NA	0.025	NA	
	11/03/05	25	1.0	<1.0	0.0262	NA	0.0227	NA	
	11/17/06	19	<1.0	<1.0	0.0208	NA	0.0202	NA	
MW-48(A); UFZ	10/02/91	220	<25	<25	NA	NA	NA	NA	
	01/08/92	280	<10	<10	NA	NA	NA	NA	
	04/01/92	290	<25	<25	NA	NA	NA	NA	
	07/20/92	340	<12	<12	NA	NA	NA	NA	
	09/22/97	240	<20	<20	NA	NA	NA	NA	
	01/13/93	360	7	1	NA	NA	NA	NA	
	04/12/93	310	8	<1.0	NA	NA	NA	NA	
	07/28/93	330	12	<5	NA	NA	NA	NA	
	10/04/93	420	12	2	NA	NA	NA	NA	
	12/01/93	350	12	<10	NA	NA	NA	NA	
	01/17/94	350	10	<10	NA	NA	NA	NA	
	04/04/94	340	12	<10	NA	NA	NA	NA	
	07/18/94	370	16	<10	NA	NA	NA	NA	
	02/06/95	253	13	1J	NA	NA	NA	NA	
	04/17/95	300	11	<5	NA	NA	NA	NA	
	07/31/95	250	10	<5	NA	NA	NA	NA	
	10/09/95	270	8	<2	NA	NA	NA	NA	
	01/08/96	350	7	<1.0	0.13	NA	NA	NA	
	04/22/96	150	6	<5	NA	0.11	NA	NA	
	07/15/96	130	5.4	<1.0	NA	NA	NA	NA	
	10/01/96	110	<5	<5	NA	NA	NA	NA	
NMED	10/01/96	64	2	<2.5	0.21	NA	NA	NA	
	01/30/97	73	2.4	<1.0	NA	NA	NA	NA	
	04/21/97	74	2.2	<1.0	NA	NA	NA	NA	
	08/19/97	46	<1.0	<1.0	NA	NA	NA	NA	
	10/20/97	40	1.4	<1.0	NA	NA	NA	NA	
	01/20/98	38	1.4	<1.0	NA	NA	NA	NA	
	04/20/98	36	1.1	<1.0	NA	NA	NA	NA	
	08/06/98	33	1.1	<1.0	NA	NA	NA	NA	
	11/17/98	28	1	<1.0	NA	NA	NA	NA	
	11/30/98	NA	NA	NA	0.07	0.06	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	05/18/99	28	1.1	<1.0	0.055	0.05	NA	NA	
	11/03/99	34	1.3	<1.0	0.051	NA	NA	NA	
	11/08/00	90	1.3	<1.0	0.0879	NA	NA	NA	
	11/30/01	85	3.1	<1.0	5.58	NA	0.247	NA	
	11/22/02	99	4.1	<1.0	1.2	NA	0.047	NA	
PZ-17	11/22/02	95	4.0	<1.0	1.1	NA	0.048	NA	
	11/11/03	62	2.1	<1.0	0.33	NA	0.044	NA	
	11/19/04	53	1.7	<1.0	0.16	NA	0.040	NA	
	11/04/05	76	2.9	<1.0	0.298	NA	0.0383	NA	
	11/13/06	89	3.9	<1.0	0.659	NA	0.0336	NA	
MW-49(A); 3rd FZ	11/23/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/10/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/21/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/09/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/02	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/14/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/22/04	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/14/05	<1.0	<1.0	<1.0	0.00244	NA	NA	NA	
	11/21/06	<1.0	<1.0	<1.0	0.00406	NA	NA	NA	
MW-50(NSR); UFZ									
DRY	11/17/98	NA	NA	NA	NA	NA	NA	NA	
DRY	10/28/99	NA	NA	NA	NA	NA	NA	NA	
MW-51(A); UFZ	10/02/91	<5	<5	<5	NA	NA	NA	NA	
	01/09/92	11	<5	<5	NA	NA	NA	NA	
	04/22/92	<5	<5	<5	NA	NA	NA	NA	
	07/21/92	<5	<5	<5	NA	NA	NA	NA	
	09/24/92	<5	<5	<5	NA	NA	NA	NA	
	01/14/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/13/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	07/28/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/05/93	1	<1.0	<1.0	NA	NA	NA	NA	
	11/29/93	2	<1.0	<1.0	NA	NA	NA	NA	
	03/14/94	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/05/94	0.6J	<1.0	<1.0	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	07/19/94	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	02/07/95	<5	<5	<5	NA	NA	NA	NA	
	04/18/95	1J	<5	<5	NA	NA	NA	NA	
	08/01/95	<5	<5	<5	NA	NA	NA	NA	
	10/10/95	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/11/96	<0.3	<0.2	<1.0	<0.01	NA	NA	NA	
	04/23/96	<5	<5	<5	NA	NA	NA	NA	
	07/16/96	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/02/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/02/96	0.5	<0.5	<0.5	<0.0010	NA	NA	NA	
	01/30/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/20/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/22/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/07/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/18/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	11/09/99	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/07/01	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/11/02	<1.0	<1.0	<1.0	0.071	NA	NA	NA	
	11/12/03	<1.0	<1.0	<1.0	0.022	NA	NA	NA	
	11/12/04	<1.0	<1.0	<1.0	0.0320	NA	NA	NA	
	11/07/05	<1.0	<1.0	<1.0	0.0322	NA	NA	NA	
	11/20/06	<1.0	<1.0	<1.0	0.0246	NA	NA	NA	
MW-52(Q); UFZ	06/05/90	<1.0	NA	NA	NA	NA	NA	NA	
	06/07/90	<1.0	NA	NA	NA	NA	NA	NA	
	06/13/91	<5	<5	<5	<0.01	NA	NA	NA	
	12/01/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/25/94	<5	<5	<5	0.01	NA	NA	NA	
	01/09/96	<0.3	<0.2	<1.0	0.01	NA	NA	NA	
	04/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/20/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/19/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/21/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	08/11/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/30/98	<1.0	<1.0	<1.0	<0.01	0.02	NA	NA	
	02/22/99	<1.0	<1.0	<1.0	0.035	0.01	0.014	<0.01	
	05/24/99	<1.0	<1.0	<1.0	<0.05	<0.01	<0.005	0.01	
	08/17/99	<1.0	<1.0	<1.0	0.072	<0.01	0.014	0.01	
	11/12/99	<1.0	<1.0	<1.0	0.016	NA	0.012	NA	
	02/09/00	<1.0	<1.0	<1.0	0.041	NA	0.009	NA	
	05/10/00	<1.0	<1.0	<1.0	0.0106	NA	0.007	NA	
	08/09/00	<1.0	<1.0	<1.0	0.0097	NA	0.0074	NA	
	11/15/00	<1.0	<1.0	<1.0	0.0119	NA	0.0113	NA	
	02/27/01	<1.0	<1.0	<1.0	0.0133	NA	0.0122	NA	
PZ-10	02/27/01	<1.0	<1.0	<1.0	0.0138	NA	0.0121	NA	
	05/23/01	<1.0	<1.0	<1.0	0.0147	NA	0.0129	NA	
	08/28/01	<1.0	<1.0	<1.0	0.0196	NA	0.0148	NA	
	11/26/01	<1.0	<1.0	<1.0	0.0132	NA	0.0128	NA	
	02/05/02	<1.0	<1.0	<1.0	0.018	NA	0.020	NA	
	05/09/02	<1.0	<1.0	<1.0	0.023	NA	0.0199	NA	
DRY	11/04/02								
MW-52R	08/14/03	5.7	10	1.1	0.0078	NA	0.0140	NA	
	11/07/03	6.2	10	1.2	0.014	NA	NA	NA	
	02/12/04	7.0	12	1.4	0.019	NA	NA	NA	
PZ-01-04	02/12/04	6.8	12	1.3	0.02	NA	NA	NA	
	05/11/04	7.0	12	1.6	0.017	NA	NA	NA	
	08/10/04	6.3	12	1.5	0.024	NA	NA	NA	
	11/05/04	7.0	13	1.6	0.018	NA	NA	NA	
	02/11/05	7.0	14	1.7	0.0184	NA	NA	NA	
	05/11/05	7.3	14	1.7	0.016	NA	NA	NA	
	08/09/05	7.0	15	1.7	0.0170	NA	NA	NA	
	11/03/05	7.9	17	1.4	0.0151	NA	NA	NA	
	02/28/06	6.4	14	1.3	0.0147	NA	NA	NA	
PZ-06-1	02/28/06	5.9	12	1.3	0.0140	NA	NA	NA	
	05/23/06	7.3	14	1.5	0.0180	NA	NA	NA	
	08/10/06	6.5	15	<1.0	0.0180	NA	NA	NA	
PZ-03-06	08/10/06	6.6	16	<1.0	0.0190	NA	NA	NA	
	11/13/06	7.6	16	1.6	0.0162	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
MW-53(A); UFZ	10/01/91	<5	<5	<5	NA	NA	NA	NA	
	01/07/92	6.8	<5	<5	NA	NA	NA	NA	
	04/01/92	9.8	<5	<5	NA	NA	NA	NA	
	07/21/92	14	<5	<5	NA	NA	NA	NA	
	09/22/92	16	<5	<5	NA	NA	NA	NA	
	01/14/93	21	<1.0	<1.0	NA	NA	NA	NA	
	04/13/93	23	<1.0	<1.0	NA	NA	NA	NA	
	07/26/93	33	<1.0	<1.0	0.109	NA	NA	NA	
	10/04/93	30	<1.0	<1.0	NA	NA	NA	NA	
	12/02/93	32	<1.0	<1.0	NA	NA	NA	NA	
	01/17/94	38	<1.0	<1.0	NA	NA	NA	NA	
	04/04/94	34	.06J	<1.0	NA	NA	NA	NA	
	07/18/94	43	<2	<2	NA	NA	NA	NA	
	10/25/94	40	<5	<5	0.087	NA	NA	NA	
	02/06/95	21	<5	<5	NA	NA	NA	NA	
	04/17/95	41	<5	<5	NA	NA	NA	NA	
	07/31/95	42	<5	<5	NA	NA	NA	NA	
	10/09/95	48	1	<1.0	NA	NA	NA	NA	
	01/09/96	100	1.1	<1.0	0.06	NA	NA	NA	
	04/22/96	36	2	<5	NA	<0.05	NA	NA	
	07/15/96	36	2	<1.0	NA	NA	NA	NA	
	10/01/96	36	<5	<5	NA	NA	NA	NA	
NMED	10/01/96	23	<5	<5	0.037	NA	NA	NA	
	01/30/97	30	1.7	<1.0	NA	NA	NA	NA	
	04/21/97	30	1.5	<1.0	NA	NA	NA	NA	
	08/19/97	33	1.8	<1.0	NA	NA	NA	NA	
	10/20/97	38	2.1	<1.0	NA	NA	NA	NA	
	01/19/98	59	2.6	<1.0	NA	NA	NA	NA	
	04/20/98	82	3.2	<1.0	NA	NA	NA	NA	
	08/06/98	100	3.5	<1.0	NA	NA	NA	NA	
	11/16/98	99	3.4	<1.0	0.07	<0.01	NA	NA	
	05/25/99	40	1.5	<1.0	0.0633	0.08	<0.05	0.06	
	11/12/99	62	2.5	<1.0	0.073	NA	0.065	NA	
	11/10/00	41	<1.0	<1.0	0.0442	NA	0.0414	NA	
	11/26/01	27	1.3	<1.0	0.0528	NA	0.0393	NA	
	11/22/02	13	1.1	<1.0	0.034	NA	0.030	NA	
	11/11/03	13	<1.0	<1.0	0.032	NA	0.027	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/05/04	11	<1.0	<1.0	0.0347	NA	0.023	NA	
Not enough water to sample	11/10/05								
	11/13/06	14	<1.1	<1.0	0.0310	NA	0.0287	NA	
MW-54(NSR)	NA	NA	NA	NA	NA	NA	NA	NA	
MW-55(A); LLFZ	10/01/91	74	<5	<5	NA	NA	NA	NA	
	01/07/92	96	<5	<5	NA	NA	NA	NA	
	04/01/92	120	<10	<10	NA	NA	NA	NA	
	07/20/92	130	<5	<5	NA	NA	NA	NA	
	09/22/92	120	<8.5	<8.5	NA	NA	NA	NA	
	01/13/93	190	<1.0	<1.0	NA	NA	NA	NA	
	04/12/93	110	<1.0	<1.0	NA	NA	NA	NA	
	07/26/93	240	<1.0	<1.0	0.129	NA	NA	NA	
	10/04/93	310	2	<1.0	NA	NA	NA	NA	
	12/01/93	380	<10	<10	NA	NA	NA	NA	
	01/17/94	370	<10	<10	NA	NA	NA	NA	
	04/04/94	390	<10	<10	NA	NA	NA	NA	
	07/18/94	550	<20	<20	NA	NA	NA	NA	
	10/24/94	580	5	<5	0.422	0.5	NA	NA	
	02/06/95	580	6	<5	NA	NA	NA	NA	
	04/17/95	640	8	<5	NA	NA	NA	NA	
	07/31/95	680	8	<5	NA	NA	NA	NA	
	10/09/95	130	<10	<1.0	NA	NA	NA	NA	
	01/08/96	940	8.4	<1.0	1.04	NA	NA	NA	
	04/22/96	790	<25	<130	NA	0.8	NA	NA	
	07/15/96	510	<25	<25	NA	NA	NA	NA	
	10/01/96	640	<30	<30	NA	NA	NA	NA	
NMED	10/01/96	490	<50	<50	0.74	NA	NA	NA	
	01/30/97	610	10	<5	NA	NA	NA	NA	
	04/21/97	530	9.9	<1.0	NA	NA	NA	NA	
	08/19/97	430	<5	<5	NA	NA	NA	NA	
	10/21/97	430	10	<10	NA	NA	NA	NA	
	01/20/98	440	13	<10	NA	NA	NA	NA	
	04/20/98	460	13	<10	NA	NA	NA	NA	
	08/06/98	420	12	<1.0	NA	NA	NA	NA	
	11/16/98	390	10	<1.0	0.18	0.16	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
SP	02/18/99	NA	NA	NA	0.15	0.14	0.12	0.14	
	05/18/99	310	11	<5	<0.005	<0.01	NA	NA	
	08/17/99	300	12	<1	0.13	0.12	NA	NA	
	11/02/99	260	10	<5	0.14	NA	NA	NA	
	11/08/00	190	4.5	<1.0	0.0801	NA	NA	NA	
	11/28/01	240	7.2	<1.0	0.122	NA	NA	NA	
(PZ-14)	11/28/01	230	6.6	<1.0	0.119	NA	NA	NA	
	11/14/02	210	7.3	<1.0	0.12	NA	NA	NA	
	11/11/03	150	5	<1.0	0.058	NA	NA	NA	
	11/05/04	100	3.5	<1.0	0.0413	NA	NA	NA	
	11/03/05	86	3.1	<1.0	0.0309	NA	NA	NA	
	11/10/06	63	2.2	<1.0	0.031	NA	NA	NA	
MW-56(A); ULFZ	10/01/91	210	<5	<5	NA	NA	NA	NA	
	01/07/92	260	<10	<10	NA	NA	NA	NA	
	04/01/92	290	<25	<25	NA	NA	NA	NA	
	07/20/92	290	<12	<12	NA	NA	NA	NA	
	09/22/92	240	<20	<20	NA	NA	NA	NA	
	01/13/93	370	4	<1.0	NA	NA	NA	NA	
	04/12/93	230	<2	<2	NA	NA	NA	NA	
	07/26/93	320	9	<1.0	0.421	NA	NA	NA	
	10/04/93	430	7	<1.0	NA	NA	NA	NA	
	11/30/93	410	<10	<10	NA	NA	NA	NA	
	01/17/94	430	<10	<10	NA	NA	NA	NA	
	04/04/94	370	8J	<10	NA	NA	NA	NA	
	07/18/94	370	10	<10	NA	NA	NA	NA	
	10/24/94	420	9	<5	0.391	NA	NA	NA	
	02/06/95	340	8J	<25	NA	NA	NA	NA	
	04/17/95	370	13	<5	NA	NA	NA	NA	
	07/31/95	360	11	<5	NA	NA	NA	NA	
	10/09/95	350	9	<4	NA	NA	NA	NA	
	01/08/96	430	11	<1.0	0.26	NA	NA	NA	
	04/22/96	330	<10	<50	NA	0.18	NA	NA	
	07/15/96	240	<10	<10	NA	NA	NA	NA	
	10/01/96	310	<30	<30	NA	NA	NA	NA	
NMED	10/01/96	175	8.5	<5	0.15	NA	NA	NA	
	01/30/97	240	8.9	<5	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	04/21/97	240	8	<1	NA	NA	NA	NA	
	08/19/97	220	7	<5	NA	NA	NA	NA	
	10/21/97	210	9.2	<2	NA	NA	NA	NA	
	01/20/98	190	6.5	<2	NA	NA	NA	NA	
	04/20/98	170	5.6	<2	NA	NA	NA	NA	
	08/06/98	170	6.5	<1.0	NA	NA	NA	NA	
	11/16/98	140	4.7	<1.0	0.07	0.07	NA	NA	
	05/19/99	90	3.2	<1.0	0.062	0.06	NA	NA	
	11/02/99	53	2	<1.0	0.056	NA	NA	NA	
	11/08/00	32	<1.0	<1.0	0.0346	NA	NA	NA	
	11/30/01	34	<1.0	<1.0	0.0642	NA	NA	NA	
	11/14/02	37	1.3	<1.0	0.067	NA	NA	NA	
	11/11/03	33	1.2	<1.0	0.049	NA	NA	NA	
	11/22/04	54	1.5	<1.0	0.05	NA	NA	NA	
	11/03/05	57	1.6	<1.0	0.0422	NA	NA	NA	
	11/11/06	36	<5.0	<5.0	0.0438	NA	NA	NA	
MW-57(Q); UFZ	08/31/90	<1.0	NA	NA	NA	NA	NA	NA	
	06/13/91	<5	<5	<5	0.044	NA	NA	NA	
	12/01/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/24/94	<5	<5	<5	0.02	<0.02	NA	NA	
	07/31/95	<5	<5	<5	NA	NA	NA	NA	
	10/10/95	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/10/96	<0.3	<0.2	<1.0	0.02	NA	NA	NA	
	04/23/96	<1.0	<1.0	<5	NA	<0.05	NA	NA	
	07/16/96	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/03/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/03/96	0.3J	<0.5	<0.5	NA	NA	NA	NA	
	01/31/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/22/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/20/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/06/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/21/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/22/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	12/08/98	<1.0	<1.0	<1.0	0.024	<0.01	<0.005	<0.01	
	02/22/99	<1.0	<1.0	<1.0	0.042	0.08	<0.005	<0.01	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	05/24/99	<1.0	<1.0	<1.0	<0.05	<0.01	<0.05	<0.01	
	08/18/99	<1.0	<1.0	<1.0	0.026	<0.01	<0.005	<0.01	
	11/15/99	<1.0	<1.0	<1.0	0.021	NA	<0.005	NA	
	02/09/00	<1.0	<1.0	<1.0	0.055	NA	<0.005	NA	
	05/10/00	<1.0	<1.0	<1.0	0.015	NA	<0.005	NA	
	08/09/00	<1.0	<1.0	<1.0	0.0126	NA	<0.005	NA	
	11/28/00	<1.0	<1.0	<1.0	0.0130	NA	<0.005	NA	
	02/27/01	3.9	<1.0	7.5	0.0143	NA	<0.005	NA	
	05/23/01	<1.0	<1.0	<1.0	0.00930	NA	<0.005	NA	
	08/29/01	<1.0	<1.0	<1.0	0.01740	NA	<0.005	NA	
	11/26/01	<1.0	<1.0	<1.0	0.00690	NA	<0.005	NA	
	02/06/02	<1.0	<1.0	<1.0	0.009	NA	0.009	NA	
PZ-14	02/06/02	<1.0	<1.0	<1.0	0.011	NA	0.007	NA	
	05/09/02	<1.0	<1.0	<1.0	0.008	NA	0.0064	NA	
	08/06/02	<1.0	<1.0	<1.0	0.02	NA	<0.00555	NA	
	11/22/02	<1.0	<1.0	<1.0	0.015	NA	<0.0056	NA	
	02/21/03	<1.0	<1.0	<1.0	0.02	NA	0.006	NA	
	05/14/03	<1.0	<1.0	<1.0	0.0078	NA	0.003	NA	
	08/14/03	<1.0	<1.0	<1.0	0.0032	NA	0.0028	NA	
DRY	11/20/03	NA	NA	NA	NA	NA	NA	NA	
	02/11/04	<1.0	<1.0	<1.0	0.015	NA	0.0048	NA	
	05/12/04	<1.0	<1.0	<1.0	0.014	NA	0.0039	NA	
DRY	08/10/04	NA	NA	NA	NA	NA	NA	NA	
DRY	11/05/04	NA	NA	NA	NA	NA	NA	NA	
DRY	02/11/05	NA	NA	NA	NA	NA	NA	NA	
DRY	05/11/05	NA	NA	NA	NA	NA	NA	NA	
MW-58(A); UFZ	10/01/91	31	<5	<5	NA	NA	NA	NA	
	01/08/92	34	<5	<5	NA	NA	NA	NA	
	04/01/92	37	<5	<5	NA	NA	NA	NA	
	07/20/92	37	<5	<5	NA	NA	NA	NA	
	09/24/92	39	<5	<5	NA	NA	NA	NA	
	01/14/93	48	<1.0	<1.0	NA	NA	NA	NA	
	04/13/93	43	<1.0	<1.0	NA	NA	NA	NA	
	07/26/93	62	<1.0	<1.0	0.165	NA	NA	NA	
	10/04/93	64	<1.0	<1.0	NA	NA	NA	NA	
	12/02/93	74	2	<1.0	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	01/17/94	85	2	<1.0	NA	NA	NA	NA	
	04/04/94	93	3	<1.0	NA	NA	NA	NA	
	07/18/94	110	4	<1.0	NA	NA	NA	NA	
	02/06/95	100	4J	<5	NA	NA	NA	NA	
	04/17/95	120	4J	<5	NA	NA	NA	NA	
	07/31/95	130	4J	<5	NA	NA	NA	NA	
	10/09/95	140	4	<4	NA	NA	NA	NA	
	01/08/96	270	3.4	<1.0	0.15	NA	NA	NA	
	04/23/96	110	<5	<5	NA	NA	NA	NA	
	07/15/96	130	5.4	<1.0	NA	NA	NA	NA	
	10/01/96	140	5	<5	NA	NA	NA	NA	
NMED	10/01/96	88	<10	<10	0.12	NA	NA	NA	
	01/30/97	170	5	<1.0	NA	NA	NA	NA	
	04/21/97	180	5.6	<5	NA	NA	NA	NA	
	08/19/97	180	5.9	<2	NA	NA	NA	NA	
	10/20/97	150	5.8	<1.0	NA	NA	NA	NA	
	01/19/98	130	4.8	<1.0	NA	NA	NA	NA	
	04/20/98	120	4	<1.0	NA	NA	NA	NA	
	08/06/98	95	3.8	<1.0	NA	NA	NA	NA	
	11/16/98	71	2.5	<1.0	0.06	0.06	NA	NA	
	05/25/99	32	1.2	<1.0	0.167	0.02	<0.05	0.06	
	11/15/99	26	<1.0	<1.0	0.38	NA	0.065	NA	
	11/09/00	28	<1.0	<1.0	0.0866	NA	0.0626	NA	
	11/27/01	34	<1.0	<1.0	0.125	NA	0.0567	NA	
	11/22/02	75	1.5	<1.0	0.52	NA	0.059	NA	
	11/11/03	54	<1.0	<1.0	0.54	NA	0.04	NA	
	11/05/04	54	1.2	<1.0	0.232	NA	0.05	NA	
	11/04/05	48	2.1	<1.0	NA	NA	0.0831	NA	
	11/13/06	100	3.3	<1.0	0.591	NA	0.0587	NA	
MW-59(A); ULFZ	11/18/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	11/10/99	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/07/01	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/11/02	<1.0	<1.0	<1.0	0.0064	NA	NA	NA	
	11/12/03	<1.0	<1.0	<1.0	0.024	NA	NA	NA	
	02/11/04	NA	NA	NA	NA	NA	0.03	NA	Confirmation Sample

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/12/04	<1.0	<1.0	<1.0	0.0370	NA	NA	NA	
	11/07/05	<1.0	<1.0	<1.0	0.0277	NA	NA	NA	
	11/20/06	<1.0	<1.0	<1.0	0.0302	NA	NA	NA	
MW-60(A); ULFZ	10/01/91	<5	<5	<5	NA	NA	NA	NA	
	01/08/92	<5	<5	<5	NA	NA	NA	NA	
	04/01/92	<5	<5	<5	NA	NA	NA	NA	
	07/20/92	<5	<5	<5	NA	NA	NA	NA	
	09/24/92	<5	<5	<5	NA	NA	NA	NA	
	01/14/93	1	<1.0	<1.0	NA	NA	NA	NA	
	04/12/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	07/27/93	4	<1.0	<1.0	<0.01	NA	NA	NA	
	10/05/93	2	<1.0	<1.0	NA	NA	NA	NA	
	11/30/93	7	<1.0	<1.0	NA	NA	NA	NA	
	01/17/94	3	<1.0	<1.0	NA	NA	NA	NA	
	04/04/94	6	<1.0	<1.0	NA	NA	NA	NA	
	07/18/94	9	<1.0	<1.0	NA	NA	NA	NA	
	10/24/94	24	<5	<5	<0.01	<0.02	NA	NA	
	02/06/95	16	<5	<5	NA	NA	NA	NA	
	04/17/95	44	<5	<5	NA	NA	NA	NA	
	07/31/95	66	3J	<5	NA	NA	NA	NA	
	10/09/95	100	4	<1.0	NA	NA	NA	NA	
	01/08/96	170	4.8	<1.0	<0.01	NA	NA	NA	
	04/22/96	150	8	<5	NA	<0.05	NA	NA	
	07/15/96	130	6.5	<1.0	NA	NA	NA	NA	
	10/01/96	640	16	<5	NA	NA	NA	NA	
NMED	10/01/96	320	<25	<25	0.003	NA	NA	NA	
	02/03/97	990	40	7.1	NA	NA	NA	NA	
	04/22/97	2400	81	17	NA	NA	NA	NA	
	08/20/97	2600	<100	<100	NA	NA	NA	NA	
	10/21/97	3900	150	27	NA	NA	NA	NA	
	01/20/98	4200	170	26	NA	NA	NA	NA	
	04/21/98	7300	280	<50	NA	NA	NA	NA	
	08/07/98	7500	290	56	NA	NA	NA	NA	
	11/17/98	7700	350	52	<0.01	<0.01	NA	NA	
	05/17/99	10000	490	<100	0.012	0.02	NA	NA	
	11/03/99	11000	480	<100	0.016	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/30/00	2900	150	19	<0.005	NA	NA	NA	1,1,2-TCTFA:33; Chlor:3.6; 1,1,2-TCA:1.1; PCE:17; HXCLB:2.2
	11/06/01	3700	200	10	0.0990	NA	NA	NA	cis-1,2-dce:1.6; 1,1,2-TCTFA:27; Chlor:4.1; 1,1,2-TCA:1.6; PCE:24
	11/11/02	7100	370	30	0.0770	NA	0.073	NA	cis-1,2-dce:5.2; 1,1,2-TCTFA:52; 1,1-DCE:1.8Chlor:5.6;
									1,1,2-TCA:4.8; PCE:64
	11/12/03	13000	600	49	0.0510	NA	NA	NA	cis-1,2-dce:12; 1,1,2-TCTFA:95; Chlor:10; PCE:120
	11/05/04	18000	830	59	0.072	NA	0.054	NA	PCE:180
	11/04/05	7900	480	27	0.0331	NA	0.0258	NA	1,1,2-TCA:77, PCE:87
PZ-05-04	11/04/05	7700	430	26	0.0298	NA	0.0236	NA	1,1,2-TCA:76, PCE:83
PZ-06-06	11/27/06	7500	470	30		NA	0.00920	NA	cis-1,2-DCE:6.7; 1,1,2-TCTFA:89;1,1-DCA:3.0;Chlor:7.3; 1,1,2-TCA:6.9; PCE:94
	11/27/06	7500	480	27		NA	0.00758	NA	cis-1,2-DCE:6.4; 1,1,2-TCTFA:63;1,1-DCA:2.8;Chlor:5.8; 1,1,2-TCA:6.4; PCE:86
MW-61(A); UFZ	10/04/90	<5	<5	<5	<0.010	NA	NA	NA	
	10/15/90	<5	<5	<5	<0.010	NA	NA	NA	
	06/10/91	<5	<5	<5	<0.010	NA	NA	NA	
	07/27/93	490	15	7	<0.010	NA	NA	NA	
	09/03/93	500	20	6	NA	NA	NA	NA	
	12/02/93	610	24	<20	NA	NA	NA	NA	
	01/18/94	530	18	<10	NA	NA	NA	NA	
	07/18/94	800	36	<25	NA	NA	NA	NA	
	10/25/94	870	32	8	<0.010	<0.02	NA	NA	
	02/09/95	960	52	11	NA	NA	NA	NA	
	04/17/95	1400	55	13	NA	NA	NA	NA	
	07/31/95	1700	70	17	NA	NA	NA	NA	
	10/09/95	2000	54	20	NA	NA	NA	NA	
	01/08/96	1900	34	13	0.04	NA	NA	NA	
	04/22/96	1100	<50	<250	NA	<0.05	NA	NA	
	07/15/96	760	35	<25	NA	NA	NA	NA	
	10/03/96	1000	<50	<50	NA	NA	NA	NA	
NMED	10/03/96	580	<50	<50	0.032	NA	NA	NA	
	02/03/97	880	37	<10	NA	NA	NA	NA	
	04/22/97	940	<50	<50	NA	NA	NA	NA	
	08/20/97	1000	38	<10	NA	NA	NA	NA	
	10/21/97	1000	39	<10	NA	NA	NA	NA	
	01/20/98	940	39	<10	NA	NA	NA	NA	
	04/21/98	900	36	<10	NA	NA	NA	NA	
	08/06/98	990	55	10	NA	NA	NA	NA	
	12/07/98	1000	54	11	0.086	0.08	0.08	0.08	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
SP	02/19/99	NA	NA	NA	0.076	0.08	0.076	0.08	
	05/17/99	410	20	<10	0.065	0.04	NA	NA	
	11/03/99	200	12	<5	0.03	NA	NA	NA	
	11/15/00	150	11	1.5	<0.005	NA	NA	NA	
	11/30/01	130	6.1	<1.0	0.00950	NA	NA	NA	PCE:1.2
	11/07/02	460	24	2.4	0.023	NA	0.024	NA	1,1,2-TCTFA:6.0; PCE:4.9
	11/20/03	250	12	1.1	0.031	NA	0.011	NA	PCE:2.1
	11/05/04	120	7.3	<1.0	0.0110	NA	0.0072	NA	PCE: 1.2
	11/04/05	83	5.1	<1.0	0.0150	NA	0.00880	NA	
	11/16/06	50	3.3	<1.0	0.0142	NA	0.00998	NA	
MW-62(Q); UFZ	10/01/91	<5	8	10	NA	NA	NA	NA	
	01/08/92	<5	7.3	11	NA	NA	NA	NA	
	04/01/92	<5	7.2	10	NA	NA	NA	NA	
	07/20/92	<5	9.5	15	NA	NA	NA	NA	
	09/24/92	<5	8.3	11	NA	NA	NA	NA	
	01/13/93	2	6	9	NA	NA	NA	NA	
	04/12/93	2	6	9	NA	NA	NA	NA	
	07/26/93	3	18	14	<0.01	NA	NA	NA	
	10/04/93	3	9	10	NA	NA	NA	NA	
	12/06/93	3	8	10	NA	NA	NA	NA	
	01/17/94	2	8	9	NA	NA	NA	NA	
	04/04/94	2	8	10	NA	NA	NA	NA	
	07/19/94	3	15	13	NA	NA	NA	NA	
	02/09/95	2J	10	9	NA	NA	NA	NA	
	04/17/95	2J	8	8	NA	NA	NA	NA	
	08/01/95	3J	9	8	NA	NA	NA	NA	
	10/09/95	2	7	7	NA	NA	NA	NA	
	01/09/96	1.8	7	7.2	<0.01	NA	NA	NA	
	04/24/96	<5	5.3	<5	NA	NA	NA	NA	
	07/16/96	1.7	7.2	6.5	NA	NA	NA	NA	
	10/01/96	<5	7	6	NA	NA	NA	NA	
NMED	10/01/96	1.8	4.8	7	0.004	NA	NA	NA	
	01/30/97	1.9	6.2	6.4	NA	NA	NA	NA	
	04/21/97	2	6.4	6.3	NA	NA	NA	NA	
	08/22/97	2.6	8.2	7.8	NA	NA	NA	NA	
	10/21/97	2.3	8	6.9	NA	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	01/19/98	2.4	8.2	6.7	NA	NA	NA	NA	
	04/22/98	2.3	7.1	5.5	NA	NA	NA	NA	
	08/06/98	3	9.8	7.5	NA	NA	NA	NA	
	12/07/98	2	6.6	4.8	0.032	<0.01	0.007	<0.01	
	02/18/99	1.6	6.1	3.9	0.034	<0.01	0.006	<0.01	
	05/24/99	1.8	5.7	4	<0.05	0.02	<0.05	<0.01	
	08/19/99	2.2	7.4	5.5	0.03	<0.01	0.0056	<0.01	
	11/12/99	2.5	7.4	4.5	0.03	NA	0.008	NA	
	02/09/00	3	12	6.3	0.043	NA	0.008	NA	
	05/10/00	2.5	7.2	5.2	0.0236	NA	0.0094	NA	
	08/09/00	2.6	7.9	5.5	0.0333	NA	NA	NA	
	11/20/00	2.2	7.5	4.9	0.0396	NA	0.00810	NA	
	02/27/01	3.9	8.2	7.5	0.0237	NA	0.00920	NA	
	05/23/01	3.2	12	6.5	0.0117	NA	0.00830	NA	
	08/29/01	7	14	9	0.0154	NA	0.00760	NA	
PZ-12	08/29/01	7	14	9	0.0219	NA	0.00810	NA	
	11/27/01	3.7	9.6	5.6	0.0434	NA	0.00930	NA	Naph:3.6; 1,2,3-TCBenz:1.5
	02/06/02	3.4	9	5.4	0.010	NA	0.013	NA	
	05/09/02	1.9	5.7	3.7	0.029	NA	0.0099	NA	
	08/07/02	2.7	8	6.3	0.020	NA	<0.00555	NA	
	11/19/02	2.5	8.1	6	0.0065	NA	0.0079	NA	
	02/21/03	3.4	9.9	7.6	0.0130	NA	<0.0056	NA	
	05/14/03	2.3	6.9	4.8	0.0140	NA	0.0021	NA	
PZ-2-03	05/14/03	2.2	6.5	4.6	0.0110	NA	0.0019	NA	
	08/14/03	2.2	6.4	4.8	0.0011	NA	<0.0011	NA	
	11/11/03	2.3	6.7	5.3	0.0190	NA	0.0041	NA	
	02/11/04	3.2	9.2	6.5	0.0120	NA	0.0034	NA	
	05/12/04	3.1	8.1	6.6	0.0120	NA	0.0040	NA	
	08/10/04	2.8	7.1	5.3	0.0190	NA	0.0066	NA	
	11/19/04	2.2	5.1	4.2	0.0170	NA	<0.0044	NA	
	02/14/05	2.0	5.3	4.9	0.0110	NA	0.00500	NA	
	05/11/05	2.1	5.4	3.8	0.0100	NA	0.00600	NA	
	08/10/05	1.8	4.9	3.8	0.00700	NA	0.00910	NA	
PZ-3-05	08/10/05	1.9	5.1	4	0.00978	NA	0.00500	NA	
	11/03/05	2.8	7	4.4	0.00822	NA	0.00690	NA	
	02/28/06	2.0	5.2	3.6	0.00390	NA	0.00240	NA	
	05/23/06	2.2	5.6	3.9	0.0348	NA	0.00470	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	08/10/06	2.5	7.0	<1.0	0.0210	NA	0.00400	NA	
	11/13/06	2.8	7.4	4.8	0.00598	NA	0.00621	NA	
MW-63(NSR); UFZ	12/02/98	<1.0	<1.0	<1.0	0.55	<0.01	<0.005	<0.01	
SP	02/22/99	NA	NA	NA	0.014	0.03	<0.005	<0.01	
MW-64(A); ULFZ	10/08/90	<5	<5	<5	<0.01	NA	NA	NA	
	10/15/90	<5	<5	<5	<0.01	NA	NA	NA	
	06/14/91	<5	<5	<5	<0.01	NA	NA	NA	
	11/30/93	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/24/94	10	<5	<5	<0.01	<0.02	NA	NA	
	02/06/95	11	<5	<5	NA	NA	NA	NA	
	04/18/95	18	<5	<5	NA	NA	NA	NA	
	07/31/95	17	<5	<5	NA	NA	NA	NA	
	10/09/95	8	<1.0	<1.0	NA	NA	NA	NA	
	01/10/96	15	0.6	<1.0	<0.01	NA	NA	NA	
	04/24/96	25	<5	<5	NA	NA	NA	NA	
	07/15/96	32	<1.0	<1.0	NA	NA	NA	NA	
	10/01/96	29	<5	<5	NA	NA	NA	NA	
NMED	10/01/96	18	1.2	<1.0	<0.001	NA	NA	NA	
	01/30/97	27	1.2	<1.0	NA	NA	NA	NA	
	04/22/97	20	<1.0	<1.0	NA	NA	NA	NA	
	08/20/97	4.4	<1.0	<1.0	NA	NA	NA	NA	
	01/21/98	6.3	<1.0	<1.0	NA	NA	NA	NA	
	04/20/98	4.8	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	3.4	<1.0	<1.0	NA	NA	NA	NA	
	11/17/98	<1.0	<1.0	<1.0	<0.005	<0.005	NA	NA	
	05/17/99	1.8	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/04/99	5.4	<1.0	<1.0	<0.005	NA	NA	NA	
	11/29/00	36	2.9	<1.0	<0.005	NA	NA	NA	
	11/06/01	13	1.4	<1.0	<0.005	NA	NA	NA	
	11/07/02	6.2	<1.0	<1.0	<0.005	NA	NA	NA	
	11/11/03	3.6	<1.0	<1.0	<0.001	NA	NA	NA	
	11/19/04	<1.0	<1.0	<1.0	0.006	NA	NA	NA	
	11/04/05	<1.0	<1.0	<1.0	0.00511	NA	NA	NA	
	11/20/06	<1.0	<1.0	<1.0	0.00483	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
MW-65(Q); LLFZ	07/18/96	1.5	<1.0	<1.0	0.02	NA	NA	NA	
	10/02/96	8	<5	<5	NA	NA	NA	NA	
NMED	10/02/96	7.4	<0.5	<0.5	<0.001	NA	NA	NA	
	01/30/97	13	<1.0	<1.0	NA	NA	NA	NA	
	04/23/97	15	<1.0	<1.0	NA	NA	NA	NA	
	08/21/97	15	<1.0	<1.0	NA	NA	NA	NA	
	10/20/97	14	<1.0	<1.0	NA	NA	NA	NA	
	01/19/98	14	<1.0	<1.0	NA	NA	NA	NA	
	04/21/98	15	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	15	<1.0	<1.0	NA	NA	NA	NA	
	11/16/98	13	<1.0	<1.0	NA	NA	NA	NA	
	11/30/98	NA	NA	NA	<0.01	<0.01	NA	NA	
	02/17/99	7	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/17/99	1.9	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/23/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/03/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/04/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
duplicate	02/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/30/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/14/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/24/01	<1.0	1.4	<1.0	<0.005	NA	NA	NA	Chlor:1.1
	08/28/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/30/01	1.0	2.6	<1.0	<0.005	NA	NA	NA	
	02/05/02	1.7	5.4	1.0	0.003	NA	NA	NA	
	05/08/02	2.5	8.4	1.6	0.001	NA	NA	NA	
	08/06/02	4.2	15	3.3	<0.00500	NA	NA	NA	
	11/06/02	6.3	23	5.1	0.0088	NA	NA	NA	
	02/19/03	10.0	38	11.0	<0.0050	NA	NA	NA	
PZ-1-03	02/19/03	10.0	37	12.0	<0.0050	NA	NA	NA	
	05/14/03	12.0	42	11.0	<0.0010	NA	NA	NA	1,2,3-Trimethylbenzene:1.1
	08/13/03	12.0	43	13.0	<0.0010	NA	NA	NA	
	11/07/03	14.0	47	15.0	<0.0010	NA	NA	NA	
	02/12/04	15.0	49	16.0	0.0015	NA	NA	NA	
	05/12/04	17.0	51	20.0	<0.0010	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
PZ-2-04	05/12/04	15.0	46	16.0	<0.0010	NA	NA	NA	
	08/12/04	15.0	48	18.0	<0.0020	NA	NA	NA	
	11/05/04	15.0	44	17.0	<0.00500	NA	NA	NA	
	02/14/05	17	55	27	0.00500	NA	NA	NA	
PZ-1-05	02/14/05	18	55	27	0.00210	NA	NA	NA	
	05/11/05	18	59	28	0.00400	NA	NA	NA	
	11/04/05	19	73	28	<0.00100	NA	NA	NA	
	02/28/06	16	64	29	<0.00100	NA	NA	NA	
	05/24/06	16	63	29	<0.00100	NA	NA	NA	
	08/25/06	17	85	30	0.00510	NA	NA	NA	
	11/13/06	15	65	26	0.00151	NA	NA	NA	
MW-66(Q); LLFZ	06/27/96	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	07/18/96	<1.0	<1.0	<1.0	<0.01	NA	NA	NA	
	10/03/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/03/96	<0.5	<0.5	<0.5	0.001	NA	NA	NA	
	01/30/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/22/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/22/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/22/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/21/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/22/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/17/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/23/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/04/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/29/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/14/01	<1.0	<1.0	<1.0	0.0150	NA	NA	NA	
	06/06/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/28/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/06/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
PZ-3	11/06/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	02/05/02	<1.0	<1.0	<1.0	0.002	NA	NA	NA	
	05/08/02	<1.0	<1.0	<1.0	0.002	NA	NA	NA	
	08/06/02	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/07/02	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	02/21/03	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	05/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	08/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	12/11/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	02/11/04	<1.0	<1.0	<1.0	0.0014	NA	NA	NA	
	05/12/04	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	08/12/04	<1.0	<1.0	<1.0	0.0042	NA	NA	NA	
	11/12/04	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	02/14/05	<1.0	<1.0	<1.0	0.00500	NA	NA	NA	
	05/12/05	<1.0	<1.0	<1.0	0.00311	NA	NA	NA	
	08/09/05	<1.0	<1.0	<1.0	0.00300	NA	NA	NA	
	11/04/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	02/23/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	05/24/06	<1.0	<1.0	<1.0	0.00400	NA	NA	NA	
	08/11/06	<1.0	<1.0	<1.0	0.00200	NA	NA	NA	
	11/17/06	<1.0	<1.0	<1.0	0.00412	NA	NA	NA	
MW-67(SA); DFZ	07/26/96	<1.0	<1.0	<1.0	<0.01	NA	NA	NA	
	10/02/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/02/96	<0.5	<0.5	<0.5	0.007	NA	NA	NA	
	01/30/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/21/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/20/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/20/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/17/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/30/98	NA	NA	NA	0.04	<0.01	NA	NA	
	02/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/18/99	<1.0	<1.0	<1.0	0.13	<0.01	NA	NA	
	08/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/03/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
(PZ-7)	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/24/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/28/01	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	05/08/02	<1.0	<1.0	<1.0	<0.001	NA	NA	NA	
	11/06/02	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	05/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/12/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	05/12/04	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/05/04	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	05/11/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	11/02/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	05/24/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
PZ-02	05/24/06	<1.0	<1.0	<1.0	0.00320	NA	NA	NA	
	11/14/06	<1.0	<1.0	<1.0	0.00259	NA	NA	NA	
MW-68(Q); UFZ	07/18/96	<1.0	<1.0	<1.0	<0.01	NA	NA	NA	
	10/02/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/02/96	<0.5	<0.5	<0.5	<0.001	NA	NA	NA	
	01/30/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/23/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/19/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/20/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/19/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/21/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/12/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	0.01	NA	NA	
	05/17/99	<1.0	<1.0	<1.0	<0.005	0.01	NA	NA	
	8/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/02/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/00	<1.0	<1.0	<1.0	0.0121	NA	NA	NA	
	02/14/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	05/23/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/28/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/06/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/05/02	<1.0	<1.0	<1.0	<0.001	NA	NA	NA	
	05/08/02	<1.0	<1.0	<1.0	0.002	NA	NA	NA	
	08/06/02	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/06/02	<1.0	<1.0	<1.0	0.021	NA	NA	NA	
	02/19/03	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	05/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	08/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/07/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	02/11/04	<1.0	<1.0	<1.0	0.0040	NA	NA	NA	
	05/11/04	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	08/10/04	<1.0	<1.0	<1.0	0.0039	NA	NA	NA	
	11/05/04	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	02/11/05	<1.0	<1.0	<1.0	0.00400	NA	NA	NA	
	05/11/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	08/09/05	<1.0	<1.0	<1.0	0.00200	NA	NA	NA	
	11/04/05	<1.0	<1.0	<1.0	0.00133	NA	NA	NA	
	02/23/06	<1.0	<1.0	<1.0	0.00160	NA	NA	NA	
	05/23/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	08/10/06	<1.0	<1.0	<1.0	0.00200	NA	NA	NA	
	11/10/06	<1.0	<1.0	<1.0	0.00206	NA	NA	NA	
MW-69(Q); LLFZ	07/26/96	<1.0	<1.0	<1.0	<0.01	NA	NA	NA	
	10/02/96	<5	<5	<5	NA	NA	NA	NA	
NMED	10/02/96	<0.5	<0.5	<0.5	<0.001	NA	NA	NA	
	01/30/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/23/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/19/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	10/20/97	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	01/19/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	04/21/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/12/98	<1.0	<1.0	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	05/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	08/18/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/02/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/08/00	2.6	<1.0	<1.0	<0.005	NA	NA	NA	
	05/09/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/08/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/15/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/14/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	06/06/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	08/28/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/06/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	02/05/02	<1.0	<1.0	<1.0	0.007	NA	NA	NA	
	05/08/02	<1.0	<1.0	<1.0	0.001	NA	NA	NA	
	08/07/02	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	11/06/02	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	02/19/03	<1.0	<1.0	<1.0	<0.0050	NA	NA	NA	
	05/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	08/13/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/07/03	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	02/11/04	<1.0	<1.0	<1.0	0.0011	NA	NA	NA	
	05/11/04	<1.0	<1.0	<1.0	<0.0010	NA	NA	NA	
	08/10/04	<1.0	<1.0	<1.0	0.0048	NA	NA	NA	
	11/05/04	<1.0	<1.0	<1.0	<0.00500	NA	NA	NA	
	02/11/05	<1.0	<1.0	<1.0	0.00330	NA	NA	NA	
	05/11/05	<1.0	<1.0	<1.0	0.00300	NA	NA	NA	
	08/09/05	<1.0	<1.0	<1.0	0.00178	NA	NA	NA	
	11/02/05	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	02/23/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	05/23/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	08/10/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	
	11/20/06	<1.0	<1.0	<1.0	0.00352	NA	NA	NA	
MW-70(A); 3rd FZ	02/18/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
EPA	02/18/98	<3	<2.5	<2.5	NA	NA	NA	NA	
	04/22/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	08/06/98	<1.0	<1.0	<1.0	NA	NA	NA	NA	
	11/23/98	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	02/17/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	05/19/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	08/19/99	<1.0	<1.0	<1.0	<0.005	<0.01	NA	NA	
	11/09/99	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/28/00	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/12/01	<1.0	<1.0	<1.0	<0.005	NA	NA	NA	
	11/18/02	<1.0	<1.0	<1.0	0.0057	NA	NA	NA	
	11/12/03	5.8	<1.0	<1.0	<0.0010	NA	NA	NA	
PZ-4-03	11/12/03	5.7	<1.0	<1.0	<0.0010	NA	NA	NA	
	11/05/04	9.1	<1.0	<1.0	<0.0050	NA	NA	NA	
	11/08/05	19	1.0	<1.0	0.00122	NA	NA	NA	
	11/17/06	17	1.1	<1.0	0.00447	NA	NA	NA	
MW-71(Q); DFZ	11/17/98	56	1.6	<1.0	<0.01	<0.01	NA	NA	
	02/17/99	35	1	<1.0	<0.005	<0.01	NA	NA	
	05/17/99	42	1.1	<1.0	<0.005	0.01	NA	NA	
	08/19/99	46	1.2	<1.0	<0.005	<0.01	NA	NA	
	11/03/99	65	1.8	<1.0	<0.005	NA	NA	NA	
	02/09/00	110	3.8	<1.0	0.009	NA	NA	NA	
	05/09/00	120	2.9	<1.0	0.0098	NA	NA	NA	
	08/08/00	150	4.3	<1.0	0.0115	NA	NA	NA	
	11/29/00	180	5.9	<1.0	0.0159	NA	NA	NA	MeCl:1.2
	02/14/01	140	4.5	<1.0	<0.005	NA	NA	NA	
	05/24/01	340	12	<5.0	0.0321	NA	NA	NA	
	08/28/01	200	10	<1.0	0.0332	NA	NA	NA	
MW-71R	02/28/02	130	3	<1.0	0.02	NA	0.0162	NA	MeCl:1.5
	04/09/02	150	5.3	<1.0	0.004	NA	NA	NA	
	05/08/02	160	4.2	<1.0	0.003	NA	NA	NA	MeCl:2.1
	08/07/02	190	5.6	<1.0	<0.00500	NA	NA	NA	MeCl:2.0
	11/07/02	180	4.9	<1.0	<0.0050	NA	NA	NA	MeCl:1.7
	02/19/03	180	5.9	<1.0	<0.0050	NA	NA	NA	MeCl:1.9
	05/13/03	190	5.4	<1.0	<0.0010	NA	NA	NA	MeCl:1.9
	08/13/03	210	5.8	<1.0	<0.0010	NA	NA	NA	MeCl:2.1
PZ-3-03	08/13/03	210	6.2	<1.0	<0.0010	NA	NA	NA	MeCl:2.1
	11/18/03	190	5.3	<1.0	0.015	NA	NA	NA	MeCl:2.4
	02/11/04	180	5.6	<1.0	<0.0010	NA	<0.0010	NA	MeCl:2.6
	05/11/04	170	5.1	<1.0	<0.0010	NA	<0.0011	NA	MeCl:2.2

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	08/12/04	170	5.5	<1.0	0.0022	NA	0.0036	NA	MeCl:2.8
PZ-3-04	08/12/04	180	5.6	<1.0	<0.0020	NA	0.0086	NA	MeCl:2.7
	11/05/04	180	5.7	<1.0	<0.0050	NA	NA	NA	MeCl:2.2
	02/11/05	140	4.2	<1.0	<0.00100	NA	0.002	NA	MeCl:1.2
	05/11/05	120	3.6	<1.0	<0.00100	NA	<0.00100	NA	MeCl:1.2
PZ-2-05	05/11/05	120	3.4	<1.0	<0.00100	NA	<0.00100	NA	MeCl:1.1
	08/10/05	130	4.2	<1.0	<0.00100	NA	NA	NA	MeCl:1.0
	11/04/05	120	3.4	<1.0	<0.00100	NA	NA	NA	
	02/23/06	90	3	<1.0	<0.00100	NA	NA	NA	
	05/23/06	99	3	<1.0	0.00200	NA	NA	NA	
	08/10/06	82	2.9	<1.0	<0.00100	NA	NA	NA	
	11/21/06	92	3	<1.0	0.00199	NA	NA	NA	
MW-72(A)	03/05/99	1800	220	99	NA	NA	NA	NA	
	05/19/99	1800	230	98	0.15	0.12	NA	NA	
	11/09/99	1200	200	100	0.16	NA	NA	NA	
	05/10/00	3400	170	110	0.691	NA	NA	NA	
	11/29/00	3800	400	140	0.483	NA	NA	NA	1,1,2-TCTFA:30; Chlor:18; 1,2-DCA:3.6; Benz:2.7; 1,1,2-TCA:2.8;
PZ-8	11/29/00	3900	430	140	0.477	NA	NA	NA	1,1,2-TCTFA:29; 1,1-DCA:3.8; Chlor:19; Benz:2.8; 1,1,2-TCA:3.0;
									PCE:30; ChlBenz:1.8; 1,1,1,2-PCA:2.3
	05/24/01	4100	600	160	0.197	NA	NA	NA	PCE:30; ChlBenz:1.8; 1,1,1,2-PCA:2.2
PZ-11	05/24/01	4200	570	160	0.207	NA	NA	NA	
	11/13/01	2900	280	92	0.293	NA	NA	NA	1,1,2-TCTFA:19; 1,1-DCA:2.4; Chlor:12; Benz:1.9; 1,1,2-TCA:2.2;
									PCE:25; ChlBenz:1.4; 1,1,1,2-PCA:1.7
	05/08/02	2700	380	130	0.119	NA	NA	NA	1,1,2-TCTFA:21; 1,1-DCA:2.5; Chlor:8.9; Benz:2.6; 1,1,2-TCA:2.5;
									PCE:32; ChlBenz:1.6; 1,1,1,2-PCA:2.6
	11/15/02	2800	280	59	0.15	NA	NA	NA	PCE:12
	05/14/03	1700	150	23	0.081	NA	NA	NA	Chlor:5.3; PCE:15
	11/21/03	680	57	5.7	0.025	NA	NA	NA	1,1,2-TCTFA:10; Chlor:1.2; PCE:6.4
	05/11/04	300	24	2.6	0.019	NA	NA	NA	1,1,2-TCTFA:5.0; PCE:3.0
	11/05/04	170	15	1.6	0.0221	NA	NA	NA	
	11/10/05	720	67	3.7	0.0424	NA	NA	NA	1,1,2-TCTFA:7.3, Chlor:1.8, PCE:4.3
	11/17/06	160	19	<1.0	0.0337	NA	NA	NA	PCE: 1.4
MW-73(A)	03/05/99	4000	520	240	NA	NA	NA	NA	
	05/19/99	4400	780	220	0.1	0.04	NA	NA	
	11/09/99	4100	770	190	0.1	NA	NA	NA	

Well ID	Sample Date	TCE ug/L	1,1-DCE ug/L	1,1,1-TCA ug/L	Unfiltered Cr Total mg/L	Unfiltered Cr +6 mg/L	Filtered Cr Total mg/L	Filtered Cr +6 mg/L	Additional Compounds
	11/29/00	3900	690	120	0.0468	NA	NA	NA	1,1,2-TCTFA:32; 1,1-DCA:16; Chlor:10; Benz:3.0; 1.1.2-TCA:5.2;
									PCE:14; ChloroBenz:1.1
PZ-9	11/29/00	4000	720	120	0.0631	NA	NA	NA	1,1,2-TCTFA:29; 1,1-DCA:16; Chlor:10; Benz:3.0; 1.1.2-TCA:5.3;
									PCE:14; ChloroBenz:1.1
	11/12/01	2000	290	54	0.0486	NA	NA	NA	1,1,2-TCTFA:14; 1,1-DCA:7.3; Chlor:4.5; Benz:1.5; 1,1,2-TCA:3.2
									PCE:7.9;
	11/18/02	360	47	6.7	0.063	NA	NA	NA	1,1,2-TCTFA:5.5; 1,1-DCA:1.0; PCE:1.1
PZ-5-03	11/14/03	670	61	11	0.12	NA	NA	NA	1,1-DCA:1.3; Chlor:1.7; 1,1,2-TCA:1.6; PCE:3.9
	11/14/03	680	59	11	0.11	NA	NA	NA	1,1-DCA:1.3; Chlor:1.6; 1,1,2-TCA:1.5; PCE:3.7
	11/22/04	42	4.2	<1.0	0.068	NA	NA	NA	
	11/10/05	9	<1.0	<1.0	0.0369	NA	NA	NA	
	11/17/06	83	9.5	<1.0	0.0479	NA	NA	NA	
MW-79 (SA)	05/23/06	<1.0	<1.0	<1.0	<0.00100	NA	NA	NA	Toluene: 5.8
	11/20/06	<1.0	<1.0	<1.0	0.00218	NA	NA	NA	

ND = Not detected
NA = Not analyzed
NSR = No sampling requirement
A = Annual sampling only
SA = Semi-annual sampling only
Q = Quarterly sampling only
SP = Special sampling

EPA = Environmental Protection Agency
UFZ = Upper flow zone
NMED = New Mexico Environment Department
ULFZ = Upper lower flow zone
LLFZ = Lower lower flow zone
3rd FZ = 3rd flow zone
DFZ = Deep flow zone

[1] **Additional sampling was performed to determine if damage to the wellhead had affected water quality.**

[2] **Additional sampling for chromium was performed to confirm rising concentrations of this parameter.**

J1 - Estimated concentration is less than the lower calibration level but is above the method detection limit.