

Subject: Triassic Park Permit Application Cross-walk

Date: Sat, 29 Jul 2000 16:26:30 -0600

From: Patrick.G.Corser@us.mw.com

To: Stephanie Kruse <Stephanie_Kruse@nmenv.state.nm.us>

CC: Diane.L.Dwire@us.mw.com

Stephanie,

Attached is a draft of the cross-walk for the Triassic Park Part B Permit application and the 40 CFR 264 and 40 CFR 270 regulations. Please contact Diane Dwire or myself, if you have any questions.

Regards,

Patrick Corser

cc: Dale Gandy - Hard Copy
Ken Schultz - Hard Copy

(See attached file: 40CFR264X-REF2 Crosswalk.doc1.doc) (See attached file: 40CFR270X-Crosswalk.doc)

 40CFR264X-REF2 Crosswalk.doc1.doc	Name: 40CFR264X-REF2 Crosswalk.doc1.doc Type: Winword File (application/msword) Encoding: base64 Description: Mac Word 3.0
--	---

 40CFR270X-Crosswalk.doc	Name: 40CFR270X-Crosswalk.doc Type: Winword File (application/msword) Encoding: base64 Description: Mac Word 3.0
---	---

TRIASSIC PARK PERMIT APPLICATION CROSS-REFERENCE TO 40 CFR PART 264	
40 CFR PART 264	TRIASSIC PARK PERMIT APPLICATION SECTION
264.1 Purpose, scope and applicability	NA
264.3 Relationship to interim status standards	NA
264.4 Imminent hazard action	NA
264.10 Applicability	NA
264.11 Identification number	To Be Obtained From EPA
264.12 Required notices	NA
264.13 General waste analysis	Vol. I, Sect. 4.0
264.14 Security	Vol. I, Sect. 1.4, 5.0, & 8.2.1,
264.15 General inspection requirements	Vol. I, Sect. 5.2
264.16 Personnel training	Vol. I, Sect. 7.0
264.17 General requirements for ignitable, reactive, or incompatible wastes	Vol. I, Sect. 2.2.5, 2.2.6, 2.4.5, 4.0 & 5.5
264.18 Location standards	Vol. I, Sect. 1.3, 3.4
264.19 Construction quality assurance program	Vol. III, Appendix B
264.30 Applicability	Applies
264.31 Design and operation of facility	Vol. I, II, & III (all)
264.32 Required equipment	Addressed in Vol. I, Sect. 5.3.1, 5.3.2 and 6.3.1.1
264.34 Access to communications or alarm system	Vol. I, Sect. 5.3.1 and 5.3.2.
264.35 Required aisle space	Vol. III, Drawings, Sect. 2.0 and Vol I, Sect. 2
264.37 Arrangements with local authorities	Vol. I, Sect 6.0

TRIASSIC PARK PERMIT APPLICATION CROSS-REFERENCE TO 40 CFR PART 264	
40 CFR PART 264	TRIASSIC PARK PERMIT APPLICATION SECTION
264.50 Applicability	NA
264.51 Purpose and implementation of contingency plan	Vol. I, Sect. 6.0
264.52 Content of contingency plan	Vol. I, Sect. 6.0
264.53 Copies of contingency plan	Vol. I, Sect. 6.0
264.54 Amendment of contingency plan	Vol. I, Sect. 6.6
264.55 Emergency coordinator	Vol. I, Sect. 6.1
264.56 Emergency procedures	Vol. I, Sect. 6.0
264.70 Applicability	Applies
264.71 Use of manifest system	Vol. I, Sect. 2.1.1 and Sect. 4.3
264.72 Manifest discrepancies	Vol. I, Sect. 4.3
264.73 Operating record	Vol. I, Sect. 1.1.13, 2.5.3.4, and 4.5.8. Section 1.1.13 Facility Operating Record inserted in Vol. I.
264.74 Availability, retention, and disposition of records	Vol. I, Sect. 1.1.13 and 2.5.3.4. Section 1.1.13 Facility Operating Record inserted in Vol. I.
264.75 Biennial report	Vol. I, Sect. 1.1.14 and Sect. 11.3.7. Section 1.1.14 Reporting inserted in Vol. I
264.76 Unmanifested waste report	Vol. I, Sect. 1.1.14 and Sect. 4.3.3. Section 1.1.14 Reporting inserted in Vol. I
264.77 Additional reports	Vol. I, Sect. 1.1.14 and Sect. 11.3.7. Section 1.1.14 Reporting inserted in Vol. I.
264.90 – 264.101 Permit Restrictions	Releases Vol. I, Sect. 6.3.5.2, Monitoring Vol. I, Sect. 3.7.1, Vadose Zone Mont. Report
264.91 Required programs	Vol. I, Sect. 10.0 & RCRA Permit App.
264.92 Ground-water protection standard	Vol. I, Sect. 3.7, 5.0
264.93 Hazardous constituents	Vol. I, Sect. 3.6, 3.7, 5.0
264.94 Concentration limits	To Be Determined by New Mexico
264.95 Point of compliance	To Be Determined by New Mexico

TRIASSIC PARK PERMIT APPLICATION CROSS-REFERENCE TO 40 CFR PART 264	
40 CFR PART 264	TRIASSIC PARK PERMIT APPLICATION SECTION
264.96 Compliance period	To Be Determined by New Mexico
264.97 General ground-water monitoring requirements	Vol. I, Sect. 6.3.5.2, Monitoring Vol. I, Sect. 3.7.1, Vadose Zone Mont. Report
264.98 Detection monitoring program	To Be Determined by New Mexico
264.99 Compliance monitoring program	To Be Determined by New Mexico
264.100 Corrective action program	Vol. I, Sect. 10.0 – To Be Approved by New Mexico
264.101 Corrective action for solid waste management units	NA
264.110 – 264.115 Closure and Post Closure	NA – Not a Management Facility
264.115 Certification of closure	Vol. I, Sect. 8.5
264.116 Survey plat	To be completed upon closure/ Vol. I, Table 8.3
264.117 Post-closure care and use of property	Vol. I, Sect. 8.7.2
264.118 Post-closure plan; amendment of plan	Vol. I, Sect. 8.0, Vol. III, Engr. Report & Appendix A
264.119 Post-closure notices	Vol. I, Sect. 8.8.3
264.120 Certification of completion of post- closure care	Vol. I, Sect. 8.2.7
264.140 – 264.151 Financial Requirements	Vol. I, Sect. 8.0
264.170 – 264.179 Use and Management of Containers	Vol. I, Sect. 2.2, 11.3, 8.0
264.190 – 264.200 Tank Systems	Vol. I, Sect. 2.3, 11.3, 8.0
264.220 – 264.232 Surface Impoundments	Vol. I, Sect. 2.6, 11.3.3, 8.0
264.250 – 264.259 Waste Piles	NA – No Waste Piles
264.270 – 264.283 Land Treatment	NA – No Land Treatment

TRIASSIC PARK PERMIT APPLICATION CROSS-REFERENCE TO 40 CFR PART 264	
40 CFR PART 264	TRIASSIC PARK PERMIT APPLICATION SECTION
264.300 Applicability	NA
264.301 Design and operating requirements	Vol. I, Sect. 2.5, Vol. 111, Engr. Report & Appendix A
264.302 – 264.310 Landfill	Vol. I, Sect 2.5
264.312 – 264.317 Special requirements for ignitable or reactive waste	Vol. I, Sect. 2.5, 4.0
264.340 – 264.554 Incinerators	NA – No Incineration
264.570 – 264.575 Drip Pads	NA – No Drip Pads
264.600 – 264.603 Miscellaneous Units	Misc. Storage, Vol. I, Sect. 2.2, 4.0, Vol. III, Engr. Report
264.1030 – 264.1036 SubPart AA Air Emissions Standards for Process Vents	NA Vol. I, Sect. 11.1
264.1050 – 264.1065 SubPart BB Air Emission Standards for Equipment Leaks	NA – Vol. I, Sect. 11.2
264.1080 – 264.1090 SubPart CC Air Emission Standards for Tanks, Surface Impoundments, and Containers	Vol. I, Sect. 11.3
264.1084 – 264.1085 Standards: Tanks	NA
264.1100 SubPart DD Applicability	NA
264.1200 SubPart EE Applicability	NA

TRIASSIC PARK PERMIT APPLICATION CROSS-REFERENCE TO 40 CFR PART 270	
40 CFR PART 270	TRIASSIC PARK PERMIT APPLICATION SECTION
270.1- 270.12 General Information	NA- Scope and General Requirements
270.13 Contents of Part A of the permit application	Vol. I, Part A
270.14 Contents of Part B: General requirements	See 40CFR 264 for applicable regulations
270.15 Specific Part B information requirements for containers	40CFR 264.170-179: Vol. I, Sect. 2.2, 8.0, 11.3
270.16 Specific Part B information requirements for tank systems	40CFR 264.190-200: Vol. I, Sect. 2.3, 8.0, 11.3
270.17 Specific Part B information requirements for surface impoundments	40CFR 264.190-200: Vol. I, Sect. 2.6, 8.0, 11.3
270.18 Specific Part B information requirements for waste piles	NA – No Waste Piles
270.19 Specific Part B information requirements for incinerators	NA – No Incineration
270.20 Specific Part B information requirements for land treatment facilities	NA – No Land Treatment
270.21 Specific Part B information requirements for landfills	40CFR 264.301-310: Vol. I, Sect. 2.5, Vol III, Engr. Report (all), App. A & B
270.22 Specific Part B information requirements for boilers and industrial furnaces burning hazardous waste	NA – No Boilers or Furnaces

TRIASSIC PARK PERMIT APPLICATION CROSS-REFERENCE TO 40 CFR PART 270	
40 CFR PART 270	TRIASSIC PARK PERMIT APPLICATION SECTION
270.23 Specific Part B information requirements for miscellaneous units	40CFR 264.600: Vol. I, Sect. 2.2, 4.0, Vol. III, Engr. Report
270.24 Specific Part B information requirements for process vents	40CFR 1032: NA
270.25 Specific Part B information requirements for equipment	NA Vol. I, Sect. 11.2
270.26 Special Part B information requirements for drip pads	NA – No Drip Pads
270.27 Specific Part B information requirements for air emission controls for tanks, surface impoundments, and containers	NA
270.28 Reserved	40CFR 264.110-120: Vol. I, Sect. 8.0, Vol. III, Engr. Report
270.29 – 270.230 Permit Conditions	NA - Administrative