

Subject: Proposed changes to safety standards included in the WIPP operating permit
From: "Renee Lee" <drlee@anadromada.net>
Date: Wed, 28 May 2003 14:00:33 -0600
To: <steve_zappe@nmenv.state.nm.us>



-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

Yes I know the following is a boiler plate letter but it expresses my feelings as to the changes and procedures as well as I could. Please except these comments as if they were my own in support of not allowing changes that impact the health and safety of New Mexican Citizens!



Mr. Steve Zappe
NMED
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Dear Mr. Zappe:

NMED must strictly regulate the Waste Isolation Pilot Plant (WIPP) to protect public health and safety. I oppose continuing efforts of the Department of Energy (DOE) to change procedures in the WIPP permit to reduce existing regulatory requirements, especially related to waste characterization. Therefore, I urge NMED to deny the modification requests for LANL sealed sources and DAC for 85- and 100-gallon drums and direct loaded ten-drum overpacks.

Neither modification request is complete and accurate, as required by regulations. Neither request is properly a class 2 modification. By eliminating headspace gas sampling for sealed sources, a basic characterization requirement of the permit would be dramatically changed, without the required public hearing. In addition, many of the sealed sources are not defense waste and cannot legally be disposed at WIPP. Yet the modification includes no adequate safeguards, nor NMED monitoring procedures, to prevent such wastes from coming to WIPP.

The DAC for 55-gallon drums and standard waste boxes was modified only after class 3 procedures, including a public hearing, were used. The same public participation procedures must be used for larger containers. An adequate request must include experiments with actual large containers and proof that characterization equipment and procedures designed for 55-gallon drums produce accurate results for those larger containers.

Please deny the modification requests for LANL sealed sources and the DAC for larger containers.

Thank you for your consideration.

Ms Dana-Renee Lee
1180 Alvarado Dr SE #402
Albuquerque, NM 87108

-----BEGIN PGP SIGNATURE-----
Version: PGPfreeware 6.5.8 for non-commercial use <<http://www.pgp.com>>

iQA/AwUBPtUVYPRHThWcjZ39EQKP0ACg1vcNVT5eNUlpCo/fyTNeGcwBGiEAoJF7
XQWUlVAvjUm4+TxElkF8ciah
=Jezr
-----END PGP SIGNATURE-----

030556

