

ENTERED



X

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Thora M Guinn

address 1508 Roma NE

Albuquerque, NM 87106

111129



ALBUQUERQUE NM 871



THORA GUINN  
1508 Roma Ave. NE  
Albuquerque, NM 87106-4513

ALBUQUERQUE NM 871

26 NOV 2011 PM 4 T



Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

87505+6313



Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Sue Romyonday

address 212 Tohatchi Trail NW


Albq NM 87104



**Sue Roujansky**  
**212 Tohatchi Trl. N.W.**  
**Albuquerque, NM 87104**

ALBUQUERQUE NM 871

26 NOV 2011 PM 4 L



Tim Hall  
 New Mexico Environment Department  
 2905 Rodeo Park Drive East, Building 1,  
 Santa Fe, NM 87505

87505+8313





Barb Jewell  
3 Montana St.  
Santa Fe, NM  
87505



Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Containers

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Barbara Sevens

address 3 Montano Ct.

Santa Fe, NM 87508



Raymond M. Evans  
1417 Adams NE  
Albuquerque, NM 87110

44c  
Stamp

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 7  
Santa Fe, NM 87505

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name *Josamund Evans*

address *1417 Adam NE*

*Albuquerque, NM 87110*

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Mary Samuel Hakigan

address 3610 El Porvenir Cr SW

Albuquerque, NM 87105



---

---

---

44c  
Stamp

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Alex Theodore

address ALEX THEODOROU  
140 CHAMA ST NE  
ALBUQUERQUE, NM  
87108



---

---

---

44c  
Stamp

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Bridget Fleming

address 1116 Turner Dr NE Albuquerque NM

87123



---

---

---

44c  
Stamp

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



Fones

1229 Columbia NE

Albueq., N.M. 87106



Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Anne Adler Friess

address 1229 Columbia NE

Albuquerque, NM 87106

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name DON SCHRADER & CHUCK HOSKING

address 1806 Walter S.E.

Albuquerque, N.M. 87102



---

---

---

44c  
Stamp

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505

Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

*I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.*

*Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.*

*The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.*

*DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.*

*The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.*

*Thank you for fully considering and responding to my comments.*

name Deirdre Oak

address P.O. Box 204

CERRILLOS, N.M. 87016



 David Ode  
PO Box 204  
Cerrillos, NM 87010-0204

---

---

---



Tim Hall  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1,  
Santa Fe, NM 87505