


Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Carol Teshel

address 60 Gavilan Place

Santa Fe NM 87508


111130



POSTAGE WILL BE PAID BY ADDRESSEE
NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

ADMINISTRATIVE SERVICES

2011 NOV 23/11 PM 3 L



 Ms. Carole Tashel
6 Gavilan Pl.
Santa Fe, NM 87508

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

87505+6313



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name _____

address _____

Z

Charlie Zdravesky
2109 Gun Club Road S.W.
Albuquerque, NM 87105-6412




44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

ALBUQUERQUE NM 871

28 NOV 2011 PM 2 L



C

7

Vertical text or markings along the right edge of the page.

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Judith Kidd, Judith Kidd
address 517 Ocelia Rd NE
ABQ - NM 87102

*Please consider
my concerns.
Let's keep
New Mexico safe!*



Kidd
519 Odellia RAVE
APR - NM 87102



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Lilly K. Rendt

address 11005 Morris Court NE
Albuquerque, N.M. 87112




Mrs. Lilly K. Rendt
1005 Morris Ct NE
Santa Fe, NM 87505




Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505




Mrs. Lilly K. Rendt

11/28/11



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Carol W Beeson

address 1749 Miraceros Pl NE

Albuquerque, NM 87106




44c
Stamp



Carol Benson
Music & Instruction
1749 Miracerros PINE
Albuquerque NM 87106-1007

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

8750566313 0069



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

A handwritten signature in black ink, appearing to read "Dale Montague".

name DALE MONTAGUE

address 8916 6TH ST NW

ABQ NM 87114



DAVE MONTAGUE

3916 6TH ST NW

ALBUQUERQUE NM 87114



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.


DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Joan Robins


addr  **Ms. Joan E. Robins**
3565 Rio Grande Blvd NW
Albuquerque, NM 87107-3086




Ms. Joan E. Robins
3565 Rio Grande Blvd NW
Albuquerque, NM 87107-3086



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Merilee Heugh

address 554 Camino de la Tierra

Cornales NM 87048




Ardelle Hough
554 Camino De La Tierra
Corrales, NM 87048-8558



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name

Ramon & Eileen Orestano

address

PO 125

Carroll NM 87010


Armed

PO 135

Carrizosa NM 87010



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name _____

address _____



Jeffrey Rich
1105 Los Tomases Dr NW
Albuquerque, NM 87102-1260

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.


name *Jennifer Bauer*

address *237 Aliso Dr NE*


Albuquerque, NM 87108



Jerlyn Bowen
237 Aliso Dr NE
Albuquerque, NM 87108-1002



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name _____


address _____



ALBUQUERQUE, NM 87104
SEP 13 1994 PM 5:17



44c
Stamp



Joan Zucker
3516 Campbell Ct. NW
Albuquerque, NM 87104

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

87505+8313

