

ENTERED

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of Shielded Containers

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

Diane Plummer, LISW

name Diane Plummer

address 432 Aliso Dr, NE

Albuquerque, NM 87108 (505) 255-6480

111201



P.S. I am very concerned due to the geologic nature of the WIPP site, the faults there, and the possibilities that ground water could become contaminated by nuclear waste.
Diane Plummer

82





Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Betty Richards

address 1010 Center Ave #12

Carlsbad, NM 88220

*People of Carlsbad
were "PROMISED"
that NO HIGH Level
Nuclear waste would
come to WIPP!!
By everyone from!!
Pete Dominici to
Louis Whitlock*



Ms. Betty Richards
Trlr. 12
1010 Center Ave.
Carlsbad, NM 88220-6171




Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

8750506313 0000



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.


DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

(Amy V. Bunting)
name Amy V. Bunting
address 331 Camino Chico
SANTA FE, NM 87505

P.S. This is a Form letter but it expresses my feelings. I am 74 and was an original Wipp protector in the 1980s. We lost our fight but at least we can demand it not be made worse!



ALBUQUERQUE, NM 87102
OCT 15 2005



Amy V. Bunting
Casa Ballena Del Sol
331 Camino Chico
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

87505+8313



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Containers

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

Judy Kaul


name JUDY KAUL

address 524 SYCAMORE ST. SE

ALBUQU NM 87106




Ms. Judy Kaul
 524 Sycamore St. SE
 Albuquerque, NM 87106



Tim Hall
 New Mexico Environment Department
 2905 Rodeo Park Drive East, Building 1,
 Santa Fe, NM 87505

87808+6313



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name E.M. Murphy and Family

address 1209 Arvilla Ave. N.M.
and 1233 Columbia NE

Albany, N.M. 87107 and 87106



FROM:
MURPHY

1233 COLUMBIA NE

ALBUQ. NM 87106



TO:

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name

Jesse D. Servis
JESSE D. SERVIS

address

93 monica RD
LOS LUNAS NEW MEXICO
87031

• unwind
• Schutzbe
• Togliere
• unwind



UNIVERSITÄT ZÜRICH

01 DEC 2011 09:31




SERVIS
93 manica RD
Los Lunas NM
87031

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

unwind
Schutzbe
Togliere
unwind

87505+8313



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.


Margaret A. Spilker
name Margaret A. Spilker

address 5204 Mountain Rd NE

Albuquerque, NM 87110



 **Ms. Margaret Spilker**
5204 Mountain Rd. NE
Albuquerque, NM 87110-6440



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505