

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space for remote-handled waste that is dangerous to transport, store, and dispose. The Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced. RH waste would continue to be disposed in walls of the underground rooms. There would be not only more RH waste at WIPP, but also more shipments of RH waste from New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase. Substantial amounts of RH waste would be in the contact-handled waste portions where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Grease waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of Tonnage.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Penelope Mc Mullen, SL

address 113 Com. Santiago

Santa Fe NM 87501

111208



McMullen
Santiago
87501



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

 ENTERED

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name *Grace Sena*

address *313 Hale cir.*

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Charlie Sena

address _____

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Malone Quintana

address 210 Rencher Ave,

Alb. N.M. 87105

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name FRANCE D THOMPSON

address 2212 STANFORD DR SE
ALBUQUERQUE NM 87106

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of Shielded Containers

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name RYAN VEIJE

address 144 HARVARD ST 87106



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of Shielded Containers

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name DAVID B. McCoy Citizen Action NM

address PO Box 4276

Albuquerque, NM 87196

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name W.P. ROBINSON

address PO Box 4524

ABQ, NM 87196



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

Lesley Weinstock
name Lesley Weinstock

address 1712 Richmond Dr. NE

ABQ, NM 87106

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.


DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name *Lee Trevino*

address *116 Pouchard St*



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Barbara Brandon, Paul Brandon, Cristina Brandon

address 1125 Quincy St SE

Albuquerque, NM 87108



Ms Barbara Brandon
1125 Quincy St SE
Albuquerque, NM 87108
FARMSANCTUARY.ORG



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Colette Lee *Colette Lee*

address 103 Camino Cabo

Santa Fe, NM 87508



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name *Werner E. Muller*

address *P.O. Box 2886*

Las Vegas, NM 87701

WERNER AND HELEN MULLER
P.O. BOX 2886
LAS VEGAS, NM 87701

50/21

WEINER AND HELEN MULLER
P.O. BOX 2886
LAS VEGAS, NM 87701



Weiner + Helen Muller

P.O. Box 2886

Las Vegas, NM 87701

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Ellen Levine

address 2000 Silver SE

Albuquerque, NM 87106



12/05



Ms. Ellen Cline
2000 Silver Ave SE
Albuquerque, NM 87106



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Bill Felsher

address 9215 Osuna Pl NE

ABQ NM 87111



F Ms. Afsaneh Felsher
9215 Osuna Pl. NE
Albuquerque, NM 87111

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name *Jean Morrison*

address *1816 Van Court SW*

Albuquerque, NM 87105



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name *Lisa Gordon-Romero*
LISA GORDON - ROMERO

address *POB 3135*

TAOS, NM 87571



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Key Giles

address 1321 Jeanette SW

Albuquerque, NM 87105



Ms. Kay M. Giles
1321 Jeanette Ave SW
Albuquerque NM 87105-2949



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name  (BERNARD F. COLLEN)

address POB 519
EDGEWOOD, NM 87015

showbiz@lolo.net

Mr. Donald McNeilly
PO Box 519

\$0.440
US POSTAGE
FIRST-CLASS
062S0005020317
87015

stamps.com
C94794.24



44c
Stamp

Return Address:

WILLEN ? McNEILLY

POB 519


EDGEWOOD, NM 87015

To:

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

L Weinstock
name Lesley Weinstock

address 1712 Richmond Dr
ABQ, NM 87106

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Hildegard Adams

address 7720 Oakleaf Ave NE

Albany NM 87122

10/10/10

10/10/10

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Joseph Weyler
address 610 Ridge Place NE
ALB 87106



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Myst. Goddard

address 411 Bethell Ave SE

Alb NM 87102

**44c
Stamp**

**Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505**

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Jenny Beys

address 1528 Hooper Rd. SW

ABQ, NM 87105



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Sharon Miles
address Sharon J. Miles
2700 Vista Grande NW #10
ABQ, NM 87120



Senior Care Options
2700 Vista Grande NW Suite 10
Albuquerque, NM 87120



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.



Thank you for fully considering and responding to my comments.

name Stephanie S. Kadrie

address 520 Foyt Dr. SW

ABQ, NM 87121-8891


POSTAGE



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

A handwritten signature in cursive script that reads "Dominique Mazeaud".

name Dominique Mazeaud

address 1352 Bishops Lodge Rd

Santa Fe, NM 87506

Ms. Dominique Mazeaud
1352 Bishops Lodge Rd
Santa Fe, NM 87506



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

Enrique
name Carlota Lamadrid

address 301 Placitas Rd NW
Albuq. NM 87107

Carlota & Enrique Lamadrid
301 Placitas Rd NW
ABQ, NM 87107

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

6750566313



Environment Department
Park Drive East, Building 1,
Albuquerque, NM 87505



TPP Permit Modification Request - Addition of a Shielded Container

II:

cerned about shielded containers. They would expand the space available at WIPP
ndled waste that is dangerous to transport, store, and dispose. Despite what the
of Energy says, shielded containers could not be handled like contact-handled waste
ged or leaking containers could not be over-packed.

tainers will allow more remote-handled (RH) waste to be emplaced at WIPP because
uld continue to be disposed in walls of the underground rooms. Thus, there would
ore RH waste at WIPP, but also more shipments of RH waste throughout the state
co, increasing the risk of accidents and exposures to the public.

of RH waste in the Waste Handling Building would dramatically increase because
mounts of RH waste would be in the contact-handled waste portion of the building,
currently are prohibited.

ans to use shielded containers for hotter commercial waste (Greater-Than-Class C
iding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

containers request is not a proper class 2 permit modification. I request a public
hat shielded containers be a class 3 modification so that there would be more
lic comment and an opportunity for a hearing.

r fully considering and responding to my comments.

Ernie Arthur

1112 Baldwin Ave NE

Sug., NM 87112



Ms Denise Arthur
11112 Baldwin Ave NE
Albuquerque, NM 87112-3132

Tim Hall
New Mexico Environment D
2905 Rodeo Park Drive East,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.


DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.


Thank you for fully considering and responding to my comments.

name _____ *Randy Diner*

address _____  Randy Diner
632 Turner Dr NE
Albuquerque, NM 87123



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - *Additional* Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name _____

address _____



EL PASO TX 799
21 DEC 1999 PM 2 T



44c
Stamp


Quatemoc Villegas

1214w Missouri AV

El Paso TX, 79902

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

8750546313



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Olivia Harshey Spitzmuller

address PO Box 186

Eqyrd TX 77436



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.


name Rodney W. Hall

address 11 Via Si, Galisteo NM 87540

Rodney W. Hall

You must stop this modification. it's the wrong way to handle this waste. It should be incased in glass until it can be decontaminated,

15815770



Rodney Hall
11 Via Si
Galisteo, NM
87540

44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Jim Brown

address 121 Arizona Sunset Rd NE


Rio Rancho, NM 87124



44c
Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Katu Stone (Katie Stone)


address 2425 Teodoro NW

Albuquerque NM 87107

710108172266



Mr. & Mrs. Andrew Stone
2425 Teodoro Rd NW
Albuquerque NM 87107-3064



Stamp

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name KENT P. GORMLEY

address P.O. Box 295

Tijeras, NM 87059



KENT P. GORMLEY
P.O. Box 295
Tijeras, NM.
87059



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.


The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name FLANIE SCHOD

address 37 AZUL LOOP

SANTA FE, NM 87508



PT J School

37 AZUL
KODP

SANTA FE
87505

ride a bike



forever

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.


Thank you for fully considering and responding to my comments.

name J-M Lee

address Box 454

Ramah, NM 87321

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Janice Evans

address 7101 Prospect Pike

AZ BLUQUERQUE, NM 87110

John
7101 Prospect Pk
ABQ NM 87110



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.



Thank you for fully considering and responding to my comments.

name Jennie Elizondo

address 305 49th Street NW

Alb. n.m. 87105

RT506



Jennie Elizondo
 305 49th st NW
 ALB NM. 87105
 RT 506

44c
 Stamp

Tim Hall
 New Mexico Environment Department
 2905 Rodeo Park Drive East, Building 1,
 Santa Fe, NM 87505

Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505



RE: WIPP Permit Modification Request - Addition of a Shielded Container

Dear Tim Hall:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could not be over-packed.

Shielded containers will allow more remote-handled (RH) waste to be emplaced at WIPP because RH waste would continue to be disposed in walls of the underground rooms. Thus, there would be not only more RH waste at WIPP, but also more shipments of RH waste throughout the state of New Mexico, increasing the risk of accidents and exposures to the public.

The amount of RH waste in the Waste Handling Building would dramatically increase because substantial amounts of RH waste would be in the contact-handled waste portion of the building, where they currently are prohibited.

DOE also plans to use shielded containers for hotter commercial waste (Greater-Than-Class C waste), expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.

The shielded containers request is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Thank you for fully considering and responding to my comments.

name Lisa Kaltz Lisa Kaltz

address PO Box 81112

Albuquerque NM 87108

How much of our earth will we allow to be contaminated by Nuclear energy companies? No other industry is so heavily subsidized, protected and Guaranteed government coverage in the event of an accident. What would New Mexico look like if the same money went to help home owners install solar power?

Support Solar Energy & You Support New Mexican
Jobs, New Mexico's environment and New Mexican industry.
Clean energy is the best way to protect our
Future.

Lisa Waltz
PO Box 81112
Albuquerque N.M.
87198

No one paid for my support



Tim Hall
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1,
Santa Fe, NM 87505

We hope