



**Department of Energy**  
 Carlsbad Field Office  
 P. O. Box 3090  
 Carlsbad, New Mexico 88221  
 MAY 15 2012



Mr. John Kieling, Acting Bureau Chief  
 Hazardous Waste Bureau  
 New Mexico Environment Department  
 2905 E. Rodeo Park Drive, Building 1  
 Santa Fe, New Mexico 87505-6303

Subject: Carlsbad Field Office Procedure Change Report for March 2012

Dear Mr. Kieling:

This letter is to transmit the Carlsbad Field Office (CBFO) Plan and Procedure Change Report. The report lists document changes that affect performance criteria or data quality that were approved by CBFO. There were no Waste Isolation Pilot Plant (WIPP) Hazardous Waste Facility Permit (HWFP) Waste Analysis Plan (WAP) related document changes for the month of March 2012; therefore, there is no attachment. This notification is transmitted pursuant to the requirements contained in the WIPP HWFP, Section C3-15, *Changes to WAP-Related Plans or Procedures* and Section C5-2, *Document Review, Approval, and Control*.

We certify under penalty of law that this document and all attachments were prepared under our direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on our inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of our knowledge and belief, true, accurate, and complete. We are aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

If you have any questions, please contact Mr. J.R. Stroble, Director of the Office of the National TRU Program, at (575) 234-7313.

Sincerely,

Jose R. Franco, Manager  
 Carlsbad Field Office

M. F. Sharif, General Manager  
 Washington TRU Solution LLC

- cc:  
 T. Kliphuis, NMED \*ED  
 S. Holmes, NMED ED  
 T. Hall, NMED ED  
 R. Maestas, NMED ED  
 CBFO M&RC  
 \*ED denotes electronic distribution

