

**Go ahead with the panel closure calculations when ready****Tom Peake** to: russ.patterson

06/19/2012 05:08 PM

Cc: "Shoemaker, Paul E", "Leigh, Christi - SNL", "Gross, Mike", Kathleen Economy, Jonathan Walsh, Shankar Ghose, Jonathan Edwards, Alan Perrin, Daniel Schultheisz, Lee.Raymond, Alton.Harris,

From: Tom Peake/DC/USEPA/US

To: russ.patterson@wipp.ws

Cc: "Shoemaker, Paul E" <peshoem@sandia.gov>, "Leigh, Christi - SNL" <CDLEIGH@sandia.gov>, "Gross, Mike" <mike_gross@earthlink.net>, Kathleen Economy/DC/USEPA/US@EPA, Jonathan Walsh/DC/USEPA/US@EPA, Shankar

Russ,

We have reviewed the June 15 information on the permeability (etc.) of the panel closures and we agree with the proposed data values and ranges that you have provided. We also agree that the multi-phase flow flags in BRAGFLO should remain as they have in past performance assessments for this PA (but we will be looking at them for the 2014 PA).

We will be following up with some clarifying questions in the next few weeks related to the information that you have provided, but they won't affect the actual values used.

So, go ahead with the calculations for the PA to support the panel closure rulemaking when you have the analysis plan, etc, ready.

Tom Peake
Director
Center for Waste Management and Regulations
US EPA (6608J)
1200 Pennsylvania Ave, NW
Washington, DC 20460
phone: 202-343-9765

Physical Location and for deliveries:
Room 529
1310 L St, NW
Washington, DC 20005

