



9-1-12

Dear Travis Kuephuis,

I am very concerned about the use of "shielded" containers going into our W.P.S. site which is designed for contact-handled waste & NOT remote handled waste.

As I understand shielded containers are not proper Class 2 permit modification.

I am requesting a public hearing that shielded containers be a Class 3 modification - We need more opportunity to discuss these plans.

Thank you,

Maureen Wright
2816 Kentucky St NE
Albuquerque NM 87110
mgwright@comcast.net

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Luis A. Ortega (Luis A. Ortega)

address

7509 Guadalupe Tr NW

ABQ, NM 87107



113

10/10/2011

Dear Mr. [Name],

[Faint text]

[Faint text]

(Signature)

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505



Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Claudia Fuegge

address 6020 Northland Ave. NE

Albuquerque NM, 87109





Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

2523 Carson Rd NW
Albuquerque, NM 87104-1903
August 22, 2012

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Dr E, Bldg 1
Santa Fe, NM 87505



Dear Trais Kliphuis:

I understand the New Mexico Department of Energy wants to bring more remote-handled transuranic waste to the Waste Isolation Pilot Plant.

Is it true that DOE's plans to use shielded containers for this hot commercial waste will expand WIPP beyond its legal limit?

I believe it is essential to oversee this proposal with vigor and to hold a public hearing in regard to DOE's request.

Sincerely,

Sally E. Schwartz

120925



676 La Nevada bl,
Santa Fe, NM 87501

To: Iris Kliphuis, NMED
2905 Roubidoux Park Drive East, Bldg 1
Santa Fe, NM 87505

September 6th 2012.

Dear Iris Kliphuis,

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store & dispose. Despite what the Department of Energy says, shielded containers could NOT be handled like contact-handled waste because damaged or leaking containers could be too toxic-actives to over-pack.

The shielded containers request once again is NOT a proper class 2 permit modification. I request a public hearing & that shielded containers be a class 3 modification so that there would be more extensive public comment & an opportunity for a hearing.

Yours faithfully,

Nadia A. Anhalt
NADIA. A. ANHALT



Mary Jacklyn Dulle
2116 Calle Tecolote
Santa Fe, New Mexico 87505

Sept. 6, 2012

Mr. Travis Klyphuis
New Mexico Environment Dept.
2905 Pined Park Drive East, Bldg. 1
Santa Fe, NM 87505



Dear Mr. Klyphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the DOE says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

Sincerely, Jackie Dulle

Trais Kliphuis

NMED

2905 Rodeo Park Drive East Bldg I

Santa Fe, NM 87505



Dear Mr Kliphuis:

Regarding The Rtt waste shipment to WIPP, I have great concern about The use of shielded containers. Since These containers cannot be handled like contact-handled waste, due to The possibility of damage or leakage, The overpacking of The containers adds an additional level of danger & concern.

I would like to ask that another hearing be conducted to classify The containers as a class 3 modification, provide additional opportunity for public response.

Sincerely,

Jon E Alessi

13 Descanso Rd

Santa Fe, NM 87506

Sept 6, 2012

Travis Klephtais
NMED

2905 Adobe Park Drive
East, Building 1.
Santa Fe, N.M. 87505



Dear Travis Klephtais

It is my understanding that NMED denied in Jan. 31, 2012 the use of shielded containers at WIPP. The shielded containers is not a proper class 2 permit modification. I request a public hearing and that the shielded containers be a class B modification & that be more extensive public comment and an opportunity for a hearing.

Elaine Vilsela
4345 Pandly Ground
Santa Fe, N.M. 87507

September 6, 2012



Travis Kliphuis
NMED

2905 Pecos Park Dr. E., Bldg. 1
Santa Fe, NM 87505

Dear Travis Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-hauled waste that is dangerous to transport, store & dispose. Despite what the DOE says, shielded containers could not be hauled like contact-hauled waste because damaged or leaking containers could be too radioactive to overpack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing, and that shielded containers be a class 3 modification so that there would be more extensive public comment & an opportunity for a hearing.

Thank you,

Flo de María Oliva
2140 Candelero St.
Santa Fe, NM 87505