



**PRIORITY
MAIL**

UNITED STATES POSTAL SERVICE

www.usps.com

Label 228, February 2006

From Leona Morgan
725 Tijeras Ave NW
Albuquerque NM 87102

TO Trais Kliphuis
NM Environment Dept.
2905 Rodeo Park Dr. East,
Bldg. 1
Santa Fe, NM 87505



0

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Leona Morgan



address 725 Tijeras Ave. NW, Albuquerque, NM 87102

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Kynnette Abbate

address Health Promotion and Education, W.M.U.
Kalamazoo MI 49008-5445





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Michael Barcepona MEd

address Dept of Chemistry, Western Michigan University

Kalamazoo, MI 49008-5413





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.


The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Scott Kovach

address Santa Fe, NM

903 W. Alameda #740

87501





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name DAVE McCoy CITIZEN ACTION

address PO Box 4276

ABQ, NM 87196





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name David Bacon

address 54 San Marcos Road West
SF 87508





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Rev. Holly Beaumont

address 27 Old Galisteo Way
Santa Fe NM 87508





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Beata Tsosie

address #93 S. Santa Clara
Esplanada, NM. 87532





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

address

Lura Brookins

Lura Brookins

P.O. BOX 1362

Santa Fe 87504





..

..

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Lisa Putkey

address 167 State Rd 399

Española, NM 87532





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Mitch Buszek

address 662 Alta Vista #D19

SF NM 87505





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Joanna Kennedy
address 903 W. Alameda #763
Santa Fe 87501





4

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.


The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Virginia J. Miller

address

*125 Cielo Don Jose
Santa Fe NM 87501*





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

address

Jeffrey Birnbaum DN
44 Sibley Rd
SF NM 87502





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Betsy Millard

address 2012 Valle Rio

Santa Fe, NM 87505





4

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name MARION SEYMOUR

address 2300 W. Alameda St
SF 87507





1.

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Ethan Genauer

address 209 S Coronado Ave
Esperola, NM 87532





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Helina M. Christy

Helina M. Christy

address

1025 Chelwood Park NE #123
Abq 87112

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Merida Wexler

Merida Wexler

address 610 Ridge PL. NE

Albuquerque NM

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Kotom Snyder

address

1940 Poplar Ln SW
ABQ NM 87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Judy Kaul
JUDY KAUL
address 524 Sycamore SE
Albq. NM 87106

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Hesley Weinstock

address 1712 Richmond Dr. NE
ABQ NM 87106



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

address

Mary I. Steele
309 DEERSON ST SE
Albuquerque, NM 87123





1.

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Juan Rodriguez

address 7224 Canyon Trail NW

ABQ NM 87120





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Scott Moore

address PO Box 1671

Ranchos de Taos, NM 87557



Speak Out Against More Plutonium at LANL & WIPP

The Department of Energy (DOE) plans to ship 13.1 metric tons of plutonium from nuclear weapons to Los Alamos National Lab (LANL) and to the Waste Isolation Pilot Plant (WIPP).

What are DOE's Plans?

DOE has released the *Draft Surplus Plutonium Disposition Supplemental Environmental Impact Statement (SPD DSEIS)*. The preferred alternative is for the Savannah River Site (SRS) to process 6 metric tons of plutonium and ship it to WIPP for disposal with other contact-handled transuranic (TRU) waste. For 7.1 metric tons of plutonium in "pits" - the triggers for nuclear bombs - some or all would be shipped from the Pantex Plant in Texas to LANL to be disassembled. The resulting plutonium oxide powder would be shipped to SRS to be fabricated into plutonium-uranium mixed oxide (MOX) fuel to be used in the Sequoyah (Tennessee) and/or Browns Ferry (Alabama) Nuclear Plants operated by the Tennessee Valley Authority.

What are concerns about DOE's plan?

- LANL is not meeting its waste cleanup schedule, and its facilities do not meet seismic standards in case of a severe earthquake. Bringing thousands of plutonium pits to LANL would further endanger public health and safety and divert resources away from cleanup.
- Doubling the amount of TRU waste coming from SRS will likely exceed WIPP's capacity. As a result, TRU waste from LANL and other sites might not fit into WIPP.
- Plutonium should be immobilized so that it can be safely stored until new disposition options are available. Immobilization would also be less expensive than MOX.
- MOX is not viable as there are no utilities that want to use MOX fuel in existing power plants because of its costs, dangers, and the need to make changes to the reactors.

What Can I Do?

Submit written comments to: Sachiko McAlhany, NEPA Document Manager, SPD ~~SEP 2012~~ Supplemental EIS, U.S. Department of Energy, P.O. Box 2324, Germantown, MD 20874-2324, by **September 25, 2012.**

Use the sample comments below, or write whatever you want.

August 3, 2012

Thank you!

Dear Sachiko McAlhany:

I am very concerned about Department of Energy plans for surplus plutonium. No additional plutonium should be brought to Los Alamos National Lab (LANL), which has a cleanup mission and cannot meet seismic standards in the case of a severe earthquake. WIPP has a limited mission and does not have the capacity for all surplus plutonium. Stop MOX and immobilize and safely store plutonium until technically sound, suitable disposition facilities are available.

Name Karen Whitley

Address 2435 Oro Vista Rd NW

Albuquerque, NM 87107



Handwritten text at the bottom of the page, including a signature and a date.

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Judith Krolch

address 5170 delia Rd NE
ABQ 87102



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Robert Press

address

901 adams SE

Abq. N. M. 87108

SEP 2012

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Cathie Sullivan

address 1350 Bishops Lodge Rd
Santa Fe, N.M. 87506



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Balima Kroitman

address 915 SILVER SW

ALBUQUERQUE NM 87102





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

SEP 2012

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Paula G. Kliphuis

address

3466 Cervillos Rd C-2
Santa Fe, NM 87507



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Marion Seymour Dz
address 2300 W. Colorado St
Santa Fe 87507



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Haylee Becker

address 424 Arroyo Seco, NM USA



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Crystal Bix

address 424 Arroyo Seco, NM USA



1

2

3

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE’s Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

SEP 2012

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Tina Demmison

address PO Box 444 Ft. Wingate, NM 87416



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE’s Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name James Denison

address P.O. Box 444 of Wingate, NM 87516



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Myra Burman

address PO Box 444 FT. WINGATE, NM 87316



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Rose Marie Cecchini MM
Office of Life, Faith, Justice + Creation Stewardship
Gallup Diocese
address 305 W. Highway 66, Gallup, NM 87301

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Stephen Mills
STEPHEN MILLS
address 212 RICHMOND DR SE
ALBUQUERQUE, NM 87106



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Michael Swick

address 6002 Redondo CT NW
Los Ranchos NM 87107



1870

...

...

...

...

...

...

...

...

...

...

...

...

John ...
...

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

David V. Barbouk

address

1312 C Nakomis Dr NE
Albuquerque, NM 87112





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Annette Martiney

address Rt. 4 Box 224 # 19413

Esplanola NM 87532





*

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Helena Williams

address PO Box 1114

Santa Fe NM 87504





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Michael Mandell

address 3031 Calle Caballero
Santa Fe, NM 87507



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.


The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Jan Boyer

Janice Boyer

address 815 Rio Vista St.

SFe NM 87501





1

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

address

Griselda Logan
3031 Calle Caballero
Santa Fe, NM 87507





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Kay Giles

Key Files

address 1321 Jeanette SW

Albuquerque, NM 87105



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name HANH NGUYEN

address 1027 SHIRLEY NE

Alb, NM 87112





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Lonni Ann Fredman Lon Ann Juden

address

514 Valley High St SW

ABQ NM 87105



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Devon Hoffman

address 3829 Camino Capistrano NE

Albuquerque, NM 87111



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Kim Heaney

address 3124 Carolina St NE
ABQ, NM 87110



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name CAROLINA YAHNE

address 441 SOLANO NE
ALB 87108



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name William J. ZIMMER

address 441 Solano NE

ABQ 87108



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.


The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Georgia Narauz

address

Box 0001
Esparola, NM 87532





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Robert Chavez

address PO Box 916

Ohkay Owinook, NM 87566





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:


I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name JOE HEMERLING

address 1824 Kiva Rd
Santa Fe, NM

87505-3313





•

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name David Cooper

address 3707 Comanche Rd.
Albuquerque, NM 87110



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.


Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name (DIANA BAKER) Diana Baker
address Santa Fe, NM 87501





Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Angela Boone

address 421 Richmond S.E.

Alb., 87106

RECEIVED
SEP 10 2012
NMED



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

SEP 2012

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name REV. JOHN W. FISHBURN

address 1443 MORA ROAD SW ALB NM87105

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Richard L. Harrison

address

5404 Montgomery, N.E. #409A
ALBUQUERQUE, N.M. 87109

RECEIVED
SEP 2012

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Benjamin Abbott

address 1809 Las Lomas Rd NE Apt D
Albuquerque, NM 87106



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Catherine Eiler

address PO Box 707

Tesuque, NM



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Anna Molitor

address 2100 Paseo Ponderosa
Santa Fe, NM 87501



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Christine Healy

address PO Box 23682

Santa Fe, NM 87502

SEP 2012



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name CYNTHIA JURIS

address 6 CAMINO CHUPADERO

SANTA FE NM 87506.



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Andres Vargas

address PO Box 2066
El Prado, NM 87529



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Jon Pyle

address

4388 FAIRWAY DR
LOS ALAMOS, NM 87544



Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE’s Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Bobby Preston

address

P.O. Box 155, Placita AZ 86042

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Gerald F. Brown *Gerald F. Brown* July 14, 2012

address Box 451 Church Park, N.M.
87311

SEP 2012

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.


Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name



Juana Colon

address 315 ROSARIO Blvd. Santa Fe, 87501



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Maggie Billman

address 650 Deni Dr Apt D-23 Gallup NM
87301



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

John Boomer

address

P.O. Box 3207, Milan, N.M. 87021

11
12



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

SEP 2012

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Kelsey B Gregory

address 650 Dani Dr Apt D-23
Gallup, NM 87301

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More “Hot” Waste at WIPP

The Department of Energy (DOE) wants to bring more “hot” Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE’s Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Albert Shirley

address P.O. Box 271, Ft. Wingate, NM 87316

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Robert Tohe / rustoke

address 408 E. Route 66, Flagstaff AZ 86001

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Jonathan Perry

address P.O. Box 1212 Crownpoint, NM 87313

100

100

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Larry J King

address POB 2197 Gallup NM 87305



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name PROF. DANIEL SCHWARTZ

address Sociology, UNW OF NEW MEXICO
Albuquerque, NM 87131



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Virginia H. Obenshain Obenshain

address

3024 Barcelona SW

Albuquerque, NM 87105



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Clare Schauf

address

*1229 Vassar Dr NE
Albuquerque NM 87109*



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

David R. Lippay

address

*2416-B RICE AVE. NW
ALBUQUERQUE, NM 87104*



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Mark Doppke

address 1209 Forrester Avenue

Albuquerque, NM, 87104

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name ANTHONY UNICE

address PO BOX 95 MESQUITE, NM 88048

114 EMBERTON ST. MESQUITE NM
88048

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Cindy Sarsenrath

Cindy Sarsenrath

address 103 Silver SW

ABQ NM 87102

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Bridget Mullins

address 3513 Camino Alameda SW
Albuquerque, NM 87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name George Lujan

address 353 Camino Alameda

ABQ, NM 87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name E. Joaquín Griego Emiliano

address 427 Placido Martínez Ct NE

Albuquerque, NM 87102-2524

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

DAVID R. LINDSEY

DAVID R. LINDSEY

address

424 AMHERST DR SE

ALBUQUERQUE, NM 87102

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

address

440 Terracotta^{PI} SW

Alb. N.M. 87121 - 9507

Adrian
Beygo

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Julie McIntyre

address 3917 La Hacienda, NE

Albuquerque, NM 87110.

4

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Rodrigo Rodriguez

address 829 Avarado dr SE

87108 ABO, NM

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!


Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Karli Schwartz



address

209 Columbia Dr SE
Apt #20
ABQ, NM 87106

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Alex Luis 

address

404 Richmond Dr. NE

Albuquerque, NM, 87106

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Emily Innis

Emily Innis

address

404 Richmond SE

Albuquerque, NM 87106

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Corinne Lykins

Corinne Lykins

address

1581 Chihuahua Rd.,

Rio Rancho NM 87144

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Casey Holland

address

805 Riverside Dr SW

ABQ, NM 87105

SEP 2012

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Lars Fabricius-Olsen

address 805 Riverside SW

Albuquerque, NM

Lars Fabricius Olsen

87105

60

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

CHRIS EVANS (CHRIS EVANS)

address

223 High ST NE

87106, ABQ, NM

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Ellyse Gentry Ellyse Gentry

address 802 Coal

802 Coal, SW

Albuquerque, NM 87102

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Wesley Bennett

address 850 Riverside Dr S W

Albuquerque, NM 87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.


Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Lauren McAuley 

address 2120 Gold SE

Albuquerque, NM 87106

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Dominic Perea 

address

4002 Camino Del Valle SW

87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.


Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name



address

308 12th St SW 87102



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.


The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Robert Aly Robert Aly

address

215 Hartline Av. SW
Albuquerque, NM 87105



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

address

William Zander
34 @ TWA NAH 106
SFe, NM 87506



