



Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name LOUIS A. HEAD

address 802 HEADINGLY AV NW
ABQ NM 87107



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP



The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name MICHAEL S MONTANA

address 3431 ANDERSON AVE SE

ABQ, NM 87106

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP



The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Emma Sandak

address 1128 18th St NW 87104

[Faint, illegible text, likely bleed-through from the reverse side of the page]

Tracie Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

11/28/11 10:52 AM

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.



What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Josh Yustya

address P.O. Box 315 New Laguna, Nm 87050

2008-2009 Annual Report

The Department of Environment and Natural Resources is pleased to present this report on our activities during the past year. We have made significant progress in many areas, including water quality, air quality, and natural resource management.

Our primary focus has been on improving water quality throughout the state. We have implemented several new programs and initiatives, including the Clean Water Act (CWA) and the National Pollutant Discharge Elimination System (NPDES). We have also worked closely with local communities and businesses to reduce pollution and protect our water resources.

- We have completed the construction of several new water treatment plants, including the [Name] plant in [Location].
- We have issued [Number] new permits for water discharge, ensuring that all discharges meet the highest standards of protection.
- We have conducted [Number] water quality monitoring stations, providing us with valuable data on the health of our water resources.
- We have worked closely with [Number] local communities to address water quality concerns and improve water management practices.

In addition to our water quality efforts, we have also made significant progress in air quality and natural resource management. We have issued [Number] new air quality permits, ensuring that all emissions meet the highest standards of protection.

We have also worked closely with local communities and businesses to address air quality concerns and improve air management practices.

Our efforts in natural resource management have also been successful. We have protected [Number] acres of land, ensuring that our natural resources are preserved for future generations.

We have also worked closely with local communities and businesses to address natural resource concerns and improve natural resource management practices.

Our success in these areas is a testament to the hard work and dedication of our staff and the support of our community. We look forward to continuing our efforts in the coming year and achieving even greater success in protecting our environment and natural resources.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP



The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Melinda Harris

address 3625 Rio Grande NW, Albuquerque, NM 87107

10/10/10

Special Out Against More "Hot" Water in WSPB

The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.

Water is a basic human need. It is essential for life and health. It is also a valuable resource. The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.

- The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.
- The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.
- The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.
- The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.
- The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.

What Can I Do? The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.

Use the service you receive. The Board of Water and Sewerage Services (BWSS) is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011. The Board is currently reviewing the proposed rate schedule for the year 2011.

Melissa Harris

6625 Rio Grande NW

Albuquerque, NM 87107

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Tomas Garduño


address 805 Riverside Dr SW, ABQ, NM 87105

[Faint, illegible text, likely bleed-through from the reverse side of the page]

Tris Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.



What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Lindsay Macisol Archuleta - Lindsay Archuleta

address 3615 Big Cottonwood Dr SW, Albuquerque, NM 87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Roberto Roibal

address 2233 Don Felipe Rd SW
Albuquerque NM 87105

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Tony Watkins

address

1219 Orchard Pl NW
Albuquerque, NM 87102

Speak Out Against More "Hot" Waste at WTP

The question is not whether DOE wants to bring us "hot" waste, but whether it is willing to pay for it. DOE has been unwilling to pay for the waste disposal at WTP for years. DOE has also been unwilling to pay for the waste disposal at the other WTPs.

What are DOE's plans? DOE has announced a "waste management strategy" that includes the construction of a new waste management facility. DOE has also announced that it will be paying for the waste disposal at WTP. DOE has also announced that it will be paying for the waste disposal at the other WTPs.

What are the reasons for DOE's plans? DOE has announced that it is planning to build a new waste management facility because the current facility is too small and too old. DOE has also announced that it is planning to build a new waste management facility because the current facility is too expensive to operate.

• DOE has announced that it will be paying for the waste disposal at WTP. DOE has also announced that it will be paying for the waste disposal at the other WTPs.

• DOE also plans to build a new waste management facility. DOE has also announced that it will be paying for the waste disposal at WTP. DOE has also announced that it will be paying for the waste disposal at the other WTPs.

What can you do? You can write your congressperson and let them know what you think about DOE's plans. You can also write DOE and let them know what you think about their plans.

Also the sample copy of the following will be available for you.

Thank you.
Dorinda Kliphuis


I am writing you about the DOE plan to build a new waste management facility. I am also writing you about the DOE plan to pay for the waste disposal at WTP. I am also writing you about the DOE plan to pay for the waste disposal at the other WTPs.

The DOE plan to build a new waste management facility is a good idea. However, I am concerned about the DOE plan to pay for the waste disposal at WTP. I am also concerned about the DOE plan to pay for the waste disposal at the other WTPs.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Waste Management
Aidubugv nu 87505

Speak Out Against More "Hot" Waste at WIPP



The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Lilia Diano

address 11 Montoya Circle, Santa Fe, NM
87501

Grant Out Against More "Job" News in N.M.

The New Mexico Department of Environment and Natural Resources (DENR) has awarded a grant to the Santa Fe Community College (SFCC) to support a project that will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.

The grant will fund a project that will provide training and technical assistance to the unemployed and underemployed in Santa Fe County. The project will be managed by the Santa Fe Community College (SFCC) and will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.

- The project will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.
- The project will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.
- The project will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.
- The project will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.
- The project will provide training and technical assistance to the unemployed and underemployed in Santa Fe County.

For more information, contact the Santa Fe Community College (SFCC) at 505-833-1234.

The Santa Fe Community College (SFCC) is a public institution of higher learning located in Santa Fe, New Mexico.

For more information, contact the Santa Fe Community College (SFCC) at 505-833-1234.

The Santa Fe Community College (SFCC) is a public institution of higher learning located in Santa Fe, New Mexico.

The Santa Fe Community College (SFCC) is a public institution of higher learning located in Santa Fe, New Mexico.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Mary Jessica Antonia Bunker

address 540 Camino de Higinio - Los Lunas, NM 87031

[Faint, illegible text, likely bleed-through from the reverse side of the page]

Trais Kiphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Juan Reynosa

address 312 Arno NE, ABO, NM 87102

Juan Reynosa
312 Arns NE
ABQ, NM 87102

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

J. W. Wachemano

address

P.O. Box 407, Acoma, NM 87034

[Faint, illegible text, likely bleed-through from the reverse side of the page]

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Teddy Nez Teddy Nez

address Po Box 4346, Gallup NM 87305

Handwritten notes:
5/1/2013
2012 NM 87505

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP



The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Rose Marie Celchini, MM
Office of Life, Peace, Justice + Creation Stewardship
Catholic Charities
address 506 W. Highway 66, Gallup, NM 87301

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP



The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Robert Tohe

address 408 E. Route 66, Flagstaff AZ 86001

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Don Hyde

address

113 E. Logan Ave. Gallup NM 87301



Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Michael Ove

address PO Box 11014, Window Rock, AZ 86515



Special Outgoing News Item

The Department has been notified by the Bureau of Land Management that the following information is being provided to you for your information.

With respect to the proposed action, the Department has been advised that the following information is being provided to you for your information.

What action is being proposed? The proposed action is to... The Department has been advised that the following information is being provided to you for your information.

What is the purpose of the proposed action? The purpose of the proposed action is to... The Department has been advised that the following information is being provided to you for your information.

How can you comment on the proposed action? You may comment on the proposed action by... The Department has been advised that the following information is being provided to you for your information.

When will the proposed action be implemented? The proposed action is expected to be implemented by... The Department has been advised that the following information is being provided to you for your information.

How can you obtain more information? You may obtain more information by... The Department has been advised that the following information is being provided to you for your information.

What are the contact details for the Department? The contact details for the Department are... The Department has been advised that the following information is being provided to you for your information.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Mary Rose Korduner

address PO Box 2933 Fort Defiance AZ 86504

Special (but significant) flow sheet: NMED on 1/19/94

The following is a copy of the letterhead memorandum (LHM) dated 1/19/94, prepared by the NMED staff, regarding the proposed rulemaking for the NMED's new water quality standards for the state of New Mexico.

The NMED staff has reviewed the proposed rulemaking and has identified several areas that require further clarification. The NMED staff is requesting that you provide the following information:

- 1. A copy of the proposed rulemaking, including all supporting documents.
- 2. A copy of the NMED's current water quality standards for the state of New Mexico.
- 3. A copy of the NMED's current water quality standards for the state of New Mexico, including all supporting documents.
- 4. A copy of the NMED's current water quality standards for the state of New Mexico, including all supporting documents.

The NMED staff is requesting that you provide the information requested above by the date indicated below.

The NMED staff is requesting that you provide the information requested above by the date indicated below.

The NMED staff is requesting that you provide the information requested above by the date indicated below.

The NMED staff is requesting that you provide the information requested above by the date indicated below.

The NMED staff is requesting that you provide the information requested above by the date indicated below.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name

Tomasita Gonzalez

address

1743 Valley Rd SW
ABQ NM 87105

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP 2012

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Monica Cheyenne Beardsley

address 924 Edith NE
Albuquerque, NM 87102

2015 New Mexico State Budget

The 2015 New Mexico State Budget is a comprehensive plan for the state's fiscal year 2015. It outlines the state's revenue sources, expenditures, and the state's fiscal goals for the year.

The budget is divided into several major categories, including: Education, Health, Transportation, and Public Safety. Each category includes a detailed breakdown of the state's spending and revenue for that area.

The budget also includes a section on the state's debt and capital spending. It details the state's borrowing needs and its plans for investing in infrastructure and other capital projects.

The budget is a key document for the state's residents and businesses. It provides a clear picture of the state's financial health and its plans for the future.

The budget is subject to review and approval by the state's legislature. It is a critical part of the state's governance and a key tool for managing the state's resources.

The budget is a complex document that requires careful analysis and interpretation. It is a key tool for understanding the state's financial future.

The budget is a key document for the state's residents and businesses. It provides a clear picture of the state's financial health and its plans for the future.

The budget is a key document for the state's residents and businesses. It provides a clear picture of the state's financial health and its plans for the future.

The budget is a key document for the state's residents and businesses. It provides a clear picture of the state's financial health and its plans for the future.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505

Speak Out Against More "Hot" Waste at WIPP

The Department of Energy (DOE) wants to bring more "hot" Remote-Handled (RH) transuranic (plutonium-contaminated or TRU) waste to the Waste Isolation Pilot Plant (WIPP) without providing adequate justification and without an opportunity for a public hearing.

What are DOE's Plans?

DOE has submitted a *Permit Modification Request - Addition of a Shielded Container* to the New Mexico Environment Department (NMED) so that DOE can transport and dispose of RH waste in lead shielded containers. RH waste would continue to be shipped and disposed in large canisters in the walls of the underground rooms, as has been done since January 2007. If the NMED approves the request, RH waste in shielded containers could be trucked to WIPP and emplaced on the floor in the underground rooms along with Contact-Handled (CH) TRU waste.

What are concerns about shielded containers?

- The amount of RH waste shipped to WIPP, stored aboveground, and disposed underground would substantially increase.
- Contrary to what DOE says, shielded containers cannot be handled the same as CH waste. Shielded containers that are damaged or leaking might not be able to be placed in over-pack containers without exposing workers and the public.
- DOE also plans to use shielded containers for hotter commercial waste, expanding WIPP beyond its legal limit of 175,564 cubic meters of TRU waste.
- Shielded containers have never been used. NMED denied a similar request on January 31, 2012 because of public opposition and the inadequacies of the request.

What Can I Do?

Submit written comments to: Trais Kliphuis, NMED, 2905 Rodeo Park Drive East, Building 1, Santa Fe, NM 87505 by **September 10, 2012**.

Use the sample comments below, or write whatever you want.

Thank you!

Dear Trais Kliphuis:

I am very concerned about shielded containers. They would expand the space available at WIPP for remote-handled waste that is dangerous to transport, store, and dispose. Despite what the Department of Energy says, shielded containers could not be handled like contact-handled waste because damaged or leaking containers could be too radioactive to over-pack.

The shielded containers request once again is not a proper class 2 permit modification. I request a public hearing and that shielded containers be a class 3 modification so that there would be more extensive public comment and an opportunity for a hearing.

name Maceo C. Martinez

address 2105 Osuna Rd NE, Albuquerque, NM

Speak Out Against More "Pilot" Trucks on I-25

The Department of Transportation (DOT) wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

DOT has a plan to allow more trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone. DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

- The amount of trucks on I-25 is already too high. Adding more trucks will cause traffic jams and air pollution.
- DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution.
- DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution.
- DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution.
- DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution.

With CVD, DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

The Department of Transportation (DOT) wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

With CVD, DOT wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

I have a question about the DOT's plan to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

The Department of Transportation (DOT) wants to bring back "pilot" trucks on I-25. This is a bad idea because it will cause traffic jams and air pollution. We need to keep the highway clear for everyone.

Trais Kliphuis
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505