



Department of Energy

Carlsbad Field Office
P. O. Box 3090
Carlsbad, New Mexico 88221

DEC 20 2017



ENTERED

DEC 21 2017

Mr. John E. Kieling, Chief
Hazardous Waste Bureau
New Mexico Environment Department
2905 Rodeo Park Drive East, Building 1
Santa Fe, NM 87505-6303

Subject: Request for the Review and Approval of AMWTP Audit Reports

Dear Mr. Kieling:

The Carlsbad Field Office (CBFO) Office of Quality Assurance conducted Surveillance S-18-16 to re-evaluate the indeterminate condition identified during Audit A-17-04, specifically a re-evaluation of the Enhanced Acceptable Knowledge (AK) process. The surveillance concluded that the indeterminate condition regarding AK identified in Audit A-17-04 has been found to be adequately implemented by Advance Mixed Waste Treatment Project (AMWTP). Based on the completion and results of S-18-16, we are respectfully requesting the New Mexico Environment Department to review and approve the outstanding AMWTP audit reports.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

Please contact the CBFO Director of the Office of Quality Assurance, Mr. Michael R. Brown, at (575) 234-7476 should you have any questions concerning this request.

Sincerely,

Todd Shrader, Manager
Carlsbad Field Office



Mr. John E. Kieling

-2-

DEC 20 2017

cc:

R. Murray, EM-3.113	*ED
J. Carswell, CBFO	ED
M. Brown, CBFO	ED
D.C. Gadbury, CBFO	ED
J.R. Stroble, CBFO	ED
G. Basabilvazo, CBFO	ED
A. Stone, CBFO	ED
M. Navarrete, CBFO	ED
D. Miehl, CBFO	ED
M. Fineran, CBFO	ED
M. Stapleton, CBFO	ED
N. Castaneda, CBFO	ED
H. Cruickshank, CBFO	ED
J. Malmo, DOE-ID	ED
J. Zimmerman, DOE-ID	ED
T. Jenkins, DOE-ID	ED
J. VanVliet, DOE-ID	ED
D. Pruitt, DOE-ID	ED
G. Byram, AMWTP	ED
J. McCoy, AMWTP	ED
E. Gulbransen, AMWTP	ED
E. Dumas, AMWTP	ED
J. Floerke, AMWTP	ED
A. Morse, AMWTP	ED
G. Tedford, AMWTP	ED
J. Ellis, EPA	ED
T. Peake, EPA	ED
E. Feltcorn, EPA	ED
R. Joglekar, EPA	ED
R. Maestas, NMED	ED
D. Biswell, NMED	ED
H. Tellez, NMED	ED
T. Runyon, CTAC	ED
P. Martinez, CTAC	ED
C. Castillo, CTAC	ED
M. Leroy, CTAC	ED
J. Vernon, CTAC	ED
D. Harvill, CTAC	ED
G. White, CTAC	ED
R. Chavez, RES	ED
A. Urquidez, RES	ED

CBFO QA File

CBFO M&RC

*ED denotes electronic distribution