




ENTERED

Department of Energy  
Carlsbad Field Office  
P. O. Box 3090  
Carlsbad, New Mexico 88221



APR 30 2018

Mr. John E. Kieling, Chief  
Hazardous Waste Bureau  
New Mexico Environment Department  
2905 Rodeo Park Drive East, Building 1  
Santa Fe, New Mexico 87505-6303

Subject: Carlsbad Field Office Procedure Change Report for March 2018

Dear Mr. Kieling:

This letter is to transmit the Carlsbad Field Office (CBFO) monthly summary of changes to plans and procedures. The enclosed report identifies the procedures which were changed and submitted to the CBFO for review and approval during the period of March 1, 2018 through March 31, 2018. This notification is transmitted pursuant to the requirements contained in the WIPP Hazardous Waste Facility Permit (HWFP), Attachment C3, Section C3-9 *Changes to WAP-Related Plans or Procedures*.

We certify under penalty of law that this document and all attachments were prepared under our direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on our inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of our knowledge and belief, true, accurate, and complete. We are aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

If you have any questions, please contact Mr. Kenneth E. Princen, Assistant Manager of the National TRU Program Compliance Division at (575) 234-7053.

Sincerely,

*Todd Shrader*  
Todd Shrader, Manager  
Carlsbad Field Office

*Bruce Covert*  
Bruce Covert  
President and Project Manager  
Nuclear Waste Partnership LLC

Enclosure

cc: w/enclosure  
R. Maestas, NMED \*ED  
D. Biswell, NMED ED  
H. Tellez, NMED ED  
M. McLean, NMED ED  
WIPP Operating Record ED  
CBFO:ONTP:KEP:RB:18-0631: UFC 5486.00



# Data Quality Affecting Procedures and Documents - March 2018

---

CBFO letter#	CBFO Approval Date	Document	Title
18-0631	March 21, 2018	CCP-TP-028, Revision 11,	CCP Radiographic Training Container Construction

---

(This Procedure was revised to clarify the training containers requirements for the assembly of nondestructive examination (NDE). A single training container may represent both a contact-handled (CH) and a remote-handled (RH) waste stream. In addition, this procedure provides the instruction for assembling training containers that reflect the waste stream description of one or more of the waste streams