

## **WIPP Hazardous Waste Facility Permit - Table of Contents**

### **List of Parts**

#### **PART 1 - GENERAL PERMIT CONDITIONS**

- 1.1 AUTHORITY
- 1.2 EFFECT OF PERMIT
- 1.3 PERMIT ACTIONS
  - 1.3.1 Permit Modification, Suspension, and Revocation
  - 1.3.2 Permit Renewal
  - 1.3.3 Permit Review
- 1.4 SEVERABILITY
- 1.5 DEFINITIONS
  - 1.5.1 Contact-handled Transuranic Mixed Waste
  - 1.5.2 Remote-handled Transuranic Mixed Waste
  - 1.5.3 Facility
  - 1.5.4 Permittees
  - 1.5.5 Secretary
  - 1.5.6 TRU Waste
  - 1.5.7 TRU Mixed Waste
  - 1.5.8 Contact Handled Packages
  - 1.5.9 Remote-Handled Packages
  - 1.5.10 Containment Pallet
  - 1.5.11 Waste Characterization
  - 1.5.12 Waste Confirmation
  - 1.5.13 Substantial Barrier
  - 1.5.14 Bulkhead
  - 1.5.15 Explosion-Isolation Wall
  - 1.5.16 Filled Panel
  - 1.5.17 Internal Container
  - 1.5.18 Observable Liquid
  - 1.5.19 Filled Room
  - 1.5.20 Active Room
  - 1.5.21 TRU Mixed Waste RCRA Volume
  - 1.5.22 Land Withdrawal Act TRU Waste Volume
- 1.6 EFFECT OF INACCURACIES IN PERMIT APPLICATION
- 1.7 DUTIES AND REQUIREMENTS
  - 1.7.1 Duty to Comply
  - 1.7.2 Permit Term
  - 1.7.3 Duty to Reapply
  - 1.7.4 Continuation of Expiring Permits
  - 1.7.5 Need to Halt or Reduce Activity Not a Defense
  - 1.7.6 Duty to Mitigate
  - 1.7.7 Proper Operation and Maintenance
  - 1.7.8 Duty to Provide Information

- 1.7.9 Inspection and Entry
  - 1.7.9.1 Entrance to Premises
  - 1.7.9.2 Access to Records
  - 1.7.9.3 Inspection
  - 1.7.9.4 Sampling
- 1.7.10 Monitoring and Records
  - 1.7.10.1 Representative Sampling
  - 1.7.10.2 Record Retention
  - 1.7.10.3 Monitoring Records Contents
- 1.7.11 Reporting Requirements
  - 1.7.11.1 Reporting Planned Changes
  - 1.7.11.2 Reporting Anticipated Noncompliance
- 1.7.12 Transfer of Permits
- 1.7.13 24 Hour and Subsequent Reporting
  - 1.7.13.1 Oral Report
  - 1.7.13.2 Description of Occurrence
  - 1.7.13.3 Written Notice
  - 1.7.13.4 Contingency Plan Implementation
- 1.7.14 Other Noncompliance
- 1.7.15 Other Information
- 1.8 ADMISSIBILITY OF DATA
- 1.9 SIGNATORY REQUIREMENT
- 1.10 SUBMITTAL OF REPORTS, NOTIFICATIONS, AND INFORMATION TO THE SECRETARY
  - 1.10.1 Information Submittal
  - 1.10.2 Approval of Submittals
  - 1.10.3 Extension of Time
- 1.11 PUBLIC E-MAIL NOTIFICATION LIST
- 1.12 CONFIDENTIAL INFORMATION
- 1.13 DOCUMENTS TO BE MAINTAINED AT THE FACILITY
- 1.14 INFORMATION REPOSITORY
  - 1.14.1 Requirement for Information Repository
  - 1.14.2 Contents of Information Repository
  - 1.14.3 Index of Information Repository
  - 1.14.4 Notification to Public of Information Repository
- 1.15 COMMUNITY RELATIONS PLAN
  - 1.15.1 Requirement for Community Relations Plan
  - 1.15.2 Contents of Community Relations Plan
  - 1.15.3 Government to Government Consultation
  - 1.15.4 Initial Consultation on Community Relations Plan
  - 1.15.5 Annual Compilation of Comments on Community Relations Plan
- 1.16 DISPUTE RESOLUTION
  - 1.16.1 Applicability
  - 1.16.2 Notice to NMED

- 1.16.3 Tier I - Informal Negotiations
- 1.16.4 Tier II - Final Decision of the Secretary
- 1.16.5 Actions Not Affected by Dispute
- 1.16.6 E-Mail Notifications

## **PART 2 - GENERAL FACILITY CONDITIONS**

- 2.1 DESIGN AND OPERATION OF FACILITY
- 2.2 WASTE SOURCES
  - 2.2.1 Off-site Wastes
  - 2.2.2 Required Notification to Off-Site Sources
- 2.3 GENERAL WASTE ANALYSIS
  - 2.3.1 Waste Analysis Plan
    - 2.3.1.1 Implementation of Requirements
    - 2.3.1.2 Waste Characterization Testing Methods
    - 2.3.1.3 Waste Sampling and Analysis Methods
    - 2.3.1.4 Quality Assurance Objectives
    - 2.3.1.5 Acceptable Knowledge
    - 2.3.1.6 Quality Assurance
    - 2.3.1.7 WIPP Waste Information System (**WWIS**) Database
  - 2.3.2 Audit and Surveillance Program
    - 2.3.2.1 Requirement to Audit
    - 2.3.2.2 Observation of Audits and Generator Site Technical Reviews
    - 2.3.2.3 Final Audit Report
    - 2.3.2.4 Secretary Notification of Approval
  - 2.3.3 Treatment, Storage, and Disposal Facility Waste Acceptance Criteria (**TSDF-WAC**)
    - 2.3.3.1 Liquid
    - 2.3.3.2 Pyrophoric Materials
    - 2.3.3.3 Non-mixed Hazardous Wastes
    - 2.3.3.4 Chemical Incompatibility
    - 2.3.3.5 Explosives and Compressed Gases
    - 2.3.3.6 PCB Waste
    - 2.3.3.7 Ignitable, Corrosive, and Reactive Wastes
    - 2.3.3.8 Excluded Waste
    - 2.3.3.9 Unconfirmed Waste
    - 2.3.3.10 Waste Stream Profiles
  - 2.3.4 Permitted TRU Mixed Wastes
  - 2.3.5 Derived Waste
- 2.4 WASTE MINIMIZATION PROGRAM
- 2.5 DUST SUPPRESSION
- 2.6 SECURITY
  - 2.6.1 24-Hour Surveillance System
  - 2.6.2 Barrier

- 2.6.3 Means to Control Entry
- 2.6.4 Warning Signs
- 2.7 GENERAL INSPECTION REQUIREMENTS
  - 2.7.1 Inspection Schedule
  - 2.7.2 Inspection Log Forms
  - 2.7.3 Inspection Frequency
  - 2.7.4 Inspection Remediation
  - 2.7.5 Inspection Records
- 2.8 PERSONNEL TRAINING
  - 2.8.1 Personnel Training Content
  - 2.8.2 Personnel Training Requirements
  - 2.8.3 Personnel Training Records
  - 2.8.4 Continuing Training
- 2.9 GENERAL REQUIREMENTS FOR HANDLING IGNITABLE, CORROSIVE, REACTIVE, OR INCOMPATIBLE WASTES
- 2.10 PREPAREDNESS AND PREVENTION
  - 2.10.1 Required Equipment
    - 2.10.1.1 Internal Communications
    - 2.10.1.2 External Communications
    - 2.10.1.3 Emergency Equipment
    - 2.10.1.4 Water for Fire Control
    - 2.10.1.5 Electrical Backup
  - 2.10.2 Testing and Maintenance of Equipment
  - 2.10.3 Access to Communications or Alarm System
  - 2.10.4 Required Aisle Space
  - 2.10.5 Arrangements with Local Authorities
    - 2.10.5.1 Parties to Arrangements
    - 2.10.5.2 Coordination Agreements
  - 2.10.6 Live Fire Extinguisher Training
- 2.11 HAZARDS PREVENTION
- 2.12 CONTINGENCY PLAN
  - 2.12.1 Implementation of Plan
  - 2.12.2 Copies of Plan
  - 2.12.3 Amendments to Plan
  - 2.12.4 Emergency Coordinator
- 2.13 MANIFEST SYSTEM
- 2.14 RECORDKEEPING AND REPORTING
  - 2.14.1 Operating Record
  - 2.14.2 Biennial Report
  - 2.14.3 Repository Siting Annual Report

### **PART 3 - CONTAINER STORAGE**

- 3.1 DESIGNATED CONTAINER STORAGE UNITS
  - 3.1.1 Waste Handling Building Container Storage Unit
    - 3.1.1.1 Storage Containers

- 3.1.1.2 Storage Locations and Quantities
- 3.1.1.3 Use of CH Bay Surge Storage
- 3.1.1.4 Notification of CH Bay Surge Storage Use
- 3.1.1.5 Storage on Pallets
- 3.1.1.6 Storage of Derived Waste
- 3.1.1.7 CH TRU Mixed Waste Storage Time Limit
- 3.1.1.8 Minimum Aisle Space
- 3.1.1.9 Storage of RH TRU Mixed Waste Containers
- 3.1.1.10 RH TRU Mixed Waste Storage Time Limit
- 3.1.1.11 Hot Cell RH TRU Mixed Waste Processing Capacity
- 3.1.2 Parking Area Container Storage Unit
  - 3.1.2.1 Storage Containers
  - 3.1.2.2 Storage Locations and Quantities
  - 3.1.2.3 Use of Parking Area Surge Storage
  - 3.1.2.4 Notification of Parking Area Surge Storage Use
  - 3.1.2.5 Prohibition on Opening Shipping Containers
  - 3.1.2.6 Storage Time Limit
  - 3.1.2.7 Minimum Aisle Space
- 3.2 PERMITTED AND PROHIBITED WASTE IDENTIFICATION
  - 3.2.1 Permitted Waste
    - 3.2.1.1 Waste Analysis Plan
    - 3.2.1.2 TSDF Waste Acceptance Criteria
    - 3.2.1.3 Hazardous Waste Numbers
  - 3.2.2 Prohibited Waste
- 3.3 CONDITION OF CONTAINERS
  - 3.3.1 Acceptable Storage Containers
    - 3.3.1.1 Standard 55-gallon (208-liter) Drum
    - 3.3.1.2 Standard Waste Box (**SWB**)
    - 3.3.1.3 Ten-drum Overpack (**TDOP**)
    - 3.3.1.4 85-gallon (322-liter) Drum
    - 3.3.1.5 100-gallon (379-liter) Drum
    - 3.3.1.6 RH TRU Canister
    - 3.3.1.7 Standard Large Box 2 (**SLB2**)
    - 3.3.1.8 Shielded Container
  - 3.3.2 Derived Waste Containers
- 3.4 COMPATIBILITY OF WASTE WITH CONTAINERS
- 3.5 MANAGEMENT OF CONTAINERS
- 3.6 CONTAINMENT SYSTEMS
- 3.7 INSPECTION SCHEDULES AND PROCEDURES
  - 3.7.1 Inspection of 55-Gallon Drum Seven-Packs
  - 3.7.2 Inspection of Sealed Contact-Handled or Remote-Handled Packages
- 3.8 RECORDKEEPING

## **PART 4 - GEOLOGIC REPOSITORY DISPOSAL**

- 4.1 DESIGNATED DISPOSAL UNITS
  - 4.1.1 Underground Hazardous Waste Disposal Units
    - 4.1.1.1 Disposal Containers
    - 4.1.1.2 Disposal Locations and Quantities
- 4.2 PERMITTED AND PROHIBITED WASTE IDENTIFICATION
  - 4.2.1 Permitted Waste
    - 4.2.1.1 Waste Analysis Plan
    - 4.2.1.2 TSDF Waste Acceptance Criteria
    - 4.2.1.3 Hazardous Waste Numbers
    - 4.2.1.4 Prioritization and Risk Reduction of New Mexico Waste
    - 4.2.1.5 Legacy TRU Waste Disposal Plan
  - 4.2.2 Prohibited Waste
    - 4.2.2.1 General Prohibition
    - 4.2.2.2 Specific Prohibition
- 4.3 DISPOSAL CONTAINERS
  - 4.3.1 Acceptable Disposal Containers
    - 4.3.1.1 Standard 55-gallon (208-liter) Drum
    - 4.3.1.2 Standard Waste Box (**SWB**)
    - 4.3.1.3 Ten-drum Overpack (**TDOP**)
    - 4.3.1.4 85-gallon (322-liter) Drum
    - 4.3.1.5 100-gallon (379-liter) Drum
    - 4.3.1.6 RH TRU Canister
    - 4.3.1.7 Standard Large Box 2 (**SLB2**)
    - 4.3.1.8 Shielded Container
  - 4.3.2 Condition of Containers
- 4.4 VOLATILE ORGANIC COMPOUND LIMITS
  - 4.4.1 Room-Based Limits
  - 4.4.2 Determination of VOC Room-Based Limits
- 4.5 DESIGN, CONSTRUCTION, AND OPERATION REQUIREMENTS
  - 4.5.1 Repository Design
  - 4.5.2 Repository Construction
    - 4.5.2.1 Construction Requirements
    - 4.5.2.2 Notification Requirements
  - 4.5.3 Repository Operation
    - 4.5.3.1 Underground Traffic Flow
    - 4.5.3.2 Ventilation
    - 4.5.3.3 Ventilation Barriers
- 4.6 MAINTENANCE AND MONITORING REQUIREMENTS
  - 4.6.1 Geomechanical Monitoring
    - 4.6.1.1 Implementation of Geomechanical Monitoring Program
    - 4.6.1.2 Reporting Requirements
    - 4.6.1.3 Notification of Adverse Conditions

- 4.6.2 Repository Volatile Organic Compound Monitoring
  - 4.6.2.1 Implementation of Repository VOC Monitoring
  - 4.6.2.2 Reporting Requirements
  - 4.6.2.3 Notification Requirements
  - 4.6.2.4 Remedial Action
- 4.6.3 Disposal Room Volatile Organic Compound Monitoring
  - 4.6.3.1 Implementation of Disposal Room VOC Monitoring
  - 4.6.3.2 Notification Requirements
  - 4.6.3.3 Remedial Action
- 4.6.4 Mine Ventilation Rate Monitoring
  - 4.6.4.1 Implementation of Mine Ventilation Rate Monitoring Plan
  - 4.6.4.2 Reporting Requirements
  - 4.6.4.3 Notification Requirements
- 4.7 INSPECTION SCHEDULES AND PROCEDURES
- 4.8 RECORDKEEPING
  - 4.8.1 Underground HWDU Location Map
  - 4.8.2 Disposal Waste Type and Location
  - 4.8.3 Ventilation Rate

## **PART 5 - GROUNDWATER DETECTION MONITORING**

- 5.1 DETECTION MONITORING PROGRAM
- 5.2 IDENTIFICATION OF POINT OF COMPLIANCE
- 5.3 WELL LOCATION, MAINTENANCE, AND PLUGGING AND ABANDONING
  - 5.3.1 Well Locations
  - 5.3.2 Well Maintenance
  - 5.3.3 Well Plugging and Abandoning
- 5.4 DETECTION MONITORING PROGRAM PARAMETERS AND CONSTITUENTS
- 5.5 SAMPLING AND ANALYSIS PROCEDURES
  - 5.5.1 Sample Collection Procedures
  - 5.5.2 Sample Preservation and Shipment Procedures
  - 5.5.3 Analytical Procedures
  - 5.5.4 Chain of Custody Procedures
- 5.6 BACKGROUND GROUNDWATER QUALITY
- 5.7 GROUNDWATER SURFACE ELEVATION DETERMINATION
  - 5.7.1 DMP Groundwater Surface Elevation Determination
  - 5.7.2 Regional Groundwater Surface Elevation Determination
- 5.8 GROUNDWATER FLOW DETERMINATION
- 5.9 DATA EVALUATION
  - 5.9.1 Statistical Procedures
  - 5.9.2 Groundwater Quality Determination
  - 5.9.3 Data Evaluation

- 5.9.4 Data Evaluation Timeframe
- 5.10 RECORDKEEPING AND REPORTING
  - 5.10.1 Operating Record Requirements
  - 5.10.2 Submittal of Results
    - 5.10.2.1 Data Evaluation Results
    - 5.10.2.2 Groundwater Surface Elevation Results
    - 5.10.2.3 Groundwater Flow Results
  - 5.10.3 Determination of Contamination
    - 5.10.3.1 Notification
    - 5.10.3.2 Appendix IX Sampling
    - 5.10.3.3 Verification Sampling
    - 5.10.3.4 Submittal of Compliance Monitoring Program
    - 5.10.3.5 Submittal of Additional Information
  - 5.10.4 Demonstration of Outside Contamination
    - 5.10.4.1 Notification
    - 5.10.4.2 Submittal of Demonstration
    - 5.10.4.3 Submittal of Modification Request
    - 5.10.4.4 Continued Monitoring
- 5.11 REQUEST FOR PERMIT MODIFICATION

## **PART 6 - CLOSURE REQUIREMENTS**

- 6.1 OVERVIEW
- 6.2 PERFORMANCE STANDARD
- 6.3 AMENDMENT TO CLOSURE PLAN
- 6.4 NOTIFICATION OF CLOSURE
- 6.5 TIME ALLOWED FOR CLOSURE
  - 6.5.1 Partial Closure
  - 6.5.2 Final Facility Closure
- 6.6 DISPOSAL OR DECONTAMINATION OF EQUIPMENT,  
STRUCTURES, AND SOILS
- 6.7 CERTIFICATION OF CLOSURE
- 6.8 SURVEY PLAT
- 6.9 CLOSURE OF PERMITTED CONTAINER STORAGE UNITS
- 6.10 CLOSURE OF PERMITTED DISPOSAL UNITS
  - 6.10.1 Panel Closure
  - 6.10.2 Repository Closure
  - 6.10.3 Repository Post-Closure

## **PART 7 - POST-CLOSURE CARE PLAN**

- 7.1 OVERVIEW
- 7.2 UNIT IDENTIFICATION
- 7.3 POST-CLOSURE PROCEDURES AND USE OF PROPERTY
  - 7.3.1 Post-Closure Plan
  - 7.3.2 Post-Closure Care and Monitoring



- 7.3.2.1 General Monitoring, Inspection, and Maintenance Requirements
    - 7.3.2.2 Air Monitoring Requirements
    - 7.3.2.3 Detection Monitoring Program
  - 7.3.3 Security
  - 7.3.4 Post-Closure Disturbance
- 7.4 NOTICES AND CERTIFICATION
  - 7.4.1 Disposal Unit Records
  - 7.4.2 Deed Notice
    - 7.4.2.1 Deed Recordation
    - 7.4.2.2 Certification
  - 7.4.3 Removal of Wastes or Contaminated Soils
  - 7.4.4 Completion of Post-Closure Care
- 7.5 POST-CLOSURE PERMIT MODIFICATIONS
  - 7.5.1 Changes Requiring a Permit Modification
    - 7.5.1.1 Operating Plans
    - 7.5.1.2 Timing of Closure
    - 7.5.1.3 Other Events
  - 7.5.2 Timing of Permit Modification

## **PART 8 - CORRECTIVE ACTION FOR SWMUs and AOCs**

- 8.1 APPLICABILITY
- 8.2 CONTAMINATION BEYOND THE FACILITY BOUNDARY
- 8.3 CORRECTIVE ACTION ALREADY COMPLETED
- 8.4 NOTIFICATION AND ASSESSMENT FOR NEWLY IDENTIFIED SWMUS AND AOCs
- 8.5 NOTIFICATION REQUIREMENTS FOR NEWLY DISCOVERED RELEASES FROM SWMUS OR AOCs
- 8.6 RELEASE ASSESSMENT
  - 8.6.1 Release Assessment Report
  - 8.6.2 Requirement to Proceed
- 8.7 INTERIM MEASURES
  - 8.7.1 Secretary-Initiated Interim Measures
  - 8.7.2 Permittee-Initiated Interim Measures
  - 8.7.3 Emergency Interim Measures
  - 8.7.4 IM Work Plan Requirements
  - 8.7.5 Interim Measures Implementation
    - 8.7.5.1 Implementation and Completion of Approved IM Work Plan
    - 8.7.5.2 Notification of Changes
  - 8.7.6 Interim Measures Reports
- 8.8 CORRECTIVE ACTION INVESTIGATIONS
  - 8.8.1 Investigation Work Plan
    - 8.8.1.1 Investigation Work Plan Submittal
    - 8.8.1.2 Investigation Work Plan Requirements

	8.8.1.3	Historical Documents
8.8.2		Investigation Work Plan Implementation
8.8.3		Corrective Action Investigation Reports
	8.8.3.1	Cleanup Levels
	8.8.3.2	Requirement to Proceed
8.9		RISK ASSESSMENT
8.10		CORRECTIVE MEASURES EVALUATION
	8.10.1	General
	8.10.2	Corrective Measures Evaluation Report
	8.10.3	Cleanup Standards
	8.10.4	Remedy Evaluation Criteria
		8.10.4.1 Threshold Criteria
		8.10.4.2 Remedial Alternative Evaluation Criteria
	8.10.5	Approval of Corrective Measures Evaluation Report
	8.10.6	Relationship to Corrective Action Requirements
	8.10.7	Statement of Basis
8.11		CORRECTIVE MEASURES IMPLEMENTATION
	8.11.1	General
	8.11.2	Corrective Measures Implementation Plan
	8.11.3	Health and Safety Plan
	8.11.4	Progress Reports
	8.11.5	Remedy Completion
		8.11.5.1 Remedy Completion Report
8.12		ACCELERATED CLEANUP PROCESS
	8.12.1	Accelerated Corrective Measures Work Plan
	8.12.2	Accelerated Corrective Measures Implementation
8.13		CLEANUP LEVELS
	8.13.1	Ground Water Cleanup Levels
	8.13.2	Soil Cleanup Levels
	8.13.3	Land Use Determination
	8.13.4	Surface Water Cleanup Levels
	8.13.5	Ecological Risk Cleanup Levels
	8.13.6	Background Concentrations
	8.13.7	Variance from Cleanup Levels
		8.13.7.1 WQCC Standards
		8.13.7.2 Soil Standards and Non-WQCC Ground Water Standards
8.14		REPORTING REQUIREMENTS
	8.14.1	Investigation Work Plan
		8.14.1.1 Title Page
		8.14.1.2 Executive Summary (Abstract)
		8.14.1.3 Table of Contents
		8.14.1.4 Introduction
		8.14.1.5 Background
		8.14.1.6 Site Conditions

- 8.14.1.7 Scope of Activities
- 8.14.1.8 Investigation Methods
- 8.14.1.9 Monitoring and Sampling
- 8.14.1.10 Schedule
- 8.14.1.11 Tables
- 8.14.1.12 Figures
- 8.14.1.13 Appendices
- 8.14.2 Investigation Report
  - 8.14.2.1 Title Page
  - 8.14.2.2 Executive Summary (Abstract)
  - 8.14.2.3 Table of Contents
  - 8.14.2.4 Introduction
  - 8.14.2.5 Background
  - 8.14.2.6 Scope of Activities
  - 8.14.2.7 Field Investigation Results
  - 8.14.2.8 Regulatory Criteria
  - 8.14.2.9 Site Contamination
  - 8.14.2.10 Conclusions
  - 8.14.2.11 Recommendations
  - 8.14.2.12 Tables
  - 8.14.2.13 Figures
  - 8.14.2.14 Appendices
- 8.14.3 Periodic Monitoring Report
  - 8.14.3.1 Title Page
  - 8.14.3.2 Executive Summary (Abstract)
  - 8.14.3.3 Table of Contents
  - 8.14.3.4 Introduction
  - 8.14.3.5 Scope of Activities
  - 8.14.3.6 Regulatory Criteria
  - 8.14.3.7 Monitoring Results
  - 8.14.3.8 Analytical Data Results
  - 8.14.3.9 Remediation System Monitoring
  - 8.14.3.10 Summary
  - 8.14.3.11 Tables
  - 8.14.3.12 Figures
  - 8.14.3.13 Appendices
- 8.14.4 Risk Assessment Report
  - 8.14.4.1 Title Page
  - 8.14.4.2 Executive Summary (Abstract)
  - 8.14.4.3 Table of Contents
  - 8.14.4.4 Introduction
  - 8.14.4.5 Background
  - 8.14.4.6 Conceptual Site Model
  - 8.14.4.7 Risk Screening Levels
  - 8.14.4.8 Risk Assessment Results

- 8.14.4.9 Conclusions and Recommendations
- 8.14.4.10 Tables
- 8.14.4.11 Figures
- 8.14.4.12 Appendices
- 8.14.5 Corrective Measures Evaluation Report
  - 8.14.5.1 Title Page
  - 8.14.5.2 Executive Summary (Abstract)
  - 8.14.5.3 Table of Contents
  - 8.14.5.4 Introduction
  - 8.14.5.5 Background
  - 8.14.5.6 Site Conditions
  - 8.14.5.7 Potential Receptors
  - 8.14.5.8 Regulatory Criteria
  - 8.14.5.9 Identification of Corrective Measures Options
  - 8.14.5.10 Evaluation of Corrective Measures Options
  - 8.14.5.11 Selection of Preferred Corrective Measure
  - 8.14.5.12 Design Criteria to Meet Cleanup Objectives
  - 8.14.5.13 Schedule
  - 8.14.5.14 Tables
  - 8.14.5.15 Figures
  - 8.14.5.16 Appendices
- 8.15 REFERENCES

## List of Attachments

- A General Facility Description and Process Information
  - A1 Container Storage
  - A2 Geologic Repository
  - A3 Traffic Patterns
- B Hazardous Waste Permit Application Part A
- C Waste Analysis Plan
  - C1 Waste Characterization Sampling Methods
  - C2 (Reserved)
  - C3 Quality Assurance Objectives and Data Validation Techniques for Waste Characterization Methods
  - C4 TRU Mixed Waste Characterization Using Acceptable Knowledge
  - C5 Quality Assurance Project Plan Requirements
  - C6 Audit and Surveillance Program
  - C7 TRU Waste Confirmation
- D RCRA Contingency Plan
- E Inspection Schedule, Process and Forms
- F Facility Personnel Permit Training Program
- G Closure Plan
  - G1 WIPP Panel Closure Design Description and Specifications
    - G1-A Technical Specifications
    - G1-B Drawings
  - G2 Shaft Sealing System Compliance Submittal Design Report
    - G2-A Material Specification
    - G2-B Shaft Sealing Construction Procedures
    - G2-E Design Drawings
  - G3 Radiological Surveys to Indicate Potential Hazardous Waste Releases
- H Post-Closure Plan
  - H1 Active Institutional Controls During Post-closure
- I Compliance Schedule (Reserved)
- J Hazardous Waste Management Unit Tables
- K Solid Waste Management Unit (SWMU) and Area of Concern (AOC) Tables
- L WIPP Groundwater Detection Monitoring Program Plan
- M Figures
- N Volatile Organic Compound Monitoring Plan
- O WIPP Mine Ventilation Rate Monitoring Plan