



RECEIVED

Department of Energy
Albuquerque Operations Office
Waste Isolation Pilot Plant Project Office
P. O. Box 3090
Carlsbad, New Mexico 88221

*Elizabeth,
please keep on file
share w/ Hillert &
John Parker - Jmt*

SEP 05 1991

SEP 1991
RECEIVED
HAZARDOUS WASTE
PROGRAM

Ms. Judith M. Espinosa, Secretary
New Mexico Environment Department
P.O. Box 26110
Santa Fe, NM 87502

Dear Ms. Espinosa:

Enclosed is a copy of the Implementation of the Resource Disincentive in 40 CFR Part 191.14(e) at the Waste Isolation Pilot Plant, DOE/WIPP 91-029. The report is being provided to you to keep the New Mexico Environment Department informed concerning WIPP activities in relation to the resource disincentive issue.

If you have any questions or comments regarding this matter, please contact Jerry Carr of my staff.

Sincerely,

Arlen Hunt
Arlen Hunt
Project Manager

Enclosure

cc w/enclosure:
G. Gonzales, NMED (2)
P. McCasland, NMED/WIPP

Report in magazine file

cc w/o enclosure:
B. Garcia, NMED
K. Sisneros, NMED
J. Lytle, DOE-HQ
M. Frei, DOE-HQ
R. Wise, DOE-WPO
J. Mewhinney, DOE-WPO
J. Carr, DOE-WPO
R. Farrell, WID
C&C File

WIPP:JC I91-0094



910902

Rev'd
SEP 9 1991
gjb

**Implementation of the Resource
Disincentive in 40 CFR Part 191.14(e)
at the Waste Isolation Pilot Plant**



United States Department of Energy

**Waste Isolation Pilot Plant
Carlsbad, New Mexico**

August 1991

This material has been prepared by
Westinghouse WID for The
United States Department of Energy,
under Contract No. DE-AC04-86AL31950

**IMPLEMENTATION OF THE RESOURCE
DISINCENTIVE IN 40 CFR PART 191.14(e) AT THE
WASTE ISOLATION PILOT PLANT**

This material has been prepared by
Westinghouse WID for the
United States Department of Energy
under Contract No. DE-AC04-86AL31950

TABLE OF CONTENTS

<u>Section</u>	<u>Title</u>	<u>Page</u>
1.0	INTRODUCTION	1
	1.1 <u>Purpose</u>	1
	1.2 <u>Background</u>	4
2.0	DEVELOPMENT OF THE STANDARD	7
	2.1 <u>Development of the EPA Resources Assurance Requirement</u>	7
	2.2 <u>Comments Relative to Resources at the WIPP Site</u>	12
	2.2.1 Site Characterization and the Preparation of the Environmental Impact Statement	13
	2.2.2 DOE Resource Policy and the WIPP Natural Resources Study	19
	2.2.3 Resource Issues Addressed During the SPDV	23
	2.2.4 Natural Resource Considerations in NEPA Documentation Subsequent to the FEIS	29
	2.3 <u>Summary</u>	31
3.0	THE WIPP PROJECT	34
	3.1 <u>Location</u>	34
	3.2 <u>WIPP Mission</u>	34
	3.3 <u>Overview of the WIPP Project</u>	35
4.0	WIPP SITE SELECTION AND NATURAL RESOURCES	41
	4.1 <u>Summary of Site Selection Activities</u>	41

Table of Contents
(Continued)

<u>Section</u>	<u>Title</u>	<u>Page</u>
	4.1.1 General Description of the Site Selection Process Used to Select the WIPP Facility Location	41
	4.1.2 Selection of Salt as a Disposal Media	42
	4.1.3 Selection of Eastern New Mexico	44
	4.1.4 Selection of the Carlsbad Potash Area	45
	4.1.5 Selection of the Los Medanos Site	45
4.2	<u>Resources at the WIPP Site</u>	49
	4.2.1 Hydrocarbons	49
	4.2.2 Mineral Resources	53
	4.2.3 Groundwater	56
4.3	<u>WIPP Ecosystems</u>	58
5.0	CONCLUSIONS	59
	LIST OF REFERENCES	62
	APPENDIX A	
	APPENDIX B	
	APPENDIX C	

LIST OF TABLES

Table 4-1	Hydrocarbon Reserves and Resources at the WIPP Site	51
Table 4-2	Summary of the Impacts of Hydrocarbon Resource Denial	52
Table 4-3	Summary of Potash Resources at the WIPP Site	55

LIST OF FIGURES

Figure 1	General Location of the WIPP Facility	38
Figure 2	Original Control Zones at the WIPP Site	39
Figure 3	Current WIPP Facility Boundaries	40

LIST OF ACRONYMS

ADM	Action Description Memorandum
AEC	Atomic Energy Commission
AECL	Atomic Energy Commission Limited (Canada)
BLM	Bureau of Land Management
BMI	Battelle Memorial Institute (Columbus, Ohio)
BNWL	Battelle Northwest Laboratory
C&C	Consultation and Cooperation Agreement
CEQ	Council on Environmental Quality
CFR	Code of Federal Regulations
DOE	Department of Energy
DOE-WPO	U.S. Department of Energy Waste Isolation Pilot Plant Project Office
EEG	Environmental Evaluation Group
EIS	Environmental Impact Statement
EPA	Environmental Protection Agency
ERDA	Energy Research and Development Administration
ESAB	EPA Scientific Advisory Board
FEIS	Final Environmental Impact Statement
FSAR	Final Safety Analysis Report
FSEIS	Final Supplement Environmental Impact Statement
GCR	Geologic Characterization Report
IAEA	International Atomic Energy Agency
NAS	National Academy of Sciences
NEPA	National Environmental Policy Act
NMBM&MR	New Mexico Bureau of Mines and Mineral Resources
NRC	Nuclear Regulatory Commission
ORNL	Oak Ridge National Laboratory
RDR	Resource Disincentive Requirement
ROD	Record of Decision
SAR	Safety Analysis Report
SNL	Sandia National Laboratories
SPDV	Site and Preliminary Design Validation
TRU	Transuranic
USBM	United States Bureau of Mines
USGS	United States Geological Survey
WIPP	Waste Isolation Pilot Plant
WPO	WIPP Project Office

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

1.0 INTRODUCTION

1.1 Purpose

In 1986, the U.S. Department of Energy (DOE) Waste Isolation Pilot Plant (WIPP) Project Office (WPO) (DOE-WPO) prepared a strategy¹ for complying with the Environmental Protection Agency's (EPA's) Standards for the management of transuranic (TRU) waste.² Section 3.2.2.2 of the DOE's report addressed compliance with the Assurance Requirements found in 40 CFR Part 191.14³. One of the Assurance Requirements addresses the selection of repository sites that contain recoverable natural resources. The requirement, referred to as the Resource Disincentive Requirement, reads as follows:

Places where there has been mining for resources, or where there is a reasonable expectation of exploration for scarce or easily accessible resources, or where there is significant concentration of any material that is not widely available from other sources, should be avoided in selecting disposal sites. Resources to be included shall include minerals, petroleum or natural gas, valuable geologic formations, and ground waters that are either irreplaceable because there is no reasonable alternative source of drinking water available for substantial populations or that are vital to the preservation of unique and sensitive ecosystems. Such places shall not be used for disposal of the wastes covered by this part unless the favorable characteristics of such places compensate for their greater likelihood of being disturbed in the future.⁴

¹ Westinghouse Electric Corp., 1989.

² U. S. Environmental Protection Agency, 1985a.

³ U.S. Environmental Protection Agency, 1985a, pp. 38086.

⁴ U.S. Environmental Protection Agency, 1985a, p. 38086.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

The DOE states, in the strategy document, that the "natural resources requirement has been addressed during the course of the WIPP Project. A finding will be prepared to show that the favorable characteristics of the disposal site compensate for the greater likelihood of disturbance because of the presence of natural resources."⁵ This position was developed based on both EPA and Environmental Evaluation Group (EEG) comments to the draft of the compliance strategy. Specifically, the EPA stated, with regard to the comparison of favorable characteristics and resources, that the "two factors must not only be 'weighed' and 'summarized', but a finding must be documented that the favorable characteristics compensate for the greater likelihood of WIPP being disturbed because of the presence of the natural resources."⁶ Likewise, the EEG stated that "something more than a 'summarized' discussion will be needed" and that they expect "a detailed report analyzing the valuable and rare resources available at WIPP compared to any favorable characteristics."⁷

This document addresses 40 CFR 191, Subpart B, Section 14 (e). The approach is to first summarize the development of the resource requirement to provide a proper perspective for evaluation of WIPP compliance. In addition, a summary of the discussions regarding resources at the WIPP is provided to demonstrate the extent to which the topic has been discussed between the DOE and various oversight groups. Finally, the information on resources at the WIPP site is presented, along with a summary of activities to mitigate negative impacts associated with the denial of resources. This report recognizes that in 1987, 40 CFR 191 was vacated and remanded by the First

⁵ Westinghouse Electric Corp., 1989, pp. 35-36.

⁶ U.S. Environmental Protection Agency, 1987.

⁷ Environmental Evaluation Group, 1987.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

Circuit Court (National Resources Defense Council, et. al. v. United States Environmental Protection Agency, et. al.). The DOE believes that when a new standard is promulgated, the Assurance Requirements of 40 CFR 191 will remain intact, and therefore need to be addressed by the WIPP. In the second modification to the Consultation and Cooperation (C&C) Agreement with the State of New Mexico, it is stated that "DOE agrees to continue its performance assessment planning as though the provisions of 40 CFR Part 191 effective November 19, 1985, remain applicable"⁸

In addressing the natural resource provision of 40 CFR Part 191, the DOE does not propose to provide justification for the selection of the WIPP site. Instead, this report documents that the WIPP site selection process gave a reasonable consideration to the presence of natural resources at the Los Medanos site, and evaluated the impacts of resource denial and the risks of future resource development. The site selection process did conclude that the use of the site for a TRU waste repository was of greater public benefit than the possible development of the resources. Impacts to the long-term performance of the facility that may result from the future intentional, or unintentional, development of these resources was modeled numerically during the decision-making process. In addition, this modelling is the subject of an ongoing performance assessment that assumes that a human intrusion of the repository will occur sometime in the future. The details of this performance assessment can be found in SAND88-2871.⁹

⁸ U.S. Department of Energy, 1987, p. 5.

⁹ Sandia National Laboratories, 1989.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14 (e) AT THE WASTE ISOLATION PILOT PLANT

1.2 Background

When the Congress of the United States enacted the National Environmental Policy Act (NEPA) of 1969, they recognized the conflict over the management of natural resources. Congress mandated that federal agencies find a balance between the social, economic and other requirements of present and future generations of Americans and the critical importance of restoring and maintaining environmental quality. Federal agencies are required by the law to "achieve a balance between population and resource use..."¹⁰ In this regard, federal agencies must provide statements which address "Any irreversible and irretrievable commitments of resources which would be involved in the proposed action should it be implemented."¹¹ The vehicle for documenting the consideration of resource conflicts and the commitment of resources is the Environmental Impact Statement (EIS) prepared for a federal project.

For waste repositories, such as the WIPP, consideration of "resource conflicts" in the decision making process, as required by the NEPA, is multi-faceted. Of course, consideration must be given to the resources consumed by the construction and operation of the facility (e.g., building materials, fuels, and land resources. These considerations are the most common resource commitments that federal agencies address in their EISs. In addition to these, resources associated with the WIPP must be considered from two additional aspects. First, there are **denied resources**. These are resources that cannot be developed because such development may conflict with the long-term goal of waste isolation. Second, there are the risks associated with resource

¹⁰ U. S. Congress, 1969.

¹¹ U.S. Congress, 1969, Title I, Sec. 102, (2), (C), (v).

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

attractiveness. That is, resources associated with the location may be attractive to future generations, who may elect to exploit them, and thereby create the potential for a release of waste into the biosphere.

The latter two points concerned the EPA when they promulgated the natural resources assurance requirement in 40 CFR Part 191.¹² Compliance with this part of 40 CFR 191 is the subject of this paper.

In 1985, nearly 10 years after the Los Medanos site was identified for a TRU waste facility, the EPA issued federal regulations establishing criteria for the management and disposal of radioactive waste. These standards included limited guidelines regarding the selection of a site for a radioactive waste repository. These regulations are contained in 40 CFR Part 191 and consist of two subparts: Subpart A, "Environmental Standards for Management and Storage;" and Subpart B, "Environmental Standards for Disposal." Subpart B contains an assurance requirement that has the purpose of discouraging the location of disposal sites where minable resources are available.¹³ The requirement is referred to as the Resource Disincentive Requirement (RDR).

The following sections of this report includes a discussion of the development of the resource disincentive provision in the EPA's standard, including a discussion of WIPP specific issues associated with resources (Section 2.0); a brief description of the WIPP Project (Section 3.0); an overview of the WIPP site

¹² U. S. Environmental Protection Agency, 1985a, §191.14(e), p. 38086.

¹³ U.S. Environmental Protection Agency, 1985a, p. 38086.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

selection process including a summary of the documentation that resources were considered in the WIPP project decision making process by the DOE (Section 4.0); and conclusions regarding the DOE's compliance with the RDR (Section 5.0).

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

2.0 DEVELOPMENT OF THE STANDARD

Nearly every federal entity associated with radioactive waste isolation has established natural resource conflicts as an important consideration in the selection of repository sites. Donna Goad, the author of EEG-1¹⁴, summarized the criteria stated by the Atomic Energy Commission (AEC), the Energy Research and Development Administration (ERDA), the DOE, the Nuclear Regulatory Commission (NRC), the United States Geological Survey (USGS), the Oak Ridge National Laboratory (ORNL), Battelle Institute (BMI and BNWL), Sandia National Laboratories (SNL), the National Academy of Sciences (NAS), the Atomic Energy Commission Limited (AECL) (Canada), and the International Atomic Energy Agency (IAEA). Ms. Goad's discussion is presented in Appendix A. The criteria can be summarized by the following two statements:

Selecting sites with natural resources may result in the denial of access to important raw materials.

Selecting sites with natural resources may lead to future disturbance of the geological/hydrological system through exploration or production, including direct intrusion into the repository.

2.1 Development of the EPA Resources Assurance Requirement

The EPA took the recommendations of these technical experts to heart when they promulgated the proposed 40 CFR Part 191 rules.¹⁵ This is evident by the "prohibition" type statement that the EPA included in the proposed rule. It is as follows:

¹⁴ Environmental Evaluation Group, 1979.

¹⁵ U. S. Environmental Protection Agency, 1982.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14 (e) AT THE WASTE ISOLATION PILOT PLANT

(f) Disposal systems shall not be located where there has been mining for resources or where there is a reasonable expectation of exploration for scarce or easily accessible resources in the future. Furthermore, disposal systems shall not be located where there is a significant concentration of any material which is not widely available from other sources.¹⁶

In the preamble to the proposed standard, the EPA explained the application of the requirement by way of a comparison. On one hand the EPA points out that salt domes may have numerous uses such as salt production, oil storage, and others. Many of these uses would be in conflict with the long-term goals of waste isolation. On the other hand, the EPA cites salt bed structures as being of much less concern because bedded salt deposits are much more common. In addition, the EPA stated that they "particularly seek comment on this provision because it could rule out sites which might otherwise be advantageous in meeting all of our other requirements."¹⁷

Among the comments that the EPA received regarding the resource disincentive assurance requirement, were written comments from the EEG¹⁸ and testimony to the EPA's Science Advisory Board (ESAB) by a representative of the WIPP Project.¹⁹

In their comments, the EEG ties the natural resources assurance requirement to the "... important concept that human intrusion is perhaps the most likely cause of significant repository releases and that the probability of human intrusion and the expectation

¹⁶ U.S. Environmental Protection Agency, 1982, §191.14(f), p. 58205.

¹⁷ U.S. Environmental Protection Agency, 1982, p. 58201.

¹⁸ Environmental Evaluation Group, 1983a.

¹⁹ WIPP Project, 1983.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

of resource presence are interrelated to some extent."²⁰ The EEG goes on to point out that the restrictive wording in the requirement should be changed to allow more discretion in evaluating this requirement. The EEG states that there are two parts to the issue. These are the loss of the resources to society and the health and safety issues associated with the attractiveness of the resources. The EEG suggests that the first part "is perhaps best handled by the NEPA process"²¹, and that it may be possible to address the second part by evaluating "the increased probability of human intrusion that would result from the presence of known mineral resources and use this in the decision-making process."²²

The WIPP Project testimony to the ESAB expressed concern that the restrictions in the requirements "could be construed to rule out most bedded and domed salt formations for permanent isolation of radioactive wastes, since such areas frequently contain hydrocarbons and other useful resources."²³ The testimony goes on to point out that human intrusion scenarios "have been analyzed in the WIPP Final Environmental Impact Statement (FEIS), the WIPP Safety Analysis Report (SAR), and the analysis of a brine release from beneath the site as a result of human intrusion (Reference 2). The results project no significant impact on the public health and safety."²⁴ The WIPP Project recommended, to the ESAB, that resources "should be considered in safety and environmental assessments of a potential site and

²⁰ Environmental Evaluation Group, 1983a, p. 6.

²¹ Environmental Evaluation Group, 1983a, p. 6.

²² Environmental Evaluation Group, 1983a, p. 7.

²³ WIPP Project, 1983, pp. 2-3.

²⁴ WIPP Project, 1983, p. 3.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

should be discussed in an Environmental Impact Statement (EIS) or licensing document, but should not be arbitrarily specified as part of a standard, regulating releases from nuclear waste repositories."²⁵

The ESAB formed a working group to address the Assurance Requirements. In a draft report, made available to the WIPP during an ESAB meeting in July 1983, the working group indicates their thinking regarding the resource disincentive.²⁶ In their report, the working group recommends that the EPA allow for an analysis to demonstrate "that the overall safety of the repository would not be jeopardized by the presence of the resources."²⁷ In their rationale for the modification to the Assurance Requirements, the working group acknowledged that the two concerns still exist (resource denial and resource attractiveness); however, the mere presence of natural resources should not automatically cause the site to be eliminated, particularly if other characteristics of the site are favorable. The group points out that "it may be possible by suitable engineering techniques to recover the resources without disturbing a nearby repository or to mitigate the effects of potential human intrusion. The site and engineered barriers should be seen as a system, and a single weakness in a site should not automatically foreclose use of it, if the remaining characteristics are highly favorable and can compensate for the weakness."²⁸ The working group recommended the modified language that was ultimately incorporated into the final rule.

²⁵ WIPP Project, 1983, pp.3-4.

²⁶ Assurance Requirement Working Group, 1983.

²⁷ Assurance Requirements Working Group, 1983, p. 7.

²⁸ Assurance Requirements Working Group, 1983, p. 8.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

The ESAB had two findings with regard to the natural resources assurance requirement. These are as follows:

Finding 27: "We recommend that EPA not preclude consideration of a potential site because natural resources are at or near the site, but rather should note that the presence of such resources is a highly unfavorable factor which should be included in the site evaluation."

Finding 28: "No site type should be precluded on the basis of site characteristics alone. Consideration of all factors, including engineered barriers, transportation, availability of utilities and labor, etc., may lead to different choices amongst acceptable sites and isolation technologies than those dictated by site characteristics alone."²⁹

In response to these findings, the EPA, for the most part, agreed with the recommendations. Their rationale is as follows:

Response (Findings 27 and 28): Because of the inherent uncertainties in the site selection and evaluation process, and because of the desirability of evaluating a variety of alternatives to increase the chances of achieving exceptional environmental protection, the Agency now agrees that automatically precluding a potential site because of one disadvantage is not desirable. At the same time, the Agency still believes that proximity to important or unique resources is a serious problem because of the potential for unplanned human intrusion, since institutional controls cannot be counted on over these periods of time to prevent such intrusion. Therefore the Agency has modified the assurance requirement in the final rule to indicate that proximity to resources should be considered a serious disadvantage, but not an outright prohibition, for site selection.³⁰

In the preamble to the final rule, the EPA reiterated their logic with regard to the purpose of the requirement. They state that "this assurance requirement has been revised in the final rule to

²⁹ U.S. Environmental Protection Agency, 1985b.

³⁰ U.S. Environmental Protection Agency, 1985b, p. 2-16.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

identify resource potential as a disincentive but not as an outright prohibition for site selection."³¹ The EPA also commented that this assurance requirement wording "implies a qualitative comparison, because the Agency is not aware of quantitative formulas comprehensive enough to provide adequate comparisons to govern site selection."³² In order to qualify this statement, the EPA points out that it is not enough to merely identify a few site features that might be more favorable. Instead, the EPA expects that sites with resources would be used only "if it is reasonably certain that they would provide better overall protection than the practical alternatives that are available."³³

2.2 Comments Relative to Resources at the WIPP Site

There has been significant discussion regarding the resources that exist beneath and in the vicinity of the WIPP site. This discussion is presented under four topics in the following paragraphs. These are 1) site characterization and the preparation of the initial NEPA documentation of the WIPP site; 2) the development of the DOE resource policy, including the WIPP Natural Resources Study; 3) the information and conclusions from the Site and Preliminary Design Validation (SPDV) program; 4) and supplemental NEPA documentation, including the Final Supplement Environmental Impact Statement (FSEIS).

³¹ U.S. Environmental Protection Agency, 1985a, p. 38081.

³² U.S. Environmental Protection Agency, 1985a, p. 38081.

³³ U.S. Environmental Protection Agency, 1985a, p. 38081.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

2.2.1 Site Characterization and the Preparation of the
Environmental Impact Statement

Consideration of the resources at the WIPP site was part of the WIPP program from the outset. These evaluations date back to 1974³⁴ and include evaluations of potash,^{35,36,37} caliche, salt, brine, sulfur, uranium, gypsum,³⁸ and hydrocarbons.^{39,40,41} A summary of these results is presented in the Geological Characterization Report (GCR) for the WIPP site prepared by SNL in 1978.⁴² The WIPP site characterization activity was conducted to collect the information needed to evaluate the location relative to the site selection criteria established for the WIPP site. (A summary of the site selection process and the appropriate references for the criteria is included in Chapter 3.0.) The specific site selection factor, with regard to natural resources is stated in the GCR as follows:

Natural Resources - Unavoidable conflict of the repository with actual or potential resources will be minimized to the extent possible.⁴³

³⁴ New Mexico Bureau of Mines, 1974.

³⁵ U.S. Geological Survey, 1978a.

³⁶ U.S. Geological Survey, 1978b.

³⁷ U.S. Bureau of Mines, 1977.

³⁸ New Mexico Bureau of Mines and Mineral Resources, 1978.

³⁹ Sipes, Williamson, and Aycok, 1976.

⁴⁰ G.J. Long and Associates, 1976.

⁴¹ Permian Exploration Co., 1976.

⁴² Sandia National Laboratories, 1978.

⁴³ Sandia National Laboratories, 1978, p. 2-20.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

The GCR presents the following conclusions with regard to the resources at the WIPP site:

Potassium salts and fluid hydrocarbons are the only two resources thought to be economically significant in the WIPP site area.

If reasonable technologic and economic restraints are considered for extracting, processing and marketing the resources, then both the amounts and types of exploitable deposits are greatly reduced. Only potash and natural gas are considered to be significant in this respect.

Caliche, Salt, and gypsum are also present, but the abundance of these minerals throughout the region leads to the conclusion that land withdrawal for the WIPP will have little effect on present or future requirements for them.

Consideration was also given to the possible presence of uranium in the redbed-type sediments that overlie the evaporites. The conclusion is that no significant uranium deposit exists.

Lithium occurs in a brine reservoir within the Castile formation northeast of the present site and may be present in a similar reservoir to the southwest. However, care has been taken to avoid such brine reservoirs within the site area.

Consideration was also given to the possible existence of metalliferous deposits in the Precambrian basement under the site. However, the depth (about 18,000 feet below the ground surface) to Precambrian rocks would preclude mining even if mineral concentrations were present.⁴⁴

The GCR became the principal source for the natural resource evaluation in Section 7.3.7 of the FEIS.⁴⁵ The FEIS documents that the impacts of resource denial and resource attractiveness were considered in the decision making process. For example, in Section 9.2.3, the environmental impacts of the denial of natural

⁴⁴ Sandia National Laboratories, 1978, pp. 8-20 to 8-21.

⁴⁵ U.S. Department of Energy, 1980.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

resources are analyzed. This analysis includes an assessment of the quantity of resources that would be denied and the significance of these resources in terms of worldwide availability.⁴⁶ Chapter 11 of the FEIS discusses natural resource denial in terms of the irreversible and irretrievable commitment of resources associated with proceeding with the development of the WIPP facility.⁴⁷ Similarly, Chapter 12 examines the impacts of resource denial in terms of land-use plans, policies and controls.⁴⁸ The presence of natural resources (specifically 3 to 10% of the known U.S. reserves for langbeinite) was acknowledged in the Record of Decision (ROD).⁴⁹ The ROD documents that the DOE concluded, based on the information available at the time, and based on a comparison of alternatives, that the "environmental impacts predicted for Alternative 2 are generally small and the Los Medanos site appears acceptable for long-term disposal of TRU waste with minimal risk of any release of radioactivity to the environment. There is no indication that an alternative site for the demonstration would pose reduced risk."⁵⁰

Publication of the FEIS and the ROD stimulated considerable additional discussion with regard to natural resources. This discussion served the purpose of providing additional public comment and clarification with regard to the impacts due to resource denial and resource attractiveness. The DOE's responses to comments on the FEIS were published in two separate reports.

⁴⁶ U.S. Department of Energy, 1980, pp. 9-17 to 9-28.

⁴⁷ U.S. Department of Energy, 1980, pp. 11-1 to 11-4.

⁴⁸ U.S. Department of Energy, 1980, pp. 12-1 to 12-3.

⁴⁹ U.S. Department of Energy, 1981a.

⁵⁰ U.S. Department of Energy, 1981a, p. 9163.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

In the first, the DOE responded to five consolidated comments from four organizations. The most significant of these had to do with the DOE's plans regarding the outermost WIPP control zone (Control Zone IV), and the potential radiation risks associated with future mining. These comments and responses follow:

1. Comment:

The New Mexico EEG and the Southwest Research and Information Center stated that the DOE should clarify the restrictions it plans to place on gas recovery from Control Zone IV and from deviated drilling beneath the inner control zones. Furthermore, clarification is needed relative to the possibility of potash mining at the site. The EEG questioned the DOE confidence that such activities can be conducted without disturbing the integrity of the site. The EEG believes they should be party to decisions related to resource extraction at the site.

Response:

The DOE recognizes that the language in the FEIS describing resource recovery at the WIPP is tentative. Detailed programs for resource recovery have not yet been formulated. However, to mitigate the adverse impacts of resource denial at the site, the DOE has committed to the policy of allowing maximum resource recovery at the site consistent with protection of site integrity. For purposes of environmental impact analyses, the scenarios discussed in the WIPP waste isolation assessment (FEIS Section 9.7) bound the potential consequences of resource extraction at the Los Medanos site in the long term. These scenario results demonstrate that the consequences of future events, including resource extraction, are acceptably small. The New Mexico EEG will be involved in future decisions regarding resource extraction at the Los Medanos site through their review of documented analyses.

2. Comment:

The New Mexico EEG emphasized the need to quantify potential radiation risks of resource extraction at the Los Medanos site. The SRIC stated that the potash

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

mining at the site may lead to subsidence with water intrusion into the salt.

Response:

For purposes of environmental impact analysis, the scenarios presented in the WIPP long-term waste isolation assessment (FEIS Section 9.7) bound the potential consequences of resource extraction at the Los Medanos site. These analyses present a consequence rather than a risk assessment; the assumption is that the probability of occurrence is unity and the event will occur. The results of these analyses demonstrate that the consequences of resource extraction beyond the period of institutional control are insignificant.⁵¹

In the second report, the EEG raised an additional question regarding the interpretation of the data in the FEIS. In addition, a new issue surfaced with regard to the loss of revenues from royalties normally paid to the State of New Mexico. The comments and responses are reproduced below.

1. Comment:

The EEG stated that the DOE must provide more detailed information on the future control of the mineral hydrocarbon resources at or near the WIPP site. In addition, the EEG requested that the DOE provide the results of the hazard analyses that led to the conclusion that resources at the site can be safely extracted.

Response:

The DOE recognizes that the FEIS language describing resource recovery at the WIPP site is tentative. Detailed programs for resource recovery have not yet been formulated; however, to mitigate the potential adverse impacts of resource denial at the site, the DOE has committed to the policy of allowing maximum resource recovery at the site consistent with the protection of site integrity. Final plans for resource

⁵¹ U.S. Department of Energy, 1981b, pp. 14-16.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

recovery will be developed after in-situ data are acquired through the SPDV program.

For purposes of environmental impact analyses, the postulated breaching events discussed in the WIPP long-term isolation assessment (FEIS Section 9.7) bound the potential effects of breaching due to resource extraction at the Los Medanos site in the long term. This assessment provides a consequence (rather than risk) assessment; the assumption is made that the probability of occurrence is unity and the event will occur. The results of the consequence analysis demonstrate that the effects of future events, including resource extraction beyond the period on institutional control, are acceptably small.

2. Comment:

The EEG challenged the FEIS statement that very little potash exists above the WIPP (Zone II) itself stating that this assertion conflicts with data provided in the SAR. Specifically, SAR Figure 2.7-6 (i.e., the general lithology of the ERDA-9 core) states that the McNutt member of the Salado Formation at the site "contains potassic rock rich in sylvite, langbeinite, and other hydrous minerals." The EEG also stated the FEIS Figure 9-1 would suggest that at least one-third of Control Zone II contains lease-grade sylvite.

Response:

As indicated in the FEIS Table 9-19, the sylvite resources within the WIPP inner control zones are considered subeconomic by the U.S. Department of the Interior, Bureau of Mines; significant resources are present but these are not classifiable as reserves. Lithologically, these deposits are potassic minerals, but they do not constitute economic mineral reserves. Accordingly, the lithological descriptions given in SAR Figure 2.7-6 are not inconsistent with the FEIS statements concerning the lack of sylvite reserves within the inner control zones at the WIPP site. FEIS Figure 9-1 is a composite map of mineralization in various ore zones that include lease-grade deposits of both sylvite and langbeinite. As indicated in Table 9-19, there are significant langbeinite reserves within the inner control zones at the WIPP site.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

3. Comment:

The New Mexico Commissioner of Public Lands expressed concern that New Mexico could forego an estimated hydrocarbon royalty reserve of about \$5 million and potash royalty reserve of about \$15 million. These losses could be mitigated by a land exchange between the federal government and the state.

Response:

If current expectations are realized, resource recovery could occur without affecting the integrity of the WIPP and royalties would not be lost. Furthermore, the BLM [Bureau of Land Management] and the state are currently negotiating an exchange of federal lands for the state lands located within the site areas. The DOE expects that this exchange will be effected to the satisfaction of the site.⁵²

2.2.2 DOE Resource Policy and the WIPP Natural Resources Study

Preparation of the FEIS caused the DOE to rethink its natural resource policy with regard to the control and possible denial of extractable minerals at the WIPP site. The DOE committed to the State of New Mexico to perform a study on the possible effects of recovering natural resources present at the WIPP site.⁵³ As a basis for conducting this study, called the Natural Resources Study⁵⁴, the DOE issued an interim policy statement on resource recovery at the WIPP.⁵⁵ This interim policy reiterated the DOE's commitment to "maximize the opportunity for resource recovery at the WIPP Site, consistent with the requirements to

⁵² U.S. Department of Energy, 1981c, pp. 9-10.

⁵³ U.S. District Court, 1981.

⁵⁴ Westinghouse Electric Corp., 1982a.

⁵⁵ U.S. Department of Energy, 1981d.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

isolate the emplaced radioactive wastes from the biosphere."⁵⁶
The interim policy established by the department prohibited resource development in all control zones, pending the analysis completion to determine the possible radiation dose consequences resulting from resource development in Control Zone IV. The DOE committed to issue a revision to its natural resources policy in accordance with the results of the Natural Resources Study. The conclusions from this study are as follows:

The conclusion of this study is that activities related to potash and hydrocarbon resource extraction and solution mining from within (and outside of) Control Zone IV, using currently available and applicable technology, will not compromise the integrity of the WIPP waste emplacement facility and increase the likelihood of a breaching event.

Specific conclusions drawn from this study follow:

- o The DOE policy for natural resource recovery is only important when considering communication events that could occur during the time period when this policy is in effect. After the loss of institutional controls, the types and magnitudes of events that could occur, such as those analyzed in the SAR, are fundamentally independent of former resource recovery restrictions at the site. Considering waste decay and geosphere transport rates, the DOE resource recovery policy has little influence on the time of waste isolation before a plausible waste-release event could occur and/or on the radiation dose consequences of such an event.
- o The disturbances induced by potash exploration and conventional mining or solution mining in Control Zone IV are physically too far removed to affect the integrity of the WIPP facility. Breaching the waste storage area by these activities is not credible and induced changes in host rock hydraulic conductivity are not discernible.
- o Exploration and production of hydrocarbons from within Control Zone IV likewise would not affect the waste emplaced in the WIPP facility. The extent of disturbance induced by production stimulation in the form of hydrofracing or acidizing is controlled by the specific

⁵⁶ U.S. Department of Energy, 1981d.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

design and execution of this operation. Evaluations of what can be considered typical operations, as discussed in this report, indicate no impact to the integrity of the WIPP facility.

- o The communication events, including the types of breaching mechanisms, flow paths, and driving forces analyzed in the WIPP SAR, are applicable to current resource extraction technology in Control Zone IV and beneath Control Zones I, II, and III (for hydrocarbons). The SAR events represent, in fact, the potential effects of developing resources within the area of the WIPP facility itself, after institutional controls are lost.

In summary, DOE could reevaluate its interim policy to prudently allow resource recovery in Control Zone IV. This is supported by an evaluation of the consequence analyses for resource extraction, as discussed in this report, and the additional consideration that any resource recovery operation will be reviewed by the BLM (for surface claims) and the Minerals Management Service (for underground claims) prior to its implementation. In this fashion, any planned activities will be evaluated on a case-by-case basis to ensure that the integrity of the WIPP facility will not be jeopardized.⁵⁷

Subsequent to the publication of the Natural Resources Study, the DOE issued a revision to their policy on resource recovery. In this revision⁵⁸, the DOE relinquished any resource development control over Zone IV. This policy is included as Appendix B. The criterion that the DOE used in developing this policy is that permanent denial resources should be limited to those areas in which extraction activities could potentially lead to measurable effects on the WIPP facilities or whose protection is needed for institutional considerations. All extraction activities that would not lead to measurable effects are allowable under the policy.⁵⁹

⁵⁷ Westinghouse Electric Corp., 1982, pp. 64-65.

⁵⁸ U.S. Department of Energy, 1982a.

⁵⁹ U.S. Department of Energy, 1982a.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

Both the EEG and the Governor's Task Force commented on the interim policy, the natural resources study, and the revised interim policy. These comments served to focus the policy and to clarify issues such as the extent and authority of DOE control of lands outside the WIPP site boundary. The EEG stated that they were "generally satisfied with the revised Policy Statement," however, they requested that they be notified if anyone seeks to develop resources within one mile of the WIPP site boundary.⁶⁰

The governor's office responded with the preparation of a report entitled Natural Resources at the Waste Isolation Pilot Plant (WIPP) Site. This report was compiled by the Subcommittee on Natural Resources at the WIPP site, a subcommittee formed by the Radioactive Waste Consultation Task Force.⁶¹ The thrust of the State's report was the assessment of the resources that potentially exist at the WIPP site, and an estimate of the economic impacts associated with their denial. The summary addressed three issues, all of which dealt with resource denial. These were:

1. Exchange of State Trust Lands within the WIPP Site Boundary for Federal Lands.
2. Compensation for Loss of Potential Revenues from State Trust Lands Within the WIPP Site Boundary.
3. Compensation for the Loss of Potential Revenues from Withdrawn Federal Lands.⁶²

Finally, natural resource development was addressed in the first modification to the C&C Agreement between the DOE and the state

⁶⁰ Environmental Evaluation Group, 1983b.

⁶¹ New Mexico Energy and Minerals Department, 1984.

⁶² New Mexico Energy and Minerals Department, 1984, pp. 28-31.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

of New Mexico.⁶³ This modification included a ban on resource development within the WIPP site boundary during the construction and operation of the WIPP facility, and allowed for the development of hydrocarbons beneath the WIPP site, provided they were accessed from outside the WIPP site boundary and that entry within the WIPP site boundary occurred below 6000 feet. In addition, the agreement requires the DOE to reconsider the resources policy at least one year before decommissioning to determine necessary changes for long-term control of the site. Further discussion of the resources policy resulted in a second modification of the C&C Agreement and the imposition of the policy as it exists today. In this modification, the DOE agreed to the following language:

- D. The DOE will not permit subsurface mining, drilling, or resource exploration unrelated to the WIPP Project on the WIPP site during facility construction, operation, or after decommissioning. This prohibition also precludes slant drilling under the site from within or outside the site.⁶⁴

2.2.3 Resource Issues Addressed During the SPDV

In 1981, the DOE initiated a program to provide confirmation of the characteristics of the then-proposed WIPP site. The program included the construction of shafts and tunnels at the location selected for the facility. Data collected during this investigation, referred to as the SPDV program, was to be used in making a decision regarding the full construction of the WIPP facility.⁶⁵ In a subsequent revision to the program plan, the SPDV was expanded to include stratigraphic studies in the

⁶³ U.S. Department of Energy, 1984.

⁶⁴ U.S. Department of Energy, 1987.

⁶⁵ Westinghouse Electric Corp., 1980.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

vicinity of the site with the intent of issuing basic data reports on drill holes in the vicinity of the site.⁶⁶ The SPDV activity was summarized in a report that covered all site selection activities up to and including the SPDV. The report, which was prepared by SNL, included a section regarding natural resources, since natural resources were among the site selection criteria used for evaluation of the WIPP site. The summary report states the natural resources criterion as follows:

- 14.1 The site should be located so that losses of natural resources are reduced to acceptable levels, which shall be determined by the value of the resources and the alternative sources for these commodities.⁶⁷

The conclusion drawn in the summary document is that the WIPP site is qualified with respect to the criterion on natural resources. The rationale for drawing this conclusion is stated as follows:

In summary, some potash resources may be denied by present restrictions, but occurrences of potash and its possible attraction for future generations does not present a breach threat to the WIPP. Natural gas resources are not denied by present restrictions, but their possible presence and the overall geologic setting makes drilling through the WIPP a more likely occurrence than in a nonsedimentary geologic setting. Possible drilling breaches of the WIPP confinement integrity have been analyzed and shown to result in relatively benign consequences. It is therefore concluded that the site should not be ruled unacceptable because of potential resource conflicts; this potential is outweighed and compensated by the very favorable hydrologic regime at the WIPP.⁶⁸

⁶⁶ Westinghouse Electric Corp., 1982b.

⁶⁷ Sandia National Laboratories, 1983, p. 12.

⁶⁸ Sandia National Laboratories, 1983, p. 25.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

The DOE published the results of the SPDV in a report inviting the public to provide comments that the DOE would use in making its decision on full WIPP construction.⁶⁹ Comments from the public and the state of New Mexico were handled separately by the DOE. In the volume summarizing the public's comments, the DOE discusses nine comments and provides responses.⁷⁰ For the most part, these comments dealt with the concerns of resource denial and resource attractiveness. In several of the responses, the DOE reiterated the fact that the decision making process implemented through the FEIS did satisfy the requirements for evaluating the amounts of resources, the impacts of resource denial, the attractiveness to future generations, and a comparison of alternatives. The DOE did commit to working out arrangements with the Bureau of Land Management to assure that the DOE receives notification of resource development proposals in the vicinity of the WIPP site.⁷¹ In the second volume of comments and responses, the DOE addressed input from the state New Mexico.⁷² As with the public's comments, the DOE was asked to clarify the issues of resource denial and resource attractiveness. In addition, the DOE was requested to comment on the topic of compensation for denied royalties that would normally be given to the state, in the event minerals were mined. The DOE's responses on the first two topics were consistent with its previous positions, namely that the issues were adequately considered in the FEIS and were part of the decision making process. With regard to resource attractiveness, the DOE pointed out that "studies by both the DOE and the EEG (U.S. DOE, 1980;

⁶⁹ U.S. Department of Energy, 1983a.

⁷⁰ U.S. Department of Energy, 1983b, pp. 3-16 to 3-19.

⁷¹ U.S. Department of Energy, 1983b, p. 3-17.

⁷² U.S. Department of Energy, 1983c, pp. 3-17 to 3-19, 6-3, 7-3.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

Woolfolk, 1982; Channell, 1982) show that future human intrusion in search of mineral resources will not significantly impact public health and safety."⁷³ Regarding resource denial, the DOE defined acceptable levels of loss of natural resources as "those levels at which the loss is exceeded by the expected benefits of the existence and operation of the WIPP. The extent of loss of natural resources that would be expected...is described in the WIPP FEIS. The result of the comparison indicating that the losses are acceptable was presented by issuance of the Record of Decision to proceed with the WIPP project (46 FR 9162)."⁷⁴ Finally, with regard to compensation to the state of New Mexico for lost revenues from foregoing future mineral production, the DOE responded that the issue "merits further discussion", further, the DOE adds that "the State should recognize that very significant revenues that [sic] will be received for the engineering, construction, and operation of the WIPP facility in the state of New Mexico. These will likely far surpass the mineral revenue lost."⁷⁵

The EEG published their own analysis of the results of the SPDV program.⁷⁶ In this report, the EEG devoted a chapter to the natural resources at the WIPP. They considered the subject very broadly, including the nature and extent of resources, a discussion of important criteria and standards, the DOE interim resource policy, and the potential effect of resource removal. The EEG focused their attention on the resource denial and the

⁷³ U.S. Department of Energy, 1983c, p. 3-81.

⁷⁴ U.S. Department of Energy, 1983c, p. 3-81.

⁷⁵ U.S. Department of Energy, 1983c, p. 7-3.

⁷⁶ Environmental Evaluation Group, 1983c.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

resource attractiveness concerns. In Chapter 2 of their report,⁷⁷ the EEG concludes for several reasons that caliche, halite, and gypsum are not of concern with regard to repository integrity. Likewise, lithium from brines is unlikely to be competitive on the world market. Even if it were of interest, it is bounded by other resource extraction scenarios. The EEG concluded that both potash and hydrocarbons represented denied resources that could be attractive for future development. In Chapter 3 of their report,⁷⁸ the EEG addresses the proposed EPA standard (see Section 2.1 above) and the NRC standards with regard to natural resources. Both agencies consider the presence of resources to be a potentially adverse condition. The EEG concluded that "the WIPP site appears to have adverse conditions by virtue of the natural resources. It was on this basis that the EEG recommended that the DOE indicate its plans for control of exploration and recovery of the resources, and analyze the consequences of such exploration and recovery."⁷⁹ With regard to the DOE interim resource recovery policy, discussed in Chapter 4 of the EEG's report, the report states that "the State intends to negotiate with BLM to obtain notification from BLM of any applications for mining activity within 1 mile of the Zone III boundary. Upon notification, EEG plans to evaluate such proposals and provide appropriate comments, if any, to BLM and DOE, concerning the potential effects on the repository horizon."⁸⁰ Finally, with regard to the consequences of a repository breach event associated with resource recovery, the EEG cited several of their own analyses and stated that due to

⁷⁷ Environmental Evaluation Group, 1983c, pp. 94-107.

⁷⁸ Environmental Evaluation Group, 1983c, p. 98-100.

⁷⁹ Environmental Evaluation Group, 1983c, p. 100.

⁸⁰ Environmental Evaluation Group, 1983c, p. 101.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

differing assumptions in the reports, the doses are not comparable, however, "...they do suggest that even with conservative assumptions the associated long-term radiation risks of releases associated with natural resource recovery are generally only a small fraction of normal background radiation."⁸¹ The EEG also raised the issue that the DOE did not consider the production of either halite or lithium as viable resources. Both, according to the EEG, are "unlikely" to be produced as resources and both are "bounded" by existing analyses.⁸² In their Conclusions and Recommendations chapter, the EEG recommended that the mining of potash in Control Zones I, II, and III be "banned indefinitely" to minimize the possible future risk to the repository.⁸³ With regard to natural gas, however, the EEG concluded "the removal of natural gas does not present any radiological problems" since natural gas could be recovered using slant drilling techniques.⁸⁴

The National Academy of Sciences (NAS), Panel on the WIPP, produced a report at the end of the SPDV program.⁸⁵ The Panel examined the body of information available with regard to potash and hydrocarbon. They credit the release of Zone IV for resource development as a major step in eliminating what appeared to be a "major flaw in the case for site suitability."⁸⁶ The Panel accepted the conclusion in the Natural Resources Study that the consequences of resource development should not be serious as

⁸¹ Environmental Evaluation Group, 1983c, p. 103.

⁸² Environmental Evaluation Group, 1983c, p. 103.

⁸³ Environmental Evaluation Group, 1983c, p. 142.

⁸⁴ Environmental Evaluation Group, 1983c, p. 142.

⁸⁵ National Academy of Sciences, 1984.

⁸⁶ National Academy of Sciences, 1984, p. 8.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

long as the exploitation is limited to Zone IV and with the "proviso that each proposal to develop resources should be carefully examined, with the burden of proof as to its safety, made the responsibility of the proposer."⁸⁷ Consequently, the NAS concluded that "the presence of hydrocarbon and potash resources at the WIPP site is not a seriously adverse feature..."⁸⁸

2.2.4 Natural Resource Considerations in NEPA Documentation Subsequent to the FEIS

Subsequent to the publication of the FEIS, there were three separate occasions where the DOE addressed the topic of natural resources in NEPA documentation. First, in 1982, the DOE prepared an environmental analysis to address an ambitious cost reduction program of the WIPP Project.⁸⁹ A part of the analysis included the proposal to release Control Zone IV for resource exploitation. The basis used in this environmental analysis was the Natural Resources Study. This environmental analysis formalized the DOE decision making process for the release of the resources in Control Zone IV. DOE's NEPA Office reviewed the proposed actions with regard to cost reductions, including the proposed release of Control Zone IV and the revised DOE resource recovery policy. It concluded that the "proposals would result in no new potential for significant environmental impacts from that described in the EIS for the WIPP facility as currently designed, and in fact, should result in an overall decrease in the potential for environmental impacts."⁹⁰

⁸⁷ National Academy of Sciences, 1984, p. 11.

⁸⁸ National Academy of sciences, 1984, p. xii.

⁸⁹ U.S. Department of Energy, 1982b.

⁹⁰ U.S. Department of Energy, 1982c.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

The second NEPA review occurred after the completion of the SPDV and was conducted in support of the decision to proceed with full facility construction. Public comments were solicited regarding the results of the SPDV as discussed above. Based on the results and the comments, the DOE prepared an Action Description Memorandum (ADM) for full facility construction.⁹¹ In Section III of the ADM, the topics of natural resource denial and natural resource attractiveness were addressed. In both cases, the DOE points out that the changes since the publication of the FEIS have resulted in no increases in risks or impacts. The DOE/NEPA office stated after their review of the ADM that "we have determined, after consultation with the Office of General Council, that there are no significant new circumstances or information relevant to environmental concerns and bearing on the proposed action or its impacts, within the meaning of NEPA and the Council on Environmental Quality (CEQ) regulations. Additional investigations since issuance of the WIPP Final EIS, including the SPDV activities, have generally confirmed the understanding of site characteristics and environmental impacts presented in the Final EIS...we concur with the proposed decision to proceed with the full WIPP facility construction based on available information."⁹²

The topic of natural resources was included in the SEIS.⁹³ The SEIS examined new information regarding the facility and provided an opportunity for the DOE to obtain public comment regarding the implementation of a Test Phase for the WIPP Project. No new information was presented with regard to natural resources. However, by the time the SEIS was published, the DOE and the

⁹¹ U.S. Department of Energy, 1983d.

⁹² U.S. Department of Energy, 1983e.

⁹³ U.S. Department of Energy, 1990a.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14 (e) AT THE WASTE ISOLATION PILOT PLANT

state of New Mexico had agreed to the language in the second modification to the C&C Agreement whereby the DOE would not allow any resource development at the WIPP site during construction, operations or after decommissioning.⁹⁴ In general, the public comment on the SEIS, with regard to resources, requested further clarification of DOE land management policy, including the future regulation of resource development.⁹⁵ The SEIS did provide an update of the consequence analysis regarding the impacts of an inadvertent human intrusion into the repository related to resource development. Under some of the assumptions, the results exceeded the allowable EPA standard, in other cases, compliance was demonstrated. The uncertainty associated with these calculations were, in part, instrumental in the DOE's decision to proceed with the Test Phase as a means of addressing the uncertainty. An additional SEIS will be performed, prior to the initiation of the Disposal Phase, to evaluate the effects of intrusion into the repository motivated by resource development. If the impacts exceed the applicable environmental standards, alternative approaches to disposal (such as waste processing) will be evaluated.

2.3 Summary

The development of the resource disincentive requirement has involved a significant amount of discussion and thought, both scientific and nonscientific. The final version of the requirement does not automatically eliminate any sites that may contain resources. Instead, it provides the implementing agency with the opportunity to demonstrate that the favorable conditions of the site outweigh the potential increased risk associated with

⁹⁴ U.S. Department of Energy, 1990a, p. 7-3.

⁹⁵ U.S. Department of Energy, 1990a, Vol. 3, pp. 193-195.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

using the site. This demonstration involves a qualitative comparison of the risks associated with the site and the alternatives to using the site.

Concern for both resource denial and resource attractiveness has been evident in the technical and decision making documents that the DOE has prepared for the WIPP site on the topic of natural resources. These documents have undergone a significant amount of public scrutiny which served to focus the issues of resources. Two basic concerns have emerged: resource denial and resource attractiveness. The DOE's policy, with regard to resource denial has been evolutionary, to the extent that initial restrictions have proven to be unnecessary, based on analysis in the Natural Resources Study. Consequently, the DOE has reduced the amount of denied resources significantly since the publication of the FEIS. With regard to resource attractiveness, the DOE has performed analysis to assess the impacts of unintentional disruption of the WIPP facility as the result of resource development. As the DOE's understanding of the facility, the surrounding geological and hydrological systems, and as the waste has increased, the need for additional information has increased, and is to be addressed during the Test Phase. As a means of minimizing the chance of an inadvertent intrusion, the DOE has initiated the process of obtaining control over the surface and subsurface above 6000 feet by successfully eliminating all mineral leases that could potentially lead to problems with the long-term isolation capability of the facility. Only one lease currently exists within the WIPP site boundary. This lease, currently shut in for production of oil and gas, is being exploited by a well that was initiated outside the WIPP site boundary and was deviated to, under the site only after the depth was below 6000 feet. In addition, the DOE has requested that the Congress permanently withdraw the land for the operation of the WIPP.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

The following chapters discuss the qualitative comparison that was been performed in the FEIS⁹⁶ prepared for the WIPP. Key to this comparison was the evaluation of the societal impacts of resource denial and the increased risks associated with the potential for human intrusion. Furthermore, the latter consideration is the subject of an ongoing assessment being prepared for the WIPP facility. Updates to the analysis in the FEIS was published in the SEIS⁹⁷. In addition, SNL has the responsibility to complete the performance assessment required under other parts of 40 CFR Part 191. These performance assessments consider the risks associated with a human intrusion motivated by resource exploitation.⁹⁸

It is important to note that the WIPP site was selected before the Assurance Requirements were issued in either proposed or final form. Consequently, it is not possible to reconstruct a compliance approach that is directed specifically at the EPA's standards. Instead, it is the purpose of the following sections to demonstrate that the extent to which the DOE considered resources was sufficient and that the intent of these requirements has been met. Furthermore, the decision to use the WIPP facility as a final disposal facility has not been made and will not be made until the DOE can demonstrate that even with increased risks associated with resource attractiveness, the site can meet the environmental protection requirements in 40 CFR Part 191.

⁹⁶ U.S. Department of Energy, 1980.

⁹⁷ U.S. Department of Energy, 1990a.

⁹⁸ Sandia National Laboratories, 1990a.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

3.0 THE WIPP PROJECT

3.1 Location

The WIPP facility is located in Eddy County, New Mexico, 26 miles east of Carlsbad (Figure 1). The WIPP site boundary encompasses a 4 X 4 square mile area (10,240 acres) located in an area known as the Los Medanos (the dunes). It consists of sections 15-22 and 27-34 of township 22 south, range 31 east.⁹⁹

The area originally withdrawn for the WIPP facility covered 18,960 acres and was organized into four control zones (Figure 2).¹⁰⁰ The control zones were established so that the containment integrity of the salt beds used for disposal could be protected from mining and resource exploitation activities.¹⁰¹ In 1982, a decision was made by the DOE to release control of the outermost control zone, effectively reducing the WIPP site boundary to the configuration in Figure 3.¹⁰² As the result of an agreement with the state of New Mexico,¹⁰³ resource exploitation that could be harmful to the WIPP facility is not allowed within the 10,240 acres that lie within the WIPP site boundary.

3.2 WIPP Mission

Public Law 96-164 defines the WIPP mission as "a defense activity...for the express purpose of providing a research and

⁹⁹ U.S. Department of Interior, 1991.

¹⁰⁰ U.S. Department of Energy, 1980, p. 8-4.

¹⁰¹ Oak Ridge National Laboratory, 1973a.

¹⁰² U.S. Department of Energy, 1982c.

¹⁰³ U.S. Department of Energy, 1987.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

development facility to demonstrate the safe disposal of radioactive wastes resulting from the defense activities and programs of the United States exempted from regulation by the Nuclear Regulatory Commission."¹⁰⁴ The DOE is responsible for all aspects of the WIPP project.

3.3 Overview of the WIPP Project

From 1973 to 1975 a Site Selection Program was conducted to locate a site, within the Carlsbad Potash Area of eastern New Mexico, that would be suitable for a radioactive waste repository. During this time period, there were no federal regulations that established criteria for selecting a radioactive waste repository site, but there were informal criteria.^{105,106,107} These informal criteria were used to evaluate several candidate sites. The Los Medanos Site was selected for the WIPP project. Appendix D of the FEIS summarizes the site selection criteria that were specifically applied to the selection of the location of the WIPP facility. These are included in this report as Appendix C.¹⁰⁸

Upon selection of the Los Medanos Site, a site characterization program was initiated.¹⁰⁹ Extensive studies (geophysical surveys, borehole corings, etc.) were conducted to verify that

¹⁰⁴ U.S. Congress, 1979.

¹⁰⁵ Oak Ridge National Laboratory, 1973a.

¹⁰⁶ Sandia National Laboratories, 1978.

¹⁰⁷ U.S. Department of Energy, 1980.

¹⁰⁸ U.S. Department of Energy, 1980, Volume 2, Appendix D, pp. D-1 to D-10.

¹⁰⁹ Sandia National Laboratories, 1978.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

the site was as adequate as the criteria indicated. At the same time, in accordance with the NEPA, aspects of how the WIPP would impact the environment were evaluated. The results of these studies are summarized in the WIPP FEIS, a two-volume document issued in 1980.¹¹⁰

In 1981, DOE decided to proceed with the WIPP project, as authorized, at the Los Medanos Site.¹¹¹ With this decision, mining at the WIPP facility commenced and the SPDV program was initiated.¹¹² The SPDV program provided additional proof of the favorable characteristics of the site as a mined geological repository.¹¹³

On June 28, 1983, the DOE rendered the decision to proceed with full construction of the WIPP facility.¹¹⁴ As construction proceeded, the DOE continued to evaluate the geotechnical and hydrological characteristics of the site. In 1988, the impact of the human intrusion scenario on the site was reevaluated by SNL based on new information regarding the transmissivity of fluids in the Rustler Formation, the expected quantities of brine that could collect in the repository before closure, and the gas permeability of the in-situ salt. Based on this new information, and uncertainties surrounding the selection of model parameters for numerically evaluating the long-term performance of the repository, the DOE decided to initiate a Test Phase for the WIPP. The Test Phase was to provide an opportunity for the DOE

¹¹⁰ U.S. Department of Energy, 1980.

¹¹¹ U.S. Department of Energy, 1981a.

¹¹² Westinghouse Electric Corp. 1980.

¹¹³ Sandia National Laboratories, 1983.

¹¹⁴ U.S. Department of Energy, 1983e.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

to evaluate certain waste characteristics under controlled experimental conditions.^{115,116,117,118} The NEPA documentation for the Test Phase was completed in 1990.¹¹⁹ The DOE currently expects to begin the Test Phase experiments in the last quarter of fiscal year 1991.

¹¹⁵ U.S. Department of Energy, 1990b.

¹¹⁶ Sandia National Laboratories, 1990b.

¹¹⁷ Sandia National Laboratories, 1990c.

¹¹⁸ Sandia National Laboratories, 1990d.

¹¹⁹ U.S. Department of Energy, 1990a.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

DOE, 1990e




FIGURE 1 GENERAL LOCATION OF THE WIPP FACILITY

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT




Figure 8-1. General location of the WIPP site.

FIGURE 2 ORIGINAL CONTROL ZONES AT THE WIPP SITE

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**




FIGURE 3 CURRENT WIPP FACILITY BOUNDARIES

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

4.0 WIPP SITE SELECTION AND NATURAL RESOURCES

4.1 Summary of Site Selection Activities

4.1.1 General Description of the Site Selection Process Used to Select the WIPP Facility Location

A deductive-reasoning process was used to select the WIPP site. This process has been described as four distinct stages.¹²⁰ The following is a summary of the process.

STAGE 1: In stage 1, a geologic media, which in this case is salt, was selected and geographic regions that contain this media were identified. This was accomplished by gathering and evaluating existing information concerning rock types and geographic availability. A set of desirable criteria were established and a list of the most favorable regions was developed.

STAGE 2: In stage 2, a careful study of the literature relevant to stage 1 was performed to narrow down the number of regions identified in stage 1. Once a region was selected, candidate sites within the region were chosen. Selection criteria were used to compare the sites. Those sites which satisfied the most criteria were selected for further evaluation. Typically, resource conflict considerations are applied on a broad scale at this stage of site selection.

STAGE 3: In stage 3, the candidate sites identified in stage 2 undergo further investigations which cover geology, hydrology, archaeology, historical surveys, demography, and biology. The results of all the site evaluations were compared, and th

¹²⁰ U.S. Department of Energy, 1980, p. 2-7.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

that best met the selection criteria (the Los Medanos site) was selected for Site Characterization. At this stage, the type and amount of resources are considered in detail.

STAGE 4: In stage 4, a detailed full system analysis was performed. Full-system refers to the specific geologic environment, the waste forms, the plant design, and the potential failure modes in respect to radiation-safety and environmental-impacts.

Typically, the results of all of the studies performed to select and characterize the site are summarized in an EIS prepared in accordance with the NEPA. The EIS was made available to all interested parties. Public comments were incorporated into the decision that determines whether or not to proceed with the project, as defined, at the location selected.

4.1.2 Selection of Salt as a Disposal Media

The rationale for preferring salt as the disposal medium for nuclear waste, in general, and for the WIPP facility, specifically, resulted from two decades of repository program activities. In 1955, the NAS National Research Council (NAS-NRC) was asked by the AEC to examine the issue of permanent disposal of radioactive waste. In a report published in 1957,¹²¹ the committee stated that it was "convinced that radioactive waste can be disposed of safely" and concluded that "the most promising method of disposal of high level waste at the present time seems to be in salt deposits."¹²²

¹²¹ National Academy of Sciences, 1957.

¹²² National Academy of Sciences, 1957, pp. 3-4.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

Salt was determined to be the most promising disposal medium because of its unique thermal and physical properties. Salt has a relatively high thermal conductivity, which serves to rapidly conduct heat away from waste. Salt has favorable plastic, or creep, properties which permit sizeable strains to be absorbed without fractures¹²³. The existence of large salt deposits demonstrates isolation from circulating ground waters for long periods of geologic time. The depositional nature and preservation of large salt deposits demonstrates regional stability for long periods of geologic time.

From 1957 to 1961, the AEC sponsored research at the ORNL on the suitability of salt as a disposal medium for defense generated radioactive waste¹²⁴. In 1962, the USGS completed a study that summarized rock salt deposits in the United States as possible storage sites for radioactive waste¹²⁵

In 1963, an existing salt mine in Lyons, Kansas was selected for further study. The ORNL began a large-scale field program known as Project Salt Vault. Simulated wastes (irradiated fuel elements), supplemented by electric heaters, were placed in the mine for observation.

Conclusions made from the studies that took place from 1963 to 1970 were favorable and, in 1970, the Lyons Site was selected by the AEC as a potential location for a radioactive waste repository. The NAS endorsed this recommendation. However, subsequent studies identified some technical problems and, in 1972, the integrity of the site was judged to be unacceptable.

¹²³ Oak Ridge National Laboratory, 1973a, p. 3.

¹²⁴ U.S. Department of Energy, 1980, p. 2-6.

¹²⁵ U.S. Geological Survey, 1962.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

There were too many drill holes in the area that could not be positively located, and solution mining, which was taking place nearby, was experiencing unexplainable water losses¹²⁶.

The work performed at Lyons, Kansas, along with all of the work that was performed prior to Project Salt Vault, confirmed that salt is a good disposal medium, provided it does not have the integrity problems that the Lyons, Kansas site had. Therefore, of the disposal media considered for the WIPP site (limestone, shale, and salt), salt was selected as the preferred medium.¹²⁷

4.1.3 Selection of Eastern New Mexico

The WIPP site selection process began in 1973, when the AEC, ORNL, and the USGS began seeking a repository site to replace the site abandoned in Lyons, Kansas. A nationwide survey was conducted to locate a region that contained a salt deposit suitable for use as a repository.^{128,129,130,131,132,133,134}

The most promising region identified was located in the Delaware Basin of eastern New Mexico. This region was selected because

¹²⁶ U.S. Department of Energy, 1980, p. 2-7.

¹²⁷ U.S. Department of Energy, 1980, p. 2-9.

¹²⁸ U.S. Geological Survey, 1962.

¹²⁹ U.S. Geological Survey, 1973a.

¹³⁰ U.S. Geological Survey, 1973b.

¹³¹ U.S. Geological Survey, 1973c.

¹³² U.S. Geological Survey, 1973d.

¹³³ U.S. Geological Survey, 1973e.

¹³⁴ U.S. Geological Survey, 1974a.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

the salt is shallow and flat. Although the Delaware Basin is a known oil and gas producer, the eastern New Mexico area is not very productive, and has not been subjected to a lot of drilling.¹³⁵ Selection of this area of the Delaware Basin was consistent with the criterion of avoiding locations in known oil and gas production trends.

4.1.4 Selection of the Carlsbad Potash Area

An extensive literature study was performed to locate an area in eastern New Mexico for further evaluation. Three areas in eastern New Mexico were chosen for further study: (1) the Carlsbad Potash Area;¹³⁶ (2) the Clovis-Portales area;¹³⁷ and (3) the Mescalero Plains of Chaves County.¹³⁸

The Clovis-Portales area was disqualified because the salt being studied was too shallow and clayey. The Mescalero Plains area was disqualified because of excessive resource development (oil production) in the area. The Carlsbad Potash Area, in the northern portion of the Delaware Basin, was ultimately chosen for further exploratory work.¹³⁹

4.1.5 Selection of the Los Medanos Site

Site selection efforts within the Carlsbad Potash Area were initiated in 1972 by ORNL, the USGS, and the AEC. A plan issued

¹³⁵ U.S. Department of Energy, 1980, p. 2-10.

¹³⁶ U.S. Geological Survey, 1972.

¹³⁷ U.S. Geological Survey, 1974b.

¹³⁸ U.S. Geological Survey, 1974c.

¹³⁹ U.S. Department of Energy, 1980, p. 2-10.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

by ORNL, in October of 1973,¹⁴⁰ states that resource-high areas should be avoided. Specifically, the plan states:

Significant quantities of potash ore and extensive deposits of oil and gas occur in selected localities of southeastern New Mexico. To preclude conflicts of interest in the economic development of the region, the rocks underlying the study area should preferably have a low potential for oil and gas development and should not contain extensive high-grade potash ores.¹⁴¹

Appendix D of the WIPP FEIS¹⁴² lists the criteria used to select the Los Medanos Site, and explains how well the WIPP site fares against these criteria (See Appendix C of this paper). These criteria evolved through the selection and abandonment of a Project Salt Vault in Lyons, Kansas.

The first site selected for characterization within the Carlsbad Potash Area (ORNL site) had to be abandoned. It was centered on sections 10 and 11 of township 22 South, range 31 East. Characterization studies showed that (1) rock strata were much shallower than expected; (2) beds showed severe distortion; (3) structural dips were as high as 75 degrees; (4) the site contained leasable grades of potash (AEC Nos. 7 and 8); and (5) a pocket of pressurized brine was encountered at a depth of 2710 feet within the Castile Anhydrite.^{143,144}

¹⁴⁰ Oak Ridge National Laboratory, 1973b.

¹⁴¹ Oak Ridge National Laboratory, 1973a, p. 3.

¹⁴² U.S. Department of Energy, 1980, Vol. 2, Appendix D.

¹⁴³ U.S. Department of Energy, 1980, p. 2-10.

¹⁴⁴ Sandia National Laboratories, 1978.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

It was determined that the site was located too close to the Capitan Reef. Structural influence by the reef caused the actual geologic character to vary from the predicted geologic behavior.¹⁴⁵ Extensive drilling would have been required to thoroughly document the structure of the site, which is contrary to the principle of minimizing the number of holes drilled into the repository.

In late 1975, the USGS and the Energy Research and Development Administration (ERDA) went back to stage two of the site selection process, and began looking for an alternative location within the Carlsbad Potash Area of the Delaware Basin. Site selection criteria and characterization factors were revised to include knowledge gained from several studies.^{146,147,148,149,150,151} These revised criteria are referred to as "stage II siting criteria".¹⁵² The following is an abbreviated listing of the most restrictive stage II siting criteria:^{153,154}

¹⁴⁵ U.S. Geological Survey, 1973d.

¹⁴⁶ Oak Ridge National Laboratory, 1974a.

¹⁴⁷ U.S. Geological Survey, 1973b.

¹⁴⁸ Oak Ridge National Laboratory, 1973c.

¹⁴⁹ U.S. Geological Survey, 1975.

¹⁵⁰ Oak Ridge National Laboratory, 1974b.

¹⁵¹ Sandia National Laboratories, 1978, p. 2-11.

¹⁵² Sandia National Laboratories, 1978, p. 2-22.

¹⁵³ Sandia National Laboratories, 1978, pp. 2-21 and 2-22.

¹⁵⁴ Sandia National Laboratories, 1977.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

1. Avoid areas that are within 1 mile of any borehole that extends through the Ochoan evaporites and into the Delaware or deeper formations. (This automatically assures that a site will not be located over an existing oil or gas field.)
2. Salt of high purity at a depth between 1,000 and 3,000 feet.
3. Avoidance of areas where dissolution had advanced to the top of the Salado or deeper levels, by establishing a distance of one mile or more from dissolution fronts at the top of the Salado.
4. Avoidance of possible salt deformation in a belt 6 miles wide basin-ward from the Capitan reef.
5. Avoidance of pronounced known anticlinal structures.
6. Avoidance of known oil and gas trends.
7. Avoidance of the known potash enclave above the repository and minimize conflict with the known enclave in the buffer zone.

Only two of the proposed alternate sites withstood the stage II siting criteria. Alternative I, the Los Medanos Site, was selected as the preferred location because seismic data indicated that the site was in a syncline, making the accumulation of oil, gas, and geopressurized brines less favorable. Alternative II was located adjacent to shallow oil fields where water flooding for secondary recovery was a possibility.¹⁵⁵

Selection of the Los Medanos Site did not prove that the "perfect" site had been selected. The selection criteria used, however, was sufficient to establish that the site selected was adequate, safe, and acceptable.¹⁵⁶ An effort was made to avoid resource rich areas. This goal could not be completely satisfied

¹⁵⁵ Sandia National Laboratories, 1978, pp. 2-22 and 2-23.

¹⁵⁶ Sandia National Laboratories, 1978, p. 2-15.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

by the Los Medanos Site. The site contains potential economic quantities of both potash and hydrocarbons.¹⁵⁷ These resources will be discussed subsequently.

4.2 Resources at the WIPP Site

The language in the EPA's resource disincentive defines resources that are of interest to include "... minerals, petroleum or natural gas, valuable geologic formations, and ground waters that are either irreplaceable because there is no reasonable alternative source of drinking water available for substantial populations or that are vital to the preservation of unique and sensitive ecosystems."¹⁵⁸ Accordingly, the following discussion centers on the specific resources defined in the standard. This includes a discussion of hydrocarbon resources which include oil, gas, and distillate; minerals, which include potash, halite, and construction materials such as sand, gravel, and caliche; and groundwater.

4.2.1 Hydrocarbons

The New Mexico Bureau of Mines and Mineral Resources (NMBM&MR) conducted a hydrocarbon resource study in southeastern New Mexico under contract to the ORNL.¹⁵⁹ The NMBM&MR study was based on the known reserves of crude oil and natural gas in the region and on the probability of discovering new reserves. A fundamental assumption of this study was that the WIPP area has the same potential for resources as the much larger region. The estimates do not take into account the economic value or the recoverability

¹⁵⁷ U.S. Department of Energy, 1980, p. 8-8.

¹⁵⁸ U.S. Environmental Protection Agency, 1985a, p. 38086.

¹⁵⁹ New Mexico Bureau of Mines, 1974.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

of the hydrocarbons. The NMBM&MR estimated that each section (640 acres) could contain 1.266 million barrels of oil, 16.544 billion cubic feet of gas, and 0.193 million barrels of distillate.¹⁶⁰ The SNL hired a consulting firm to prepare an estimate of the hydrocarbon reserves (economically producible resources) within the area.¹⁶¹ Since there were no resource wells within the inner three control zones at the WIPP site, the study relied on information gained from nearby exploration. The study was updated just prior to the publication of the draft EIS for the WIPP. Based on the updated study, the reserve estimates in Table 4-1 were projected.¹⁶²

In order to gain control over the development of hydrocarbons within the WIPP site area, the DOE acquired the oil and gas leases within all the WIPP control zones. These acquisitions were necessary to keep the salt beds intact.¹⁶³ The only leases that are still intact are in section 31. These leases only allow the production of resources by entry below 6000 feet. One of these leases is currently in production. The upper 6000 feet of the leases were taken by the DOE through condemnation in 1979. This action was consistent with the developing policy on resource recovery.¹⁶⁴ Current policy would not allow any resource development inside the WIPP site boundary.¹⁶⁵ Table 4-2 puts the resources and the reserves into perspective. This table has

¹⁶⁰ U.S. Department of Energy, 1980, pp. 7-68 to 7-70.

¹⁶¹ Sipes, Williamson, and Aycok, 1976.

¹⁶² Sipes, Williamson, and Associates, 1979.

¹⁶³ U.S. Department of Energy, 1980, pp. 8-8 to 8-10.

¹⁶⁴ U.S. Department of Energy, 1982a.

¹⁶⁵ U.S. Department of Energy, 1987.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

Table 4-1. Hydrocarbon Reserves and Resources at the WIPP Site

CATEGORY	Condensate (bbl)		CATEGORY TOTAL	Gas (10 ⁶ ft ³)		TOTAL
	ZONES I, II, III	ZONE IV		ZONES I, II, III	ZONE IV	
Proved but undeveloped reserves	0	81,758	81,758	0	11,610	11,610
Probable reserves	11,640	9,822	21,462	9,050	10,094	19,144
Possible reserves	14,169	1,135	15,304	12,002	1,866	13,868
Total reserves	25,809	92,715	118,524	21,052	23,570	44,622
Unassigned reserves and resources			272,319			39,352
Grand total			390,843			83,974

Source: U.S. Department of Energy, 1980, p. 7-74.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

Table 4-2. Summary of the Impacts of Hydrocarbon Resource Denial RESOURCES

DEPOSIT	SITE TOTAL	REGION	UNITED STATES	WORLD
Natural Gas (bill. ft ³)	490	25,013	855,000	N/A
Control Zones I-III	211	0.8 %	0.025 %	
Control Zone IV	279	1.1 %	0.033 %	
Distillate (mill. barrels)	5.72	293	N/A	N/A
Control Zones I-III	2.46	0.84%		
Control Zone IV	3.26	1.11%		
Crude Oil (mill. barrels)	37.5	1915	200,000	N/A
Control Zones I-III	16.12	0.84%	0.008 %	
Control Zones IV	21.38	1.12%	0.0006%	

RESERVES

DEPOSIT	SITE TOTAL	REGION	UNITED STATES	WORLD
Natural Gas (bill. ft. ³)	44.62	3865	208,800	2,520,000
Control Zones I-III	21.05	0.54%	0.01 %	0.0008%
Control Zone IV	23.57	0.61%	0.011 %	0.0009%
Distillate (mill. barrels)	0.12	169.1	35,500	N/A
Control Zones I-III	0.03	0.02%	0.00008%	
Control Zone IV	0.09	0.06%	0.00024%	
Crude Oil		471.7	29,486	646,000

Source: Based on U.S. Department of Energy, 1980, p. 9-19 and 9-28.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

been modified from Table 9-14 in the FEIS¹⁶⁶ to include the differentiation between the resources in the inner three control zones and those in Control Zone IV.

4.2.2 Mineral Resources

A comprehensive discussion of the non-hydrocarbon mineral resources affected by the WIPP site is included in the FEIS¹⁶⁷ and is based on information gathered for the GCR.¹⁶⁸ The conclusion in these documents is that the principal mineral resources that underlie the WIPP facility are caliche, gypsum, salt, lithium from brines, sylvite, and langbeinite. Potassium salts (sylvite and langbeinite) which occur in strata above the repository are the only mineral resources of practical significance and are considered to be economically extractable (that is, reserves).^{169,170}

When the Los Medanos site was initially screened for the WIPP project it was thought that the facility was positioned outside of the Known Carlsbad Potash District, and would therefore have a minimal impact on potash resources.¹⁷¹ Information from studies conducted after site selection^{172,173,174} has caused an

¹⁶⁶ U.S. Department of Energy, 1980, p. 9-19.

¹⁶⁷ U.S. Department of Energy, 1980, Chapters 7, 8, and 9.

¹⁶⁸ Sandia National Laboratories, 1978.

¹⁶⁹ U.S. Department of Energy, 1980, p. 9-18.

¹⁷⁰ Environmental Evaluation Group, 1983, pp. 95-98.

¹⁷¹ U.S. Department of Energy, 1980, p. 2-15.

¹⁷² U.S. Geological Survey, 1978a.

¹⁷³ U.S. Bureau of Mines, 1977.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

enlargement of the Known Carlsbad Potash District to include most of the Los Medanos Site.¹⁷⁵

Table 4-3 illustrates the significance of the amount of potash mineral resources which cannot be mined or extracted because of the WIPP site. The mineral of greatest interest is langbeinite, which is used to manufacture a fertilizer. Denying the exploitation of langbeinite resources on the WIPP site does impact regional and national resources. Langbeinite is a relatively rare evaporite mineral which is found in commercial quantities only in the Carlsbad area and in eastern Europe. It contains soluble potassium, magnesium, and sulfur.¹⁷⁶

The chief importance of langbeinite is as a fertilizer. It is desirable for soils that require soluble potassium, magnesium and sulfur, but cannot tolerate chlorine. The principle beneficial ingredient is potassium sulfate. Some langbeinite is sold as a refined mineral but some is mixed with sylvite to produce potassium sulfate.¹⁷⁷

Substitutes for the principal beneficial ingredient of langbeinite (potassium sulfate) are available. Some langbeinite produced from Carlsbad is transformed into potassium sulfate by a base-exchange process between langbeinite and sylvite. Potassium sulfate can also be produced by a reaction between sylvite and sulfuric acid. Potassium sulfate is present in the brine water

¹⁷⁴ (...continued)

¹⁷⁴ Agricultural and Industrial Minerals, 1978.

¹⁷⁵ U.S. Department of Energy, 1980, p. 2-15.

¹⁷⁶ U.S. Department of Energy, 1980, p. 9-21.

¹⁷⁷ U.S. Department of Energy, p. 9-24.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

Table 4-3. Summary of Potash Resources at the WIPP Site

RESOURCES

DEPOSIT	SITE TOTAL	REGION	UNITED STATES	WORLD
Sylvite (mill. tons ore)	133.2	4260	8550	850,000
Control Zones I-III	39.1	0.92%	0.46%	0.0046%
Control Zone IV	94.1	2.21%	1.10%	0.01 %
Langbeinite (mill. tons ore)	351.0	1140	N/A	N/A
Control Zones I-III	121.9	10.7 %		
Control Zone IV	229.1	20.1 %		

RESERVES

DEPOSIT	SITE TOTAL	REGION	UNITED STATES	WORLD
Sylvite (mill. tons K ₂ O)	3.66	106	206	11,206
Control Zones I-III	NIL			
Control Zone IV	3.66	3.45%	1.78%	0.33%
Langbeinite (mill. tons K ₂ O)	4.41	9.3	9.3	N/A
Control Zones I-III	1.21	13.0 %	13.0 %	
Control Zone IV	3.20	34.4 %	34.4 %	

Source: U.S. Department of Energy, 1980, p. 9-19 and 9-28.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

of the Great Salt Lake, Utah, and is now being exploited commercially.¹⁷⁸

The supply of langbeinite in the Carlsbad Potash area is exhaustible. It is projected that langbeinite operations will last another 28 years if reserves are considered, and 46 years if resources are considered. The WIPP project originally excluded the mining or extraction of resources from 18,960 acres. In 1982, the DOE issued a revised Interim Policy Statement on Resource Recovery at the WIPP Site.¹⁷⁹ This policy states that "the extraction of potash outside Control Zone III is allowable."

4.2.3 Groundwater

Groundwater in the area of the WIPP site has been studied extensively and the results of the studies have been summarized both in the WIPP FEIS¹⁸⁰ and the WIPP Final Safety Analysis Report (FSAR).¹⁸¹ The following are the principal tasks which were conducted to evaluate the groundwater in the vicinity of the WIPP:

Review of available data and literature resulting from potash, oil and gas, and Pecos River investigations. Hydrologic testing of 52 exploration holes.

Extensive field testing programs were conducted, including drill stem tests, flow tests, pump tests, and packer tests.

Water samples from specific rock units have been laboratory tested for physical and chemical parameters.

¹⁷⁸ U.S. Department of Energy, 1980, pp. 9-14 to 9-25.

¹⁷⁹ U.S. Department of Energy, 1982a.

¹⁸⁰ U.S. Department of Energy, 1980, Section 7.4.

¹⁸¹ Westinghouse Electric Corp., 1990.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

The studies that were performed confirmed that groundwater exists both above and below the facility horizon. Below the facility horizon, groundwater is found in the Bell Canyon Formation. This groundwater is of very poor quality and, for the most part, can be considered a brine.¹⁸² Groundwater above the facility horizon is only found in limited quantities, and is usually of such poor quality that it is not usable.^{183,184,185}

At some locations, the water is of marginal quality and is used for watering livestock. The "Barn Well" (located 5.5 miles south-southeast of the WIPP site) supplies drinking water to a local ranch from the Dewey Lake Red Beds Formation.¹⁸⁶

The WIPP does not impact any irreplaceable groundwater as defined by 40 CFR 191.14(e), which states that groundwaters are either irreplaceable because (1) "no reasonable alternative source of drinking water is available for substantial populations"; or (2) it is "vital to the preservation of a unique and sensitive ecosystem".¹⁸⁷ No substantial population is affected by the WIPP site, and alternative supplies of drinking water are available from the wells 30 miles north of the WIPP site which are completed in the Ogallala Formation.¹⁸⁸

¹⁸² Sandia National Laboratories, 1978, p. 6-29.

¹⁸³ Westinghouse Electric Corp., 1987.

¹⁸⁴ Westinghouse Electric Corp., 1986.

¹⁸⁵ Westinghouse Electric Corp., 1988.

¹⁸⁶ Westinghouse Electric Corp., 1988.

¹⁸⁷ U.S. Environmental Protection Agency, 1985, p. 38086.

¹⁸⁸ Westinghouse Electric Corp., 1990, p. 2.5-1.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

4.3 WIPP Ecosystems

The terrestrial ecology of the WIPP site is characteristic of areas where rainfall is the limiting factor for vegetation. The area lies within a transition zone between the Chihuahuan Desert and the southern Great Plains. As a result, the area shares the floral characteristics of both areas. There are no endangered plant species known to occur with the WIPP site area.¹⁸⁹

Thirty-nine species of mammals have been observed in the area. None are on the threatened or endangered species list.¹⁹⁰ A total of 122 birds have been observed. None are on the endangered species list.¹⁹¹

With regard to the impacts on the ecological resources, the FEIS points out that the ecosystems found at the WIPP are not unique. No endangered species of plants or animals are known to inhabit the WIPP site or the vicinity of the site. The area contains vegetation and soil types that are common throughout the region. No unique species or populations have ever been identified at the site.¹⁹²

¹⁸⁹ U.S. Department of Energy, 1980, pp. 7-3 to 7-7.

¹⁹⁰ U.S. Department of Energy, 1980, p. 7-7.

¹⁹¹ U.S. Department of Energy, 1980, p. 7-8.

¹⁹² U.S. Department of Energy, 1980, pp. 9-14 to 9-15.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

5.0 CONCLUSIONS

In 1981, the DOE decided that the available data, as summarized in the FEIS,¹⁹³ supported a decision to proceed with the WIPP project through facility construction. As documented by this paper, the information which the DOE used to make this decision evolved from site selection and site characterization activities, which included resource considerations.

During the site selection process, the Los Medanos Site was compared against several other candidate sites. An established list of selection criteria (which included resource considerations) was used to compare candidate sites, and the Los Medanos Site best met the selection criteria. After initial site selection, comprehensive site characterization activities showed that the WIPP site was not void of resources. Site characterization put the impact of resource denial into perspective. With the exception of langbeinite, the impact is insignificant. Langbeinite is valued as a fertilizer, and contains a principal beneficial ingredient of potassium sulfate. The availability of commercial deposits of langbeinite is very limited. Langbeinite mining operations will probably only exist for the next 28 to 46 years in the Carlsbad Potash Area.¹⁹⁴ If the WIPP project were not located at Los Medanos, it has been estimated that langbeinite operations in the Carlsbad Potash Area would only be extended by 4 years.¹⁹⁵ Substitutes for the

¹⁹³ U.S. Department of Energy, 1980.

¹⁹⁴ U.S. Department of Energy, 1980.

¹⁹⁵ U.S. Department of Energy, 1980.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

principal beneficial ingredient of langbeinite (potassium sulfate) are available.¹⁹⁶

The presence of langbeinite and other resources were evaluated from the standpoint of resource attractiveness. Analyses in the FEIS,¹⁹⁷ the Natural Resources Study,¹⁹⁸ and the SEIS¹⁹⁹ demonstrate that the consequences of an inadvertent intrusion into the repository in search of resources are small. Consequently, resource attractiveness does not appear to compromise the adequacy, safety, or reliability of the WIPP site. The final determination of the acceptability of the site will be based on compliance to the performance assessment requirements of 40 CFR 191 Subpart B. This determination will be made using information and data collected during the Test Phase.²⁰⁰

Based on the favorable characteristics of the Los Medanos site (good hydrological characteristics, salt medium, moderate depth, salt thickness, low population density, lack of significant economic conflicts, and others)²⁰¹ the decision was made to proceed with full construction and operation for the Test Phase. These favorable characteristics more than compensate for the possibility that the site will be disturbed in the future because of the presence of natural resources. The decision for full operations as a permanent disposal facility will be rendered only if the Environmental Protection Agency guidelines for radioactive

¹⁹⁶ U.S. Department of Energy, 1980.

¹⁹⁷ U.S. Department of Energy, 1980.

¹⁹⁸ Westinghouse Electric Corp., 1982a.

¹⁹⁹ U.S. Department of Energy, 1990a.

²⁰⁰ U.S. Environmental Protection Agency, 1985a, p. 38086.

²⁰¹ Sandia National Laboratories, 1983.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

waste isolation are met. In conclusion, the intent of the RDR in 40 CFR Part 191(e) has been met for the WIPP facility. Resource conflicts were given adequate consideration, including extensive public comment. The conclusion is that the favorable characteristics of the site uniquely qualify it for a repository for defense TRU waste. These characteristics more than compensate for the likelihood of a future disturbance.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

LIST OF REFERENCES

1. Agricultural and Industrial Minerals, 1978, Resource Study for the Waste Isolation Pilot Plant, Eddy County, New Mexico, 1978, agricultural and Industrial Minerals, Inc., San Carlos, CA.
2. Assurance Requirement Working Group, 1983, Report of the Assurance Requirement Working Group, Third Draft, by Dr. Robert Budnitz, Dr. Konrad Krauskopf, Dr. Terry R. Lash, Chair, and Dr. David Okrent, July 20, 1983, contained in Trip Report Number DA:83:0343 prepared by W.Baer, Westinghouse Electric corp, Albuquerque, NM, July 29, 1983. (Westinghouse Electric Corp. is now in Carlsbad, NM.)
3. Environmental Evaluation Group, 1979, Goad, Donna, A Compilation of Site Selection Criteria, Considerations and Concerns Appearing in the Literature on the Deep Disposal of Radioactive Wastes, EEG-1, Environmental Evaluation Group, Santa Fe, NM, June, 1979.
4. Environmental Evaluation Group, 1983a, Comments of the Environmental Evaluation Group on Environmental Protection Agency Proposed Rule 40 CFR Part 191 Environmental Standards for the Management and Disposal of Spent Nuclear Fuel, High-Level and Transuranic Radioactive Wastes, May 3, 1983, contained in a letter from Robert H. Neill, Director, EEG to Dr. Glenn L. Sjoblom, Director, Office of Radiation Programs, Environmental Evaluation Group, Santa Fe, NM. (The EEG is now located in Albuquerque and Carlsbad, NM).
5. Environmental Evaluation Group, 1983b, Letter dated January 21, 1983 from Robert H. Neill, Director, Environmental Evaluation Group to Mr. Joseph. M. McGough, Project Manager on WIPP, U.S.Department of Energy, Environmental Evaluation Group, Santa FE, NM. (The Environmental Evaluation Group is now located in Albuquerque and Carlsbad, NM.)
6. Environmental Evaluation Group, 1983c, Neill, R.H., J.K. Channell, L. Chatuverdi, M.S. Little, K. Rehfeldt, and P. Spiegler, Evaluation of the Suitability of the WIPP Site, EEG-23, May, 1983, Environmental Evaluation Group, Santa Fe, NM. (The Environmental Evaluation Group is now in Albuquerque and Carlsbad, NM.)

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

7. Environmental Evaluation Group, 1987, EEG Comments of Waste Isolation Pilot Plant Compliance Plan for 40 CFR 191, DOE-WIPP 86-013, contained in a letter from Robert H. Neill, Director, Environmental Evaluation Group to Mr. Jack B. Tillman, Project Manger, WIPP Project Office, U.S. Department of Energy, Carlsbad, NM.
8. Long, G.J. and Associates, 1976, Interpretation of Geophysical Data, Los Medanos and Vicinity, 1976, report to Sandia National Laboratories, Albuquerque, NM.
9. National Academy of Sciences, 1957, The Disposal of Radioactive Waste on Land, Report of the Committee on Waste Disposal of the Division of Earth Sciences, Publication 519, National Academy of Sciences/National Research Council, Washington, D.C.
10. New Mexico Bureau of Mines, 1974, Foster, R.W., Oil and Gas Potential of a Proposed Site for the Disposal of High-Level Radioactive Waste: Open-file Report, 1974, New Mexico Bureau of Mines, Socorro, NM.
11. New Mexico Bureau of Mines and Mineral Resources, 1978, Siemers, W.T., J.W. Hawley, C. Rautmen and G. Austin, Evaluation of the Mineral Potential (Excluding Hydrocarbons, Potash and Water) of the Waste Isolation Pilot Plant Site, Eddy County, New Mexico, 1978, New Mexico Bureau of Mines and Mineral Resources, Socorro, NM.
12. New Mexico Energy and Minerals Department, 1984, Natural Resources at the Waste Isolation Pilot Plant Site, a Report of the Energy and Minerals Department Task Force on Natural Resources, January, 1984, attached to a latter dated January 30, 1984 from Paul Biderman, Secretary, Energy and Minerals Department, State of New Mexico to Mr. Raymond G. Romatowski, Manager, Albuquerque Operations Office, U.S. Department of Energy, Albuquerque, NM.
13. National Academy of Sciences, 1984, Review of the Scientific and Technical Criteria for the Waste Isolation Pilot Plant (WIPP), 1984, National Academy for Sciences, Washington, D.C.
14. Oak Ridge National Laboratory, 1973a, Site Selection Factors for the Bedded Salt Pilot Plant, ORNL-TM-4219, 1973, Ridge National Laboratory, Oak Ridge, TN.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

15. Oak Ridge National Laboratory, 1973b. Oak Ridge National Laboratory, 1973b, Program Plan for the Development of the Bedded Salt Pilot Plant, ORNL-TM-4233, 1973, Oak Ridge National Laboratory, Oak Ridge, TN.
16. Oak Ridge National Laboratory, 1973c, Piper, A. M., Suberosion In and About the Four Township Study Area Near Carlsbad, ORNL Subcontract 3745, 1973, Oak Ridge National Laboratory, Oak Ridge, TN.
17. Oak Ridge National Laboratory, 1974a, Claiborne, H.C., and F. Gera, Potential Containment Failure Mechanisms and Their Consequences at a Radioactive Waste Repository in Bedded Salt in New Mexico, ORNL-TM-4369, 1974, Oak Ridge National Laboratory, Oak Ridge, TN.
18. Oak Ridge National Laboratory, 1974b, Foster, R.W., Oil and Gas Potential of a Proposed Site for the Disposal of High-Level Radioactive Waste, ORNL Open-File Report, Contract No. AF(40-1-4423), 1974, Oak Ridge National Laboratories, Oak Ridge, TN.
19. Permian Exploration Co., 1976, McMillan, C., Los Medanos Area, 1976, report to Sandia National Laboratories, Albuquerque, NM.
20. Sandia National Laboratories, 1977, Griswold, G. B., Site Selection and Evaluation Studies of the Waste Isolation Pilot Plant (WIPP), Los Medanos, Eddy County, New Mexico, SAND77-0946, 1977, Sandia National Laboratories, Albuquerque, N.M.
21. Sandia National Laboratories, 1978, Powers, D.W., S.J. Lambert, S.E. Shaffer, L.R. Hill. and W.D. Weart (eds.), 1978, Geological Characterization Report, Waste Isolation Pilot Plant (WIPP) Site, Southeastern New Mexico, Two Volumes, SAND78-1596, Sandia National Laboratories, Albuquerque, N.M.
22. Sandia National Laboratories, 1983, Weart, W.D., Summary of Evaluation of the Waste Isolation Pilot Plant (WIPP) Site Suitability, SAND83-0450, March, 1983, Sandia National Laboratories, Albuquerque, NM., p. 12.
23. Sandia National Laboratories, 1989, Bertram-Howery, S.G. and R.L. Hunter, Plans for Evaluation of the Waste Isolation Pilot Plant's Compliance with EPA Standards for Radioactive Waste Management and Disposal, SAND88-2871, 1989, Sandia National Laboratories, Albuquerque, NM.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

24. Sandia National Laboratories, 1990a. Sandia National Laboratories, 1990a, Bertram-Howery, S.G., M.G. Marietta, R.P. Rechard, P.N. Swift, D.R. Anderson, B.L. Baker, J.E. Bean, Jr., W. Beyeler, K.F. Brinster, R.V. Guzowski, J.C. Helton, R.D. McCurley, D.K. Rudeen, J.D. Schreiber, and P. Vaughn, Preliminary Comparison with 40 CFR Part 191, Subpart B for the Waste Isolation Pilot Plant, December, 1990, SAND90-2347, Sandia National Laboratories, Albuquerque, NM (Note: SNL publishes annual status reports on the progress being made on performance assessment. The report cited is the most recent annual report.)
25. Sandia National Laboratories, 1990b, Molecke, M.A., Test Plan: WIPP Bin-Scale CH TRU Tests, SAND90-1974, January 1990, Sandia National Laboratories, Albuquerque, NM.
26. Sandia National Laboratories, 1990c, Molecke, M.A. and A.R. Lappin, Test Plan Addendum #1: Waste Isolation Pilot Plant Bin-Scale CH TRU Waste Tests, SAND90-2082, December, 1990, Sandia National Laboratories, Albuquerque, NM.
27. Sandia National Laboratories, 1990d, Molecke, M.A., Test Plan: WIPP In-Situ Alcove CH TRU Waste Tests, January, 1990, Sandia National Laboratories, Albuquerque, NM.
28. Sipes, Williamson, and Associates, 1979, Keesey, J.J., Evaluation of Directional Drilling for Oil and Gas Reserves Underlying the WIPP Site Area, Eddy County, New Mexico, 1979, Sipes, Williamson, and Associates, Midland, TX.
29. Sipes, Williamson, and Aycock, 1976, Keesey, J. J., Hydrocarbon Evaluation, Proposed Southeastern New Mexico Radioactive Material Storage Site, Eddy County, New Mexico, Vol. I and II, 1976, Sipes, Williamson and Aycock, Midland, Texas.
30. U.S. Bureau of Mines, 1977, Valuation of Potash Occurrences Within the Waste Isolation Pilot Plant Site in Southeastern New Mexico, 1977, United States Bureau of Mines Report to the Energy Research and Development Administration, Washington, D.C.
31. U. S. Congress, 1969, National Environmental Policy Act of 1969, Pub. L. 91-190, 42 U.S.C. 4321-4347, January 1, 1970 as amended by Pub. L. 94-52, July 3, 19765 and Pub. L. 94-830, August 9, 1975, United States Congress, Washington, D.C., Title I, Sec. 101, (b), (5).

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

32. U.S. Congress, 1979, Department of Energy National Security and Military Applications of Nuclear Energy Authorization Act of 1980, Public Law 96-164 (S. 673), Title II - General Provisions, Waste Isolation Pilot Plant, Delaware Basin, New Mexico, Sec. 213, Approved December 29, 1979, U.S. Congress, Washington, D.C.
33. U.S. Department of Energy, 1980, Final Environmental Impact Statement, Waste Isolation Pilot Plant, DOE/EIS-0026-ES, October, 1980, U.S. Department of Energy, Washington, DC, pp. 7-60 to 7-77.
34. U.S. Department of Energy, 1981a, Waste Isolation Pilot Plant (WIPP); Record of Decision, 46 FR 9162, January 28, 1981, U.S. Department of Energy, Washington, D.C.
35. U.S. Department of Energy, 1987, Second Modification to the Agreement for Consultation and Cooperation, August 4, 1987, signed by the Department of Energy and the State of New Mexico. Available from the U.S. Department of Energy, Carlsbad, NM.
36. U.S. Department of Energy, 1981b, DOE Responses to Comments on the WIPP Final Environmental Impact Statement, WIPP-DOE-81, January, 1981, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now located in Carlsbad, NM.), pp. 14-16.
37. U.S. Department of Energy, 1981c, DOE Responses to Comments on the WIPP Final Environmental Impact Statement, Supplement, WIPP-DOE-81A, April, 1981, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now located in Carlsbad, NM.), pp. 9-10.
38. U.S. Department of Energy, 1981d, Interim Policy Statement by U.S. Department of Energy, Resource Recovery at the Waste Isolation Pilot Plant Site, contained in a letter dated November 3, 1981, from J.M. McGough, Project Manager, WIPP Project Office to Dr. George S. Goldstein, Chairman, Governor's Task Force on WIPP, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now in Carlsbad, NM.)
39. U.S. Department of Energy, 1982a, DOE Revised Interim Policy Statement on Resource Recovery at the WIPP Site, contained in a letter dated December 23, 1982 from J.M. McGough, Project Manager, WIPP Project Office to Dr. George S. Goldstein, Chairman, Radioactive Task Force, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now in Carlsbad, NM.)

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

40. U.S. Department of Energy, 1982b, Environmental Analysis, Waste Isolation Pilot Plant(WIPP), Cost Reduction Proposals, WIPP-DOE-136, July, 1982, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now in Carlsbad, NM.)
41. U.S. Department of Energy, 1982c, Review of the Environmental Analysis for the Cost Reduction Proposals for the Waste Isolation Pilot Plant (WIPP) Project, July, 8, 1982, letter from William A. Vaughn, Assistant secretary, Environmental Protection , Safety and Emergency Preparedness, to Herman E. Roser, Assistant Secretary for Defense Programs, U.S. Department of Energy, Washington, D.C.
42. U.S. Department of Energy, 1983a, Summary of the Results of the Evaluation of the WIPP Site and Preliminary Design Validation Program, WIPP-DOE-161, March, 1983, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now in Carlsbad, NM.)
43. U.S. Department of Energy, 1983b, DOE Responses to the Public's Comments on "Summary of the Results of the Evaluation of the WIPP Site and Preliminary Design Validation Program," (WIPP-DOE-161), WIPP-DOE-173, June 1983, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now in Carlsbad, NM.), pp. 3-16 to 3-19.
44. U.S. Department of Energy, 1983c, DOE Responses to the State of New Mexico's Comments on "Summary of the Results of the Evaluation of the WIPP Site and Preliminary Design Validation Program," (WIPP-DOE-161), WIPP-DOE-174, June 1983, U.S. Department of Energy, WIPP Project Office, Albuquerque, NM. (The WIPP Project Office is now in Carlsbad, NM.), pp. 3-17 to 3-19, 6-3, 7-3.
45. U.S. Department of Energy, 1983d, Action Description Memorandum (ADM) for Determination to Proceed with Full Waste Isolation Pilot Plant (WIPP) Construction, June, 24, 1983, attached to a letter from Herman E. Roser, Assistant Secretary for Defense Programs to William A. Vaughn, EP-1, U.S. Department of Energy, Washington, D.C.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

46. U.S. Department of Energy, 1983e, National Environmental Policy Act (NEPA) review of the Waste Isolation Pilot Plant (WIPP) Site and Preliminary Design Validation (SPDV) Program, June 28, 1983, letter from William A. Vaughn, Assistant Secretary, Environmental Protection, Safety and Emergency Preparedness, to Herman E. Roser, Assistant Secretary for Defense Programs, U.S. Department of Energy, Washington, D.C.
47. U.S. Department of Energy, 1984, First Modification to the July 1, 1981 "Agreement for Consultation and Cooperation" on the WIPP by the State of New Mexico and U.S. Department of Energy, November, 1984, available from the U.S. Department of Energy, Carlsbad, NM.
48. U.S. Department of Energy, 1990a, Final Supplement Environmental Impact Statement, Waste Isolation Pilot Plant, DOE/EIS-0026-FS, January 1990, U.S. Department of Energy, Washington, D.C.
49. U.S. Department of Energy, 1990b, WIPP Test Phase Plan: Performance Assessment, DOE/WIPP 89-011, Rev.), April 1990, U.S. Department of Energy, Carlsbad, NM.
50. U.S. Department of Interior, 1991, Land Withdrawal, Waste Isolation Pilot Plant Project; New Mexico, Public Land Order 6826, 56 FR 3038, January 28, 1991, Bureau of Land Management, New Mexico State Office, Santa Fe, NM.
51. U.S. District Court, 1981, Stipulated Agreement in Civil Action No. 81-0363 JB, State of New Mexico v. The United States Department of Energy, July 1, 1981, filed with the U.S. District Court, Albuquerque, NM, Appendix B, Item 6.
52. U. S. Environmental Protection Agency, 1982, Environmental Standards for the Management and Disposal of Spent Nuclear Fuel, High-Level and Transuranic Radioactive Wastes, Proposed Rule, 40 CFR Part 191, 47 FR 58196, December 29, 1982, U. S. Environmental Protection Agency, Washington, D.C.
53. U. S. Environmental Protection Agency, 1985a, Environmental Standards for the Management and Disposal of Spent Nuclear Fuel, High-Level and Transuranic Radioactive Wastes, Final Rule, 40 CFR 191, 50 FR 38084, Sept. 19, 1985, U. S. Environmental Protection Agency, Washington, D.C.54.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

54. U.S. Environmental Protection Agency, 1985b, High Level and Transuranic Radioactive Wastes, Response to Comments for Final Rule, Volume II, EPA 520/1-85-024-2, August, 1985, U.S. Environmental Protection Agency, Washington, DC, p. 2-16.
55. U.S. Environmental Protection Agency, 1987, Comments on the draft Waste Isolation Pilot Plant (WIPP) Compliance Plan for 40 CFR 191, May 22, 1987, contained in a letter from Sheldon Meyers, Director, Office of Radiation Program, U.S. Environmental Protection Agency to Mr. Grover A. Smithwick, Principal Deputy Assistant Secretary, Environment, Safety and Health, Department of Energy, Washington, D.C.
56. U.S. Geological Survey, 1962, Pierce, W.G., and E.I. Rich, Summary of Rock Salt Deposits in the United States as Possible Storage Sites for Radioactive Waste Materials, USGS Bulletin 1948, 1962, U.S. Geological Survey, Washington, D.C.
57. U.S. Geological Survey, 1972, Brokaw, A.L., C.L. Jones, M.E. Cooley, and W.H. Hays, Geology and Hydrology of the Carlsbad Potash Area, Eddy and Lea Counties, New Mexico, USGS Open-File Report 72-49, 1972, U. S. Geological Survey, Washington, D.C.
58. U.S. Geological Survey, 1973a, Anderson, R E., D.H. Eargle, and B.O. Davis, Geology and Hydrologic Summary of Salt Domes in Gulf Coast Region of Texas, Louisiana, Mississippi, and Alabama, USGS Open-File Report 4339-2, 1973, U.S. Geological Survey, Washington, D.C.
59. U.S. Geological Survey, 1973b, Bachman, G. O., Geologic Processes and Cenozoic History Related to Salt Dissolution in Southeastern New Mexico, USGS Open-File Report 4339-4, 1973, U.S. Geological Survey, Washington, D.C.
60. U.S. Geological Survey, 1973c, Hite, R.J., and S.W. Lohman, Geologic Appraisal of Paradox Basin Salt Deposits for Waste Emplacement, USGS Open-File Report 4339-6, 1973, U.S. Geological Survey, Washington, D.C.
61. U.S. Geological Survey, 1973d, Jones, C.L., M.E. Cooley, and G.O. Bachman, Salt Deposits of Los Medanos Area, Eddy and Lea Counties, New Mexico, USGS Open-File Report 4339-7, 1973, U.S. Geological Survey, Washington, D.C.

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

62. U.S. Geological Survey, 1973e, Mytton, James W., Two Salt Structures in Arizona; The Supai Salt Basin and Luke Salt Body, USGS Open-File Report 4339-3, 1973, U.S. Geological Survey, Washington, D.C.
63. U.S. Geological Survey, 1974a, Ekren, E. B., Geologic and Hydrologic Considerations for Various Concepts of High-Level Radioactive Waste Disposal in Conterminous United States, USGS Open-File Report 74-158, 1974, U.S. Geological Survey, Washington, D.C.
64. U.S. Geological Survey, 1974b, Jones, C. L., Salt Deposits of the Mescalero Plains Area, Chaves County, New Mexico, USGS Open-File Report 74-190, 1974, U.S. Geological Survey, Washington, D.C.
65. U.S. Geological Survey, 1974c, Jones, C. L., Salt Deposits of the Clovis-Portales Area, East-Central, New Mexico, USGS Open-File Report 74-60, 1974, U.S. Geological Survey, Washington, D.C.
66. U.S. Geological Survey, 1975, Jones, C. L., Potash Resources in part of Los Medanos area of Eddy and Lea Counties, New Mexico, USGS Open-File Report 75-407, 1975, U.S. Geological Survey, Washington, D.C.
67. U.S. Geological Survey, 1978a, John, C.B., R.J. Cheeseman, J.C. Lorenz, and M.L. Millgate, Potash Ore Reserves in the Proposed Waste Isolation Pilot Plant Area., Eddy County, Southeastern New Mexico, U.S.G.S. Open-File Report 78-828, 1978, U.S. Geological Survey, Washington, D.C.
68. U.S. Geological Survey, 1978b, Jones, C.L., Test Drilling for Potash Resources: Waste Isolation Pilot Plant Site, Eddy County, New Mexico, U.S.G.S. Open file Report 78-592, 1978, U.S. Geological Survey, Washington, D.C.
69. Westinghouse Electric Corp., 1980, Little, C.C., F.J. Gurney and D.S. Bell, A Description of the Site and Preliminary Design Validation Program for the WIPP Site, TME 3063, October, 1980, Westinghouse Electric Corporation, Albuquerque, NM. (Westinghouse Electric Corp. is now in Carlsbad, NM.)
70. Westinghouse Electric Corp., 1982a, Brausch, L.M., A.K. Kuhn, and J.K. Register, Natural Resources Study, Waste Isolation Pilot Plant, Southeastern New Mexico, TME 3156, September, 1982, Westinghouse Electric Corp, Albuquerque, NM. (Westinghouse Electric Corp. is now in Carlsbad, NM.).

IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT

71. Westinghouse Electric Corp., 1982b, Hart, J.S. and J.K. Register, A Description of the Site and Preliminary Design Validation Program for the WIPP Site, Revision 1, TME 3063, Rev. 1, November, 1982, Westinghouse Electric Corporation, Albuquerque, NM. (Westinghouse Electric Corp. is now in Carlsbad, NM.)
72. Westinghouse Electric Corp., 1986, Uhland, D.W. and W.S. Randall, Annual Water Quality Data Report, DOE/WIPP 86-006, 1986, Westinghouse Electric Corp., Carlsbad, NM.
73. Westinghouse Electric Corp., 1987, Uhland, D.W., W.S. Randall, and R.C. Carrasco, Annual Water Quality Data Report, DOE/WIPP 87-007, 1987, Westinghouse Electric Corp., Carlsbad, NM.
74. Westinghouse Electric Corp., 1988, Randall, W.S., M.E. Crawley, and M.L. Lyon, Annual Water Quality Data Report, DOE/WIPP 88-006, 1988, Westinghouse Electric Corp., Carlsbad, New Mexico.
75. Westinghouse Electric Corp., 1989, Waste Isolation Pilot Plant, Compliance Strategy for 40 CFR Part 191, DOE/WIPP 86-013, March 17, 1989, Westinghouse Electric Corp., Carlsbad, NM.
76. Westinghouse Electric Corp., 1990, Final Safety Analysis Report, Waste Isolation Pilot Plant, WP 02-9, Westinghouse Electric Corporation, Carlsbad, NM. Groundwater is discussed in Section 2.5.
77. WIPP Project, 1983, Testimony on Proposed 40 CFR 191, EPA Science Advisory Board, July 1983, contained in a letter from W. Baer, Manager, Safety Assessment, Westinghouse Electric Corp. to Mr. J. M. McGough, Project Manager, WIPP Project Office, letter number WD:83:01588, dated July 20, 1983, Westinghouse Electric Corporation, Albuquerque, NM (Westinghouse Electric Corporation is now located in Carlsbad, NM.)

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14 (e) AT THE WASTE ISOLATION PILOT PLANT**

APPENDIX A

**LIST OF PUBLICATIONS ADDRESSING SITE SELECTION
(FROM EEG-1)**

Conflict with Natural Resources

1. Should be taken into account/information useful for site selection/evaluation:
 - i. to be considered in making criteria - petrographical and mineralogical composition and economic value, p. 12-13; questions regarding salt as host media: often associated with potash and oil and may be an attractive target for exploratory boreholes, p. 9, AECL Canada 1976, E2
 - ii. for salt formation, occurrences of petroleum, potash mines, oil and gas production, USGS 4339-1, 1972, B2
 - iii. Criteria - future value of potash deposits should be considered, p. 70-7 economic development - potash, ranches, oil and gas fields, p. 45, USGS 4339-6, 1973, B4
 - iv. study considered oil and gas deposits, potash, p. 20, USGS 74-190, 1974, B5
 - v. criteria considered - oil, gas and recreational potential development, p. 2-3, Supplemental Areas, Kn GS 1972, B11
 - vi. in geologic study of areas, range of tasks includes natural resource evaluation, including those items relating to people's activities in the subsurface which would alter the natural geologic conditions, p. 22, OWI/ERD. Program Plan for NWTSP 1976, D19
 - vii. petroleum, potash, sulfur - may be present near a salt deposit. Necessary to weigh need for rep and the availability of other sites against present and potential need for mineral resources at site.
 - p. 6, OWI/DOE Salt Dep of US 1978, D21
 - p. 48, LAEA SS Factors 1977, E11
 - viii. potential for oil and gas - considered since it might attract drilling, ORNL McClain and Boch 1974, D3
 - ix. potential sites in salt should be evaluated for potential exploitation and/or contamination of oil, gas, and water reservoirs, and of salt, potash and other valuable or potentially valuable commodities, p. 4.63, HLWM Alternatives, BNWL-1900, 1974, D16
 - x. site selection - determine suitability of broad regions in terms of potential for denial of natural resources, p. 13; site evaluation - need detailed definition of distribution of physical properties throughout site (i.e. petrologic and mineralogic features), p. 14; ES aspects of long term risk analysis - need knowledge of processes that affect containment capability: identification of mineral resources that might serve to cause people to penetrate rep, p. 16-17, ESTP USGS and DOE 1979, D24
 - xi. events taken into account in risk analysis - human intrusion: gas/oil exploration, mineral exploration, p. 95-103, AD Little, Assessment 1978, C3
2. Formation should not be associated with or be in the immediate vicinity of potentially valuable mineral resources:
 - i. no area with present or past history of resource extraction except by surface quarrying should be considered, p. 13-15, NAS/NRC 1978, A1
 - ii. to the extent possible, p. 2:10; unavoidable conflict with resources should be minimized to the extent possible (large scale site selection criteria), p. 2:20-21, GCR 1978, D10

- iii) p 15, Canada AECL 1975, E1
- iv) tract considered is most promising since it is 5 miles or more from any center of industrial activity, i.e. gas or oil wells or mines, p 34-35, USGS 4339-7, 1973, B5
- v) preferred salt environment -where oil and gas potential is low; unsuitable area - where strata have high oil or gas potential, p 3 USGS 74-158, (B) 1974; p 4.4, HLWM Alternatives, BWNL - 1900, 1974, (D16)
- vi) p 21 AEC, Lyons E. S. 1971, D6
- vii) Criteria must be met: waste must not be placed in potentially useful mineral deposits, p 13-14, Deep Rock, Klett/Sandra 1974, D8
- viii) SS criteria p 12-13, SS WIPP/Sandia 1977, D9
- ix) Site should not offer an attractive resource target p 5; actual or potential resource of site should be such that it will not unduly deplete this or future generations of necessary and valuable resources, p 5-6, Nureg 0353, NRC-State Review 1977, C4
- x) Would make site more favorable, p 6, OWI/DOE Salt Dep of US 1978, D24
- xi) p 3-4, ORNL, Program Plan for BSPP 1973, D1
- xii) Avoid areas where mineral resources are "known to abound" and where resources were "worked out" in formation below rep, Kehnenway, Battelle M, 1979, D23
- xiii) avoid areas of existing production or extensive exploration as much as possible, p 10, mineral potential should be minimal to minimize probability of future operations. p 11, summary, BSPPSS Factors ORNL 1973, D2
- xiv) presence of potentially mineable minerals detract from usefulness of rock for disposal, p 33, IAEA SS Factors 1977, E11
- xv) as much as possible - p 5, Brunton & McClain, OWI/ERDA 1977, D20
- xvi) de Marsily, et al, Guarantee Isolation? 1977, E5
- xvii) p 2-9, 4-73, ES of WM of LWR Cycle, NRC 1976, C8

Reasons:

- a. potential source of raw materials that would be denied:
 - i) p 13-15, NAS/NRC 1978, A1
 - ii) proposed criteria: actual or potential resource value of site should be such that it will not unduly deprive this or future generations of necessary and valuable resources, p 5-6 NRC State Review, Nureg-0353, 1977, C4
 - iii) p 36-40, EPA State of Geologic Knowledge 1978, C7
 - iv) waste disposal facilities shall be sited and operated to avoid as much as possible the foreclosure of future options. p 13, NRC - Proposed Goals for RWM, 1978, C9

b. disturbance of hydrological/geological system by boreholes, shafts, fractures
cavities;

i) p 13-15, NAS/NRC 78, A1

ii) p 32 OWI/ERDA, Program Plan for NWTSP 1976, D19

iii) avoidance of areas over "worked out" mineral deposits because of
danger of subsidence, Kenhemvyj, Battelle M, 1979, D23

iv) site should be located so that existing subsurface operations would be
outside buffer zone and to minimize probability of future operations
since current technology makes it difficult to predict what the
eventual effects of mechanical or solution mining on rep might be.
p 11, BSPPSS Factors ORNL 1973, D2

v) people are now one of the major driving forces for geologic change
(erosion, solid movement and water movement for example) p-13, NRC
Proposed Goals for RWM 1978, C9

vi) site should be where intrusion of people in a manner that will change
conditions is minimal. p 4.5 HLWM Alternatives, BNWL-1900 1974, D16

c. Attract prospection - exploration that might penetrate rep:

i) p 13-15, NAS/NRC 1978, A1

ii) danger of reexploitation of already mined resources; Kenhemvyj, Battelle,
M, 1979, D23

iii) minimize probability of future operations within buffer zone, p 11,
BSPP SS Factors, ORNL 1973, D2

iv) Must have no natural resources in area that would attract prospection
deMarsily, et al,
Guarantee Isolation? 1977, E5

v) site should not offer attractive resource target, p 5, NRC, State
Review, Nureg 0353, 1977, C4

vi) Recommendations have been presented p IV-57, KBS Rydberg & Winchester 1979
E9

vii) People will seek anything of value and are now one of the major
driving forces of geologic change - to the extent predictable, we should
design and locate facilities so as to avoid motivation for penetrating
disposal volume, p 13 NRC-Proposed Goals for RWM 1978, C9

viii) p 35-40, EPA State of Geologic Knowledge 1978

3. Avoid conflicts with water as a natural resource:

i) esp in arid areas, groundwater is an important commodity - extensive
deposits of fresh water above or below site could adversely affect its
availability due to public opinion, p c 10-12, ERDA/BNWL, App c 1976, D
p 41, LAEASS Factors 1977, E11

ii) special care needed if water near site is used by municipalities,
industry, agriculture, p 5-6 OWI/DOE Salt Dep of US 1978, D21

iii) avoid areas where groundwater resources are extensively used and/or have
potential for significant future development -Kenhemvyj, Battelle M, 1979
-SS Factor, BSPPSS Factors, ORNL 1973, D2
-p 6 Brunton & McClain, OWI/ERDA 1977, D20
-p 4.4.H L WM Alternatives, BNWL-1900 1974, D16

- iv) there may be conflict with industrial, recreational, scenic interest in large lakes and streams - p C 10-12, ERDA/BNWL, Alternatives App c 1976
 - p 41 IAEA SS Factors 1977, E11
 - p 6 Brunton & McClain, OWI/ERDA 1977, D20

4. Waste placed in rep as a natural resource:

- i) operation of the rep should not create a potential future source of valuable material; unprocessed spent fuel elements, potentially highly valuable to future people, should not be placed in non-retrievable storage (temptation to penetrate rep), p 13-15, NAS/NRC 1978, A)
- ii) consideration: since uranium ore is limited, it may become desirable to recover unprocessed fuel rods, so a breach in the rep to recover them be a serious problem in the future. p 3, p 35-36 State of Geologic Knowledge 1978 EPA, C7
- iii) goals for RWM: to the extent predictable, we should design and locate facilities so as to avoid motivation for penetrating the disposal volume p 13, NRC-Proposed goals for RWM 1978, C9

5. If the rep is located where there are natural resources present or near-by:

- i) If possibility exists that some valuable resource is present, it will be necessary to show that credible attempts to recover the resources will have adverse effects on the effectiveness of the rep, p 5; Proposed criteria: site should have characteristics such that the consequences of unplanned intrusions will be ALARA p 5-6, Nureg 0353, NRC State Review 1977, C4
- ii) accidental penetrations should not result in undue hazard. p 2:17 GCR 1
- iii) Resources could be extracted from adjacent regions with proper evaluation and precautions. To be considered in evaluations: compatibility of operations, impact on rep from extraction operations, possibility of contamination of resource by waste. p 48, IAEA SS Factors 1977, E11
- iv) "The expectation, but one that cannot yet be guaranteed is that these minerals (at WIPP site in Zone III) may be recovered in decades ahead should they be economically attractive. Certainly the time frame for development would be within the next century while the rep site is still under administrative control. The small amounts of either resource within zone III would not be of significant interest in the absence of production in the area." p 10, Letter from Beckner to Schueler, Dec. 1973
- v) Rydberg -Though recommendations have been presented that rep be placed in area with no valuable minerals, "it seems probable that a future person who is capable of mining and drilling to a depth of 500m, also will use instruments capable of detecting radioactivity." p IV-57- KBS Rydberg & Winchester 1978, E9

6. Can we predict the likelihood of intrusion of people into rep in search of resources

- i) Uncertainties are introduced into risk assessments because of uncertainty of probabilities and consequences of human intrusion. p 4-94, ES of WIPP of LWR Cycle, NRC 1976, C8
- ii) Another risk for which no trustworthy probability estimates can be applied

intrusion at some future date by people in search of minerals (including the uranium and TRU buried in rep) or to satisfy archeological or other curiosity. People's unpredictability far outstrips that of most of the imagine geologic hazards, p. 35-36; as raw materials dwindle there will be an increasingly desperate exploitation of them. What mineral resource exploitation might be like a thousand years from now is impossible to predict - should be considered, p. 36-40, EPA State of Knowledge, 1978, C7

iii. Do we adequately understand how to evaluate current resource conflicts? models tested, applying to specific site (including WIPP), p. 38; Can we estimate the long term effects of future resource conflicts? moderate understanding of principles, developing models, p. 44, ESTP USGS and DOE 1979, D24

REFERENCES

A. National Academy of Sciences/National Research Council:

- A1. NAS/NRC 1978 - "Geological Criteria for Repositories for High Level Radioactive Wastes", by the Panel on Geological Site Criteria, Committee on Radioactive Waste Management, August 1978
- A2. NAS/NRC Bedded Salt 1970 - "Disposal of Solid Radioactive Wastes in Bedded Salt Deposits ", Committee on Radioactive Waste Management, Nov. 1970
- A3. NAS/NRC Implementation of Standards 1979 - "Implementation of Long-Term Environmental Radiation Standards: The Issue of Verification", by the Panel on Implementation Requirements of Environmental Radiation Standards, Committee on Radioactive Waste Management, 1979

B. U.S. Geological Survey:

- B1. Pierce and Rich, "Summary of Rock Salt Deposits in the U.S. as Possible Storage Sites for Radioactive Waste Materials", Bulletin 1148, 1962
- B2. USGS 4339-1, 1972 - Brokaw, Jones, Cooley and Hays, "Geology and Hydrology of the Carlsbad Potash Area, Eddy and Lea Counties, NM", Open file report 4339-1, 1972
- B3. USGS 4339-5, 1973 - Merewether, Sharps, Gill and Cooley, "Shale, mudstone and claystone as potential host rocks for underground emplacement of waste", Open file report 4339-5, 1973
- B4. USGS 4339-6, 1973 - Hite and Lohman, "Geologic appraisal of the Paradox Basin Salt Deposits for waste emplacement", Open file report 4339-6, 1973
- B5. USGS 4339-7, 1973 - Jones, Cooley and Bachman, "Salt Deposits of the Los Medanos Area, Eddy and Lea Counties, NM", Open File report 4339-7, 1973
- B6. USGS 74-60, 1974 - Jones, "Salt deposits of the Clovis-Portales area, East-Central NM," Open file report 74-60, 1974
- B7. USGS 74-194, 1974 - Bachman, "Geologic processes and cenozoic history related to salt dissolution in southeast NM", Open file report 74-194, 1974
- B8. USGS 74-158, 1974 - Ekren, Dinwiddie, Mytton, Thordarson, Weir, Hinrichs and Schroder, "Geologic and hydrologic considerations for various concepts of high level radioactive waste disposal in the conterminous U.S.", Open file report 74-158, 1974
- B9. USGS 74-190, 1974 - Jones, "Salt deposits of the Mescalero Plains area, Chavez County, NM", Open file report, 74-190, 1974
- B10. USGS ES Perspectives, 1978 - "Bredehoeft, England, Stewart, Trask and Winograd, "Geologic Disposal of High Level Radioactive Waste - Earth Science Perspectives", Circular 779, 1978
- B11. Supplemental Areas, KnGS 1972 - "Preliminary Geological Investigations of Supplemental Radioactive Waste Repository Areas in the State of Kansas", Kansas Geological Survey, Jan. 1972

C. Nuclear Regulatory Commission/Environmental Protection Agency

- C1. "Licensing Procedures for Geologic Repositories for High Level Waste", NRC, Proposed general statement of policy, Federal Register, Vol. 43, No. 223, Nov. 17, 1978
- C2. EPA Crit for RW/Rec for Fed Guidance, Fed Reg 1978 - "Criteria for Radioactive Wastes/Recommendations for Federal Guidance", Federal Register, Nov. 15, 1978
EPA
- C3. AD Little Assessment 1978 - Arthur D. Little, Inc., "Subtask D: Assessment of Accidental Pathways/Technical Support for Radiation Standards for High Level Waste Management", Draft, done for EPA, Feb. 1978
- C4. NRC State Review Nureg 0353 1977 - "Workshops for State Review of Site Suitability Criteria for High Level Radioactive Waste Repositories: Discussion Group Reports", NRC, Nureg-0353, Oct. 1977
- C5. NRC State Review/Analysis, Nureg 0354 1978 - "Workshops for State Review of Site Suitability Criteria for High Level Radioactive Waste Repositories: Analysis and Recommendations", Volume I, Nureg 0354, Feb. 1978
- C6. NRC Branch Technical Position 1977 - "Branch Technical Position: HLTWB-1 - Design/Performance Criteria for HL and TRU Waste Repositories", by the HL and TRU Waste Branch, NRC 1977
- C7. EPA State of Knowledge 1978, "State of Geologic Knowledge Regarding Potential Transport of High Level Radioactive Waste from Deep Continental Repositories - Report of the Ad Hoc Panel of Earth Scientists, for EPA, 1978, EPA/520/4-78-004
- C8. ES of WM of LWR Cycle, NRC 1976 - "Environmental Survey of the Reprocessing and Waste Management Portions of the LWR Fuel Cycle: A Task Force Report", NRC Nureg-0116, Oct 1976
- C9. NRC Proposed Goals for RWM, 1978 - "Proposed Goals for Radioactive Waste Management", by a group of consultants organized by Sandia, for NRC, May 1978
- C10. NRC Info Base for Rep Design 1979 - J.W. Bartlett and C.M. Koplick, Analytic Sciences Corporation, "Information Base for Waste Repository Design, Volume 7: Executive Summary", prepared for NRC, March 1979, NUREG/CR-0495
- D. Oak Ridge National Laboratory, Sandia Lab., Battelle Memorial Lab, Battelle Pacific Northwest Lab, Atomic Energy Commission, Energy Research and Development Agency, and the Department of Energy:
- D1. ORNL Program Plan for BSPP, 1973 - "Program Plan for the Development of the Bedded Salt Pilot Plant", by the staff of the Salt Mine Repository Project, ORNL-TM-4233
- D2. ORNL BSPP SS Factors 1973 - "Site Selection Factors for the Bedded Salt Pilot Plant", by the staff of the ORNL Salt Mine Repository Project, May 1973, ORNL-TM-4219

- D3. ORNL McClain and Boch, 1974 - McClain and Boch, "Disposal of Radioactive Waste in Bedded Salt Formations", in Nuclear Technology, Vol. 24, Dec, 1
- D4. ORNL Gera, Salt Tectonics GSA:1972 - Ferruccio Gera, Federal Repository Project, ORNL, "Review of Salt Tectonics in Relation to the Disposal of Radioactive Wastes in Salt Formations", in Geological Society of America Bulletin, Vol. 83, Dec. 1972
- D5. ORNL Gera and Jacobs Considerations for HLWM 1972 - F. Gera and D.G. Jacobs "Considerations in the Long-Term Management of High Level Radioactive Waste ORNL-4762, 1972 Feb.
- D6. AEC ES Lyons, 1971 - "Environmental Statement - Radioactive Waste Repository Lyons, Kansas", AEC, June 1971
- D7. Braithwaite and Mollecke, "High Level Waste Canister Corrosion Studies Pertinent to Geologic Isolation", Dec. 1978, Sandia, SAND78-2111
- D8. Deep Rock, Klett Sandia 1974 - Klett, "Deep Rock Nuclear Waste Disposal Test: Design and Operation", Sandia, Sept. 1974, SAND74-0042
- D9. SSWIPP, Sandia 1977 - George B. Griswold, "Site Selection and Evaluation Studies of WIPP, Los Medanos, Eddy County, NM", Sandia Dec 1977, SAND77-
- D10. GCR 1978 - "Geological Characterization Report - WIPP site, Southeastern New Mexico", Volume I, August 1978, Sandia, SAND 78-1596
- D11. Design Criteria, Sandia 1978 - "Design Criteria, WIPP : Revised Mission Concept", Draft Nov. 1978.
- D12. "WIPP Conceptual Design Report", June, 1977, SAND 77-0274, Sandia
- D13. Letter from E.H. Beckner, Nuclear Waste and Environmental Programs, Sandia to D.T. Schueler, WIPP Project Manager, DOE, Dec. 21, 1978
- D14. Burkholder, Cloninger, Baker and Jansen , "Incentives for Partitioning of High Level Waste", BNWL, in Nuclear Technology, Vol. 31, Nov. 1976
- D15. H.C. Burkholder, "The Reconcentration Phenomenon of Radionuclide Chain Migration", in Nuclear Waste Management and Transportation Quarterly Progress Report, January through March 1976, BNWL June 1976
- D16. HLWM Alternatives, BNWL-1900, 1974 - K.J. Schneider and A.M. Platt, edit "High Level Radioactive Waste Management Alternatives, Volume II", BNWL-1900, May 1974
- D17. ERDA/BNWL Alternatives Vol. 4, 1976 - "Alternatives for Managing Waste from Reactors and Post-fission Operations in the LWR Fuel Cycle, Volume 4: Alternatives for Waste Isolation and Disposal", Report coordinated by BNWL, May 1976, ERDA-76-43
- D18. ERDA/BNWL Alternatives App C 1976 - "Alternatives for Managing Wastes from Reactors and Post-fission Operations in the LWR Fuel Cycle, Volume 5: Appendices", Report coordinated by BNWL for ERDA, May 1976, ERDA 76-43
- D19. OWI/ERDA Program Plan for NWTSP, 1976 - "National Waste Terminal Storage Program Management and Technical Program Plan: for the period FY 1976-FY1978", Office of Waste Isolation, Union Carbide Corp. for ERDA, April 21, 1976

- D20. Brunton and McClain, OWI/ERDA 1977 - G.D. Brunton and W.C. McClain, "Geological Criteria for Radioactive Waste Repositories", Office of Waste Isolation, Union Carbide Corp., prepared for ERDA, Nov. 28, 1977
- D. 21. OWI/DOE Salt Dep of US 1978 - K.S. Johnson and S. Gonzalez, "Salt Deposits in the U.S. and Regional Characteristics Important for the Storage of Radioactive Wastes", Prepared for Office of Waste Isolation, Union Carbide, DOE, March 1978
- D22. Desrosiers and Njoku, Risk Limit as Standard, 1978 or 9 - A.E. Desrosiers (BNWL) and E. Njoku (U. of Kansas), "The use of a risk limit as an environmental safety standard for radioactive waste disposal sites", under contract with DOE, 1978 or 1979
- D23. Kehnemuyi, Battelle M, 1979 - Muzaffer Kehnemuyi, Battelle Memorial, Office of Nuclear Waste Isolation, "Site Qualifications and Site Selection Criteria for the Geologic Disposal of Nuclear Wastes", paper given at Tucson, AZ conference, Feb 26 - March 1, 1979
- D24. ESTP USGS and DOE 1979 - "Earth Science Technical Plan for Mined Geologic Disposal of Radioactive Waste", by the Office of Nuclear Waste Management of DOE and the USGS, Jan. 1979, Draft TID-29018

E. Miscellaneous References

- E1. AECL Canada 1975 - P.J. Dyne, "Waste Management in Canadian Nuclear Programs" paper given at the 15th annual International Conference, Canadian Nuclear Association, June 1975. Published by Atomic Energy of Canada Limited, Aug, 1975
- E2. AECL Canada 1976 - H.Y. Tammemegi, Whiteshell Nuclear Research Establishment, "Geological Disposal of Radioactive Wastes - The Canadian Development Program" Atomic Energy of Canada Limited, May 1976
- E3. McCarthy et al, Waste-rock interactions; Nature 1978 - McCarthy, White, R. Roy, Scheetz, Komarmeri, Smith, D.M. Roy, "Interactions between nuclear waste and surrounding rock", Penn. State U. , in Nature, Vol. 273, No. 5659 May 18, 1978
- E4. Dade W. Mueller for the Advisory Committee on Reactor Safeguards, "Review of health physics research administered by the U.S. NRC", in Health Physics Vol. 35, No. 3-A, Sept 1978
- E5. de Marsily et al, Guarantee Isolation? 1977 - de Marsily, Ledoux, Barbreau and Margat, "Nuclear Waste Disposal: Can the Geologist Guarantee Isolation?" in Science, Vol 197, No. 4303, 4 August 1977
- E6. Winchester, Long term geochem in crystalline 1978 - J.W. Winchester, Dept. of Oceanography, Florida State U., "Long term Geochemical Interactions of High Active Waste with Crystalline Rock Repository Media", Oct. 1978
- E7. Krause and Randl, WM in W. Germany 1972 - H. Krause and R. Randl, "Treatment and Final Disposal of Radioactive Wastes from Fuel Reprocessing in the Federal Republic of Germany - A Survey of Policy and R&D Work", given at the IAEA-European Nuclear Energy Agency Symposium, in Paris, Nov. 27-Dec.1, 1972

- E8. Kaspersen et al, Handling Hazards 1978 - Fischhoff, Hohenemser, Kaspersen
Kates, "Handling Hazards", in Environment, Vol. 2, No. 7, Sept. 1978
- E9. KBS Rydberg and Winchester 1978 - Rydberg and Winchester, "Disposal of High
Active Nuclear Fuel Waste - a Critical Review of the Nuclear Fuel Safety
(KBS) Project on Final Disposal of Vitrified High Active Nuclear Fuel
Waste", Sweden, Industridepartementet Energikommissionen, DsI 1978:17
- E10. T.B. Johansson and P. Steen, "Radioactive Waste from Nuclear Power Plants
Facing the Ringhals-3 Decision", Sweden, 1978, Industridepartementet,
DsI 1978:36
- E11. IAEA SS Factors 1978 - "Site Selection Factors for Repositories of Solid
High Level and Alpha-Bearing Wastes in Geological Formations", Technical
Report Series, No. 177, International Atomic Energy Agency, 1977,
STI/DOC/10/77

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

APPENDIX B

DOE REVISED INTERIM POLICY STATEMENT



Department of Energy
Albuquerque Operations Office
P.O. Box 5400
Albuquerque, New Mexico 87115

DEC 23 1982

Dr. George S. Goldstein
Chairman, Radioactive Task Force
Health and Environment Department
P.O. Box 968
Santa Fe, NM 87503

Dear Dr. Goldstein:

DOE Revised Interim Policy Statement on Natural Resource Recovery at the WIPP Site

Enclosed for your use and information is the DOE Revised Interim Policy Statement on Natural Resource Recovery at the WIPP Site. Under the terms of this policy statement no potash or other commercial mining in, or commercial drilling from, Control Zones I, II and III will be allowed; however, the DOE will exercise no control over mining or drilling outside Control Zone III. (Control Zone III is being redefined as the area withdrawn for SPDV which is a square containing 16 sections (10,240 acres) surrounding the center of the site.) Additionally, BLM will prohibit permanent inhabitation of Zone IV while the facility is in operation. Hydrocarbon resources below 6000 ft. beneath Control Zones I, II and III can be accessed by deviated drilling from outside the Control Zone III boundary. The DOE will rely on the review of State and Federal regulatory agencies, including the New Mexico Energy and Minerals Department and the U.S. Department of the Interior, Minerals Management Service, to protect the integrity of the WIPP Site boundaries from commercial exploration, mining or other extractive activities. So that the DOE can maintain information on resource recovery near the WIPP Site, the Bureau of Land Management will notify the DOE of any requests for resource recovery permits within one mile of the WIPP Site boundary.

The final DOE policy will be issued when the decision is made regarding retrieval of the waste. Should the DOE decide to retrieve all the radioactive waste, the WIPP Site will become available for complete resource recovery after retrieval and decommissioning are complete.

The initial Interim Policy Statement, which was transmitted to the State of New Mexico on November 3, 1981, was developed to serve as the basis for the performance of the Natural Resources Study. The initial DOE

Dr. George S. Goldstein

- 2 -

Interim Policy, as indicated therein, was "temporary denial of all resource extraction within the four control zones of the WIPP Site until the decision is made relative to which, if any, of the emplaced waste will be retrieved." Based on the conclusions of the Natural Resources Study, which was transmitted to the State of New Mexico on October 5, 1982, we have determined that the initial Interim Policy can be revised as indicated above.

Not only does the DOE Revised Policy Statement reflect the conclusions of the Natural Resources Study but it also addresses comments provided by the New Mexico Environmental Evaluation Group on the Policy Statement.

If you require additional information or have questions on this matter, please contact me.

Sincerely,



J. M. McGough
Project Manager
WIPP Project Office

Enclosure

WIPP:JMM 82-0885/6366A

cc: w/encl:

J. K. Otts, Chairman, Radioactive Waste Consultation Committee, Santa Fe, NM
J. Bingaman, Attorney General, Santa Fe, NM
D. T. Schueler, AMPEP, AL
R. G. Romatowski, Manager, AL
L. H. Harmon, DP-12.1, DOE, HQ
W. F. Jebb, OSM, Carlsbad, NM
J. Stout, OCC, AL
R. H. Neill, Director, EEG, Santa Fe, NM
C. W. Luscher, State Director, BLM, Santa Fe, NM
M. Wilson, OCC, AL

DOE REVISED INTERIM POLICY STATEMENT ON RESOURCE
RECOVERY AT THE WIPP SITE

The policy of the Department of Energy (DOE) concerning resource recovery at the Waste Isolation Pilot Plant (WIPP) site during facility construction and operation is as follows:

- o No potash or other mining excluding that conducted for the WIPP Project will be allowed in WIPP Control Zones I, II, and III.
- o No drilling excluding that conducted for the WIPP Project will be allowed from Control Zones I, II, and III.
- o Drilling from outside Control Zone III to access locations beneath Control Zones I, II, and III at depths greater than 6,000 feet will be allowed if the planes formed by the downward vertical projections of the Control Zone III boundaries are not penetrated above a depth of 6,000 feet.
- o DCE will rely on the review of State and Federal regulatory agencies, including the New Mexico Energy and Minerals Department and the Minerals Management Service, U.S. Department of the Interior, to protect the integrity of the WIPP site boundaries from commercial exploration, mining, and other extractive activities.
- o If the DOE decides that all radioactive waste is to be retrieved, the WIPP site will become available for complete resource recovery once retrieval and facility decommissioning is accomplished.

This policy may be re-evaluated after facility decommissioning. The following paragraphs provide a measure of clarification of the rationale used to develop the resource recovery policy.

It is the policy of the DOE to maximize the opportunity for resource recovery at the WIPP site, consistent with the requirements to isolate the emplaced radioactive wastes from the biosphere. Within five years after the first emplacement of each type of TRU waste (i.e., contact and remotely handled), separate decisions will be made about the retrieval of each kind of waste. If the DOE decides that all waste is to be retrieved, the WIPP site will become available for complete resource recovery once retrieval and facility decommissioning are accomplished.

The criterion for the DOE policy is that permanent denial of resources should be limited to those areas in which extraction activities could potentially lead to measurable effects⁽¹⁾ on the WIPP facilities or whose protection is needed to satisfy institutional considerations, all extraction activities that would not lead to measurable effects on the WIPP site are defined as "allowable" under the DOE policy.

Potash (sylvite and langbeinite) and hydrocarbons (natural gas and distillate) comprise the resources present at the WIPP site that are of interest considering the technology and market conditions in the foreseeable future. These resources and the methods available to recover them are described in detail in the FEIS (U.S. Department of Energy, 1980).

¹ Measurable effects are those influences from extraction activities that could cause the assumptions made in the breach scenario consequence analyses (U.S. Department of Energy, 1980) to be unconservative.

Due primarily to institutional considerations, no potash mining in or commercial exploratory drilling (hydrocarbon or other) from Control Zones I, II, and III will be permitted. A study was conducted to investigate the possible effects of resource recovery within Control Zone IV on the WIPP facility (Natural Resources Study, Brausch et al., 1982). The following paragraphs provide a brief summary of the results and conclusions of that study.

The extraction of potash outside Control Zone III is allowable. Potential methods of mining potash include drill-and-blast, continuous mining, solution mining, shortwall, and longwall techniques. Since mining of potash is allowable, it is not reasonable to prohibit those mining techniques that make such an activity economically viable. To prohibit such activities is, in effect, to preclude mining. Accordingly, extraction ratios can be maximized in any mines developed outside Control Zone III of the WIPP site, consistent with mine safety considerations and other state and federal requirements. Solution mining will be allowable outside Control Zone III. Resource extraction by solution mining may be applied to recovery of sylvite. Solution mining for recovery of langbeinite would be ineffective because langbeinite is less soluble than the surrounding minerals (e.g., halite, sylvite). However, the lack of existing solution mining for sylvite in the Carlsbad potash mining district suggests that solution mining for potash within Control Zone IV may not be feasible.

The recovery of hydrocarbon resources outside Control Zone III is allowable. This activity includes drilling, production stimulation, and, possibly, secondary recovery. Resources located outside Control Zone III may be accessed by vertical drilling; resources located beneath the inner three control zones at depths greater than 6,000 feet may be accessed by drilling vertically outside Control Zone III to a depth of 6,000 feet and then deviating from vertical at the angle required to reach the target resource zone.

If oil or gas is found, it is not reasonable to prohibit those techniques available to the producer that maximize recovery. Enhancing the production from drilled wells by hydraulically fracturing the reservoir rock, acidizing the formation, or other applicable techniques would not be expected to affect the WIPP facility.

These types of production stimulation are used primarily to increase the permeability of the rock that contains the hydrocarbons. Secondary recovery methods (techniques used to enhance or replace the natural driving force that "pushes" the oil to the production well) and tertiary methods (techniques used primarily to decrease the viscosity of heavy crude oils) may also be employed but, because the crude oil resources at the site are not reasonably or economically extractable, these techniques are not expected to be useful unless significant technological advances and adaptations are made.

State and federal regulatory agencies, including the New Mexico Energy and Minerals Department and the Minerals Management Service of the U.S. Department of Interior, are responsible for reviewing proposed mining and hydrocarbon exploration plans to prevent injury to adjacent leases or properties. The DOE will rely on this regulatory review process to protect the integrity of the WIPP site boundary from potash mining and hydrocarbon exploration on adjacent properties. The DOE will provide assistance to these agencies during the review process upon request. In addition, the BLM will notify the DOE of any requests for permits for resource recovery activities within one mile of the WIPP site boundary.

This policy will be modified if changes in institutional requirements occur or if significant new data relevant to the policy are obtained during development and operation of the WIPP facility.

**IMPLEMENTATION OF THE RESOURCE DISINCENTIVE IN 40 CFR PART
191.14(e) AT THE WASTE ISOLATION PILOT PLANT**

APPENDIX C

**FINAL ENVIRONMENTAL IMPACT STATEMENT
APPENDIX D,
SELECTION CRITERIA FOR THE WIPP SITE**

CONTENTS

	<u>Page</u>
D.1 Geologic Criterion and Site-Selection Factors.....	D-1
D.2 Hydrologic Criterion and Site-Selection Factors.....	D-4
D.3 Tectonic Stability Criterion and Site-Selection Factors.....	D-5
D.4 Physicochemical Compatibility Criterion and Site-Selection Factors.....	D-7
D.5 Economic and Social Compatibility Criterion and Site-Selection Factors.....	D-8
References.....	D-10

Appendix D

SELECTION CRITERIA FOR THE WIPP SITE

This appendix briefly describes how the geologic, hydrologic, and other characteristics of the WIPP site in southeastern New Mexico meet site-selection criteria and factors. The criteria and factors given here are from the Geological Characterization Report (Powers et al., 1978, pp. 2-15ff) and are based on criteria suggested earlier by the Oak Ridge National Laboratory (ORNL, 1973), the International Atomic Energy Agency (1977), and Brunton and McClain (1977).

The site-selection criteria described here were originally formulated under the expectation that the WIPP would be a repository that would contain spent fuel from nuclear reactors. The heat emitted by spent fuel would have had important effects on the salt in which it was emplaced; for that reason, some of the criteria were specifically intended to insure the safety of spent-fuel emplacement. The WIPP mission no longer includes the disposal of spent fuel or any other high-level waste. Furthermore, the design of the WIPP no longer includes the separate mined cavity for high-level waste called the "lower repository" or the "lower horizon" in the criteria. Accordingly, not all the criteria presented here are applicable to the WIPP under its current mission and design. Because the site was, however, actually selected under these criteria, no effort has been made to revise them for this document.

D.1 GEOLOGIC CRITERION AND SITE-SELECTION FACTORS

The geology of the site will be such that the repository will not be breached by natural phenomena while the waste poses a significant hazard to man. The geology must also permit safe operation of the WIPP repository.

Topography. The terrain must permit access for transportation. The effect on inducing salt flow during excavation must be considered. Surface-water flow and the potential for flooding must be evaluated.

The maximum relief over the WIPP repository is 120 feet. The regional relief is low and easily accommodates the required transportation corridors. The location near a broad surface and groundwater divide will minimize the development of future relief. Differential stress in the salt due to surface relief is not a significant factor in causing deformation in the salt. (See Powers et al., 1978, Sections 3.2 and 4.2.)

Depth. Repository horizons should be deeper than 1000 feet to insure that erosion and consequences of surficial phenomena are not a major concern. The depth of suitable horizons will not exceed 3000 feet to limit the rate of salt deformation around the excavations.

The selected repository bed for heat-producing waste varies between depths of 2750 and 2250 feet over the potential excavation area. The bed for TRU

waste ranges from 2200 to 1800 feet deep through the repository region. These depths are based on interpretations of seismic reflection data. (See Powers et al., 1978, Sections 3.3, 4.3, and 9.2.)

Thickness. The total thickness of the salt deposits should be several hundred feet to buffer thermal and mechanical effects. The desired thickness for the repository bed is 20 feet or more to mitigate the thermal and mechanical effects at nonhalite units.

The halite unit in which the heat-producing waste will be placed is about 100 feet thick. The total thickness of the evaporite section provides about a 1300-foot buffer above and below the repository horizons. This distance to the nearest potential aquifers insures that the thermal effects at these aquifers will be insignificant. (See Powers et al., 1978, Sections 4.3.2 and 9.2.)

Lateral extent. The distance to structural or dissolution boundaries must be adequate to provide for future site integrity. For the Los Medanos area a distance of 5 miles to the Capitan reef and 1 mile to regional Salado dissolution has been established.

From seismic data and drill-hole information, the selected horizons are believed to extend well beyond the repository site. The separations from the deformed salt belt parallel to the Capitan reef and from the natural dissolution fronts are adequate to insure the required site integrity. (See Powers et al., 1978, Sections 3.3, 4.3, and 6.3.)

Lithology. Purity of the salt beds is desirable. Brine in the salt could induce geochemical interactions; pending further investigations, 3% brine is established as a desirable upper limit for the heat-producing waste horizon. Additional geochemical interactions must be considered if significant chemical or mineral impurities are present.

The horizon within the lower Salado that will accommodate the heat-producing wastes averages more than 97% halite from the samples analyzed. Brine content averages less than 0.5%. (See Powers et al., 1978, Sections 4.3 and 7.2 through 7.6.)

Stratigraphy. Continuity of beds, character of interbedding, and nature of beds overlying and underlying the salt are important considerations in the construction of the facility; they are also important in insuring the long-term integrity of the repository.

There are no beds of clay or polyhalite near enough to the lower repository horizon to affect repository construction and operation or to affect the long-term performance of the repository. The significant nonhalite beds adjacent to the heat-producing-waste horizons are principally anhydrite, which has favorable thermal, mechanical, and chemical properties for bounding layers. The upper (TRU-waste) level of the repository can also be located to avoid rock-mechanics instabilities due to interbeds of nonhalite rock. (See Powers et al., 1978, Sections 3.3, 3.4, 4.3, and 4.4.)

Structure. Relatively flat bedding (less than 3 degrees) is desirable for operational purposes. Steep anticlines and major faults are to be avoided.

Seismic-reflection data and drill-hole information have been interpreted as showing relatively flat (less than 1 degree) bedding over most of the 3-square-mile repository horizon. Seismic data do show a small anticline at the northern edge of control zone II. Drilling on this anticline (WIPP-12) has shown that the elevation difference of the repository beds, from ERDA-9 at the center of the repository to WIPP-12, is less than 200 feet, an average of about 2 degrees. Photography, satellite imagery, surface mapping, geophysical techniques, and drilling have been used to search for indications of significant faulting. No post-Permian faults are known to exist in the site area. Seismic indications of faulting in older, deeper rocks do not extend through the Permian evaporite section.

The lack of severe structure and recent faulting satisfactorily meets the desired conditions for this factor. (See Powers et al., 1978, Sections 3.4 and 4.4.)

Erosion. While the depth of the repository reduces concern about erosion, it is desirable to avoid features that would tend to localize or accelerate erosion.

The site is located near a broad surface-water divide, and the local base level is at an elevation of about 2900 feet. Consequently, future erosion will proceed less rapidly over the site than in the established drainage channels. The expected erosion rates will not expose the Salado salt within the required lifetime of the repository. Future climatic changes will not alter this assessment, and glaciation is not expected to be a concern at this location. (See Powers et al., 1978, Sections 3.2.3, 3.6, 4.2, and 6.2.)

Dissolution. Regional and/or local dissolution must not breach the repository while the wastes represent a significant hazard to people. While there are various suggestions for the time a repository should remain isolated from the biosphere, a period of 250,000 years (10 half-lives of plutonium-239) is commonly used to represent the time over which the wastes are significantly hazardous.

Studies by the U.S. Geological Survey indicate that the maximum rate of horizontal progression of the salt-dissolution front in Nash Draw, averaged over the past 500,000 years, has been 6 to 8 miles per million years and less than 500 feet vertically per million years. The nearest active solution front is to the west, in Nash Draw. This is far enough from the site to provide repository isolation for more than 2 million years. (See Powers et al., 1978, Section 6.3.6.)

Subsidence. Subsidence due to dissolution of salt will be avoided when the subsidence adversely affects the repository beds or unduly accelerates the rate of dissolution to the jeopardy of the long-term integrity of the repository.

Subsidence has occurred over the western portion of the WIPP site area because of the natural removal of salt from the Rustler Formation. Hydrologic data from this region indicate that the major aquifers in the Rustler have different potential heads, and thus this regional subsidence has not caused them to be interconnected by permeable fractures. No sinks due to localized solutioning are present at the site.

D.2 HYDROLOGIC CRITERION AND SITE-SELECTION FACTORS

The hydrology of the site must provide high confidence that natural dissolution will not breach the site while the waste poses a significant hazard to man. Accidental penetrations should not result in undue hazards to mankind.

Surface water. Present and future runoff patterns, flooding potential, etc., should not endanger the penetrations into the repository while these openings are unplugged.

Because the site is near a broad surface-water divide, lacks established drainage, and is well above the Pecos River, simple construction techniques will prevent flooding of the repository. (See Powers et al., 1978, Section 6.2.)

Aquifers. For the WIPP, the overlying and underlying aquifers represent a secondary barrier if the salt is breached. Consequently, low permeability and transmissivity are desirable but not mandatory. Accurate knowledge of aquifer parameters is important to construction, decommissioning, and realistic calculation of the consequences of failure scenarios.

Aquifers above and below the repository have low transmissivity. Consequently, flooding of the repository during its operation through shafts or drill holes is not credible. These access points can readily be plugged to prevent water inflow after decommissioning.

The quantity of water carried by the major aquifers above and below the WIPP beds is too small to be useful. Furthermore, the water carries too many salts to be potable or otherwise useful.

The hydrologic parameters of the aquifers do not permit rapid flow of water. The low permeability would limit the flow even if heads were to be modified in future pluvial cycles. (See Powers et al., 1978, Section 6.3.)

Hydrologic transport. For the WIPP, this is a secondary factor that must be evaluated to allow quantitative calculations of the consequences of various failure scenarios. Slow transport of isotopes is acceptable if more critical factors have been satisfied.

Calculations based on various postulated failure scenarios show that the transport of radionuclides through the overlying and underlying aquifers would be so slow that a significant hazard to people would not exist even if the salt beds were breached. The nearest natural discharge point is near Malaga Bend on the Pecos River, over 14 miles away. At the maximum measured rate of water movement, it would take about 1700 years after a breach for the first trace of nonretarded nuclides (i.e., iodine-129) to appear at the Pecos. The long-lived transuranic nuclides would be retarded by the sorption of ions and would not begin to appear at Malaga Bend until 35,000 years after a postulated breach of the salt beds. The concentrations of radionuclides (or possible radiation doses) would never reach significant hazard levels in the Pecos River. (See Powers et al., 1978, Sections 6.3, 9.3, and 10.6.)

Climatic fluctuations. Possible pluvial cycles must be considered in estimating the effects of the hydrologic factors.

The dissolution and erosion rates established as averages over the past 500,000 years include the effects of several past pluvial cycles. It is expected that future cycles would also be shorter than the isolation time sought for the repository. Transport rates under different climates (rainfall) can be estimated by appropriate boundary conditions on the hydrologic model. The low permeability of the major aquifers above the site will not be significantly altered by the climatic changes expected for this area, and the resultant flow in the aquifers will not be grossly altered by changed climatic conditions. (See Powers et al., 1978, Sections 3.6 and 4.5, Chapter 6, and Section 10.3.)

Man-made penetrations. The effect of drill holes and mining operations must be included in evaluating the potential effects of dissolution.

The repository and control zone III are free of preexisting boreholes that extend through the salt, shafts, and mining activity. Any existing or future holes in any of the WIPP zones must be adequately plugged when abandoned.

D.3 TECTONIC STABILITY CRITERION AND SITE-SELECTION FACTORS

Natural tectonic processes must not result in a breach of the site while the wastes represent a significant hazard to people and should not require extreme precautions during the operational period of the repository.

Seismic activity. The frequency and magnitude of seismic activity impact facility design and safety of operation. Low levels of seismicity are desirable, but facility design can accommodate higher levels as well.

The WIPP site is in an area of relatively low seismic activity. The nearest seismic activity has been 10 or more miles north of the site and of small magnitude. It is not known whether the three nearest events were tectonic, related to salt dissolution, or a result of human activity. No faulting has been observed in the area of these seismic events. In any case, they and the potential future events pose no hazard for a properly constructed repository and are no threat to its long-term integrity. (See Powers et al., 1978, Chapter 5 and Section 10.5.)

Faulting and fracturing. While open faults, fractures, or joints are not expected in salt, the more brittle units within and surrounding the salt may support such features that can enhance dissolution and hydrologic transport. Major faults and pronounced linear structural trends should be avoided.

No major structural trends of recent geologic age are known to exist in the site area. The nearest recent faulting observed is on the west side of the Guadalupe Mountains, some 70 miles away. Seismic-reflection data have indicated small faults in deep, old rocks below the Salado Formation. There are no known tectonic faults in post-Permian rocks at the site area. Thousands of miles of drift in the potash mines in the Salado salt have not encountered any open fractures or faults through which groundwater had penetrated.

Salt-flow anticlines. Major deformation of salt beds by flow can fracture brittle rock and create porosity for brine accumulations. Major anticlines resulting from salt flow should be avoided or evaluated to check on brine presence and anhydrite fracturing.

The only anticlines within the site are relatively minor features. Both have been drilled, however, and the cores show little fracturing or porosity and no accumulation of fluids. These small anticlines will not hinder repository construction or jeopardize its long-term safety. (See Powers et al., 1978, Section 4.4.)

Diapirism. An extreme result of salt flow, this feature will be avoided for WIPP siting.

There are no known or indicated diapirs (salt domes) at the WIPP site. (See Powers et al., 1978, Section 4.4.)

Regional stability. Areas of pronounced regional uplift or subsidence should be avoided since such behavior makes prediction of future dissolution, erosion, and salt flow more uncertain.

Geologic mapping has failed to reveal any indicators of regional instability. Caliche formation and attitude indicate stable conditions in the site region over the last half-million years. The lack of scarps and the natural seismicity are consistent with regional stability. (See Powers et al., 1978, Sections 3.4, 4.4, and 10.3.2.)

Igneous activity. Areas of active or recent volcanism or igneous intrusion should be avoided to minimize these hazards to the repository.

No recent igneous activity is known in the region. Geophysical surveys, mining, and drill-hole intercepts have shown that an intrusive dike exists 9 miles northwest of the site. Radiometric dating shows it to be 35 million years old. No other intrusive features are known to exist in the region. (See Powers et al., 1978, Section 3.5.)

Geothermal gradient. Abnormally high geothermal gradients should be avoided to allow construction in salt at 3000 feet. High gradients may also be indicative of recent igneous or tectonic activity.

The geothermal gradient as determined in the AEC-8 drill hole shows a normal geothermal gradient averaging about 0.58°F per 100 feet. The heat flow is about one heat-flow unit. (See Powers et al., 1978, Section 4.4.1.)

D.4 PHYSICOCHEMICAL COMPATIBILITY CRITERION AND SITE-SELECTION FACTORS

The repository medium must not interact with the waste in ways that create unacceptable operational or long-term hazards.

Fluid content. The repository bed containing high-level waste should not contain more than 3% brine. The limit for TRU waste has not been established, but the value used for high-level waste is acceptable.

The average brine content of the lower repository is less than 0.5% by weight. The average brine content of the upper repository horizon beds is less than 1% by weight. (See Powers et al., 1978, Sections 7.5 and 10.7.8.)

Thermal properties. To avoid undesirable temperature rises, no major natural thermal barriers should exist closer than 20 feet of the repository horizons.

This is of significance to the lower horizon, where the halite unit of interest is about 100 feet thick. The adjoining beds are anhydrite, which, even though far enough away, has similar thermal conductivity and does not represent a thermal barrier in any case. (See Powers et al., 1978, Section 9.2.3.)

Mechanical properties. The medium must safely support excavation of openings even while thermally loaded. Clay seams and zones of unusual structural weakness should be avoided in the selection of the repository horizon.

The halite bed at the lower level is sufficiently thick and devoid of clay seams that stability of openings will not be a problem for repository operation. Clay seams and polyhalite beds are more common in the area selected for the upper repository level, but construction levels can be located to avoid significant structural stability problems from such nonhalite beds. (See Powers et al., 1978, Section 9.2.4.)

Chemical properties and mineralogy. Beds that are of unusual composition or contain minerals with bound water should not occur within 20 feet of the waste horizon. This will lessen the uncertainties with regard to thermally driven geochemical interactions.

The heat-producing waste horizon is quite pure halite, with more than 97% NaCl. No polyhalite, clay, or other water-bearing minerals occur near this horizon. The upper horizon beds are more than 92% NaCl, with impurities being mostly potassium and magnesium salts and clay. These impurities have no known negative implications for TRU-waste isolation and, in fact, have been shown to absorb radionuclides from brine. (See Powers et al., 1978, Sections 4.3 and 7.2 through 7.5.)

Radiation effects. While no unacceptably deleterious effects are postulated, these phenomena are best quantified in halite, and thus the purer rock salt beds are desired for high-level waste.

Samples of WIPP salt show no characteristics that would produce undesirable effects under irradiation. The low brine content will limit the amount and effects of radiolytic disassociation of water. (See Powers et al., 1978, Chapter 9.)

Permeability. Salt has a very low permeability. It is necessary to evaluate the permeability only of the interbeds and the surrounding media. Low permeability is desirable, but quantitative limits need not be specified for site selection. Salt permeability to gases may be important in establishing waste-acceptance criteria.

Laboratory measurements on cores show very low permeability. On a large scale, measurements at the WIPP horizons have not been made. Experience in other drill holes (absence of aquifers in salt and presence of small high-pressure gas pockets) would argue for very low in-situ permeability on larger scales. (See Powers et al., 1978, Section 9.2.3.)

Nuclide mobility. This is a secondary factor in siting since confinement by the salt and isolation from water are the basic isolation premises. Ion sorption must be determined to allow quantification of safety analyses and to indicate whether engineered barriers (clay) would be beneficial.

The distributed impurities in the rock salt provide significant ion-sorption capability for many radionuclides. The clay layers in higher salt beds will be still more sorptive. These properties will tend to minimize radionuclide migration due to such local mechanisms as brine migration in thermal gradients. (See Powers et al., 1978, Section 9.3.)

D.5 ECONOMIC AND SOCIAL COMPATIBILITY CRITERION AND SITE-SELECTION FACTORS

The site must be operable at reasonable economic cost and should not create unacceptable impacts on natural resources or the biological and social environment.

Natural resources. Unavoidable conflict of the repository with actual or potential resources will be minimized to the extent possible.

This factor is not well satisfied by the WIPP site. Both hydrocarbons and potash exist in potentially economic quantities within the site. While salt itself may be considered a valuable mineral, its economic potential at the site is very low. Since both potash and hydrocarbons may be recovered from control zone IV, the amounts that may be restricted from development within zones I, II, and III are the critical amounts. These quantities are not large in terms of national supply (even the langbeinite product is synthesized in quantity from brine lakes). These minerals may prove an enticement for future exploration and exploitation. For this reason, studies are under way to examine the effects of recovering the potash ore from above control zone III. Very little potash exists above the repository (zone II) itself. Similarly, once adequate borehole plugging is demonstrated, drilling in zone III could be permitted or the same zones developed from zone IV by slant drilling. The expectation, but one that cannot yet be guaranteed, is that these minerals may

be recovered in the decades ahead should they be economically attractive. Certainly the time frame for their development would be within the next century, while the site is still under administrative control. The small amounts of either resource within zone III would not be of significant interest in the absence of other production in the area. (See Powers et al., 1978, Chapter 8.)

Man-made penetrations. Boreholes or shafts that penetrate through the salt into underlying aquifers will be avoided within 1 mile of the repository. Existing mining activity, unrelated to the repository, should not be present within 2 miles of the repository. Future, controlled mining will be allowable up to 1 mile from the repository. Future studies may permit still closer mining and drilling if properly controlled.

The present site adequately fulfills this present restriction on man-made penetrations. (See Powers et al., 1978, Section 2.3 and Chapter 4.)

Transportation. Transportation should be capable of ready development. Avoidance of population centers by transportation routes is not a factor in the siting of the repository.

The present site meets this requirement and would utilize a spur line of the Santa Fe Railroad now running to the Duval mine.

Accessibility. The site should be readily accessible for transportation and utilities.

The site presents no problems for access by road, railroad, or utility lines.

Land jurisdiction. Siting will be on Federal land to the extent possible.

Of the 18,960 acres to be withdrawn by the DOE if this site is approved, 17,200 are Federal land controlled by the Bureau of Land Management and 1760 acres belong to the State of New Mexico. There are no private lands within the site.

Population density. Proximity to population centers and rural habitats will be considered in siting. A low population density in the immediate site area is desirable.

There are 16 permanent residents within 10 miles of the site. There is a transient population at potash mines. The nearest town is Loving, New Mexico, with a population of 1600. Carlsbad is 26 miles west and has a population of 28,600. Low population is not necessary to siting but, all other factors being equal, is desirable.

Effects on ecology and cultural resources. Major impacts on ecology due to construction and operation should not occur. Archaeological and historic features of significance should be preserved.

No major or unusual impacts on the environment or the ecologic system are expected from the construction and the operation of the repository. No endangered species of plants or animals are known to occur at the site. No significant archaeological sites will be destroyed by repository construction.

Sociological impacts. Demographic and economic effects should not result in unacceptable sociological impacts.

There was no a priori reason to expect any severe or unacceptable socio-economic impacts attributable to the site location. This assessment has been substantiated by the socioeconomic studies reported in Section 9.4 of this document.

REFERENCES

- Brunton, G. D., and W. C. McClain, 1977. Geological Criteria for Radioactive Waste Repositories, Y/OWI/TM-47, Office of Waste Isolation, Union Carbide Corporation, Oak Ridge, Tenn.
- International Atomic Energy Agency, 1977. Site Selection Factors for Repositories of Solid High-Level and Alpha-Bearing Waste in Geological Formations, Technical Report Series No. 177, Vienna, Austria.
- Oak Ridge National Laboratory (ORNL), 1973. Site Selection Factors for the Bedded Salt Pilot Plant, ORNL-TM-4219, Oak Ridge, Tenn.
- Powers, D. W., S. J. Lambert, S.-E. Shaffer, L. R. Hill, and W. D. Weart (eds.), 1978. Geological Characterization Report, Waste Isolation Pilot Plant (WIPP) Site, Southeastern New Mexico, two volumes, SAND78-1596, Sandia Laboratories, Albuquerque, N.M.