

Westinghouse
Electric Corporation

Government and Environmental
Services Company




ENT

AA:97:00071
Waste Isolation Division

Box 2078
Carlsbad New Mexico 88221

July 11, 1997



Mr. Benito Garcia, Bureau Chief
Hazardous and Radioactive Materials Bureau
New Mexico Environment Department
P.O. Box 26110
Santa Fe, NM 87502

Subject: NEW MEXICO ENVIRONMENTAL COMPLIANCE/DISCLOSURE
REQUIREMENTS (WIPP RCRA PART B PERMIT APPLICATION)

Dear Mr. Garcia:

This letter is in response to Ms. Susan McMichael's letter, dated April 28, 1997, in which she requested that the U.S. Department of Energy (DOE) and the Westinghouse Waste Isolation Division (Westinghouse) provide certain information to the New Mexico Environment Department (NMED) in connection with the WIPP RCRA Part B permit application. Specifically, she requested our legal opinion regarding the applicability of the financial responsibility provisions of the New Mexico Hazardous Waste Act (HWA) to Westinghouse. The DOE and Westinghouse addressed these provisions in a letter to NMED, dated May 15, 1997. Ms. McMichael's letter of April 28, 1997, also requested that both DOE and Westinghouse provide information regarding the disclosure provisions set forth at NMSA 1978, § 74-4-4.7 and information relevant to the environmental compliance provisions of NMSA 1978, § 74-4-4.2.D (4), (5) and (6). This correspondence provides Westinghouse's response regarding the disclosure and environmental compliance provisions. The DOE's response is being transmitted under separate letter.

Pursuant to the HWA, every permit applicant must file a disclosure statement with the NMED, unless it satisfies one of the exceptions set forth in NMSA 1978, § 74-4-4.7 (F). Westinghouse satisfies one of these exceptions and is therefore exempt from the requirement to file a disclosure statement. Westinghouse meets the exception set forth at NMSA 1978, § 74-4-4.7 (F) (3) (a) - (c), which provides as follows:

No person shall be required to submit a disclosure statement required by this section if that person is . . . (3) a corporation or an officer, director or shareholder of that corporation and that corporation:

970712



- (a) has on file and in effect with the federal securities and exchange commission a registration statement required under Section 5, Chapter 38, Title 1 of the federal Securities Act of 1933, as amended;
- (b) submits to the secretary with the application for a permit evidence of the registration described in Subparagraph (a) of this paragraph and a copy of the corporation's most recent annual form 10-K or an equivalent report; and
- (c) submits to the secretary on the annual anniversary of the date of the issuance of any permit it holds pursuant to the Hazardous Waste Act evidence of registration described in Subparagraph (a) of this paragraph and a copy of the corporation's most recent annual form 10-K or an equivalent report.

Enclosed is evidence of our compliance with the federal Securities Act of 1933 (Attachment 1), and a copy of Westinghouse's most recent annual form 10-K report (Attachment 2). We will submit this same information on the annual anniversary date of the issuance of the hazardous waste facility permit, in accordance with section (c) above.

Our responses to the environmental compliance provisions of NMSA 1978, 74-4-4.2.D(4), (5), (6) are set forth below, after restatement, in question form, of each statutory subsection.

A. §74-4-4.2.D(4): Has the applicant exhibited a history of willful disregard for environmental laws of any state or the United States?

Based upon review of our compliance history, we believe that we have not exhibited a history of willful disregard for environmental laws of any state or the United States. Westinghouse has periodically received notices of violations and has been penalized for non-compliance with certain environmental provisions, however, our history in no way indicates that we have willfully disregarded any environmental laws. Westinghouse has attempted to satisfy its obligations expeditiously and constantly seeks to improve its environmental compliance record. A summary of our environmental compliance history, since approximately 1990, is enclosed as Attachment 3.

B. §74-4-4.2.D(5): Has the applicant had any permit revoked or permanently suspended for cause under the environmental laws of any state or the United States?


Our investigation has not revealed any instance in which a permit has been revoked or permanently suspended for cause under the environmental laws of any state or the United States.

C. §74-4-4.2.D(6): Has the applicant violated any provision of the New Mexico Hazardous Waste Act, any regulation adopted and promulgated pursuant to that act or any condition of the permit issued under that act?

Our investigation has not revealed any instance in which Westinghouse has violated any provision of the New Mexico Hazardous Waste Act, the New Mexico Hazardous Waste Management Regulations or any condition of a permit issued under the HWA.

We believe that this letter fully addresses each NMED request. If you have any questions regarding our responses, or need any additional information, please call me at 505-234-8383.

Sincerely,



Gloria J. Barnes, Senior Counsel
Westinghouse Waste Isolation Division

le

Attachments

cc: (with attachments)
S. McMichael, NMED
C. Wayman, CAO
P. Detwiler, DOE
C. Snider, CAO

(w/o attachments)
G. Dials, CAO
M. McFadden, CAO
P. Matthews, PM

ATTACHMENT ONE (1)
Affidavit, 2 July 1997

COMMONWEALTH OF PENNSYLVANIA)
) SS:
COUNTY OF ALLEGHENY)

AFFIDAVIT

This is to advise you that Westinghouse Electric Corporation is in compliance in all material respects with the Securities Act of 1933.

WESTINGHOUSE ELECTRIC CORPORATION

By: Michael T. Sweeney
Michael T. Sweeney
Assistant General Counsel and Assistant Secretary

Sworn to and subscribed
before me this 2nd day
of July, 1997.

Valerie Morgan
Notary Public

Notarial Seal
Valerie Morgan, Notary Public
Pittsburgh, Allegheny County
My Commission Expires Nov. 8, 1999

ATTACHMENT TWO (2)
Form 10K

ATTACHMENT THREE (3)
Compliance History

Environmental Compliance History
(GOCO only)

Name of (W) Subsidiary/Division	Date Issue	Agency	Facility/ Location	State	Nature & Basis of Action	Proposed Fine	Fine Paid	Status Open/Closed	Response/Disposition Fines/Penalties/Explanation
(W) Env. Mgmt. Co. of Ohio	02/09/89	USEPA	Fernald	OH	RCRA - AC		\$95,000	Closed	Settled Judicial Complaint, Settlement: Consent Order; \$15,000
	01/23/93	OH EPA	Fernald	OH	RCRA - JC		\$15,000	Closed	
West Valley Nuclear Service C	08/30/90	FHSA	West Valley	NY	FHSA - Notice of Claim		\$4,000	Closed	Release of hazardous material, Fed. Highway Safety Admin. Resolved by the FSFCA, which became effective 3/23/93 Corrective Action Implemented/No Penalty
	09/30/92	USEPA	West Valley	NY	RCRA - NON			Closed	
	07/19/94	DOT	West Valley	NY	DOT - NON		\$0	Closed	
(W) Savannah River Company	07/20/90	SCDHEC	Aiken	SC	RCRA - NOV			Closed	Management of solvent contaminated wipes Cited during 1990 annual EPA RCRA CME Inspection Asbestos abatement;; improper reporting Failure to report to the NRC a release of tritium to the river Missing NPDES samples and hold time exceedances
	03/26/91	SCDHEC	Aiken	SC	RCRA - NOV		\$59,700	Closed	
	05/29/92	SCDHEC	Aiken	SC	TSCA - NOV			Closed	
	08/07/92	SCDHEC	Aiken	SC	CERCLA - NOV			Closed	
	01/07/97	SCDHEC	Aiken	SC	Water - NOV	\$0	\$0	Closed	
(W) Hanford Company (WHC)	05/89	Ecology	Richland	WA	RCRA - NOV			Closed	Completed corrective actions Completed corrective actions Completed corrective actions Completed corrective actions Completed corrective actions Completed corrective actions Responded to tech. review and completed corrective actions Responded Responded Responded to reg. audit report Responded Responded to inv. report Responded to audit report Responded Responded Notice & Order of Penalty; \$60k-sage brush replanting, \$40k-scholarship Responded Responded DOE has completed all corrective actions. DOE transmitted letter to Ecology on 6/28/94. DOE provided Ecology with letter on 12/14/93. DOE sent letter to Ecology in late 11/93. DOE sent letter to Ecology 12/16/93 Responded to surveillance letter Responded to surveillance report Responded, corrective action to be implemented DOE issued a response 12/8/93 stating corrective action. Responded to surveillance report All corrective actions completed 6/1/94. Provided DOE response to audit on 2/16/94 Responded to surveillance letter DOE responded 03/28/94 Responded to surveillance letter DOE has completed all corrective actions as requested. DOE has completed all corrective actions. Responded to surveillance letter Responded, corrective action to be implemented
	06/89	Ecology	Richland	WA	RCRA - NOV			Closed	
	08/89	Ecology	Richland	WA	RCRA - NOV			Closed	
	04/25/90	US DOT	Richland	WA	DOT - NOV		\$2,100	Closed	
	12/10/90	Ecology	Richland	WA	RCRA - NON			Closed	
	03/91	WA Dept. of Fisheries	Richland	WA	Water - NOV			Closed	
	10/07/91	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	
	05/14/92	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	07/16/92	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	08/05/92	WDOH	Richland	WA	Air - ICL	\$0	\$0	Open	
	09/22/92	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	09/29/92	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	
	10/06/92	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	
	10/23/92	US EPA	Richland	WA	TSCA - NON			Closed	
	11/12/92	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	01/15/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	02/02/93	WDOH	Richland	WA	Air - NOV			Closed	
	03/10/93	Ecology	Richland	WA	RCRA - N&OP		\$100,000	Closed	
	05/12/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	05/24/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	07/09/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	10/15/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	10/18/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	10/18/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	10/26/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	10/27/93	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	
	10/29/93	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	
	11/17/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	11/17/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	12/06/93	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	
	12/07/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
	12/13/93	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	
12/17/93	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed		
01/07/94	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed		
01/27/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed		
02/01/94	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed		
02/23/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed		
04/07/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed		
04/14/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed		
04/20/94	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed		
05/18/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed		

Environmental Compliance History
(GOCO only)

Name of (W) Subsidiary/Division	Date Issue	Agency	Facility/ Location	State	Nature & Basis of Action	Proposed Fine	Fine Paid	Status Open/Closed	Response/Disposition Fines/Penalties/Explanation
unconfirmed that WHC was named	09/02/94	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	Responded to audit letter
	10/18/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	Responded to compliance letter, issued to ICF KH, sub to W
	11/03/94	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	Responded to surveillance letter
	12/08/94	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	Responded to compliance letter
	03/28/95	BCCAA	Richland	WA	Air - NOV	\$0	\$0	Closed	Responded
	04/20/95	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	Responded to surveillance letter
	05/15/95	Ecology	Richland	WA	RCRA - ICL	\$0	\$0	Closed	Responded to compliance letter
	06/05/95	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	Responded to surveillance letter
	07/31/95	WDOH	Richland	WA	Air - ICL	\$0	\$0	Closed	Response accepted by WDOH on 1/25/96
	11/06/95	WDOH	Richland	WA	Air - ICL	\$0	\$0	Open	Final resolution pending
	11/15/95	Ecology	Richland	WA	RCRA - DWCC	\$0	\$0	Closed	Met with Ecology - location of satellite accumulation areas
	01/03/96	Ecology	Richland	WA	RCRA - DWCC	\$0	\$0	Closed	Corrective actions completed
	02/08/96	WDOH	Richland	WA	Air - NOV&CO	\$0		Closed	Standardized access requirements developed
	03/06/96	Ecology	Richland	WA	Air - NOV	\$0		Open	Re: PSD permit for 300 Area boiler
	06/05/96	WDOH	Richland	WA	Air - NOC			Closed	Resolved issue with condition for Notice of Construction
	06/10/96	Ecology	Richland	WA	RCRA - DWCC			Closed	Resolved cath. prot. system issues for AP & AW tankfarms
	06/13/96	Ecology	Richland	WA	RCRA - DWCC			Open	Developed contingency plans for 300 Area
	06/28/96	Ecology	Richland	WA	RCRA - DWCC			Open	Responded regarding waste accepted from LBNL
	07/10/96	WDOH	Richland	WA	Air - NOC			Open	Responded to records issue for 242-A Evap. & 200W TF
07/11/96	WDOH	Richland	WA	Air - NOC			Open	Responded, emission est., type 2&3 mobile sample units	
08/08/96	Ecology	Richland	WA	RCRA - DWCC			Open	Waste designations at 3705-D and 3746-D	
09/23/96	Ecology	Richland	WA	RCRA - NOV or DWCC?			Open	40CFR265, Subpart J, A-350 catch tank	
09/27/96	Ecology	Richland	WA	RCRA - NOP	\$20,000	\$20,000	Closed	Responded, incompatible storage, 306-E	
Safe Sites of Colorado (SSOC)	03/20/96	CODPH&E	Golden	CO	RCRA - WL	\$0	\$0	Closed	Drums characterized and/or relocated, doc's transmitted, etc.
	05/06/96	CODPH&E	Golden	CO	RCRA - WL	\$0	\$0	Closed	Improvement in chemical management program instituted
Waste Isolation Division (WID)	None								
(W) Bettis	None								
(W) Idaho Nuclear Company	None								
Machinery Apparatus Operatio	None								
Plant Apparatus Division	None								

- Notes:
1. This dB does not include NODs.
 2. ICL = Informal Compliance Letter
 3. CO = Compliance Order
 4. N&OP = Notice and Order of Penalty
 5. DWCC = Dangerous Waste Compliance Checklist (similar to an ICL)
 6. NOC = Notice of Correction
 7. WL = Warning Letter
 8. Updated Through 3/31/96

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
90							
THERMO KING CIALES	PR	90/04/09	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV		ANNUAL HAZ WASTE TRAINING
CLEVELAND (NAVAL SYSTEMS)	OH	90/07/12	OHIO EPA	RCRA	NOV		NO LAND BAN CERTIFICATIONS
CLEVELAND (NAVAL SYSTEMS)	OH	90/07/12	OHIO EPA	RCRA	NOV		GENERATOR & STORAGE REGULATIONS
BWI SITE	MD	90/07/12	STATE OF MARYLAND	RCRA	NOV		INADEQUATE DRUM LABELING
ANNAPOLIS - ESG	MD	90/08/28	ANNE ARUNDEL COUNTY	POTW	NOV		TSS AND BOD EXCEEDANCES
ANNAPOLIS - ESG	MD	90/06/22	ANNE ARUNDEL COUNTY	POTW	NOV		TSS AND COD EXCEEDANCES
ANNAPOLIS - ESG	MD	90/04/16	ANNE ARUNDEL COUNTY	POTW	NOV		COD,BOD,TSS,OIL& GREASE EXCEEDANCES
FAYETTEVILLE PLANT	NC	90/02/21	CITY OF FAYETTEVILLE-PWC	POTW	NOV		BOD & COD EXCEEDANCES
FAYETTEVILLE PLANT	NC	90/03/22	CITY OF FAYETTEVILLE-PWC	POTW	NOV		BOD,COD, & TSS EXCEEDANCES
OLDSMAR PLANT	FL	90/06/26	PINELLAS COUNTY DEPT ENVIRON	AIR	NOV		OPERATING PAINT BOOTH W/O PERMIT; CS
GLASSPORT REPAIR	PA	90/06/08	PA DEPT ENVIRON RESOURCES	RCRA	NOV		STORAGE OVER 90 DAYS; NO LABELS
BEDFORD PLANT	PA	90/08/10	PA DEPT ENVIRON RESOURCES	NPDES	NOV		PHOSPHORUS EXCEEDANCE
HAMPTON PLANT	SC	90/02/08	DEPT HEALTH ENVIRON CONTROL	RCRA	NOV		TREATING W/O TSD PERMIT, TRAINING, ETC.
HAMPTON PLANT	SC	90/02/14	DEPT HEALTH ENVIRON CONTROL	NPDES	NOV		EXCEEDED BOD LIMIT
APTUS - LAKEVILLE, MN	MN	90/08/02	MINNESOTA POLLUTION CONTROL	RCRA	NOV	\$6,375	IMPROPER ACCUMULATION OF WASTES
APTUS - COFFEYVILLE, KS	KS	90/11/19	KANSAS DEPT. HEALTH & ENVIRON	TSCA	NOV	\$20,000	IMPROPER TRAINING, STORAGE, LABELING
APTUS - COFFEYVILLE, KS	KS	90/11/01	EPA	TSCA	AC	\$20,000	EPA/TSCA ADMIN COMPLAINT FROM 4/30/90
JOHNSTOWN REPAIR PLANT	PA	90/06/30	PA DEPT ENVIRON RESOURCES	AIR	NOV		OPERATING 4 SOURCES WITHOUT PERMITS
SCIENTIFIC ECOLOGY GROUP	TN	90/02/01	TN DEPT HEALTH & ENVIRONMENT	RCRA	NOV		NO LDR ATTACHMENT WITH MANIFEST
CHESWICK SITE	PA	90/04/16	USEPA	RCRA	NOV		LDR ATTACHMENT NOT WITH MANIFEST
CHESWICK SITE	PA	90/01/05	PA DEPT OF ENVIRON RESOURCES	RCRA	NOV		EXCEEDED 90 DAY STORAGE LIMIT
PRINTING DIVISION	PA	90/05/07	PA DEPT ENVIRON RESOURCES	AIR	NOV	\$1,000	OPACITY EXCEEDANCE
THERMO KING MONTGOMERY	AL	90/10/23	ALABAMA DEPT ENVIRON MANAGE	RCRA	NOV		HAZARDOUS WASTE STORAGE AREA
CHALLENGER- GRAND PRAIRIE	TX	90/07/27	CITY OF GRAND PRAIRIE	POTW	NOV		FAILURE TO PERFORM SELF-MONITORING
CHALLENGER- GRAND PRAIRIE	TX	90/12/06	CITY OF GRAND PRAIRIE	POTW	NOV		EXCEEDED CITY DISCHARGE LIMITS
CHALLENGER- GRAND PRAIRIE	TX	90/12/18	CITY OF GRAND PRAIRIE	POTW	NOV		FORM NOT SIGNED BY AUTHORIZED REP
CHALLENGER- GRAND PRAIRIE	TX	90/12/18	CITY OF GRAND PRAIRIE	POTW	NOV		FAILURE TO MONITOR FOR SILVER AND TTO
RICHMOND ENGINEERING SRV.	VA	90/03/01	EPA	RCRA	AC	\$29,950	EPA/RCRA ADMIN.COMPLAINTFROM 10/13/89
BUFFALO MOTOR	NY	90/07/09		WATER	NOV	\$4,000	FROM 01/90
KANSAS CITY REPAIR	KS	90/01/08	USEPA	TSCA	CA/CO	\$2,500	PCB CONTAMINATED OIL DRIPS FROM OIL TAN
HILLSIDE	NJ	90/07/02	NJDEP	RCRA	NOV		NEED TO FILE GENERATOR'S ANNUAL REPORT
91							
AGUAS BUENAS - BREAKERS	PR	91/07/03	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV	\$5,000	ILLEGIBLE HAZARDOUS WASTE LABEL
THERMO KING ARECIBO	PR	91/01/01	EPA	RCRA	AC	\$5,850	EPA ADMIN COMPLAINT FROM 08/22/89
SUNNYVALE SITE (MARINE)	CA	91/05/14	BAY AREA AIR QUALITY MAN DIST	AIR	NOV	\$85	OPEN CONTAINER RULE
SUNNYVALE SITE (MARINE)	CA	91/05/13	BAY AREA AIR QUALITY MAN DIST	AIR	NOV	\$63	OPEN CONTAINER RULE
CLEVELAND (NAVAL SYSTEMS)	OH	91/09/10	OHIO EPA	RCRA	NOV		FAILURE TO SUBMIT FINANCIAL ASSURANCE
CLEVELAND (NAVAL SYSTEMS)	OH	91/10/23	OHIO EPA	RCRA	NOV		FAILURE TO SUBMIT ANNUAL REPORT
CLEVELAND (NAVAL SYSTEMS)	OH	91/04/23	OHIO EPA	RCRA	NOV		EXCEEDED ACCUMULATION OF RECYCLABLES
CLEVELAND (NAVAL SYSTEMS)	OH	91/04/23	OHIO EPA	RCRA	NOV		DOCUMENT HAZARDOUS WASTE INSPECTIONS
BWI SITE	MD	91/11/19	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE
BWI SITE	MD	91/11/05	STATE OF MARYLAND	NPDES	NOV		AL CLEANER DISCHARGE TO STORMSEWER
BWI SITE	MD	91/08/30	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE
BWI SITE	MD	91/07/23	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE
BWI SITE	MD	91/06/27	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE
BWI SITE	MD	91/02/11	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
91							
BWI SITE	MD	91/01/16	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE
BIRMINGHAM REPAIR PLANT	AL	91/10/24	EPA	TSCA	NON		PCB STORAGE TIME EXPIRED
ADVANCED TECH LAB (ATL)	MD	91/08/05	COUNTY	POTW	NOV		PH EXCEEDANCE
ADVANCED TECH LAB (ATL)	MD	91/08/05	COUNTY	POTW	NOV		CHROMIUM & LEAD EXCEEDANCES
HUNT VALLEY SITE (ILSD)	MD	91/01/22	BALTIMORE COUNTY	POTW	NOV		SELF MONITORING REPORT
LIMA SITE (ESD-ESG)	OH	91/04/01		TSCA	CA	\$3,000	SETTLED BY CONSENT AGREEMENT
ASHEVILLE PLANT	NC	91/05/28	NC DEPT HEALTH NAT RESOURCES	RCRA	NOV		SATELLITE ACCUMULATION, CONTING. PLAN
FAYETTEVILLE PLANT	NC	91/07/17	CITY OF FAYETTEVILLE-PWC	POTW	NON		BOD,COD,TSS EXCEEDANCES
CHALLENGER - VIDALIA	GA	91/06/26	GA ENVIRONMENTAL PROT DEPT	POTW	NOV		INADEQUATE WATER SAMPLING PROCEDURE
MANOR PLANT	PA	91/08/01	PA DEPT ENVIRON RESOURCES	AIR	NOV-LA	\$500	ODOR EXCEEDANCE
ABINGDON WIRE FACILITY	VA	91/07/18	CITY OF BRISTOL	POTW	NOV		CADMIUM EXCEEDANCE
ABINGDON WIRE FACILITY	VA	91/10/17	CITY OF BRISTOL	POTW	NOV		CADMIUM EXCEEDANCE
ABINGDON WIRE FACILITY	VA	91/10/17	CITY OF BRISTOL	POTW	NOV		OIL AND GREASE EXCEEDANCE
ABINGDON WIRE FACILITY	VA	91/12/16	CITY OF BRISTOL	POTW	NOV		COPPER EXCEEDANCE
ABINGDON WIRE FACILITY	VA	91/07/03	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV	\$5,000	ILLEGIBLE HAZARDOUS WASTE LABEL
APTUS - LAKEVILLE,MN	MN	91/07/30	MINNESOTA POLLUTION CONTROL	RCRA	NOV		IMPROPER LABELING
APTUS - LAKEVILLE,MN	MN	91/03/11	MINNESOTA POLLUTION CONTROL	RCRA	NOV	\$9,600	CRACKS IN FLOOR OF STORAGE AREA
PITTSBURGH REPAIR	PA	91/08/19	PA DEPT ENVIRON RESOURCES	AIR	NOV		OPERATING WITHOUT PERMITS
PITTSBURGH REPAIR	PA	91/10/07	PA DEPT ENVIRON RESOURCES	POTW	LOV		WASTEWATER DISCHARGE EXCEEDANCES
SCIENTIFIC ECOLOGY GROUP	TN	91/04/02	TN DEPT HEALTH & ENVIRONMENT	RCRA	NOV		NO WASTE DETERMINATIONS FOR SOLVENTS
CHARLOTTE TURBINE PLANT	NC	91/09/10	NC DEPT NATURAL RESOURCES	RCRA	NOV		EXCEEDED SATELLITE ACCUMULATION TOTAL
CHARLOTTE TURBINE PLANT	NC	91/09/04	MECKLENBERG COUNTY	POTW	NOV		EXCEEDED MONTHLY AVERAGE FLOW FOR 6/91
CHARLOTTE TURBINE PLANT	NC	91/09/04	NC DEPT NATURAL RESOURCES	POTW	NOV		EXCEEDED MONTHLY AVERAGE FLOW FOR 7/91
CHARLOTTE TURBINE PLANT	NC	91/08/08	NC DEPT NATURAL RESOURCES	RCRA	NOV		FAILURE TO PROMPTLY RESTORE LUST AREA
CHARLOTTE TURBINE PLANT	NC	91/02/01	COUNTY	AIR	NOV	\$1,720	EXCEEDED PARAMETERS
COLUMBIA PLANT	SC	91/07/05	DEPT HEALTH & ENVIRON. CONTROL	NPDES	NOV		EXCEEDED FECAL COLIFORM LIMIT
CHESWICK SITE	PA	91/12/04	PA DEPT OF ENVIRON RESOURCES	AIR	NOV		NO INSTALLATION PERMIT FOR DRYING OVENS
CHESWICK SITE	PA	91/11/06	ALLEGHENY COUNTY HEALTH DEPT	AIR	NOV		NO INSTALLATION PERMIT FOR BOILER
APTUS - ARAGONITE, UT	UT	91/04/22	UTAH DEPARTMENT OF HEALTH	RCRA	NOV	\$17,500	IMPROPER STORAGE AND LABELING
APTUS - ARAGONITE, UT	UT	91/02/28	UTAH DEPARTMENT OF HEALTH	AIR	NOV	\$7,000	INSTALLATION W/O A PERMIT
DELAWARE COUNTY RESOURCE	PA	91/12/06	PA DEPT ENVIRON RESOURCES	AIR	NOV		PERFORMANCE TEST SCHEDULE FOR CEM
DELAWARE COUNTY RESOURCE	PA	91/09/18	PA DEPT ENVIRON RESOURCES	AIR	NOV		PERFORMANCE STACK TEST SCHEDULE
DELAWARE COUNTY RESOURCE	PA	91/05/10	PA DEPT ENVIRON RESOURCES	AIR	NOV		ODORS AND VISIBLE EMISSIONS
KNOLL E. GREENVILLE	PA	91/05/01	PA DEPT ENVIRON RESOURCES	RCRA	NOV		CONTAINER STORAGE INSUFFICIENT
CHALLENGER- GRAND PRAIRIE	TX	91/07/26	CITY OF GRAND PRAIRIE	POTW	NOV		UNTIMELY REPORT OF ACCIDENTAL DISCHARGE
EDGEMONT (ESD)	PA	91/04/17	STATE OF NEW JERSEY	RCRA	NOV		FAILURE TO SUBMIT ANNUAL REPORT
EDGEMONT (ESD)	PA	91/06/25	EPA	TSCA	NON		PCB RECORDKEEPING, STORAGE, MANIFESTING
EDGEMONT (ESD)	PA	91/08/01		TSCA	NON		RECEIVED NOTICE OF NONCOMPLIANCE 7/2/91
BEAUMONT REPAIR	TX	91/05/16	TEXAS AIR CONTROL BOARD	AIR	NOV		EXCEEDING AIR DISCHARGE LIMITS
PINETREE POWER TAMWORTH	NH	91/10/07		AIR	NOV	\$99,000	
BAYAMON 7UP	PR	91/01/01	EPA	TSCA	AC	\$35,000	PCB ADMINISTRATIVE COMPLAINT
MISHAWAKA TEST LOOP	IN	91/01/28	IDEM	NPDES	WON		EXCEEDED PERMIT LIMIT
WALTZ MILL	PA	91/05/03	PADEP	NJDES	NOV		DID NOT USE PROPER TEST PROCEDURES
BATON ROUGE REPAIR	LA	91/07/03	CITY OF BATON ROUGE	POTW	AO		FAILURE TO SUBMIT REQUIRED WASTEWATER ANALYSIS
BEAUMONT REPAIR	TX	91/09/05	TEXAS AIR CONTROL BOARD	AIR	NOV		EXCEEDED AIR DISCHARGE LIMIT
KANSAS CITY REPAIR	KS	91/08/01	KANSAS CITY HEALTH DEPT.	AIR	NOV		EXCESS AIR EMISSIONS

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
91							
WEGS	GA	91/01/03	DOL	OSHA	NOV	\$600	
COLUMBIA	SC	91/01/06	DOL	OSHA	NOV	\$840	
GRAND RAPIDS	MI	91/01/29	DOL	OSHA	NOV	\$1,440	
PORT ST JOE-RSD	FL	91/04/03	DOL	OSHA	NOV	\$23,875	
PRODUCTOS-SANTA ISABEL	PR	91/04/08	DOL	OSHA	NOV	\$120	
ARECIBO-THERMO KING	PR	91/04/23	DOL	OSHA	NOV	\$2,100	
TAYLOR-GLADWIN	MI	91/05/20	DOL	OSHA	NOV	\$360	
CHALLENGER, LOS ANGELES	CA	91/05/30	DOL	OSHA	NOV	\$2,450	
CHESTER-RESD	PA	91/06/03	DOL	OSHA	NOV	\$3,000	
GALLATIN-PGSD	TN	91/06/27	DOL	OSHA	NOV	\$4,875	
SYLMAR-FORTIN	CA	91/08/20	DOL	OSHA	NOV	--	
CHESTER-RESD	PA	91/10/21	DOL	OSHA	NOV	\$3,315	
PAGELAND-CHALLENGER	SC	91/11/20	DOL	OSHA	NOV	\$5,200	
PAGELAND-CHALLENGER	SC	91/11/25	DOL	OSHA	NOV	\$1,500	
COLLEGE STATION-ESG	TX	91/12/03	DOL	OSHA	NOV	\$6,825	
COLUMBIA	SC	91/12/31	DOL	OSHA	NOV	\$30,625	
SEG	TN	91/10/14	DOL	OSHA	NOV	\$800	
92							
SUNNYVALE SITE (MARINE)	CA	92/08/31	BAY AREA AIR QUALITY MAN DIST	AIR	NOV		EXCEEDED REPORTING PERIOD
SUNNYVALE SITE (MARINE)	CA	92/07/16	BAY AREA AIR QUALITY MAN DIST	AIR	NOV		EXCEEDED REPORTING PERIOD
CLEVELAND (NAVAL SYSTEMS)	OH	92/09/29	OHIO EPA	RCRA	NOV		FAILURE TO SUBMIT CLOSURE COST ESTIMATE
CLEVELAND (NAVAL SYSTEMS)	OH	92/04/14	OHIO EPA	RCRA	NOV		FAILURE TO AMEND CONTINGENCY PLAN
CLEVELAND (NAVAL SYSTEMS)	OH	92/04/14	OHIO EPA	RCRA	NOV		FAILURE TO SUBMIT WAST ANALYSIS
BWI SITE	MD	92/11/19	BALTIMORE COUNTY	POTW	NOV		EXCEEDED PH LIMIT
BWI SITE	MD	92/10/22	STATE OF MARYLAND	AIR	CO		MUST CONVERT TO LOW VOC COATINGS
BWI SITE	MD	92/09/15	BALTIMORE COUNTY	POTW	NOV		ZINC EXCEEDANCE
BWI SITE	MD	92/09/09	BALTIMORE COUNTY	POTW	NOV		ZINC EXCEEDANCE
BWI SITE	MD	92/06/08	BALTIMORE COUNTY	POTW	NOV		PH EXCEEDANCE
ANNAPOLIS - ESG	MD	92/06/19	ANNE ARUNDEL COUNTY	POTW	NOV		ZINC AND FOG EXCEEDANCES
THERMO KING BLOOMINGTON	MN	92/02/20		AIR	NOV		
BEAVER PLANT	PA	92/02/05	PA DEPT ENVIRON RESOURCES	NPDES	NON		COPPER & ZINC EXCEEDANCES
BEAVER PLANT	PA	92/09/10	PA DEPT ENVIRON RESOURCES	NPDES	CO		COPPER & ZINC EXCEEDANCES
ASHEVILLE PLANT	NC	92/05/18	METROPOLITAN SEWERAGE DIST	POTW	NOV		ZINC & COPPER EXCEEDANCE
GLASSPORT REPAIR	PA	92/06/30	PA DEPT ENVIRON RESOURCES	AIR	NOV	\$1,800	OPERATING WITHOUT PERMITS
CHALLENGER - VIDALIA	GA	92/03/16	GA ENVIRONMENTAL PROT DEPT	RCRA	NOV		NO TCLP FOR E-COAT SLUDGE
BEDFORD PLANT	PA	92/01/15	PA DEPT ENVIRON RESOURCES	RCRA	NOV		IMPROPER ACCUMULATION OF HAZ WASTE
HAMPTON PLANT	SC	92/09/14	DEPT HEALTH ENVIRON CONTROL	NPDES	NOV		EXCEEDED BOD LIMIT
HAMPTON PLANT	SC	92/08/18	DEPT HEALTH ENVIRON CONTROL	NESHAP	NOV		REMOVED ASBESTOS NOT STORED WET
MOBILE REPAIR	AL	92/06/22	CITY OF MOBILE	POTW	NOV		WASTEWATER DISCHARGE EXCEEDANCES
SAN LORENZO PLANT (PEMI)	PR	92/06/25	ENVIRONMENTAL QUALITY BOARD	AIR	NOV		INSTALLED POLLUTION SOURCE W/O PERMIT
WALTZ MILL FACILITY	PA	92/09/25	PA DEPT ENVIRON RESOURCES	WATER	NOV		SUBSTANDARD ANALYTICAL LAB
SCIENTIFIC ECOLOGY GROUP	TN	92/06/11	TN DEPT HEALTH & ENVIRONMENT	RCRA	NOV		STORAGE OVER 90 DAYS; OPEN CONTAINERS
CHARLOTTE TURBINE PLANT	NC	92/03/02	MECKLENBERG COUNTY	POTW	NOV		BOD, CHROMIUM, NICKEL AND FLOW EXCEEDANCE
CHARLOTTE TURBINE PLANT	NC	92/01/03	MECKLENBERG COUNTY	POTW	NOV		NICKEL AND ZINC EXCEEDANCES

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
92							
BLAIRSVILLE PLANT	PA	92/03/30	PA DEPT ENVIRON RESOURCRS	RCRA	CA	\$500	INACCURATE MANIFEST
WESTERN ZIRCONIUM PLANT	UT	92/08/11	UTAH DEPT ENVIRON QUALITY	RCRA	NOV		PART A APPLICATION SUBMITTED LATE
APTUS - ARAGONITE, UT	UT	92/07/22	UTAH DEPARTMENT OF HEALTH	RCRA	NOV		IMPROPER HAZARDOUS WASTE STORAGE
APTUS - ARAGONITE, UT	UT	92/03/03	UTAH DEPARTMENT OF HEALTH	TSCA	NOV	\$7,500	TWO TANKS HAD NO TSCA LABELS
SCHLAGE ELECTRONICS	CA	92/03/09	SANTA CLARA COUNTY	RCRA	NOV		INTERPRETATION OF GENERATOR & TSDF REGS
DELAWARE COUNTY RESOURCE	PA	92/11/17	PA DEPT ENVIRON RESOURCES	AIR	NOV		FUGITIVE DUST EMISSIONS
DELAWARE COUNTY RESOURCE	PA	92/11/17	PADER	AIR	CA	\$54,000	FUGITIVE DUST
BAY ENERGY SYSTEMS	FL	92/12/31	FLORIDA DEPT ENVIRON RESOURCES	AIR	NOV		EXCEEDED PARTICULATE EMISSION LI
KNOLL E. GREENVILLE	PA	92/05/01	PA DEPT ENVIRON RESOURCES	AIR	NOV		PRIMARY BURNER NOT OPERATING
HORSEHEADS OPERATIONS	NY	92/11/17	EPA	SPDES	NOV		PH EXCEEDANCE
WEST VALLEY NUCLEAR SVCS.	NY	92/09/30	EPA	RCRA	NON		LDR/CONTAINER STORAGE
SAVANNAH RIVER SITE	SC	92/01/14	SCDHEC	RCRA	NOV		EXCEEDED PERMITTED VOLUME LIMIT-F-AREA
SAVANNAH RIVER SITE	SC	92/05/29	SCDHEC	TSCA	NOV		IMPROPER REPORTING - ASBESTOS ABATEMENT
SAVANNAH RIVER SITE	SC	92/08/07	SCDHEC	CERCLA	NOV		FAILURE TO REPORT TRIT. RELEASE TO NRC
SAVANNAH RIVER SITE	SC	92/07/07	SCDHEC	RCRA	CO		1990 CME VIOLATIONS
(W) NORDEN SYSTEMS - CT	CT	92/02/18					
BECKLEY ENGINEERING SERVI	WV	92/02/18	WV DIV NATURAL RESOURCES	RCRA	NOV		OFFERED HAZ WASTE WITHOUT EPA ID #
MOBILE REPAIR	AL	92/08/21	CITY OF MOBILE	POTW	NOV		WASTEWATER DISCHARGE EXCEEDANCES
MOBILE REPAIR	AL	92/09/29	CITY OF MOBILE	POTW	NOV		WASTEWATER DISCHARGE EXCEEDANCES
HOMEWOOD REPAIR	PA	92/08/24	USDOL	OSHA	NOV	\$2,925	MACHINE GUARDING
GLADWIN-BLYTHEVILLE	AR	92/01/30	USDOL	OSHA	NOV	\$7,150	
KANSAS CITY-APP. SVC.	MO	92/01/10	USDOL	OSHA	NOV	\$4,950	
CHALLENGER-PORTLAND	TN	92/05/13	USDOL	OSHA	NOV	\$100	
PGH.-ESD/AEG	PA	92/05/13	USDOL	OSHA	NOV	\$2,700	
LADSON-RSD	SC	92/09/04	USDOL	OSHA	NOV	\$8,250	
GALLATIN-PGSD	TN	92/10/02	USDOL	OSHA	NOV	\$4,450	
SEG-OAK RIDGE	TN	92/11/17	USDOL	OSHA	NOV	\$600	
CHALLENGER-GRAND PRAIRIE	TX	92/12/11	USDOL	OSHA	NOV	\$975	
ESG-AID	FL	92/12/23	USDOL	OSHA	NOV	\$6300	
CARLSBAD	NM	92/11/03	USDOL	OSHA	NOV	\$2,225	
PGH.-RENEWAL PARTS	PA	92/08/24	USDOL	OSHA	NOV	\$2,925	
93							
JUANA DIAZ - PC BOARDS	PR	93/05/11	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV		INADEQUATE AISLE SPACE IN STORAGE AREA
THERMO KING CIALES	PR	93/05/27	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV	\$14,000	INADEQUATE LABELING, TRAINING, ETC.
THERMO KING CIALES	PR	93/02/03	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV		MUST REVISE CONTINGENCY PLAN
THERMO KING ARECIBO	PR	93/06/11	ENVIRONMENTAL QUALITY BOARD	RCRA	NOV		TRANSPORTING HAZ WASTE W/O PERMIT
BWI SITE	MD	93/03/24	BALIMORE COUNTY	POTW	NOV	\$100	ZN EXCEEDANCE
BWI SITE	MD	93/01/20	BALTIMORE COUNTY	POTW	NOV		ZN EXCEEDANCE
BWI SITE	MD	93/06/28	BALTIMORE COUNTY	POTW	NOV	\$1,800	PH & ZN EXCEEDANCE; FAIL TO RESPOND
ANNAPOLIS - ESG	MD	93/02/03	ANNE ARUNDEL COUNTY	POTW	NOV		ZN AND PB EXCEEDANCES
ANNAPOLIS - ESG	MD	93/01/06	ANNE ARUNDEL COUNTY	POTW	NOV		ZN, AG, CU, AND FOG EXCEEDANCE
BEAVER PLANT	PA	93/11/01	PA DEPT ENVIRON RESOURCES	NPDES	CA	\$13,400	COPPER & ZINC EXCEEDANCES
LONDON PLANT	KY	93/04/30	CITY OF LONDON	POTW	NOV		COD, OIL & GREASE EXCEEDANCES
LONDON PLANT	KY	93/04/22	CITY OF LONDON	POTW	NOV		COD & BOD EXCEEDANCES

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
93							
LONDON PLANT	KY	93/04/26	CITY OF LONDON	POTW	NOV		PH EXCEEDANCE
ASHEVILLE PLANT	NC	93/02/23	NC DEPT HEALTH NAT RESOURCES	RCRA	NOV		LACK OF ANNUAL TRAINING REVIEW
FAYETTEVILLE PLANT	NC	93/04/02	CITY OF FAYETTEVILLE PWC	POTW	NOV		PH & TSS EXCEEDANCE
FAYETTEVILLE PLANT	NC	93/05/21	CITY OF FAYETTEVILLE-PWC	POTW	NOV		CHROMIUM EXCEEDANCE
GREENWOOD PLANT	SC	93/05/19	SC DEPT HEALTH ENVIRON CONTROL	RCRA	NOV		SATELLITE ACCUMULATION & WASTE STORAGE
MANOR PLANT	PA	93/08/06	PA DEPT ENVIRON RESOURCES	TANK	NOV		FAILURE TO SUBMIT SPR PLAN
APTUS - LAKEVILLE, MN	MN	93/03/09	EPA	TSCA	NON		PCB ANNUAL REPORT ERRORS
APTUS - LAKEVILLE, MN	MN	93/12/22	MINNESOTA POLLTUION CONTROL	RCRA	NOV		CONTING. PLAN & INADEQUATE AISLE SPACE
APTUS - COFFEYVILLE, KS	KS	93/03/01	KANSAS DEPT. HEALTH & ENVIRON	TSCA	NOV	\$65,000	IMPROPER TSCA LABELING
WALTZ MILL FACILITY	PA	93/08/06	PA DEPT ENVIRON RESOURCES	TANK	NOV		FAILURE TO SUBMIT SPR PLAN
WALTZ MILL FACILITY	PA	93/08/19	PA DEPT ENVIRON RESOURCES	NPDES	NOV		SEWAGE DISCHARGE EXCEEDANCES
SCIENTIFIC ECOLOGY GROUP	TN	93/11/19	TN DEPT HEALTH & ENVIRONMENT	RCRA	CO		UNTIMELY ANNUAL HAZARDOUS WASTE REPORT
GLADCO EQUIPMENT	MI	93/01/12					
COLUMBIA PLANT	SC	93/04/07	DEPT HEALTH & ENVIRON. CONTROL	NPDES	NOV		DO PARAMETER TESTED BY UNCERTIFIED LAB
BLAIRSVILLE PLANT	PA	93/02/24	PA DEPT ENVIRON RESOURCES	RCRA	CA	\$500	INACCURATE MANIFEST
BLAIRSVILLE PLANT	PA	93/01/14	PA DEPT ENVIRON RESOURCES	RCRA	NOV-CA	\$500	INCORRECT WASTE CODE ON MANIFEST
BLAIRSVILLE PLANT	PA	93/07/30	PA DEPT ENVIRON RESOURCES	NPDES	NOV		SEWAGE TREATMENT PLANT EXCEEDANCES
APTUS - ARAGONITE, UT	UT	93/08/30	UTAH AIR QUALITY BOARD	AIR	NOV-CO	\$6,500	NONCOMPLIANCE WITH AO DATED 2/14/92
BAY ENERGY SYSTEMS	FL	93/11/24	FLORIDA DEPT ENVIRON RESOURCES	AIR	NOV		OPERATING DISABLED CEM EQUIPMENT
KNOLL E. GREENVILLE	PA	93/03/04	PA DEPT ENVIRON RESOURCES	AIR	NOV		RACT CALCULATED INCORRECTLY
HORSEHEADS OPERATIONS	NY	93/03/23	EPA	RCRA	NOV		ALLEGED FAILURE TO COVER DEGREASERS
HORSEHEADS OPERATIONS	NY	93/03/29		AIR	NOV		
CHESAPEAKE PGBU	VA	93/05/01	STATE OF VIRGINIA	POTW	NOV		SUBMITTED LATE DISCHARGE REPORT
CHESAPEAKE PGBU	VA	93/04/01	STATE OF VIRGINIA	POTW	NOV		SUBMITTED LATE DISCHARGE REPORT
CHESAPEAKE PGBU	VA	93/04/01	STATE OF VIRGINIA	POTW	NOV		FAILURE TO SUBMIT O&M MANUAL
CHESAPEAKE PGBU	VA	93/03/01	STATE OF VIRGINIA	POTW	NOV		INCORRECT FLOW VALUE ON 3/93 DMR
EDGEMONT (ESD)	PA	93/09/29	EPA	TSCA	NON		PCB LABELING & STORAGE
THE CLUB AT PELICAN BAY	FL	93/01/11		WATER	CD	\$199,080	UNPERMITTED FILLING OF WETLAND AREA
HOUSTON REPAIR	TX	93/04/29	CITY OF HOUSTON	POTW	NOV		WASTEWATER DISCHARGE EXCEEDANCES
HOUSTON REPAIR	TX	93/07/19	CITY OF HOUSTON	POTW	NOV		WASTEWATER DISCHARGE EXCEEDANCES
KANSAS CITY REPAIR	KS	93/12/16	KANSAS CITY HEALTH DEPT.	AIR	CA		VISIBLE SMOKE EMISSIONS
KANSAS CITY REPAIR	KS	93/11/29	KANSAS CITY HEALTH DEPT.	AIR	NOV		VISIBLE SMOKE EMISSIONS
WEST VALLEY NUCLEAR SVCS.	NY	93/03/23	EPA/NYDEC	RCRA	NON		
WESTERN ZIRCONIUM	UT	93/07/21	UDEQ	RCRA	CO	\$5,000	PART A/PART B PERMIT
CLEVELAND	OH	93/09/28	EPA	TSCA	NON		PCB STORAGE OVER ONE YEAR
CHARLOTTE PGBU	NV	93/12/06	CMUD	POTW	NON		EXCEEDED PERMITTED ZN & FLOW LIMITS
CHARLOTTE PGBU	NV	93/06/15	CMUD	POTW	NON		EXCEEDED PERMITTED ZN LIMIT
CHARLOTTE PGBU	NV	93/05/11	CMUD	POTW	NON		EXCEEDED PERMITTED FLOW LIMIT
CHARLOTTE PGBU	NV	93/02/11	CMUD	POTW	NON		EXCEEDED PERMITTED PH LIMIT
ANNAPOLIS	MD	93/12/08	DOL	OSHA	NOV	\$312	
SANTA ISABEL	PR	93/06/16	DOL	OSHA	NOV	--	
XETRON	OH	93/08/03	DOL	OSHA	NOV	--	
XETRON	OH	93/08/10	DOL	OSHA	NOV	\$3,000	
ARAGONITE	UT	93/11/23	DOL	OSHA	NOV	\$350	
BIRMINGHAM-REPAIR	AL	93/12/08	DOL	OSHA	NOV	\$20,425	

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
94							
SUNNYVALE SITE (MARINE)	CA	94/11/03	BAAQMD	AIR	NOV	\$651	NOX EXCEEDANCE
SUNNYVALE SITE (MARINE)	CA	94/11/01	BAAQMD	AIR	NOV		NOX EXCEEDANCE
BWI SITE	MD	94/12/15	BALTIMORE COUNTY	POTW	NOV	\$1,000	PH EXCEEDANCE
BWI SITE	MD	94/10/05	BALIMORE COUNTY	POTW	NOV	\$1,200	PH EXCEEDANCE
BWI SITE	MD	94/10/25	BALIMORE COUNTY	POTW	NOV	\$1,425	CHROMIUM EXCEEDANCE
BWI SITE	MD	94/04/07	BALTIMORE COUNTY	POTW	NOV	\$200	PH EXCEEDANCE
ANNAPOLIS - ESG	MD	94/03/23	ANNE ARUNDEL COUNTY	RCRA	NOV		STORAGE GREATER THAN 90 DAYS, LDR FORMS
MANOR PLANT	PA	94/06/15	PADER	RCRA	NOV		MANIFEST ERROR, INADEQUATE DISPOSAL
MANOR PLANT	PA	94/06/15	PADER	RCRA	NOV		MANIFEST ERRORS/WASTE DETERMINATI
ABINGDON WIRE FACILITY	VA	94/01/21	VA DEPT ENVIRON QUALITY	WATER	NOV		OILER-WATER HOLDING POND LEVEL HI
LA GRANGE ESD	GA	94/02/03	GEORGIA DEPT. NAT. RESOURCES	RCRA	CO	\$2,100	BIENNIAL REPORT,HW REDUCTION,CONTAINERS
LA GRANGE ESD	GA	94/02/03	GA DEPT NATURAL RESOURCES	RCRA	NOV	\$2,100	FAILURE TO SUBMIT BIENNIEL/HAZ REPORTS
SCIENTIFIC ECOLOGY GROUP	TN	94/04/18	TNDEC	RCRA	NOV		STORED WASTE OVER 90 DAYS; LABELING
YORK COUNTY RESOURCE FAC.	PA	94/03/10	PA DEPT ENVIRON RESOURCES	AIR	NOV		EXCEEDED PERMITTED AIR EMISSION LIMITS
YORK COUNTY RESOURCE FAC.	PA	94/04/29	PADER	AIR	CA	\$95,000	CEM VIOLATIONS (2ND QRT '90-4TH QRT'92)
YORK COUNTY RESOURCE FAC.	PA	94/04/29	PADER	AIR	CA	\$61,200	STACK TESTING VIOLATIONS (FEB '92)
YORK COUNTY RESOURCE FAC.	PA	94/03/10	EPA	AIR	NOV		AIR EMISSION VIOLATIONS
COLUMBIA PLANT	SC	94/03/01	SCDHEC	RCRA	CO	\$11,250	WASTE MANAGEMENT
APTUS - ARAGONITE, UT	UT	94/03/08	UDHW	RCRA	RCRA	\$70,000	EXCEEDED HEAT CONTENT PER CONTAINER
APTUS - ARAGONITE, UT	UT	94/06/17	US EPA REGION 8	RCRA	CO	\$86,500	WASTE TRACKING
DELAWARE COUNTY RESOURCE	PA	94/03/14	PA DEPT ENVIRON RESOURCES	MSW	NOV		INADEQUATE ASH STORAGE
DELAWARE COUNTY RESOURCE	PA	94/05/09	PADER	MSW	NOV		INADEQUATE EIL INSURANCE
DELAWARE COUNTY RESOURCE	PA	94/05/13	NRC	NRC	NOV	\$1,250	LOSS OF RADIATION SOURCE
DELAWARE COUNTY RESOURCE	PA	94/03/07	PADER	AIR	CA	\$60,246	CEM EXCEEDANCES (1ST QRT '93)
DELAWARE COUNTY RESOURCE	PA	94/03/07	PADER	AIR	CA	\$71,000	CEM EXCEEDANCES (4TH QRT '92)
DELAWARE COUNTY RESOURCE	PA	94/03/07	PADER	AIR	CA	\$81,130	CEM EXCEEDANCES (3RD QRT '92)
DELAWARE COUNTY RESOURCE	PA	94/03/01	PADER	AIR	CA	\$54,000	COMBINED CONSENT ASSESSMENT FOR FOUR
FORT PAYNE PGBU PLANT	AL	94/06/13	ADEM	RCRA	NOV		OPEN HW CONTAINERS,AISLE SPACE,TRAINING
THERMO KING-MINN.	MN	94/04/25	MWCC	POTW	NOV	--	EXCEEDED CONCENTRATION LIMIT
ABINGDON	VA	94/01/38	DOL	OSHA	NOV	\$11,437	
BEAVER	PA	94/04/26	DOL	OSHA	NOV	\$11,700	
PRODUCTOS CIRCUITOS	PR	94/05/18	DOL	OSHA	NOV	\$263	
HANOVER-DEFENSE	MD	94/06/01	DOL	OSHA	NOV	\$2,550	
GRAND RAPIDS-KNOLL	MI	94/08/17	DOL	OSHA	NOV	\$4,316	
DETROIT-PGPD	MI	94/08/23	DOL	OSHA	NOV	\$6,375	
MUSKEGON-KNOLL	MI	94/10/19	DOL	OSHA	NOV	--	
E. PALESTINE-GLADWIN	MI	94/11/07	DOL	OSHA	NOV	\$4,375	
OCEANIC-ANNAPOLIS	MD	94/11/21	DOL	OSHA	NOV	--	
95							
HOBART MECHANICAL REPAIR	IN	95/02/22	IDEM	AIR	NOV		CONSTRUCTING W/O PERMIT
BWI SITE	MD	95/02/07	BALTIMORE COUNTY	POTW	NOV	\$3,000	PH EXCEEDANCES
BWI SITE	MD	95/06/29	BALTIMORE COUNTY	POTW	NOV	\$2,500	PH EXCEEDANCES
BWI SITE	MD	95/09/95	BALTIMORE COUNTY	POTW	NOV	\$500	PH EXCEEDANCE
BWI SITE	MD	95/09/22	BALTIMORE COUNTY	POTW	NOV	\$500	PH EXCEEDANCE
DELAWARE COUNTY RESOURCE	PA	95/09/25	PADER	AIR	NOV		ODOR DETECTED OUTSIDE PROPERTY

COMPLIANCE HISTORY

EVENT_YEAR

FACILITY_NAM	STATE	EVENT_DATE	AGENCY	EVENT_TYPE	VIOLATN_TYPE	FINE_PAID	EVENT_DESC
95							
SUNNYVALE	CA	95/05/23	BAAQMD	AIR	NOV	\$748	VIOLATION #27907
SUNNYVALE	CA	95/05/23	BAAQMD	AIR	NOV	\$748	VIOLATION # 27908
ANNAPOLIS	MD	95/08/17	ANNE ARUNDEL COUNTY	WATER	NOV		STORMWATER MANAGEMENT POND
BUCHANAN-PCI	NY	95/06/13	DOL	OSHA	NOV	\$3,500	
THERMO KING-MN	MN	95/06/27	DOL	OSHA	NOV	\$6,600	
MUSKEGON-KNOLL	MI	95/07/13	DOL	OSHA	NOV	\$5,400	
MUSKEGON-KNOLL	MI	95/07/13	DOL	OSHA	NOV	\$7,200	
TVA-PGBU COLBERT	TN	95/05/12	DOL	OSHA	NOV	\$62,000	
ESG-ARSR-9	MI	95/05/12	DOL	OSHA	NOV	\$1,275	
DAYTON-PGBU-P&L	OH	95/04/24	DOL	OSHA	NOV	\$10,000	
96							
SCIENTIFIC ECOLOGY GROUP	TN	96/04/08	TNDEC	RCRA	O/ACP		IMPROPER STORAGE & LABELING
WESTERN ZIRCONIUM	UT	96/04/25	UTDEQ	RCRA	NOV/CO		SAT.ACC., STAINS, REVISED EPA ID FORM
YORK COUNTY RESOURCE FAC.	PA	96/09/06	PADEP	AIR	NOV		VISIBLE FUGITIVE EMISSIONS - GRAY SMOK
DELAWARE COUNTY RESOURCE	PA	96/09/06	PADEP	AIR	NOV		VISIBLE EMISSIONS
COLUMBIA	SC	96/03/14	SLDHEC	NPDES	NOV		EXCEEDED TSS & COLIFORM LIMITS
WBZ-AM	UT	96/09/26	USDOL	OSHA	NOV		EXPOSURE TO FUMES/VENTILATION
YORK COUNTY RESOURCE FAC.	PA	96/09/26	USDOL	OSHA	NOV		EXPOSURE TO FUMES/VENTILATION
PHILADELPHIA	PA	96/10/22	USDOL	OSHA	NOV	\$2750	NO GUARD RAIL AROUND PIT, EXCAVATION
CHARLOTTE	NC	96/11/26	NCDOL	OSHA	NOV		ENERGY CONTROL PROCEDURES, TRAINING
97							
YORK/DELAWARE CTY. REC. FAC.	PA	97/05/08	PADEP/EPA	AIR	CA	\$100,000	PERMIT LIMITS (1994 EPA NOVS); CEM ASSESSMENTS

CONSENT AESSMENT - CA
NOTICE OF VIOLATION - NOV
ORDER AND ASSESSMENT OF CIVIL PENALTY - O/ACP
NOTICE OF VIOLATION AND ORDER FOR COMPLICANCE - NOV/CO