



ENTERED

**GIANT**  
REFINING CO.

50 Road 4990  
P.O. Box 159  
Bloomfield, New Mexico 87413

505  
632-8013

May 15, 1997

Mr. Roger Anderson  
Environmental Bureau Chief  
New Mexico Oil Conservation Division  
2040 South Pacheco  
Santa Fe, New Mexico 87505

Re: Bi-Weekly Report Giant Refining Company - Bloomfield  
GW-001



Dear Mr. Anderson:

Giant Refining Company - Bloomfield submits the bi-weekly report on activities associated with the river terrace at this facility.

Enclosed are copies of the last two sampling events from the San Juan river. Please note that the sample taken on April 17 from the river, and submitted to the lab with a sample from the Oily Water Pond, shows to have very low concentrations of Benzene, Ethylbenzene, and Xylenes. Giant believes that in all likelihood the analytical results for the river and the oily water pond were reversed, as the results shown for those constituents are consistent with normal operations of the oily water pond. Subsequent sampling confirms that no hydrocarbons have been present in the river. Giant proposes that additional analytical data be used to show that there have been no hydrocarbons released into the river.

Sincerely:

Lynn Shelton  
Environmental Manager  
Giant Refining Company - Bloomfield

TLS/tls

Enclosure

cc: John Stokes, Refinery Manager  
Kathleen O'Leary, Regulatory Affairs Coordinator  
Greg Lyssy, Region VI USEPA  
Steve Pullen, NMED / HRMB



2506 West Main Street  
Farmington, New Mexico 87401  
Tel. (505) 326-4737

Lynn Shelton  
Giant Refining Company  
P.O. Box 159  
Bloomfield, NM 87413


24 April 1997

Mr. Shelton:

Enclosed please find the reports for the samples received by our laboratory for analysis on April 22, 1997.

If you have any questions about the results of these analyses, please don't hesitate to call at your convenience.

Sincerely,



Sharon Williams  
Organic Analyst

Enclosures

xc: File

## Giant Refining Co.

### Case Narrative


On April 22, 1997, two water samples were submitted to Inter-Mountain Laboratories - Farmington for analysis. The samples were received intact. Analyses for Benzene-Toluene-Ethylbenzene-Xylenes (BTEX) and were performed on the samples as per the accompanying Chain of Custody document #43932.

BTEX analysis on the samples were performed by EPA Method 5030, Purge and Trap, and EPA Method 8020, Aromatic Volatile Hydrocarbons, using an OI Analytical 4560 Purge and Trap and a Hewlett-Packard 5890 Gas Chromatograph, equipped with a photoionization detector.

It is the policy of this laboratory to employ, whenever possible, preparatory and analytical methods which have been approved by regulatory agencies. The method used in the analyses of the samples reported herein are found in Test Methods for Evaluation of Solid Waste, SW-846, USEPA, 1986 and Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020, USEPA, 1983.

Quality control reports appear at the end of the analytical packages and may be identified by title. If there are any questions regarding the information presented in this package, please feel free to call at your convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Sharon Williams". The signature is written in a cursive, flowing style with a large loop at the end.

Sharon Williams  
Organic Analyst

**VOLATILE AROMATIC HYDROCARBONS****Giant Refining Company**

|                |             |                 |          |
|----------------|-------------|-----------------|----------|
| Project ID:    | Bloomfield  | Report Date:    | 04/24/97 |
| Sample ID:     | River-B     | Date Sampled:   | 04/17/97 |
| Lab ID:        | 0397G00681  | Date Received:  | 04/22/97 |
| Sample Matrix: | water       | Date Extracted: | NA       |
| Condition:     | Cool/Intact | Date Analyzed:  | 04/23/97 |


| Target Analyte | Concentration (ppb) | Detection Limit (ppb) |
|----------------|---------------------|-----------------------|
| Benzene        | 0.4                 | 0.2                   |
| Toluene        | ND                  | 0.2                   |
| Ethylbenzene   | 0.2                 | 0.2                   |
| m,p-Xylenes    | 0.4                 | 0.2                   |
| o-Xylene       | 0.2                 | 0.2                   |

ND - Analyte not detected at the stated detection limit.

|                         |                    |                         |                          |
|-------------------------|--------------------|-------------------------|--------------------------|
| <b>Quality Control:</b> | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|                         | Bromofluorobenzene | 79%                     | 70%-130%                 |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

## VOLATILE AROMATIC HYDROCARBONS

Giant Refining Company

Project ID: Bloomfield  
 Sample ID: NOWP-E  
 Lab ID: 0397G00682  
 Sample Matrix: water  
 Condition: Cool/Intact

Report Date: 04/24/97  
 Date Sampled: 04/22/97  
 Date Received: 04/22/97  
 Date Extracted: NA  
 Date Analyzed: 04/23/97

| Target Analyte | Concentration (ppb) | Detection Limit (ppb) |
|----------------|---------------------|-----------------------|
| Benzene        | ND                  | 0.2                   |
| Toluene        | ND                  | 0.2                   |
| Ethylbenzene   | ND                  | 0.2                   |
| m,p-Xylenes    | ND                  | 0.2                   |
| o-Xylene       | ND                  | 0.2                   |


ND - Analyte not detected at the stated detection limit.


Quality Control:      Surrogate                      Percent Recovery                      Acceptance Limits

Bromofluorobenzene                      84%                      70%-130%

Reference:                      Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

Comments:

  
 Analyst

  
 Review

## VOLATILE AROMATIC HYDROCARBONS QUALITY CONTROL REPORT

### Duplicate Analysis

Lab ID: 0397G00681  
Sample Matrix: water  
Condition: Cool/Intact

Report Date: 04/24/97  
Date Analyzed: 04/23/97

| Target Analyte | Duplicate Concentration (ppb) | Original Concentration (ppb) | % Difference |
|----------------|-------------------------------|------------------------------|--------------|
| Benzene        | 0.4                           | 0.4                          | 0.0          |
| Toluene        | ND                            | ND                           | NA           |
| Ethylbenzene   | 0.2                           | 0.2                          | 0.0          |
| m,p-Xylenes    | 0.5                           | 0.4                          | 22.2         |
| o-Xylene       | 0.3                           | 0.2                          | 40.0*        |


ND - Analyte not detected at the stated detection limit.


NA - Not applicable or not calculated.

|                  |                    |                         |                          |
|------------------|--------------------|-------------------------|--------------------------|
| Quality Control: | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|                  | Bromofluorobenzene | 74%                     | 70 -130%                 |

Reference: Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

Comments: \*Within laboratory tolerances.

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

## VOLATILE AROMATIC HYDROCARBONS QUALITY CONTROL REPORT

### Matrix Spike Analysis

Lab ID: MB  
Sample Matrix: water  
Condition: Cool/Intact

Report Date: 04/24/97  
Date Analyzed: 04/23/97

| Target Analyte | Spiked Sample Result in ng | Sample result in ng | Spike Added (ng) | % Recovery | Acceptance Limits (%) |
|----------------|----------------------------|---------------------|------------------|------------|-----------------------|
| Benzene        | 19.43                      | 0.25                | 20.0             | 96%        | 70-130                |
| Toluene        | 19.29                      | 0.22                | 20.0             | 95%        | 70-130                |
| Ethylbenzene   | 20.37                      | 0.08                | 20.0             | 101%       | 70-130                |
| m,p-Xylenes    | 39.37                      | 0.45                | 40.0             | 97%        | 70-130                |
| o-Xylene       | 19.60                      | 0.11                | 20.0             | 97%        | 70-130                |


ND - Analyte not detected at the stated detection limit.

NA - Not applicable or not calculated.

|                         |                    |                         |                          |
|-------------------------|--------------------|-------------------------|--------------------------|
| <b>Quality Control:</b> | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|                         | Bromofluorobenzene | 89%                     | 70 -130%                 |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review



**VOLATILE AROMATIC HYDROCARBONS  
QUALITY CONTROL REPORT****Method Blank Analysis**Sample Matrix: Water  
Lab ID: MBReport Date: 04/24/97  
Date Analyzed: 04/23/97

| Target Analyte | Concentration (ppb) | Detection Limit (ppb) |
|----------------|---------------------|-----------------------|
| Benzene        | ND                  | 0.2                   |
| Toluene        | ND                  | 0.2                   |
| Ethylbenzene   | ND                  | 0.2                   |
| m,p-Xylenes    | ND                  | 0.2                   |
| o-Xylene       | ND                  | 0.2                   |

ND - Analyte not detected at the stated detection limit.

| Quality Control: | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|------------------|--------------------|-------------------------|--------------------------|
|                  | Bromofluorobenzene | 76%                     | 70-130%                  |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**  
\_\_\_\_\_  
Analyst  
\_\_\_\_\_  
Review



**Quality Control / Quality Assurance****Known Analysis****BTEX**Client: **Giant Refining Company**  
Project: **Bloomfield**Date Reported: **04/24/97**  
Date Analyzed: **04/23/97****Known Analysis**

| Parameter    | Found<br>Concentration<br>(ppb) | Known<br>Concentration<br>(ppb) | Percent<br>Recovery | Acceptance<br>Limits |
|--------------|---------------------------------|---------------------------------|---------------------|----------------------|
| Benzene      | 4.0                             | 4.0                             | 99%                 | 70-130%              |
| Toluene      | 3.7                             | 4.0                             | 92%                 | 70-130%              |
| Ethylbenzene | 3.8                             | 4.0                             | 95%                 | 70-130%              |
| m + p-Xylene | 7.6                             | 8.0                             | 95%                 | 70-130%              |
| o-Xylene     | 3.8                             | 4.0                             | 96%                 | 70-130%              |

| Quality Control: | <u>Surrogate</u> | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|------------------|------------------|-------------------------|--------------------------|
|                  | BFB              | 92%                     | 75-125%                  |

Reference: Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**

Analyst



Reviewed by



# CHAIN OF CUSTODY RECORD

|   |  |             |                           |   |  |                                     |   |                        |                          |   |         |
|---|--|-------------|---------------------------|---|--|-------------------------------------|---|------------------------|--------------------------|---|---------|
| Client/Project Name<br><i>GIANT REFINING - BLOOMFIELD</i> |  |             | Project Location          |   |  | <b>ANALYSES / PARAMETERS</b>        |   |                        |                          |   |         |
| Sampler: (Signature)<br><i>Lynn Sletten</i>               |  |             | Chain of Custody Tape No. |   |  | No. of<br>Containers                | <i>BTEX</i>   |                        |                          |   | Remarks |
| Sample No./<br>Identification                             | Date   | Time        | Lab Number                | Matrix  |  |                                     |   |                        |                          |   |         |
| <i>RIVER-B</i>  | <i>4/17/97</i>   | <i>1100</i> |                           | <i>H<sub>2</sub>O</i>   | <i>2</i>   | <i>X</i>                            |   |                        |                          |   |         |
| <i>NDWP-E</i>   | <i>4/22/97</i>   | <i>1027</i> |                           | <i>H<sub>2</sub>O</i>   | <i>2</i>   | <i>X</i>                            |   |                        |                          |   |         |
|   |  |             |                           |   |  |                                     |   |                        |                          | <i>cool contact</i>   |         |
| Relinquished by: (Signature)<br><i>Lynn Sletten</i>       |  |             | Date<br><i>4/22</i>       | Time<br><i>1045</i>   | Received by: (Signature)<br><i>Rita Mersch</i>   |                                     |   | Date<br><i>4-22-97</i> | Time<br><i>1045</i>      |   |         |
| Relinquished by: (Signature)<br><i>Rita Mersch</i>        |  |             | Date<br><i>4-22</i>       | Time<br><i>2:15p.</i>   | Received by: (Signature)<br><i>Chris Raymond</i> |                                     |   | Date<br><i>4-22-97</i> | Time<br><i>1415</i>      |   |         |
| Relinquished by: (Signature)                              |  |             | Date                      | Time  | Received by laboratory: (Signature)              |                                     |   | Date                   | Time                     |   |         |
| <b>Inter-Mountain Laboratories, Inc.</b>                  |  |             |                           |   |  |                                     |   |                        |                          | <b>43932</b>  |         |
| <input type="checkbox"/>                                  | 1633 Terra Avenue<br>Sheridan, Wyoming 82801<br>Telephone (307) 672-8945 |             | <input type="checkbox"/>  | 1701 Phillips Circle<br>Gillette, Wyoming 82718<br>Telephone (307) 682-8945 |  | <input checked="" type="checkbox"/> | 2506 West Main Street<br>Farmington, NM 87401<br>Telephone (505) 326-4737 |                        | <input type="checkbox"/> | 1160 Research Dr.<br>Bozeman, Montana 59715<br>Telephone (406) 586-8450 |         |
|   |  |             |                           |   |  |                                     |   |                        | <input type="checkbox"/> | 11183 SH 30<br>College Station, TX 77845<br>Telephone (409) 776-8945    |         |



2506 West Main Street  
Farmington, New Mexico 87401  
Tel. (505) 326-4737

Lynn Shelton  
Giant Refining Company  
P.O. Box 159  
Bloomfield, NM 87413

12 May 1997

Mr. Shelton:

Enclosed please find the reports for the samples received by our laboratory for analysis on May 6, 1997.

If you have any questions about the results of the analyses, please don't hesitate to call at your convenience.

Sincerely,

Sharon Williams  
Organic Analyst

Enclosures

xc: File

## Giant Refining Co.

### Case Narrative


On May 6, 1997, five water samples were submitted to Inter-Mountain Laboratories - Farmington for analysis. The samples were received intact. Analyses for Benzene-Toluene-Ethylbenzene-Xylenes (BTEX) and were performed on the samples as per the accompanying Chain of Custody document .

BTEX analysis on the samples were performed by EPA Method 5030, Purge and Trap, and EPA Method 8020, Aromatic Volatile Hydrocarbons, using an OI Analytical 4560 Purge and Trap and a Hewlett-Packard 5890 Gas Chromatograph, equipped with a photoionization detector.

It is the policy of this laboratory to employ, whenever possible, preparatory and analytical methods which have been approved by regulatory agencies. The method used in the analyses of the samples reported herein are found in Test Methods for Evaluation of Solid Waste, SW-846, USEPA, 1986 and Methods for Chemical Analysis of Water and Wastes, EPA-600/4-79-020, USEPA, 1983.

Quality control reports appear at the end of the analytical packages and may be identified by title. If there are any questions regarding the information presented in this package, please feel free to call at your convenience.

Sincerely,



Sharon Williams  
Organic Analyst

## VOLATILE AROMATIC HYDROCARBONS

Giant Refining Company

|                |             |                 |          |
|----------------|-------------|-----------------|----------|
| Project ID:    | Bloomfield  | Report Date:    | 05/09/97 |
| Sample ID:     | River-B     | Date Sampled:   | 04/30/97 |
| Lab ID:        | 0397G00761  | Date Received:  | 05/06/97 |
| Sample Matrix: | water       | Date Extracted: | NA       |
| Condition:     | Cool/Intact | Date Analyzed:  | 05/07/97 |


| Target Analyte | Concentration (ppb) | Detection Limit (ppb) |
|----------------|---------------------|-----------------------|
| Benzene        | ND                  | 0.2                   |
| Toluene        | ND                  | 0.2                   |
| Ethylbenzene   | ND                  | 0.2                   |
| m,p-Xylenes    | ND                  | 0.2                   |
| o-Xylene       | ND                  | 0.2                   |

ND - Analyte not detected at the stated detection limit.

|                         |                    |                         |                          |
|-------------------------|--------------------|-------------------------|--------------------------|
| <b>Quality Control:</b> | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|                         | Bromofluorobenzene | 83%                     | 70%-130%                 |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846. United States Environmental Protection Agency, September 1986.

**Comments:**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

## VOLATILE AROMATIC HYDROCARBONS QUALITY CONTROL REPORT

### Duplicate Analysis

Lab ID: 0397W00741  
Sample Matrix: water  
Condition: Cool/Intact

Report Date: 05/09/97  
Date Analyzed: 05/07/97


| Target Analyte | Duplicate Concentration (ppb) | Original Concentration (ppb) | % Difference |
|----------------|-------------------------------|------------------------------|--------------|
| Benzene        | ND                            | ND                           | NA           |
| Toluene        | ND                            | ND                           | NA           |
| Ethylbenzene   | ND                            | ND                           | NA           |
| m,p-Xylenes    | ND                            | ND                           | NA           |
| o-Xylene       | ND                            | ND                           | NA           |

ND - Analyte not detected at the stated detection limit.  
NA - Not applicable or not calculated.

|                         |                    |                         |                          |
|-------------------------|--------------------|-------------------------|--------------------------|
| <b>Quality Control:</b> | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|                         | Bromofluorobenzene | 89%                     | 70 -130%                 |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**

  
\_\_\_\_\_  
Analyst

  
\_\_\_\_\_  
Review

**VOLATILE AROMATIC HYDROCARBONS  
QUALITY CONTROL REPORT****Method Blank Analysis**Sample Matrix:  
Lab ID:Water  
MBReport Date: 05/09/97  
Date Analyzed: 05/07/97

| Target Analyte | Concentration (ppb) | Detection Limit (ppb) |
|----------------|---------------------|-----------------------|
| Benzene        | ND                  | 0.2                   |
| Toluene        | ND                  | 0.2                   |
| Ethylbenzene   | ND                  | 0.2                   |
| m,p-Xylenes    | ND                  | 0.2                   |
| o-Xylene       | ND                  | 0.2                   |

ND - Analyte not detected at the stated detection limit.

**Quality Control:**SurrogatePercent RecoveryAcceptance Limits


Bromofluorobenzene

87%

70-130%

**Reference:**

Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**  
\_\_\_\_\_  
Analyst  
\_\_\_\_\_  
Review

## VOLATILE AROMATIC HYDROCARBONS QUALITY CONTROL REPORT

### Matrix Spike Analysis

Lab ID: MB  
Sample Matrix: water  
Condition: Cool/Intact

Report Date: 05/09/97  
Date Analyzed: 05/07/97

| Target Analyte | Spiked Sample Result in ng | Sample result in ng | Spike Added (ng) | % Recovery | Acceptance Limits (%) |
|----------------|----------------------------|---------------------|------------------|------------|-----------------------|
| Benzene        | 19.43                      | 0.20                | 20.0             | 96%        | 70-130                |
| Toluene        | 19.29                      | 0.10                | 20.0             | 96%        | 70-130                |
| Ethylbenzene   | 20.37                      | 0.00                | 20.0             | 102%       | 70-130                |
| m,p-Xylenes    | 39.37                      | 0.14                | 40.0             | 98%        | 70-130                |
| o-Xylene       | 19.60                      | 0.00                | 20.0             | 98%        | 70-130                |

ND - Analyte not detected at the stated detection limit.

NA - Not applicable or not calculated.


|                         |                    |                         |                          |
|-------------------------|--------------------|-------------------------|--------------------------|
| <b>Quality Control:</b> | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|                         | Bromofluorobenzene | 106%                    | 70 -130%                 |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**



Analyst



Review



**Quality Control / Quality Assurance****Known Analysis****BTEX**Client: **Giant Refining Company**  
Project:Date Reported: 5/9/97  
Date Analyzed: 5/7/97**Known Analysis**

| Parameter    | Found<br>Concentration<br>(ppb) | Known<br>Concentration<br>(ppb) | Percent<br>Recovery | Acceptance<br>Limits |
|--------------|---------------------------------|---------------------------------|---------------------|----------------------|
| Benzene      | 4.1                             | 4.0                             | 102%                | 70-130%              |
| Toluene      | 3.8                             | 4.0                             | 95%                 | 70-130%              |
| Ethylbenzene | 3.9                             | 4.0                             | 98%                 | 70-130%              |
| m+p-Xylene   | 7.4                             | 8.0                             | 93%                 | 70-130%              |
| o-Xylene     | 4.0                             | 4.0                             | 99%                 | 70-130%              |

| Quality Control: | <u>Surrogate</u>   | <u>Percent Recovery</u> | <u>Acceptance Limits</u> |
|------------------|--------------------|-------------------------|--------------------------|
|                  | Bromofluorobenzene | 96%                     | 75-125%                  |

**Reference:** Method 5030, Purge and Trap; Method 8020, Aromatic Volatile Organics; Test Methods for Evaluating Solid Wastes, SW-846, United States Environmental Protection Agency, September 1986.

**Comments:**

Analyst



Reviewed by



# CHAIN OF CUSTODY RECORD

| Client/Project Name<br><i>GIANT - BLMFLD</i>        |  |             | Project Location          |   |  | <b>ANALYSES / PARAMETERS</b>        |   |                        |                          |   |                                     |
|---|--|-------------|---------------------------|---|--|-------------------------------------|---|------------------------|--------------------------|---|-------------------------------------|
| Sampler: (Signature)<br><i>Lynn Shetter</i>         |  |             | Chain of Custody Tape No. |   |  | No. of<br>Containers<br><i>PTEX</i> | <i>X</i>  |                        |                          |   | Remarks<br><i>Coal &amp; Intact</i> |
| Sample No./<br>Identification                       | Date   | Time        | Lab Number                | Matrix  |  |                                     |   |                        |                          |   |                                     |
| <i>RIVER - B</i>                                    | <i>4/30/97</i>   | <i>1415</i> | <i>G00761</i>             | <i>H<sub>2</sub>O</i>   | <i>2</i>                                       | <i>X</i>                            |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
| Relinquished by: (Signature)<br><i>Lynn Shetter</i> |  |             | Date<br><i>5/16/97</i>    | Time<br><i>12:50</i>  | Received by: (Signature)<br><i>JH Williams</i> |                                     |   | Date<br><i>5/16/97</i> | Time<br><i>12:50</i>     |   |                                     |
| Relinquished by: (Signature)                        |  |             | Date                      | Time  | Received by: (Signature)                       |                                     |   | Date                   | Time                     |   |                                     |
| Relinquished by: (Signature)                        |  |             | Date                      | Time  | Received by laboratory: (Signature)            |                                     |   | Date                   | Time                     |   |                                     |
| <b>Inter-Mountain Laboratories, Inc.</b>            |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |
| <input type="checkbox"/>                            | 1633 Terra Avenue<br>Sheridan, Wyoming 82801<br>Telephone (307) 672-8945 |             | <input type="checkbox"/>  | 1701 Phillips Circle<br>Gillette, Wyoming 82718<br>Telephone (307) 682-8945 |  | <input checked="" type="checkbox"/> | 2506 West Main Street<br>Farmington, NM 87401<br>Telephone (505) 326-4737 |                        | <input type="checkbox"/> | 1160 Research Dr.<br>Bozeman, Montana 59715<br>Telephone (406) 586-8450 |                                     |
|   |  |             |                           |   |  |                                     |   |                        |                          | 11183 SH 30<br>College Station, TX 77845<br>Telephone (409) 776-8945    |                                     |
| <b>43555</b>  |  |             |                           |   |  |                                     |   |                        |                          |   |                                     |