

**Hall Environmental
Analysis Laboratory**

 **ENTERED**

COVER LETTER

July 01, 2003

Cindy Hurtado
San Juan Refining
#50 CR 4990
Bloomfield, NM 87413
TEL: (505) 632-4161
FAX (505) 632-3911

LIBRARY COPY

RE: Inj Well 2nd Qtr 2003

Order No.: 0306084

Dear Cindy Hurtado:


Hall Environmental Analysis Laboratory received 1 sample on 6/12/2003 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Business Manager
Nancy McDuffie, Laboratory Manager

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
Project: Inj Well 2nd Qtr 2003
Lab Order: 0306084

CASE NARRATIVE

Analytical Comments for METHOD 8270_W, SAMPLE 0306084-01C: Acid surrogates recovery low due to matrix interference, heavy emulsion formed during extraction even after 10 x sample dilution

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
 Lab Order: 0306084
 Project: Inj Well 2nd Qtr 2003
 Lab ID: 0306084-01

Client Sample ID: Qtr. Inj Well (2nd)
 Collection Date: 6/11/2003 7:30:00 AM
 Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA METHOD 300.0: ANIONS						Analyst: JDC
Chloride	1800	5.0		mg/L	50	6/12/2003 6:50:56 PM
Sulfate	1500	25		mg/L	50	6/12/2003 6:50:56 PM
EPA METHOD 310.1: ALKALINITY						Analyst: MAP
Alkalinity, Total (As CaCO3)	170	2.0		mg/L CaCO3	1	6/17/2003
Carbonate	ND	2.0		mg/L CaCO3	1	6/17/2003
Bicarbonate	170	2.0		mg/L CaCO3	1	6/17/2003
EPA METHOD 8260B: VOLATILES						Analyst: BL
Benzene	ND	10		µg/L	10	6/12/2003
Toluene	ND	10		µg/L	10	6/12/2003
Ethylbenzene	ND	10		µg/L	10	6/12/2003
Methyl tert-butyl ether (MTBE)	200	10		µg/L	10	6/12/2003
1,2,4-Trimethylbenzene	ND	10		µg/L	10	6/12/2003
1,3,5-Trimethylbenzene	ND	10		µg/L	10	6/12/2003
1,2-Dichloroethane (EDC)	ND	10		µg/L	10	6/12/2003
1,2-Dibromoethane (EDB)	ND	10		µg/L	10	6/12/2003
Naphthalene	ND	20		µg/L	10	6/12/2003
1-Methylnaphthalene	ND	40		µg/L	10	6/12/2003
2-Methylnaphthalene	ND	40		µg/L	10	6/12/2003
Bromobenzene	ND	10		µg/L	10	6/12/2003
Bromochloromethane	ND	10		µg/L	10	6/12/2003
Bromodichloromethane	ND	10		µg/L	10	6/12/2003
Bromoform	ND	10		µg/L	10	6/12/2003
Bromomethane	ND	20		µg/L	10	6/12/2003
Carbon Tetrachloride	ND	10		µg/L	10	6/12/2003
Chlorobenzene	ND	10		µg/L	10	6/12/2003
Chloroethane	ND	20		µg/L	10	6/12/2003
Chloroform	ND	10		µg/L	10	6/12/2003
Chloromethane	ND	10		µg/L	10	6/12/2003
2-Chlorotoluene	ND	10		µg/L	10	6/12/2003
4-Chlorotoluene	ND	10		µg/L	10	6/12/2003
cis-1,2-DCE	ND	10		µg/L	10	6/12/2003
cis-1,3-Dichloropropene	ND	10		µg/L	10	6/12/2003
1,2-Dibromo-3-chloropropane	ND	20		µg/L	10	6/12/2003
Dibromochloromethane	ND	10		µg/L	10	6/12/2003
Dibromomethane	ND	20		µg/L	10	6/12/2003
1,2-Dichlorobenzene	ND	10		µg/L	10	6/12/2003
1,3-Dichlorobenzene	ND	10		µg/L	10	6/12/2003
1,4-Dichlorobenzene	ND	10		µg/L	10	6/12/2003
Dichlorodifluoromethane	ND	10		µg/L	10	6/12/2003
1,1-Dichloroethane	ND	10		µg/L	10	6/12/2003

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
 Lab Order: 0306084
 Project: Inj Well 2nd Qtr 2003
 Lab ID: 0306084-01

Client Sample ID: Qtr. Inj Well (2nd)
 Collection Date: 6/11/2003 7:30:00 AM
 Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
1,1-Dichloroethene	ND	10		µg/L	10	6/12/2003
1,2-Dichloropropane	ND	10		µg/L	10	6/12/2003
1,3-Dichloropropane	ND	10		µg/L	10	6/12/2003
2,2-Dichloropropane	ND	10		µg/L	10	6/12/2003
1,1-Dichloropropene	ND	10		µg/L	10	6/12/2003
Hexachlorobutadiene	ND	10		µg/L	10	6/12/2003
Isopropylbenzene	ND	10		µg/L	10	6/12/2003
4-Isopropyltoluene	ND	10		µg/L	10	6/12/2003
Methylene Chloride	ND	30		µg/L	10	6/12/2003
n-Butylbenzene	ND	10		µg/L	10	6/12/2003
n-Propylbenzene	ND	10		µg/L	10	6/12/2003
sec-Butylbenzene	ND	10		µg/L	10	6/12/2003
Styrene	ND	10		µg/L	10	6/12/2003
tert-Butylbenzene	ND	10		µg/L	10	6/12/2003
1,1,1,2-Tetrachloroethane	ND	10		µg/L	10	6/12/2003
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	6/12/2003
Tetrachloroethene (PCE)	ND	10		µg/L	10	6/12/2003
trans-1,2-DCE	ND	10		µg/L	10	6/12/2003
trans-1,3-Dichloropropene	ND	10		µg/L	10	6/12/2003
1,2,3-Trichlorobenzene	ND	10		µg/L	10	6/12/2003
1,2,4-Trichlorobenzene	ND	10		µg/L	10	6/12/2003
1,1,1-Trichloroethane	ND	10		µg/L	10	6/12/2003
1,1,2-Trichloroethane	ND	10		µg/L	10	6/12/2003
Trichloroethene (TCE)	ND	10		µg/L	10	6/12/2003
Trichlorofluoromethane	ND	10		µg/L	10	6/12/2003
1,2,3-Trichloropropane	ND	20		µg/L	10	6/12/2003
Vinyl chloride	ND	20		µg/L	10	6/12/2003
Xylenes, Total	ND	10		µg/L	10	6/12/2003
Surr: 1,2-Dichloroethane-d4	96.3	74.6-123		%REC	10	6/12/2003
Surr: 4-Bromofluorobenzene	93.8	85.6-117		%REC	10	6/12/2003
Surr: Dibromofluoromethane	86.8	78.6-117		%REC	10	6/12/2003
Surr: Toluene-d8	95.0	80-119		%REC	10	6/12/2003

EPA METHOD 8270D: SEMIVOLATILES

Analyst: CS

Acenaphthene	ND	100		µg/L	1	6/25/2003
Acenaphthylene	ND	100		µg/L	1	6/25/2003
Aniline	ND	100		µg/L	1	6/25/2003
Anthracene	ND	100		µg/L	1	6/25/2003
Azobenzene	ND	100		µg/L	1	6/25/2003
Benz(a)anthracene	ND	100		µg/L	1	6/25/2003
Benzidine	ND	200		µg/L	1	6/25/2003
Benzo(a)pyrene	ND	100		µg/L	1	6/25/2003
Benzo(b)fluoranthene	ND	100		µg/L	1	6/25/2003

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
 Lab Order: 0306084
 Project: Inj Well 2nd Qtr 2003
 Lab ID: 0306084-01

Client Sample ID: Qtr. Inj Well (2nd)
 Collection Date: 6/11/2003 7:30:00 AM
 Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
Benzo(g,h,i)perylene	ND	100		µg/L	1	6/25/2003
Benzo(k)fluoranthene	ND	100		µg/L	1	6/25/2003
Benzoic acid	ND	500		µg/L	1	6/25/2003
Benzyl alcohol	ND	200		µg/L	1	6/25/2003
Bis(2-chloroethoxy)methane	ND	100		µg/L	1	6/25/2003
Bis(2-chloroethyl)ether	ND	100		µg/L	1	6/25/2003
Bis(2-chloroisopropyl)ether	ND	100		µg/L	1	6/25/2003
Bis(2-ethylhexyl)phthalate	ND	100		µg/L	1	6/25/2003
4-Bromophenyl phenyl ether	ND	100		µg/L	1	6/25/2003
Butyl benzyl phthalate	ND	100		µg/L	1	6/25/2003
Carbazole	ND	100		µg/L	1	6/25/2003
4-Chloro-3-methylphenol	ND	200		µg/L	1	6/25/2003
4-Chloroaniline	ND	200		µg/L	1	6/25/2003
2-Chloronaphthalene	ND	100		µg/L	1	6/25/2003
2-Chlorophenol	ND	100		µg/L	1	6/25/2003
4-Chlorophenyl phenyl ether	ND	100		µg/L	1	6/25/2003
Chrysene	ND	100		µg/L	1	6/25/2003
Di-n-butyl phthalate	ND	100		µg/L	1	6/25/2003
Di-n-octyl phthalate	ND	100		µg/L	1	6/25/2003
Dibenz(a,h)anthracene	ND	100		µg/L	1	6/25/2003
Dibenzofuran	ND	100		µg/L	1	6/25/2003
1,2-Dichlorobenzene	ND	100		µg/L	1	6/25/2003
1,3-Dichlorobenzene	ND	100		µg/L	1	6/25/2003
1,4-Dichlorobenzene	ND	100		µg/L	1	6/25/2003
3,3'-Dichlorobenzidine	ND	100		µg/L	1	6/25/2003
Diethyl phthalate	ND	100		µg/L	1	6/25/2003
Dimethyl phthalate	ND	100		µg/L	1	6/25/2003
2,4-Dichlorophenol	ND	100		µg/L	1	6/25/2003
2,4-Dimethylphenol	ND	100		µg/L	1	6/25/2003
4,6-Dinitro-2-methylphenol	ND	500		µg/L	1	6/25/2003
2,4-Dinitrophenol	ND	500		µg/L	1	6/25/2003
2,4-Dinitrotoluene	ND	100		µg/L	1	6/25/2003
2,6-Dinitrotoluene	ND	100		µg/L	1	6/25/2003
Fluoranthene	ND	100		µg/L	1	6/25/2003
Fluorene	ND	100		µg/L	1	6/25/2003
Hexachlorobenzene	ND	100		µg/L	1	6/25/2003
Hexachlorobutadiene	ND	100		µg/L	1	6/25/2003
Hexachlorocyclopentadiene	ND	100		µg/L	1	6/25/2003
Hexachloroethane	ND	100		µg/L	1	6/25/2003
Indeno(1,2,3-cd)pyrene	ND	100		µg/L	1	6/25/2003
Isophorone	ND	100		µg/L	1	6/25/2003
2-Methylnaphthalene	ND	100		µg/L	1	6/25/2003

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
Lab Order: 0306084
Project: Inj Well 2nd Qtr 2003
Lab ID: 0306084-01

Client Sample ID: Qtr. Inj Well (2nd)
Collection Date: 6/11/2003 7:30:00 AM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
2-Methylphenol	ND	100		µg/L	1	6/25/2003
4-Methylphenol	ND	100		µg/L	1	6/25/2003
N-Nitrosodi-n-propylamine	ND	100		µg/L	1	6/25/2003
N-Nitrosodiphenylamine	ND	100		µg/L	1	6/25/2003
Naphthalene	ND	100		µg/L	1	6/25/2003
2-Nitroaniline	ND	500		µg/L	1	6/25/2003
3-Nitroaniline	ND	500		µg/L	1	6/25/2003
4-Nitroaniline	ND	200		µg/L	1	6/25/2003
Nitrobenzene	ND	100		µg/L	1	6/25/2003
2-Nitrophenol	ND	100		µg/L	1	6/25/2003
4-Nitrophenol	ND	500		µg/L	1	6/25/2003
Pentachlorophenol	ND	500		µg/L	1	6/25/2003
Phenanthrene	ND	100		µg/L	1	6/25/2003
Phenol	ND	100		µg/L	1	6/25/2003
Pyrene	ND	100		µg/L	1	6/25/2003
Pyridine	ND	100		µg/L	1	6/25/2003
1,2,4-Trichlorobenzene	ND	100		µg/L	1	6/25/2003
2,4,5-Trichlorophenol	ND	100		µg/L	1	6/25/2003
2,4,6-Trichlorophenol	ND	100		µg/L	1	6/25/2003
Surr: 2,4,6-Tribromophenol	5.70	16.6-115	S	%REC	1	6/25/2003
Surr: 2-Fluorobiphenyl	57.4	37-95.7		%REC	1	6/25/2003
Surr: 2-Fluorophenol	0.995	9.54-89.8	S	%REC	1	6/25/2003
Surr: 4-Terphenyl-d14	79.9	47.9-115		%REC	1	6/25/2003
Surr: Nitrobenzene-d5	60.1	38-106		%REC	1	6/25/2003
Surr: Phenol-d6	9.42	10.7-63.4	S	%REC	1	6/25/2003
EPA 120.1: SPECIFIC CONDUCTANCE						Analyst: MAP
Specific Conductance	8700	0.010		µmhos/cm	1	6/17/2003
EPA METHOD 7470: MERCURY						Analyst: MAP
Mercury	0.0038	0.00020		mg/L	1	6/18/2003
EPA METHOD 6010C: TOTAL METALS						Analyst: NMO
Arsenic	0.025	0.020		mg/L	1	6/23/2003 9:26:27 AM
Barium	0.15	0.0020		mg/L	1	6/23/2003 9:26:27 AM
Cadmium	ND	0.0020		mg/L	1	6/23/2003 9:26:27 AM
Calcium	77	0.50		mg/L	1	6/23/2003 3:08:48 PM
Chromium	0.0078	0.0060		mg/L	1	6/23/2003 9:26:27 AM
Lead	ND	0.0050		mg/L	1	6/23/2003 9:26:27 AM
Magnesium	21	0.50		mg/L	1	6/23/2003 3:08:48 PM
Potassium	29	0.50		mg/L	1	6/23/2003 3:08:48 PM
Selenium	ND	0.020		mg/L	1	6/23/2003 9:26:27 AM
Silver	ND	0.0050		mg/L	1	6/24/2003 8:49:55 AM
Sodium	2000	50		mg/L	100	6/23/2003 3:12:55 PM

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits
 B - Analyte detected in the associated Method Blank
 * - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits
 E - Value above quantitation range

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
Lab Order: 0306084
Project: Inj Well 2nd Qtr 2003
Lab ID: 0306084-01

Client Sample ID: Qtr. Inj Well (2nd)
Collection Date: 6/11/2003 7:30:00 AM
Matrix: AQUEOUS

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
EPA METHOD 160.1: TDS						Analyst: MAP
Total Dissolved Solids	5400	1.0		mg/L	1	6/18/2003

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

SVL ANALYTICAL, INC.

One Government Gulch ■ P.O. Box 929 ■ Kellogg, Idaho 83837-0929 ■ Phone: (208)784-1258 ■ Fax: (208)783-0891

Certificate: ID ID00019

CLIENT : Hall Environmental
 PROJECT: INJ WELL 2ND Q
 CLIENT SAMPLE ID: QTR. INJ WELL (2ND)
 Sample Collected: 6/11/03 7:30
 Sample Receipt : 6/13/03
 Date of Report : 6/26/03

SVL JOB: 106165
 SAMPLE: 336212

Matrix: WATER

Determination	Result	Units	Dilution	Method	Analyzed
Corrosivity	6.6			9045	6/23/03
Ignitibility	>140	°F		1010	6/23/03
Reactivity	NO	YES/NO		SW846	6/23/03

Reviewed By: _____



Date

6/26/03

6/26/03 10:35

Client :Hall Environmental							SVL JOB No: 106165	
Analyte	Method	Matrix	Units	Prep Blank	True—LCS—Found	LCS %R	Analysis Date	
Corrosivity	9045	WATER		5.	8.6	8.5	98.8	
Ignitibility	1010	WATER	°F	N/A	81.0	80.0	98.8	

LEGEND:

LCS = Laboratory Control Sample

LCS %R = LCS Percent Recovery

N/A = Not Applicable

Client :Hall Environmental							SVL JOB No: 106165		
Test Method	Matrix	QC SAMPLE ID		Duplicate or MSD		Matrix Spike			Analysis Date
		Units	Result	Found	RPD%	Result	SPK ADD	%R	
CORR	9045 WATER	1	6.6	6.6	0.0	N/A	N/A	N/A	6/23/03
React	SW846 WATER	1 YES/NO	NO	NO	N/A	N/A	N/A	N/A	6/23/03
IGNIT	1010 WATER	1 °F	>140	>140	N/A	N/A	N/A	N/A	6/23/03

LEGEND:
 RPD% = $(|SAM - DUP| / ((SAM + DUP) / 2)) * 100$ UDL = Both SAM & DUP not detected. *Result or *Found: Interference required dilution.
 RPD% = $(|SPK - MSD| / ((SPK + MSD) / 2)) * 100$ M in Duplicate/MSD column indicates MSD.
 SPIKE ADD column, A = Post Digest Spike; %R = Percent Recovery N/A = Not Analyzed; R > 4S = Result more than 4X the Spike Added
 QC Sample 1: SVL SAM No.: 336212 Client Sample ID: QTR. INJ WELL (2ND)

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
 Work Order: 0306084
 Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Method Blank

Sample ID	mb 061203	Batch ID:	R8543	Test Code:	E300	Units:	mg/L	Analysis Date	6/12/2003 11:10:52 AM	Prep Date			
Client ID:		Run ID:	LC_030612A	SeqNo:	193270								
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride		ND		0.10									
Sulfate		ND		0.50									

Sample ID	MBLK	Batch ID:	R8590	Test Code:	E310.1	Units:	mg/L CaCO3	Analysis Date	6/17/2003	Prep Date			
Client ID:		Run ID:	WC_030617C	SeqNo:	194245								
Analyte		Result		PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)		ND		2.0									
Carbonate		ND		2.0									
Bicarbonate		ND		2.0									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Method Blank

Sample ID	rb	Batch ID: R8536	Test Code: SW8260B	Units: µg/L	Analysis Date: 6/11/2003	Prep Date						
Client ID:	Run ID: VAL_030611A	SeqNo: 193089										
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Benzene	ND	1.0										
Toluene	ND	1.0										
Ethylbenzene	0.406	1.0									J	
Methyl tert-butyl ether (MTBE)	ND	1.0										
1,2,4-Trimethylbenzene	ND	1.0										
1,3,5-Trimethylbenzene	ND	1.0										
1,2-Dichloroethane (EDC)	ND	1.0										
1,2-Dibromoethane (EDB)	ND	1.0										
Naphthalene	ND	2.0										
1-Methylnaphthalene	ND	4.0										
2-Methylnaphthalene	ND	4.0										
Bromobenzene	ND	1.0										
Bromochloromethane	ND	1.0										
Bromodichloromethane	ND	1.0										
Bromoform	ND	1.0										
Bromomethane	ND	2.0										
Carbon Tetrachloride	ND	1.0										
Chlorobenzene	ND	1.0										
Chloroethane	ND	2.0										
Chloroform	ND	1.0										
Chloromethane	ND	1.0										
2-Chlorotoluene	ND	1.0										
4-Chlorotoluene	ND	1.0										
cis-1,2-DCE	ND	1.0										
cis-1,3-Dichloropropene	ND	1.0										
1,2-Dibromo-3-chloropropane	ND	2.0										
Dibromochloromethane	ND	1.0										
Dibromomethane	ND	2.0										

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Method Blank

1,2-Dichlorobenzene	ND	1.0	
1,3-Dichlorobenzene	ND	1.0	
1,4-Dichlorobenzene	ND	1.0	
Dichlorodifluoromethane	ND	1.0	
1,1-Dichloroethane	ND	1.0	
1,1-Dichloroethene	ND	1.0	
1,2-Dichloropropane	ND	1.0	
1,3-Dichloropropane	ND	1.0	
2,2-Dichloropropane	ND	1.0	
1,1-Dichloropropene	ND	1.0	
Hexachlorobutadiene	0.392	1.0	J
Isopropylbenzene	ND	1.0	
4-Isopropyltoluene	ND	1.0	
Methylene Chloride	0.566	3.0	J
n-Butylbenzene	ND	1.0	
n-Propylbenzene	ND	1.0	
sec-Butylbenzene	ND	1.0	
Styrene	ND	1.0	
tert-Butylbenzene	ND	1.0	
1,1,1,2-Tetrachloroethane	ND	1.0	
1,1,2,2-Tetrachloroethane	ND	1.0	
Tetrachloroethene (PCE)	ND	1.0	
trans-1,2-DCE	ND	1.0	
trans-1,3-Dichloropropene	ND	1.0	
1,2,3-Trichlorobenzene	ND	1.0	
1,2,4-Trichlorobenzene	ND	1.0	
1,1,1-Trichloroethane	ND	1.0	
1,1,2-Trichloroethane	ND	1.0	
Trichloroethene (TCE)	ND	1.0	
Trichlorofluoromethane	ND	1.0	
1,2,3-Trichloropropane	ND	2.0	
Vinyl chloride	ND	2.0	
Xylenes, Total	0.59	1.0	J

Qualifiers: ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Method Blank

Surr: 1,2-Dichloroethane-d4	10.06	0	10	0	101	74.6	123	0
Surr: 4-Bromofluorobenzene	10	0	10	0	100	85.6	117	0
Surr: Dibromofluoromethane	8.624	0	10	0	86.2	78.6	117	0
Surr: Toluene-d8	10.08	0	10	0	101	84.2	119	0

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT
 Method Blank

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
MB-3781	3781	SW8270B	µg/L	6/25/2003	6/18/2003						
Client ID:	Run ID:	SeqNo:									
	ELMO_030625A	196254									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	ND	10									
Acenaphthylene	ND	10									
Aniline	ND	10									
Anthracene	ND	10									
Azobenzene	ND	10									
Benz(a)anthracene	ND	10									
Benzidine	ND	20									
Benzo(a)pyrene	ND	10									
Benzo(b)fluoranthene	ND	10									
Benzo(g,h,i)perylene	ND	10									
Benzo(k)fluoranthene	ND	10									
Benzoic acid	ND	50									
Benzyl alcohol	ND	20									
Bis(2-chloroethoxy)methane	ND	10									
Bis(2-chloroethyl)ether	ND	10									
Bis(2-chloroisopropyl)ether	ND	10									
Bis(2-ethylhexyl)phthalate	ND	10									
4-Bromophenyl phenyl ether	ND	10									
Butyl benzyl phthalate	ND	10									
Carbazole	ND	10									
4-Chloro-3-methylphenol	ND	20									
4-Chloroaniline	ND	20									
2-Chloronaphthalene	ND	10									
2-Chlorophenol	ND	10									
4-Chlorophenyl phenyl ether	ND	10									
Chrysene	ND	10									
Di-n-butyl phthalate	ND	10									
Di-n-octyl phthalate	ND	10									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Method Blank

Dibenz(a,h)anthracene	ND	10
Dibenzofuran	ND	10
1,2-Dichlorobenzene	ND	10
1,3-Dichlorobenzene	ND	10
1,4-Dichlorobenzene	ND	10
3,3'-Dichlorobenzidine	ND	10
Diethyl phthalate	ND	10
Dimethyl phthalate	ND	10
2,4-Dichlorophenol	ND	10
2,4-Dimethylphenol	ND	10
4,6-Dinitro-2-methylphenol	ND	50
2,4-Dinitrophenol	ND	50
2,4-Dinitrotoluene	ND	10
2,6-Dinitrotoluene	ND	10
Fluoranthene	ND	10
Fluorene	ND	10
Hexachlorobenzene	ND	10
Hexachlorobutadiene	ND	10
Hexachlorocyclopentadiene	ND	10
Hexachloroethane	ND	10
Indeno(1,2,3-cd)pyrene	ND	10
Isophorone	ND	10
2-Methylnaphthalene	ND	10
2-Methylphenol	ND	10
4-Methylphenol	ND	10
N-Nitrosodi-n-propylamine	ND	10
N-Nitrosodiphenylamine	ND	10
Naphthalene	ND	10
2-Nitroaniline	ND	50
3-Nitroaniline	ND	50
4-Nitroaniline	ND	20
Nitrobenzene	ND	10
2-Nitrophenol	ND	10

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT
 Method Blank

4-Nitrophenol	ND	50								
Pentachlorophenol	ND	50								
Phenanthrene	ND	10								
Phenol	ND	10								
Pyrene	ND	10								
Pyridine	ND	10								
1,2,4-Trichlorobenzene	ND	10								
2,4,5-Trichlorophenol	ND	10								
2,4,6-Trichlorophenol	ND	10								
Surr: 2,4,6-Tribromophenol	150.6	0	200	0	75.3	16.6	115	0		
Surr: 2-Fluorobiphenyl	59.05	0	100	0	59.0	37	95.7	0		
Surr: 2-Fluorophenol	112.7	0	200	0	56.4	9.54	89.8	0		
Surr: 4-Terphenyl-d14	82.78	0	100	0	82.8	70	130	0		
Surr: Nitrobenzene-d5	68.74	0	100	0	68.7	38	106	0		
Surr: Phenol-d6	79.82	0	200	0	39.9	10.7	63.4	0		

Sample ID	MB-3787	Batch ID:	3787	Test Code:	SW7470	Units:	mg/L	Analysis Date	6/18/2003	Prep Date	6/18/2003
Client ID:		Run ID:	MI-LA254_030618A	SeqNo:	194397						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	ND	0.00020									

Sample ID	MB-3786	Batch ID:	3786	Test Code:	SW6010A	Units:	mg/L	Analysis Date	6/23/2003 9:10:55 AM	Prep Date	6/18/2003
Client ID:		Run ID:	ICP_030623A	SeqNo:	195206						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	ND	0.020									
Barium	0.001259	0.0020									J
Cadmium	ND	0.0020									
Chromium	ND	0.0060									
Lead	ND	0.0050									
Selenium	ND	0.020									

Qualifiers: ND - Not Detected at the Reporting Limit
 J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
 R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Method Blank

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
MB-3786	3786	SW6010A	mg/L	6/23/2003 3:00:14 PM	6/18/2003						
Client ID:		Run ID:	ICP_030623B	SeqNo:	195243						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	ND	0.50	0	0	0	0	0	0			
Magnesium	ND	0.50	0	0	0	0	0	0			
Potassium	ND	0.50	0	0	0	0	0	0			
Sodium	ND	0.50	0	0	0	0	0	0			

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
MB-3786	3786	SW6010A	mg/L	6/24/2003 8:44:56 AM	6/18/2003						
Client ID:		Run ID:	ICP_030623C	SeqNo:	195300						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Silver	ND	0.0050	0	0	0	0	0	0			

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
0306109-01B	3786	SW6010A	mg/L	6/24/2003 8:54:10 AM	6/18/2003						
Client ID:		Run ID:	ICP_030623C	SeqNo:	195309						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Silver	0.001208	0.0050									J

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
MB-3771	3771	E160.1	mg/L	6/18/2003	6/16/2003						
Client ID:		Run ID:	WC_030618A	SeqNo:	194328						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
 Work Order: 0306084
 Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT

Sample Duplicate

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
0306084-01D DUP	3786	SW6010A	mg/L	6/23/2003 9:49:11 AM	6/18/2003						
Client ID: Qtr. Inj Well (2nd)	Run ID: ICP_030623A	SeqNo: 195213									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	0.02444	0.020	0	0	0	0	0	0.0252	3.08	30	
Barium	0.1669	0.0020	0	0	0	0	0	0.1544	7.80	30	
Cadmium	ND	0.0020	0	0	0	0	0	0	0	30	
Chromium	0.008015	0.0060	0	0	0	0	0	0.007839	2.22	30	
Lead	ND	0.0050	0	0	0	0	0	0	0	30	
Selenium	0.01279	0.020	0	0	0	0	0	0.009243	0	30	J

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
0306084-01D DUP	3786	SW6010A	mg/L	6/23/2003 3:10:47 PM	6/18/2003						
Client ID: Qtr. Inj Well (2nd)	Run ID: ICP_030623B	SeqNo: 195247									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium	76.8	0.50	0	0	0	0	0	76.78	0.0221	30	
Magnesium	19.94	0.50	0	0	0	0	0	20.88	4.59	30	
Potassium	28.92	0.50	0	0	0	0	0	29.47	1.91	30	

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
0306084-01D DUP	3786	SW6010A	mg/L	6/24/2003 8:51:05 AM	6/18/2003						
Client ID: Qtr. Inj Well (2nd)	Run ID: ICP_030623C	SeqNo: 195306									
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Silver	ND	0.0050	0	0	0	0	0	0	0	30	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory

Date: 01-Jul-03

CLIENT: San Juan Refining
 Work Order: 0306084
 Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT
 Laboratory Control Spike - generic

Sample ID	Ics	Batch ID	Test Code	Units	Analysis Date	Prep Date						
	061203	R8543	E300	mg/L	6/12/2003 11:27:36 AM							
Client ID:			Run ID:	LC_030612A	SeqNo:	193271						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	5.871	0.10	6	0	97.9	90	110	0				
Sulfate	11.58	0.50	12	0	96.5	90	110	0				

Sample ID	Ics	Batch ID	Test Code	Units	Analysis Date	Prep Date						
		R8536	SW8260B	µg/L	6/11/2003							
Client ID:			Run ID:	VAL_030611A	SeqNo:	193090						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Benzene	16.43	1.0	20	0	82.1	71.2	122	0				
Toluene	18.91	1.0	20	0	94.6	87.7	122	0				
Chlorobenzene	19.93	1.0	20	0	99.6	85.6	136	0				
1,1-Dichloroethene	18.67	1.0	20	0	93.4	70.7	117	0				
Trichloroethene (TCE)	19.55	1.0	20	0	97.8	76.9	130	0				

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT
 Laboratory Control Spike - generic

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
LCS-3781	3781	SW8270B	µg/L	6/25/2003	6/18/2003						
Client ID:		Run ID:	ELMO_030625A	SeqNo:	196255						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	65.19	10	100	0	65.2	43.1	89.9	0			
4-Chloro-3-methylphenol	121.5	20	200	0	60.7	44.1	93.2	0			
2-Chlorophenol	131.5	10	200	0	65.8	20.7	98	0			
1,4-Dichlorobenzene	49	10	100	0	49.0	24.1	90.7	0			
2,4-Dinitrotoluene	77.1	10	100	0	77.1	43.2	101	0			
N-Nitrosodi-n-propylamine	64.93	10	100	0	64.9	44.6	99.9	0			
4-Nitrophenol	87.92	50	200	0	44.0	11.8	60.1	0			
Pentachlorophenol	138.9	50	200	0	69.5	8.65	105	0			
Phenol	73.98	10	200	0	37.0	21.1	55.3	0			
Pyrene	81.72	10	100	0	81.7	35.7	111	0			
1,2,4-Trichlorobenzene	46.62	10	100	0	46.6	30.2	89.6	0			

Sample ID	Batch ID	Test Code	Units	Analysis Date	Prep Date						
LCSD-3781	3781	SW8270B	µg/L	6/25/2003	6/18/2003						
Client ID:		Run ID:	ELMO_030625A	SeqNo:	196257						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	71.57	10	100	0	71.6	43.1	89.9	65.19	9.33	30.5	
4-Chloro-3-methylphenol	134.5	20	200	0	67.3	44.1	93.2	121.5	10.2	28.6	
2-Chlorophenol	142	10	200	0	71.0	20.7	98	131.5	7.65	107	
1,4-Dichlorobenzene	55.09	10	100	0	55.1	24.1	90.7	49	11.7	62.1	
2,4-Dinitrotoluene	77.7	10	100	0	77.7	43.2	101	77.1	0.773	14.7	
N-Nitrosodi-n-propylamine	70	10	100	0	70.0	44.6	99.9	64.93	7.53	30.3	
4-Nitrophenol	68.52	50	200	0	34.3	11.8	60.1	87.92	24.8	36.3	
Pentachlorophenol	139.3	50	200	0	69.6	8.65	105	138.9	0.240	49	
Phenol	81.64	10	200	0	40.8	21.1	55.3	73.98	9.84	52.4	
Pyrene	85.56	10	100	0	85.6	35.7	111	81.72	4.59	16.3	
1,2,4-Trichlorobenzene	56.82	10	100	0	56.8	30.2	89.6	46.62	19.7	36.4	

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT
 Laboratory Control Spike - generic

Sample ID	LCS-3787	Batch ID:	3787	Test Code:	SW7470	Units:	mg/L	Analysis Date	6/18/2003	Prep Date	6/18/2003	
Client ID:		Run ID:	MI-LA254_030618A	SeqNo:	194398							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury		0.005325	0.00020	0.005	0	107	75.2	134	0			

Sample ID	LCSD-3787	Batch ID:	3787	Test Code:	SW7470	Units:	mg/L	Analysis Date	6/18/2003	Prep Date	6/18/2003	
Client ID:		Run ID:	MI-LA254_030618A	SeqNo:	194399							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury		0.00501	0.00020	0.005	0	100	75.2	134	0.005325	6.10	0	

Sample ID	LCS-3786	Batch ID:	3786	Test Code:	SW6010A	Units:	mg/L	Analysis Date	6/23/2003 9:17:37 AM	Prep Date	6/18/2003	
Client ID:		Run ID:	ICP_030623A	SeqNo:	195207							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic		0.5146	0.020	0.5	0	103	70	130	0			
Barium		0.4966	0.0020	0.5	0.001259	99.1	70	130	0			
Cadmium		0.5046	0.0020	0.5	0	101	70	130	0			
Chromium		0.5098	0.0060	0.5	0	102	70	130	0			
Lead		0.5111	0.0050	0.5	0	102	70	130	0			
Selenium		0.5081	0.020	0.5	0	102	70	130	0			

Sample ID	LCS-3786	Batch ID:	3786	Test Code:	SW6010A	Units:	mg/L	Analysis Date	6/23/2003 3:03:10 PM	Prep Date	6/18/2003	
Client ID:		Run ID:	ICP_030623B	SeqNo:	195244							
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Calcium		0.5799	0.50	0.5	0	116	70	130	0			
Magnesium		0.4865	0.50	0.5	0	97.3	70	130	0			J
Potassium		4.794	0.50	5	0	95.9	70	130	0			
Sodium		0.5412	0.50	0.5	0	108	70	130	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

CLIENT: San Juan Refining
Work Order: 0306084
Project: Inj Well 2nd Qtr 2003

QC SUMMARY REPORT
 Laboratory Control Spike - generic

Sample ID	LCS-3786	Batch ID:	3786	Test Code:	SW6010A	Units:	mg/L	Analysis Date	6/24/2003 8:46:03 AM	Prep Date	6/18/2003			
Client ID:		Run ID:	ICP_030623C	SeqNo:	195301									
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Silver		0.4701		0.0050	0.5	0		94.0	70	130	0			

Sample ID	LCS-3771	Batch ID:	3771	Test Code:	E160.1	Units:	mg/L	Analysis Date	6/18/2003	Prep Date	6/16/2003			
Client ID:		Run ID:	WC_030618A	SeqNo:	194329									
Analyte		Result		PQL	SPK value	SPK Ref Val		%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Dissolved Solids		1021		1.0	1000	0		102	80	120	0			

Qualifiers: ND - Not Detected at the Reporting Limit S - Spike Recovery outside accepted recovery limits B - Analyte detected in the associated Method Blank
 J - Analyte detected below quantitation limits R - RPD outside accepted recovery limits

Hall Environmental Analysis Laboratory

Sample Receipt Checklist

Client Name **SJR**

Date and Time Receive

6/12/03

Work Order Number **0306084**

Received by **AMG**

Checklist completed by

Abonzo 6/12/03
Signature Date

Matrix:

Carrier name: UPS

- | | | | |
|---|---|---|---|
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | Not Present <input type="checkbox"/> |
| Custody seals intact on shipping container/cooler? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Present <input checked="" type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | Not Present <input checked="" type="checkbox"/> |
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Samples in proper container/bottle? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Water - VOA vials have zero headspace? | No VOA vials submitted <input type="checkbox"/> | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> |
| Water - pH acceptable upon receipt? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | N/A <input checked="" type="checkbox"/> |
| Container/Temp Blank temperature? | 8° | 4° C ± 2 Acceptable | |

COMMENTS:

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: _____


Corrective Action _____

CHAIN-OF-CUSTODY RECORD

Accreditation Applied:

NELAC USACE

Other: _____



HALL ENVIRONMENTAL ANALYSIS LABORATORY

4901 Hawkins NE, Suite D
Albuquerque, New Mexico 87109
Tel. 505.345.3975 Fax 505.345.4107
www.hallenvironmental.com

Client: SAN Juan Refining

Project Name: Inj. Well - 2nd Qtr 2003

Address: #50 CR 4990
Bloomfield, NM
87413

Project #:

Project Manager: Cindy Hurtado

Phone #: 505-632-4161

Sampler: ↓ ↓

Fax #: 505-632-3911

Sample Temperature: 8°C

ANALYSIS REQUEST

Date	Time	Matrix	Sample I.D. No.	Number/Volume	Preservative		HEAL No.	BTEX + MTBE + TMB's (8021)	BTEX + MTBE + TPH (Gasoline Only)	TPH Method 8015B MOD (Gas/Diesel)	TPH (Method 418.1)	EDB (Method 504.1)	EDC (Method 8021)	8310 (PNA or PAH)	RCRA 8 Metals + Na, K, Mg, Ca	Cations (Na, K, Ca, Mg)	Anions (F, Cl, NO ₃ , NO ₂ , PO ₄ , SO ₄)	8081 Pesticides / PCB's (8082)	8260 (VOA)	8270 (Semi-VOA)	EC, pH, TDS, Alk, S ₄ , Cl	Ingritability, Corrosivity	Reactivity	Air Bubbles on Headspace (Y or N)	
					H ₂ Cl ₂	HNO ₃																			
5-11-03	7:30AM	H ₂ O	Qtr Inj Well (2 nd)	3-VOA	X		0306084												X						
	7:30AM			1-liter Amber																X					
				1-500ml																		X			
				1-500ml											X								X		
				1-25ml		X																		X	

Date: 5-11-03 Time: 9AM Relinquished By: (Signature) Cindy Hurtado

Remarks: 6/2/03
1:00

Remarks:

Date: _____ Time: _____ Relinquished By: (Signature) _____

Remarks: _____

Remarks: _____