

#50 Road 4990  
P. O. Box 159  
Bloomfield, NM 87413  
505-632-8013  
505-632-3911 (fax)



 ENTERED

# Fax

To: HOPE MONZEGLIO From: RANDY S

---

Fax: (505) 428-2567 Pages: 1-9

---

Phone: Date: 10/3/05

---

Re: CC:

Urgent     For Review     Please Comment     Please Reply     Please Recycle

• Comments:

INJECTION WELL 1<sup>ST</sup> & 2<sup>ND</sup> QTR 2005  
 SAMPLED 9/21/05 FOR 3<sup>RD</sup> QTR  
 NO RESULTS YET!



## COVER LETTER

March 23, 2005

Cindy Hurtado  
San Juan Refining  
#50 CR 4990  
Bloomfield, NM 87413  
TEL: (505) 632-4161  
FAX (505) 632-3911

RE: Injection Well - 1st Qtr 2005

Order No.: 0503082

Dear Cindy Hurtado:


Hall Environmental Analysis Laboratory received 2 samples on 3/8/2005 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,



Andy Freeman, Business Manager  
Nancy McDuffie, Laboratory Manager



## Hall Environmental Analysis Laboratory

Date: 23-Mar-05

CLIENT: San Juan Refining  
 Lab Order: 0503082  
 Project: Injection Well - 1st Qtr 2005  
 Lab ID: 0503082-01

Client Sample ID: Inj Well 1st Qtr  
 Collection Date: 3/7/2005 11:00:00 AM  
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 300.0: ANIONS</b>						Analyst: MAP
Chloride	770	2.0		mg/L	20	3/10/2005
Sulfate	470	10		mg/L	20	3/10/2005
<b>EPA METHOD 310.1: ALKALINITY</b>						Analyst: MAP
Alkalinity, Total (As CaCO <sub>3</sub> )	570	4.0		mg/L CaCO <sub>3</sub>	2	3/21/2005
Carbonate	ND	4.0		mg/L CaCO <sub>3</sub>	2	3/21/2005
Bicarbonate	570	4.0		mg/L CaCO <sub>3</sub>	2	3/21/2005
<b>EPA METHOD 8260: VOLATILES</b>						Analyst: BDH
Benzene	ND	10		µg/L	10	3/12/2005
Toluene	ND	10		µg/L	10	3/12/2005
Ethylbenzene	ND	10		µg/L	10	3/12/2005
Methyl tert-butyl ether (MTBE)	1700	20		µg/L	20	3/14/2005
1,2,4-Trimethylbenzene	ND	10		µg/L	10	3/12/2005
1,3,5-Trimethylbenzene	16	10		µg/L	10	3/12/2005
1,2-Dichloroethane (EDC)	ND	10		µg/L	10	3/12/2005
1,2-Dibromoethane (EDB)	ND	10		µg/L	10	3/12/2005
Naphthalene	ND	20		µg/L	10	3/12/2005
1-Methylnaphthalene	ND	40		µg/L	10	3/12/2005
2-Methylnaphthalene	ND	40		µg/L	10	3/12/2005
Acetone	350	100		µg/L	10	3/12/2005
Bromobenzene	ND	10		µg/L	10	3/12/2005
Bromochloromethane	ND	10		µg/L	10	3/12/2005
Bromodichloromethane	ND	10		µg/L	10	3/12/2005
Bromoform	ND	10		µg/L	10	3/12/2005
Bromomethane	ND	20		µg/L	10	3/12/2005
2-Butanone	ND	100		µg/L	10	3/12/2005
Carbon disulfide	ND	100		µg/L	10	3/12/2005
Carbon Tetrachloride	ND	10		µg/L	10	3/12/2005
Chlorobenzene	ND	10		µg/L	10	3/12/2005
Chloroethane	ND	20		µg/L	10	3/12/2005
Chloroform	ND	10		µg/L	10	3/12/2005
Chloromethane	ND	10		µg/L	10	3/12/2005
2-Chlorotoluene	ND	10		µg/L	10	3/12/2005
4-Chlorotoluene	ND	10		µg/L	10	3/12/2005
cis-1,2-DCE	ND	10		µg/L	10	3/12/2005
cis-1,3-Dichloropropene	ND	10		µg/L	10	3/12/2005
1,2-Dibromo-3-chloropropane	ND	20		µg/L	10	3/12/2005
Dibromochloromethane	ND	10		µg/L	10	3/12/2005
Dibromomethane	ND	20		µg/L	10	3/12/2005
1,2-Dichlorobenzene	ND	10		µg/L	10	3/12/2005
1,3-Dichlorobenzene	ND	10		µg/L	10	3/12/2005

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## Hall Environmental Analysis Laboratory

Date: 23-Mar-05

CLIENT: San Juan Refining  
 Lab Order: 0503082  
 Project: Injection Well - 1st Qtr 2005  
 Lab ID: 0503082-01

Client Sample ID: Inj Well 1st Qtr  
 Collection Date: 3/7/2005 11:00:00 AM

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
1,4-Dichlorobenzene	ND	10		µg/L	10	3/12/2005
Dichlorodifluoromethane	ND	10		µg/L	10	3/12/2005
1,1-Dichloroethane	ND	10		µg/L	10	3/12/2005
1,1-Dichloroethene	ND	10		µg/L	10	3/12/2005
1,2-Dichloropropane	ND	10		µg/L	10	3/12/2005
1,3-Dichloropropane	ND	10		µg/L	10	3/12/2005
2,2-Dichloropropane	ND	10		µg/L	10	3/12/2005
1,1-Dichloropropene	ND	10		µg/L	10	3/12/2005
Hexachlorobutadiene	ND	10		µg/L	10	3/12/2005
2-Hexanone	ND	100		µg/L	10	3/12/2005
Isopropylbenzene	ND	10		µg/L	10	3/12/2005
4-Isopropyltoluene	ND	10		µg/L	10	3/12/2005
4-Methyl-2-pentanone	ND	100		µg/L	10	3/12/2005
Methylene Chloride	ND	30		µg/L	10	3/12/2005
n-Butylbenzene	ND	10		µg/L	10	3/12/2005
n-Propylbenzene	ND	10		µg/L	10	3/12/2005
sec-Butylbenzene	ND	10		µg/L	10	3/12/2005
Styrene	ND	10		µg/L	10	3/12/2005
tert-Butylbenzene	ND	10		µg/L	10	3/12/2005
1,1,1,2-Tetrachloroethane	ND	10		µg/L	10	3/12/2005
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	3/12/2005
Tetrachloroethene (PCE)	ND	10		µg/L	10	3/12/2005
trans-1,2-DCE	ND	10		µg/L	10	3/12/2005
trans-1,3-Dichloropropene	ND	10		µg/L	10	3/12/2005
1,2,3-Trichlorobenzene	ND	10		µg/L	10	3/12/2005
1,2,4-Trichlorobenzene	ND	10		µg/L	10	3/12/2005
1,1,1-Trichloroethane	ND	10		µg/L	10	3/12/2005
1,1,2-Trichloroethane	ND	10		µg/L	10	3/12/2005
Trichloroethene (TCE)	ND	10		µg/L	10	3/12/2005
Trichlorofluoromethane	ND	10		µg/L	10	3/12/2005
1,2,3-Trichloropropane	ND	20		µg/L	10	3/12/2005
Vinyl chloride	ND	10		µg/L	10	3/12/2005
Xylenes, Total	120	10		µg/L	10	3/12/2005
Surr: 1,2-Dichloroethane-d4	90.9	80-120		%REC	10	3/12/2005
Surr: 4-Bromofluorobenzene	97.6	80-120		%REC	10	3/12/2005
Surr: Dibromofluoromethane	96.1	80-120		%REC	10	3/12/2005
Surr: Toluene-d8	87.3	80-120		%REC	10	3/12/2005

## EPA METHOD 8270C: SEMIVOLATILES

Analyst: BL

Acenaphthene	ND	20		µg/L	1	3/10/2005
Acenaphthylene	ND	20		µg/L	1	3/10/2005
Aniline	ND	20		µg/L	1	3/10/2005
Anthracene	ND	20		µg/L	1	3/10/2005

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

\* - Value exceeds Maximum Contaminant Level

## Hall Environmental Analysis Laboratory

Date: 23-Mar-05

CLIENT: San Juan Refining

Client Sample ID: Inj Well 1st Qtr

Lab Order: 0503082

Collection Date: 3/7/2005 11:00:00 AM

Project: Injection Well - 1st Qtr 2005

Lab ID: 0503082-01

Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
Azobenzene	ND	20		µg/L	1	3/10/2005
Benz(a)anthracene	ND	30		µg/L	1	3/10/2005
Benzo(a)pyrene	ND	20		µg/L	1	3/10/2005
Benzo(b)fluoranthene	ND	20		µg/L	1	3/10/2005
Benzo(g,h,i)perylene	ND	20		µg/L	1	3/10/2005
Benzo(k)fluoranthene	ND	20		µg/L	1	3/10/2005
Benzoic acid	ND	100		µg/L	1	3/10/2005
Benzyl alcohol	ND	40		µg/L	1	3/10/2005
Bis(2-chloroethoxy)methane	ND	20		µg/L	1	3/10/2005
Bis(2-chloroethyl)ether	ND	30		µg/L	1	3/10/2005
Bis(2-chloroisopropyl)ether	ND	30		µg/L	1	3/10/2005
Bis(2-ethylhexyl)phthalate	ND	30		µg/L	1	3/10/2005
4-Bromophenyl phenyl ether	ND	20		µg/L	1	3/10/2005
Butyl benzyl phthalate	ND	30		µg/L	1	3/10/2005
Carbazole	ND	20		µg/L	1	3/10/2005
4-Chloro-3-methylphenol	ND	40		µg/L	1	3/10/2005
4-Chloroaniline	ND	40		µg/L	1	3/10/2005
2-Chloronaphthalene	ND	20		µg/L	1	3/10/2005
2-Chlorophenol	ND	20		µg/L	1	3/10/2005
4-Chlorophenyl phenyl ether	ND	30		µg/L	1	3/10/2005
Chrysene	ND	30		µg/L	1	3/10/2005
Di-n-butyl phthalate	ND	20		µg/L	1	3/10/2005
Di-n-octyl phthalate	ND	30		µg/L	1	3/10/2005
Dibenz(a,h)anthracene	ND	20		µg/L	1	3/10/2005
Dibenzofuran	ND	20		µg/L	1	3/10/2005
1,2-Dichlorobenzene	ND	20		µg/L	1	3/10/2005
1,3-Dichlorobenzene	ND	20		µg/L	1	3/10/2005
1,4-Dichlorobenzene	ND	20		µg/L	1	3/10/2005
3,3'-Dichlorobenzidine	ND	30		µg/L	1	3/10/2005
Diethyl phthalate	ND	20		µg/L	1	3/10/2005
Dimethyl phthalate	ND	20		µg/L	1	3/10/2005
2,4-Dichlorophenol	ND	20		µg/L	1	3/10/2005
2,4-Dimethylphenol	36	20		µg/L	1	3/10/2005
4,6-Dinitro-2-methylphenol	ND	100		µg/L	1	3/10/2005
2,4-Dinitrophenol	ND	100		µg/L	1	3/10/2005
2,4-Dinitrotoluene	ND	20		µg/L	1	3/10/2005
2,6-Dinitrotoluene	ND	20		µg/L	1	3/10/2005
Fluoranthene	ND	20		µg/L	1	3/10/2005
Fluorene	ND	20		µg/L	1	3/10/2005
Hexachlorobenzene	ND	20		µg/L	1	3/10/2005
Hexachlorobutadiene	ND	20		µg/L	1	3/10/2005
Hexachlorocyclopentadiene	ND	20		µg/L	1	3/10/2005

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

\* - Value exceeds Maximum Contaminant Level



## COVER LETTER

July 18, 2005

Cindy Hurtado  
San Juan Refining  
#50 CR 4990  
Bloomfield, NM 87413  
TEL: (505) 632-4161  
FAX (505) 632-3911

RE: Injection Well - 2nd Qtr 2005

Order No.: 0506265

Dear Cindy Hurtado:

Hall Environmental Analysis Laboratory received 2 samples on 6/28/2005 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent.

Reporting limits are determined by EPA methodology. No determination of compounds below these (denoted by the ND or < sign) has been made.

Please don't hesitate to contact HEAL for any additional information or clarifications.

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a horizontal line.

Andy Freeman, Business Manager  
Nancy McDuffie, Laboratory Manager



# Hall Environmental Analysis Laboratory

Date: 18-Jul-05

CLIENT: San Juan Refining  
 Lab Order: 0506265  
 Project: Injection Well - 2nd Qtr 2005  
 Lab ID: 0506265-01

Client Sample ID: Inj Well 2nd Qtr  
 Collection Date: 6/27/2005 9:00:00 AM  
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 300.0: ANIONS</b>						Analyst: CMC
Chloride	1200	5.0		mg/L	50	7/9/2005
Sulfate	430	5.0		mg/L	10	7/8/2005
<b>EPA METHOD 310.1: ALKALINITY</b>						Analyst: MAP
Alkalinity, Total (As CaCO3)	570	4.0		mg/L CaCO3	2	6/30/2005
Carbonate	64	4.0		mg/L CaCO3	2	6/30/2005
Bicarbonate	500	4.0		mg/L CaCO3	2	6/30/2005
<b>EPA METHOD 8260: VOLATILES</b>						Analyst: BDH
Benzene	ND	10		µg/L	10	7/1/2005
Toluene	ND	10		µg/L	10	7/1/2005
Ethylbenzene	ND	10		µg/L	10	7/1/2005
Methyl tert-butyl ether (MTBE)	1400	100		µg/L	100	7/2/2005
1,2,4-Trimethylbenzene	19	10		µg/L	10	7/1/2005
1,3,5-Trimethylbenzene	48	10		µg/L	10	7/1/2005
1,2-Dichloroethane (EDC)	ND	10		µg/L	10	7/1/2005
1,2-Dibromoethane (EDB)	ND	10		µg/L	10	7/1/2005
Naphthalene	ND	20		µg/L	10	7/1/2005
1-Methylnaphthalene	130	40		µg/L	10	7/1/2005
2-Methylnaphthalene	73	40		µg/L	10	7/1/2005
Acetone	2800	1000		µg/L	100	7/2/2005
Bromobenzene	ND	10		µg/L	10	7/1/2005
Bromochloromethane	ND	10		µg/L	10	7/1/2005
Bromodichloromethane	ND	10		µg/L	10	7/1/2005
Bromoform	ND	10		µg/L	10	7/1/2005
Bromomethane	ND	20		µg/L	10	7/1/2005
2-Butanone	ND	100		µg/L	10	7/1/2005
Carbon disulfide	ND	100		µg/L	10	7/1/2005
Carbon Tetrachloride	ND	10		µg/L	10	7/1/2005
Chlorobenzene	ND	10		µg/L	10	7/1/2005
Chloroethane	ND	20		µg/L	10	7/1/2005
Chloroform	ND	10		µg/L	10	7/1/2005
Chloromethane	ND	10		µg/L	10	7/1/2005
2-Chlorotoluene	ND	10		µg/L	10	7/1/2005
4-Chlorotoluene	ND	10		µg/L	10	7/1/2005
cis-1,2-DCE	ND	10		µg/L	10	7/1/2005
cis-1,3-Dichloropropene	ND	10		µg/L	10	7/1/2005
1,2-Dibromo-3-chloropropane	ND	20		µg/L	10	7/1/2005
Dibromochloromethane	ND	10		µg/L	10	7/1/2005
Dibromomethane	ND	20		µg/L	10	7/1/2005
1,2-Dichlorobenzene	ND	10		µg/L	10	7/1/2005
1,3-Dichlorobenzene	ND	10		µg/L	10	7/1/2005

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range

## Hall Environmental Analysis Laboratory

Date: 18-Jul-05

CLIENT: San Juan Refining  
 Lab Order: 0506265  
 Project: Injection Well - 2nd Qtr 2005  
 Lab ID: 0506265-01

Client Sample ID: Inj Well 2nd Qtr  
 Collection Date: 6/27/2005 9:00:00 AM  
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
1,4-Dichlorobenzene	ND	10		µg/L	10	7/1/2005
Dichlorodifluoromethane	ND	10		µg/L	10	7/1/2005
1,1-Dichloroethane	ND	10		µg/L	10	7/1/2005
1,1-Dichloroethene	ND	10		µg/L	10	7/1/2005
1,2-Dichloropropane	ND	10		µg/L	10	7/1/2005
1,3-Dichloropropane	ND	10		µg/L	10	7/1/2005
2,2-Dichloropropane	ND	10		µg/L	10	7/1/2005
1,1-Dichloropropene	ND	10		µg/L	10	7/1/2005
Hexachlorobutadiene	ND	10		µg/L	10	7/1/2005
2-Hexanone	ND	100		µg/L	10	7/1/2005
Isopropylbenzene	ND	10		µg/L	10	7/1/2005
4-Isopropyltoluene	ND	10		µg/L	10	7/1/2005
4-Methyl-2-pentanone	ND	100		µg/L	10	7/1/2005
Methylene Chloride	ND	30		µg/L	10	7/1/2005
n-Butylbenzene	ND	10		µg/L	10	7/1/2005
n-Propylbenzene	ND	10		µg/L	10	7/1/2005
sec-Butylbenzene	14	10		µg/L	10	7/1/2005
Styrene	ND	10		µg/L	10	7/1/2005
tert-Butylbenzene	ND	10		µg/L	10	7/1/2005
1,1,1,2-Tetrachloroethane	ND	10		µg/L	10	7/1/2005
1,1,2,2-Tetrachloroethane	ND	10		µg/L	10	7/1/2005
Tetrachloroethene (PCE)	ND	10		µg/L	10	7/1/2005
trans-1,2-DCE	ND	10		µg/L	10	7/1/2005
trans-1,3-Dichloropropene	ND	10		µg/L	10	7/1/2005
1,2,3-Trichlorobenzene	ND	10		µg/L	10	7/1/2005
1,2,4-Trichlorobenzene	ND	10		µg/L	10	7/1/2005
1,1,1-Trichloroethane	ND	10		µg/L	10	7/1/2005
1,1,2-Trichloroethane	ND	10		µg/L	10	7/1/2005
Trichloroethene (TCE)	ND	10		µg/L	10	7/1/2005
Trichlorofluoromethane	ND	10		µg/L	10	7/1/2005
1,2,3-Trichloropropane	ND	20		µg/L	10	7/1/2005
Vinyl chloride	ND	10		µg/L	10	7/1/2005
Xylenes, Total	95	10		µg/L	10	7/1/2005
Surr: 1,2-Dichloroethane-d4	105	80-120		%REC	10	7/1/2005
Surr: 4-Bromofluorobenzene	100	80-120		%REC	10	7/1/2005
Surr: Dibromofluoromethane	102	80-120		%REC	10	7/1/2005
Surr: Toluene-d8	89.2	80-120		%REC	10	7/1/2005

## EPA METHOD 8270C: SEMIVOLATILES

Analyst: BL

Acenaphthene	ND	10		µg/L	1	7/12/2005
Acenaphthylene	ND	10		µg/L	1	7/12/2005
Aniline	ND	10		µg/L	1	7/12/2005
Anthracene	ND	10		µg/L	1	7/12/2005

Qualifiers: ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

E - Value above quantitation range

\* - Value exceeds Maximum Contaminant Level



## Hall Environmental Analysis Laboratory

Date: 18-Jul-05

CLIENT: San Juan Refining  
 Lab Order: 0506265  
 Project: Injection Well - 2nd Qtr 2005  
 Lab ID: 0506265-01

Client Sample ID: Inj Well 2nd Qtr  
 Collection Date: 6/27/2005 9:00:00 AM  
 Matrix: AQUEOUS

Analyses	Result	PQL	Qual	Units	DF	Date Analyzed
Azobenzene	ND	10		µg/L	1	7/12/2005
Benz(a)anthracene	ND	15		µg/L	1	7/12/2005
Benzo(a)pyrene	ND	10		µg/L	1	7/12/2005
Benzo(b)fluoranthene	ND	10		µg/L	1	7/12/2005
Benzo(g,h,i)perylene	ND	10		µg/L	1	7/12/2005
Benzo(k)fluoranthene	ND	10		µg/L	1	7/12/2005
Benzoic acid	ND	50		µg/L	1	7/12/2005
Benzyl alcohol	ND	20		µg/L	1	7/12/2005
Bis(2-chloroethoxy)methane	ND	10		µg/L	1	7/12/2005
Bis(2-chloroethyl)ether	ND	15		µg/L	1	7/12/2005
Bis(2-chloroisopropyl)ether	ND	15		µg/L	1	7/12/2005
Bis(2-ethylhexyl)phthalate	ND	15		µg/L	1	7/12/2005
4-Bromophenyl phenyl ether	ND	10		µg/L	1	7/12/2005
Butyl benzyl phthalate	ND	15		µg/L	1	7/12/2005
Carbazole	12	10		µg/L	1	7/12/2005
4-Chloro-3-methylphenol	ND	20		µg/L	1	7/12/2005
4-Chloroaniline	ND	20		µg/L	1	7/12/2005
2-Chloronaphthalene	ND	10		µg/L	1	7/12/2005
2-Chlorophenol	ND	10		µg/L	1	7/12/2005
4-Chlorophenyl phenyl ether	ND	15		µg/L	1	7/12/2005
Chrysene	ND	15		µg/L	1	7/12/2005
Di-n-butyl phthalate	ND	10		µg/L	1	7/12/2005
Di-n-octyl phthalate	ND	15		µg/L	1	7/12/2005
Dibenz(a,h)anthracene	ND	10		µg/L	1	7/12/2005
Dibenzofuran	ND	10		µg/L	1	7/12/2005
1,2-Dichlorobenzene	ND	10		µg/L	1	7/12/2005
1,3-Dichlorobenzene	ND	10		µg/L	1	7/12/2005
1,4-Dichlorobenzene	ND	10		µg/L	1	7/12/2005
3,3'-Dichlorobenzidine	ND	15		µg/L	1	7/12/2005
Diethyl phthalate	ND	10		µg/L	1	7/12/2005
Dimethyl phthalate	ND	10		µg/L	1	7/12/2005
2,4-Dichlorophenol	ND	10		µg/L	1	7/12/2005
2,4-Dimethylphenol	ND	10		µg/L	1	7/12/2005
4,6-Dinitro-2-methylphenol	ND	50		µg/L	1	7/12/2005
2,4-Dinitrophenol	ND	50		µg/L	1	7/12/2005
2,4-Dinitrotoluene	ND	10		µg/L	1	7/12/2005
2,6-Dinitrotoluene	ND	10		µg/L	1	7/12/2005
Fluoranthene	ND	10		µg/L	1	7/12/2005
Fluorene	28	10		µg/L	1	7/12/2005
Hexachlorobenzene	ND	10		µg/L	1	7/12/2005
Hexachlorobutadiene	ND	10		µg/L	1	7/12/2005
Hexachlorocyclopentadiene	ND	10		µg/L	1	7/12/2005

Qualifiers: ND - Not Detected at the Reporting Limit  
 J - Analyte detected below quantitation limits  
 B - Analyte detected in the associated Method Blank  
 \* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits  
 R - RPD outside accepted recovery limits  
 E - Value above quantitation range